



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:15 AM UTC

PDB ID : 6RNT / pdb_00006rnt
Title : CRYSTAL STRUCTURE OF RIBONUCLEASE T1 COMPLEXED WITH
ADENOSINE 2'-MONOPHOSPHATE AT 1.8-ANGSTROMS RESOLUTION
Authors : Ding, J.; Koellner, G.; Grunert, H.-P.; Saenger, W.
Deposited on : 1991-08-20
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	104	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 915 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RIBONUCLEASE T1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	104	Total	C	N	O	S	0	4	0
			787	485	127	171	4			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		

- Molecule 3 is ADENOSINE-2'-MONOPHOSPHATE (CCD ID: 2AM) (formula: C₁₀H₁₄N₅O₇P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	104	Total 104	O 104	0	0

Note EDS was not executed.

Chain A: 34% 63%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	48.93Å 46.57Å 41.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROFFT	Depositor
R, R_{free}	0.149 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	915	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, 2AM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.04	21/831 (2.5%)	3.35	143/1132 (12.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	70	GLY	N-CA	9.63	1.53	1.45
1	A	88	GLY	N-CA	9.48	1.55	1.45
1	A	40	HIS	CE1-NE2	-9.11	1.23	1.32
1	A	99	ASN	CA-C	6.51	1.61	1.53
1	A	61	ILE	CB-CG1	6.02	1.65	1.53
1	A	15	ASP	N-CA	5.80	1.53	1.46
1	A	10	CYS	N-CA	5.74	1.53	1.46
1	A	16	VAL	N-CA	5.74	1.53	1.46
1	A	11	TYR	CE1-CZ	5.70	1.51	1.38
1	A	19	ALA	N-CA	5.66	1.53	1.46
1	A	31	GLU	C-O	-5.57	1.16	1.23
1	A	34	GLY	N-CA	5.53	1.51	1.45
1	A	92	HIS	CG-ND1	-5.47	1.32	1.38
1	A	101	VAL	CA-C	5.41	1.59	1.52
1	A	80	PHE	N-CA	5.38	1.53	1.45
1	A	31	GLU	CA-C	5.17	1.59	1.52
1	A	100	PHE	N-CA	5.17	1.52	1.45
1	A	75	ALA	CA-C	-5.12	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	45	TYR	N-CA	5.01	1.52	1.46
1	A	35[A]	SER	N-CA	5.01	1.52	1.46
1	A	35[B]	SER	N-CA	5.01	1.52	1.46

All (143) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	83	ASN	CA-CB-CG	-14.78	97.82	112.60
1	A	84	ASN	OD1-CG-ND2	-14.52	108.08	122.60
1	A	11	TYR	O-C-N	13.20	139.37	123.27
1	A	40	HIS	CE1-NE2-CD2	13.11	122.11	109.00
1	A	79	VAL	O-C-N	11.73	135.93	123.26
1	A	81	ASN	OD1-CG-ND2	-11.29	111.31	122.60
1	A	70	GLY	N-CA-C	-10.97	101.00	112.08
1	A	32	THR	N-CA-CB	-10.82	94.09	111.62
1	A	99	ASN	O-C-N	10.44	136.12	122.23
1	A	5	THR	CA-C-O	-10.40	109.17	120.30
1	A	70	GLY	O-C-N	-10.18	113.30	123.48
1	A	89	VAL	O-C-N	10.05	133.63	123.18
1	A	96	SER	N-CA-CB	9.69	124.22	109.97
1	A	33	VAL	O-C-N	9.20	133.48	123.00
1	A	40	HIS	CB-CG-CD2	-9.08	119.40	131.20
1	A	76	ASP	O-C-N	8.57	132.96	123.10
1	A	5	THR	O-C-N	8.46	133.08	123.27
1	A	83	ASN	OD1-CG-ND2	8.37	130.97	122.60
1	A	63	SER	O-C-N	8.32	133.21	122.39
1	A	79	VAL	CA-C-O	-8.32	111.65	120.39
1	A	10	CYS	O-C-N	8.26	133.04	123.29
1	A	33	VAL	CA-C-O	-8.15	112.64	121.28
1	A	40	HIS	CG-CD2-NE2	-8.08	99.12	107.20
1	A	37	SER	CA-CB-OG	-8.04	95.03	111.10
1	A	99	ASN	CA-CB-CG	-7.92	104.68	112.60
1	A	92	HIS	CB-CG-CD2	-7.83	121.02	131.20
1	A	70	GLY	CA-C-O	7.80	128.07	122.37
1	A	17	SER	CA-CB-OG	-7.76	95.57	111.10
1	A	89	VAL	CA-C-O	-7.67	112.53	120.27
1	A	76	ASP	CA-C-O	-7.63	112.28	121.28
1	A	29	ASP	O-C-N	7.62	133.55	122.43
1	A	22	ALA	O-C-N	7.61	129.90	122.07
1	A	52	VAL	N-CA-CB	-7.55	96.27	111.91
1	A	46	GLU	CB-CG-CD	7.41	125.19	112.60
1	A	57	TYR	CA-C-O	-7.40	112.47	121.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	40	HIS	ND1-CE1-NE2	-7.34	101.06	108.40
1	A	87	ALA	CA-C-O	-7.31	110.94	119.78
1	A	10	CYS	N-CA-CB	-7.26	99.17	110.57
1	A	24	TYR	O-C-N	7.20	129.75	122.12
1	A	77	ARG	NE-CZ-NH2	7.17	125.66	119.20
1	A	99	ASN	CA-C-O	-7.15	113.80	121.88
1	A	79	VAL	CA-C-N	-7.14	110.83	122.82
1	A	79	VAL	C-N-CA	-7.14	110.83	122.82
1	A	8	SER	CA-CB-OG	7.12	125.34	111.10
1	A	50	PHE	CB-CG-CD1	7.04	132.67	120.70
1	A	70	GLY	CA-C-N	-6.94	109.98	121.57
1	A	70	GLY	C-N-CA	-6.94	109.98	121.57
1	A	1	ALA	CB-CA-C	6.92	120.88	110.50
1	A	42	TYR	CD1-CG-CD2	6.90	128.45	118.10
1	A	81	ASN	CB-CG-ND2	6.87	126.70	116.40
1	A	36	ASN	OD1-CG-ND2	6.82	129.42	122.60
1	A	23	GLY	O-C-N	-6.80	115.59	122.19
1	A	44	ASN	N-CA-CB	-6.79	101.89	110.45
1	A	40	HIS	CB-CG-ND1	6.76	132.85	122.70
1	A	31	GLU	O-C-N	6.67	131.82	123.15
1	A	50	PHE	CB-CG-CD2	-6.67	109.37	120.70
1	A	84	ASN	O-C-N	-6.63	113.52	122.41
1	A	42	TYR	CG-CD1-CE1	-6.63	111.26	121.20
1	A	87	ALA	O-C-N	6.61	131.85	122.20
1	A	96	SER	O-C-N	6.59	130.93	122.89
1	A	100	PHE	O-C-N	-6.55	114.70	122.96
1	A	29	ASP	CA-C-O	-6.54	110.74	119.11
1	A	41	LYS	N-CA-CB	-6.47	100.52	110.04
1	A	46	GLU	CB-CA-C	-6.46	97.83	110.11
1	A	11	TYR	CA-C-O	-6.46	113.23	120.66
1	A	99	ASN	CA-C-N	-6.41	112.11	122.36
1	A	99	ASN	C-N-CA	-6.41	112.11	122.36
1	A	11	TYR	CA-C-N	-6.38	109.22	122.03
1	A	11	TYR	C-N-CA	-6.38	109.22	122.03
1	A	28	GLU	O-C-N	-6.35	115.39	122.12
1	A	61	ILE	O-C-N	-6.35	116.40	123.26
1	A	19	ALA	CA-C-O	-6.35	113.69	120.42
1	A	75	ALA	N-CA-CB	-6.33	101.35	110.65
1	A	91	THR	O-C-N	6.28	130.42	123.33
1	A	41	LYS	CA-C-O	-6.20	114.97	121.55
1	A	26[A]	LEU	CD1-CG-CD2	-6.16	97.25	110.80
1	A	26[B]	LEU	CD1-CG-CD2	-6.16	97.25	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	83	ASN	CA-C-O	6.09	127.03	119.78
1	A	18	THR	CA-CB-CG2	6.09	120.85	110.50
1	A	24	TYR	CA-CB-CG	-6.09	102.94	113.90
1	A	34	GLY	CA-C-O	6.04	126.59	121.88
1	A	46	GLU	CA-C-O	6.02	127.01	119.12
1	A	32	THR	CA-CB-OG1	5.99	118.58	109.60
1	A	40	HIS	CB-CA-C	5.99	123.24	110.07
1	A	103	CYS	O-C-N	5.96	129.70	122.96
1	A	52	VAL	CB-CA-C	5.95	119.99	110.82
1	A	12	SER	O-C-N	-5.94	115.73	122.68
1	A	26[A]	LEU	CA-C-O	-5.90	114.30	120.55
1	A	26[B]	LEU	CA-C-O	-5.90	114.30	120.55
1	A	89	VAL	CA-C-N	-5.88	114.45	122.92
1	A	89	VAL	C-N-CA	-5.88	114.45	122.92
1	A	11	TYR	CB-CG-CD2	-5.87	112.00	120.80
1	A	27	HIS	CB-CG-CD2	5.84	138.80	131.20
1	A	17	SER	O-C-N	-5.83	115.94	122.12
1	A	49[A]	ASP	CA-CB-CG	5.81	118.41	112.60
1	A	49[B]	ASP	CA-CB-CG	5.81	118.41	112.60
1	A	36	ASN	CA-CB-CG	5.76	118.36	112.60
1	A	46	GLU	OE1-CD-OE2	5.68	136.52	122.90
1	A	58	GLU	N-CA-CB	5.64	120.72	111.08
1	A	28	GLU	CA-C-O	5.62	126.51	120.55
1	A	61	ILE	N-CA-C	-5.61	100.25	108.11
1	A	24	TYR	CA-C-O	-5.61	114.60	120.55
1	A	61	ILE	CB-CA-C	5.59	118.91	110.63
1	A	87	ALA	CA-C-N	-5.59	112.52	120.97
1	A	87	ALA	C-N-CA	-5.59	112.52	120.97
1	A	32	THR	OG1-CB-CG2	5.59	120.48	109.30
1	A	64	SER	CA-C-O	-5.58	112.52	119.38
1	A	12	SER	CA-C-O	5.57	128.41	121.89
1	A	53	SER	N-CA-C	5.54	118.02	110.55
1	A	32	THR	CA-CB-CG2	5.53	119.89	110.50
1	A	10	CYS	CA-C-N	-5.52	113.78	122.73
1	A	10	CYS	C-N-CA	-5.52	113.78	122.73
1	A	75	ALA	CB-CA-C	-5.48	100.34	109.55
1	A	78[A]	VAL	N-CA-C	-5.48	100.58	108.53
1	A	78[B]	VAL	N-CA-C	-5.48	100.58	108.53
1	A	53	SER	O-C-N	5.47	129.09	122.85
1	A	48	PHE	CA-C-O	-5.42	115.80	121.55
1	A	3	ASP	N-CA-C	-5.40	105.42	112.23
1	A	92	HIS	CB-CG-ND1	5.37	130.75	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	50	PHE	N-CA-C	-5.37	100.49	109.24
1	A	77	ARG	CG-CD-NE	5.32	123.71	112.00
1	A	14	SER	CA-C-O	5.29	126.16	120.55
1	A	11	TYR	CE1-CZ-OH	-5.25	104.17	119.90
1	A	58	GLU	CB-CG-CD	5.23	121.49	112.60
1	A	48	PHE	O-C-N	5.22	129.23	122.81
1	A	94	GLY	O-C-N	-5.21	115.90	122.41
1	A	59	TRP	CA-C-O	-5.21	114.98	119.72
1	A	78[A]	VAL	CA-CB-CG2	-5.21	101.55	110.40
1	A	78[B]	VAL	CA-CB-CG2	-5.21	101.55	110.40
1	A	53	SER	CA-C-O	-5.19	115.69	121.81
1	A	42	TYR	CB-CG-CD1	-5.18	113.03	120.80
1	A	43	ASN	CB-CA-C	5.18	118.68	109.72
1	A	101	VAL	CA-C-N	-5.14	113.28	122.07
1	A	101	VAL	C-N-CA	-5.14	113.28	122.07
1	A	87	ALA	N-CA-C	-5.14	106.69	113.12
1	A	104	THR	CA-CB-OG1	-5.12	101.92	109.60
1	A	31	GLU	CA-CB-CG	5.07	124.24	114.10
1	A	36	ASN	N-CA-CB	5.04	117.78	110.47
1	A	78[A]	VAL	CA-CB-CG1	5.01	118.91	110.40
1	A	78[B]	VAL	CA-CB-CG1	5.01	118.91	110.40
1	A	75	ALA	N-CA-C	5.01	120.23	113.72
1	A	42	TYR	O-C-N	5.00	129.25	123.30
1	A	100	PHE	CB-CA-C	-5.00	99.51	110.67

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	32	THR	CB

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	787	0	687	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
3	A	23	0	12	0	0
4	A	104	0	0	0	0
All	All	915	0	699	4	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (4) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:ALA:O	1:A:26[B]:LEU:HD12	2.00	0.61
1:A:54:SER:HB2	1:A:55:PRO:HA	1.85	0.57
1:A:54:SER:HA	1:A:55:PRO:C	2.44	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	106/104 (102%)	104 (98%)	2 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	2AM	A	105	-	25,25,25	1.60	4 (16%)	38,38,38	1.84	11 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	2AM	A	105	-	-	4/11/27/27	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	105	2AM	P-O2'	3.60	1.65	1.59
3	A	105	2AM	C6-N6	-3.13	1.26	1.34
3	A	105	2AM	C2-N1	2.87	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	105	2AM	P-O2P	-2.75	1.44	1.54

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	105	2AM	C6-C5-C4	4.12	122.81	117.18
3	A	105	2AM	O4'-C1'-C2'	-3.80	100.05	106.59
3	A	105	2AM	O2P-P-O1P	3.13	123.02	110.83
3	A	105	2AM	C6-C5-N7	-3.01	126.30	132.09
3	A	105	2AM	C3'-C2'-C1'	2.74	108.05	102.81
3	A	105	2AM	C2'-C1'-N9	2.64	118.09	113.75
3	A	105	2AM	O4'-C4'-C3'	2.63	110.37	105.15
3	A	105	2AM	C2'-C3'-C4'	-2.61	96.37	101.99
3	A	105	2AM	C5-C6-N1	-2.39	111.44	117.51
3	A	105	2AM	O3P-P-O1P	2.28	119.72	110.83
3	A	105	2AM	N6-C6-N1	2.25	123.39	118.38

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	105	2AM	C2'-O2'-P-O3P
3	A	105	2AM	C2'-O2'-P-O1P
3	A	105	2AM	C2'-C1'-N9-C4
3	A	105	2AM	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.