



Full wwPDB NMR Structure Validation Report ⓘ

Mar 13, 2026 – 07:30 AM UTC

PDB ID : 2ROD / pdb_00002rod
Title : Solution Structure of MCL-1 Complexed with NoxaA
Authors : Day, C.L.; Smits, C.; Fan, F.C.; Lee, E.F.; Fairlie, W.D.; Hinds, M.G.
Deposited on : 2008-03-17

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	162	 65% 20% 15%
2	B	27	 59% 7% 33%

2 Ensemble composition and analysis

This entry contains 20 models. Model 13 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:153-A:171, A:183-A:300, B:22-B:39 (155)	0.70	13

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 1 single-model cluster was found.

Cluster number	Models
1	3, 5, 6, 13, 14, 19
2	2, 4, 9, 10, 17
3	1, 7, 18, 20
4	8, 11
5	12, 15
Single-model clusters	16

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2999 atoms, of which 1498 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Induced myeloid leukemia cell differentiation protein Mcl-1 homolog.

Mol	Chain	Residues	Atoms						Trace
1	A	162	Total	C	H	N	O	S	0
			2577	810	1289	236	240	2	

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	147	GLY	-	expression tag	UNP P97287
A	148	PRO	-	expression tag	UNP P97287
A	149	LEU	-	expression tag	UNP P97287
A	150	GLY	-	expression tag	UNP P97287
A	151	SER	-	expression tag	UNP P97287

- Molecule 2 is a protein called Noxa.

Mol	Chain	Residues	Atoms						Trace
2	B	27	Total	C	H	N	O	S	0
			422	137	209	34	40	2	

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	43	MET	-	expression tag	UNP Q9JM54

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog



- Molecule 2: Noxa



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa



4.2.2 Score per residue for model 2

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa



4.2.3 Score per residue for model 3

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa




4.2.4 Score per residue for model 4

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa




4.2.5 Score per residue for model 5

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa




4.2.6 Score per residue for model 6

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog



- Molecule 2: Noxa






4.2.7 Score per residue for model 7


- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog

Chain A: 54% 29% 15%



- Molecule 2: Noxa


Chain B: 52% 15% 33%



4.2.8 Score per residue for model 8

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog

Chain A: 56% 26% 15%



- Molecule 2: Noxa


Chain B: 48% 7% 11% 33%



4.2.9 Score per residue for model 9

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog

Chain A: 59% 23% 15%




- Molecule 2: Noxa



4.2.10 Score per residue for model 10

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa



4.2.11 Score per residue for model 11

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa





4.2.12 Score per residue for model 12

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa



4.2.13 Score per residue for model 13 (medoid)

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa



4.2.14 Score per residue for model 14

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog






- Molecule 2: Noxa



4.2.15 Score per residue for model 15

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog




- Molecule 2: Noxa




4.2.16 Score per residue for model 16

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog



- Molecule 2: Noxa






4.2.17 Score per residue for model 17


- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog

Chain A: 62% 20% 15%



- Molecule 2: Noxa


Chain B: 48% 19% 33%



4.2.18 Score per residue for model 18


- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog

Chain A: 51% 30% 15%



- Molecule 2: Noxa


Chain B: 41% 22% 33%




4.2.19 Score per residue for model 19

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog

Chain A: 62% 20% 15%




- Molecule 2: Noxa




4.2.20 Score per residue for model 20

- Molecule 1: Induced myeloid leukemia cell differentiation protein Mcl-1 homolog



- Molecule 2: Noxa



5 Refinement protocol and experimental data overview

The models were refined using the following method: *DGSA-distance geometry simulated annealing*.

Of the 256 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	2.1
X-PLOR NIH	refinement	

No chemical shift data was provided.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1113	1123	1120	20±4
2	B	148	146	146	2±1
All	All	25220	25380	25320	426

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:218:ILE:HA	1:A:223:ASP:HB3	0.75	1.58	11	1
1:A:166:TYR:HE1	1:A:195:ARG:HA	0.75	1.42	11	15
1:A:228:SER:HB2	1:A:278:VAL:HG21	0.74	1.58	2	1
1:A:166:TYR:CE1	1:A:195:ARG:HA	0.73	2.17	1	16
1:A:231:MET:HG3	1:A:248:LEU:HG	0.73	1.59	18	3
1:A:189:ARG:HD3	1:A:297:VAL:HG11	0.73	1.61	14	1
1:A:265:GLU:HA	1:A:268:ILE:HG22	0.71	1.63	7	1
1:A:230:VAL:HG13	2:B:24:ALA:HA	0.70	1.60	12	3
1:A:269:GLU:HB2	1:A:270:PRO:HD3	0.67	1.66	9	14
1:A:171:ALA:HA	1:A:257:LYS:HG2	0.67	1.67	7	3
1:A:282:THR:HG23	1:A:283:LYS:HD2	0.66	1.65	7	2
1:A:218:ILE:HG12	1:A:259:LEU:HD11	0.65	1.68	11	1
1:A:212:MET:HG2	2:B:23:PHE:HA	0.64	1.67	11	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:291:ARG:HB3	1:A:294:ASP:HB2	0.64	1.69	16	2
2:B:26:GLN:O	2:B:30:ILE:HG12	0.63	1.92	20	1
1:A:269:GLU:HB3	1:A:270:PRO:HD3	0.63	1.71	18	4
1:A:212:MET:SD	2:B:23:PHE:HA	0.62	2.33	20	3
1:A:161:GLU:O	1:A:165:ARG:HG2	0.61	1.95	13	1
1:A:216:LEU:HG	1:A:218:ILE:HG12	0.61	1.73	18	1
1:A:165:ARG:O	1:A:169:GLU:HG2	0.61	1.96	12	1
1:A:235:PHE:HE2	1:A:248:LEU:HD11	0.60	1.56	10	1
1:A:234:VAL:HB	2:B:28:ARG:HB3	0.59	1.72	8	1
1:A:210:GLN:O	1:A:214:ARG:HG2	0.59	1.97	6	3
1:A:231:MET:HG3	1:A:248:LEU:HD13	0.58	1.73	2	2
1:A:184:GLY:HA2	1:A:188:ARG:NH2	0.58	2.13	14	1
1:A:160:LEU:HA	1:A:276:THR:HG21	0.58	1.75	11	4
1:A:163:ILE:O	1:A:167:LEU:HG	0.58	1.99	7	8
1:A:192:GLU:O	1:A:196:ARG:HG2	0.58	1.99	8	1
1:A:233:HIS:CD2	2:B:24:ALA:HB1	0.57	2.34	17	2
1:A:183:ALA:O	1:A:187:GLY:HA3	0.57	1.99	4	13
1:A:216:LEU:HB3	1:A:218:ILE:HG12	0.57	1.76	8	2
1:A:170:GLN:HB2	1:A:253:ALA:HB1	0.57	1.76	16	1
1:A:231:MET:HE1	1:A:275:ILE:HA	0.57	1.76	15	8
1:A:293:TRP:O	1:A:297:VAL:HG23	0.57	2.00	16	10
1:A:226:SER:O	1:A:230:VAL:HG23	0.56	1.99	20	12
1:A:259:LEU:HG	1:A:264:GLN:HB3	0.56	1.78	8	3
2:B:24:ALA:O	2:B:28:ARG:HB2	0.55	2.00	4	2
1:A:218:ILE:HG12	1:A:223:ASP:HB3	0.55	1.78	4	5
1:A:189:ARG:HB3	1:A:297:VAL:HG11	0.55	1.79	17	7
1:A:286:TRP:HA	1:A:289:LYS:HD2	0.55	1.79	5	1
1:A:240:THR:HG22	1:A:245:ILE:HD11	0.55	1.79	7	2
1:A:213:LEU:HD12	1:A:216:LEU:HD12	0.55	1.78	20	1
1:A:170:GLN:HB3	1:A:257:LYS:HE3	0.54	1.79	11	2
1:A:277:ASP:O	1:A:281:ARG:HB2	0.54	2.03	16	6
1:A:242:TRP:HB3	1:A:300:PHE:CZ	0.54	2.38	4	3
1:A:201:VAL:HG13	2:B:34:VAL:HG21	0.53	1.80	1	2
1:A:171:ALA:HB1	1:A:260:LYS:HG3	0.53	1.79	5	1
1:A:198:GLY:O	1:A:202:GLN:HB2	0.53	2.03	5	2
1:A:240:THR:HG1	1:A:286:TRP:CD1	0.53	2.20	1	1
1:A:170:GLN:HG2	1:A:253:ALA:HB1	0.53	1.81	5	1
1:A:160:LEU:HD11	1:A:273:GLU:HG3	0.52	1.81	3	1
1:A:265:GLU:HA	1:A:268:ILE:CG2	0.52	2.33	7	1
1:A:218:ILE:HG23	1:A:223:ASP:HB2	0.52	1.82	8	1
1:A:227:PHE:O	1:A:231:MET:HG3	0.52	2.05	14	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:224:VAL:HB	1:A:274:THR:HG21	0.52	1.81	13	2
1:A:277:ASP:OD1	1:A:281:ARG:HD2	0.52	2.05	9	4
1:A:166:TYR:CE1	1:A:195:ARG:HG2	0.52	2.40	10	1
1:A:231:MET:HE3	1:A:248:LEU:HD21	0.51	1.83	6	1
1:A:278:VAL:O	1:A:282:THR:HG22	0.51	2.05	20	2
1:A:161:GLU:O	1:A:165:ARG:HB2	0.51	2.05	4	1
1:A:187:GLY:O	1:A:191:LEU:HB2	0.51	2.05	9	5
1:A:209:PHE:O	1:A:213:LEU:HB2	0.51	2.06	16	1
1:A:255:VAL:O	1:A:259:LEU:HG	0.50	2.05	15	3
1:A:245:ILE:HG23	1:A:279:LEU:HD21	0.50	1.82	9	2
1:A:221:GLU:O	1:A:224:VAL:HG22	0.50	2.07	7	7
1:A:190:ALA:O	1:A:194:LEU:HB2	0.50	2.07	15	1
1:A:244:ARG:O	1:A:248:LEU:HG	0.50	2.06	7	1
1:A:209:PHE:O	1:A:213:LEU:HG	0.50	2.06	14	2
1:A:228:SER:HB3	1:A:278:VAL:HG21	0.50	1.83	20	1
1:A:166:TYR:OH	1:A:198:GLY:HA3	0.50	2.07	14	7
1:A:192:GLU:OE2	1:A:196:ARG:HD3	0.50	2.06	2	1
1:A:230:VAL:HG22	2:B:23:PHE:HE1	0.50	1.67	9	1
1:A:234:VAL:HG21	1:A:248:LEU:HD21	0.49	1.84	1	1
2:B:23:PHE:HD1	2:B:24:ALA:N	0.49	2.05	16	5
1:A:253:ALA:O	1:A:257:LYS:HG3	0.49	2.06	18	2
1:A:228:SER:HB2	1:A:278:VAL:HG11	0.49	1.84	1	1
1:A:160:LEU:HD11	1:A:273:GLU:HG2	0.49	1.84	15	1
1:A:259:LEU:HB3	1:A:264:GLN:HB2	0.49	1.84	13	1
1:A:190:ALA:HA	1:A:297:VAL:HG22	0.49	1.84	8	1
1:A:218:ILE:HA	1:A:223:ASP:CG	0.48	2.34	4	2
1:A:235:PHE:CE1	1:A:240:THR:HA	0.48	2.43	3	1
1:A:260:LYS:HE3	1:A:265:GLU:HG3	0.48	1.84	8	1
1:A:154:ASP:HA	1:A:157:ARG:CZ	0.48	2.39	20	1
1:A:202:GLN:HG3	1:A:250:SER:HB3	0.48	1.82	3	1
1:A:153:ASP:O	1:A:157:ARG:HG3	0.48	2.09	20	2
1:A:249:ILE:HD11	1:A:279:LEU:HD22	0.47	1.85	14	1
1:A:283:LYS:NZ	1:A:283:LYS:HB2	0.47	2.24	19	1
1:A:212:MET:HA	1:A:215:LYS:HE2	0.47	1.85	3	1
1:A:270:PRO:HA	1:A:273:GLU:OE1	0.47	2.09	7	2
1:A:242:TRP:HB3	1:A:300:PHE:CE2	0.47	2.45	15	4
1:A:230:VAL:HG22	2:B:23:PHE:CE1	0.47	2.44	9	5
1:A:231:MET:HE3	1:A:275:ILE:HG13	0.47	1.86	11	1
1:A:159:SER:HA	1:A:293:TRP:CZ2	0.47	2.45	5	3
1:A:170:GLN:HB3	1:A:253:ALA:HB1	0.47	1.86	13	1
2:B:23:PHE:O	2:B:27:LEU:HG	0.46	2.10	18	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:155:LEU:HD21	1:A:287:LEU:HB3	0.46	1.88	11	2
1:A:231:MET:HA	1:A:248:LEU:HD11	0.46	1.87	18	1
1:A:265:GLU:HA	1:A:268:ILE:HD12	0.46	1.87	3	3
1:A:293:TRP:O	1:A:297:VAL:HG22	0.46	2.11	2	2
1:A:212:MET:HE2	2:B:26:GLN:HB3	0.46	1.87	6	1
1:A:275:ILE:O	1:A:279:LEU:HB2	0.46	2.11	8	1
1:A:232:VAL:HG12	1:A:282:THR:HG21	0.46	1.87	1	1
1:A:202:GLN:HB3	1:A:203:ARG:NH2	0.46	2.26	4	1
1:A:259:LEU:HG	1:A:264:GLN:CB	0.46	2.40	9	1
1:A:169:GLU:CD	1:A:195:ARG:HH21	0.46	2.18	13	1
1:A:171:ALA:O	1:A:260:LYS:HG2	0.46	2.10	1	2
1:A:273:GLU:O	1:A:277:ASP:HB2	0.46	2.11	2	1
1:A:202:GLN:HG3	1:A:250:SER:OG	0.46	2.10	12	1
1:A:197:VAL:O	1:A:201:VAL:HG23	0.45	2.10	7	5
1:A:218:ILE:HA	1:A:223:ASP:HB2	0.45	1.88	14	2
1:A:271:LEU:O	1:A:275:ILE:HG22	0.45	2.11	20	1
1:A:216:LEU:HB3	1:A:218:ILE:HG22	0.45	1.87	2	1
1:A:197:VAL:HG12	1:A:246:VAL:HG21	0.45	1.87	11	1
1:A:160:LEU:HD21	1:A:273:GLU:HA	0.45	1.88	17	2
1:A:189:ARG:O	1:A:192:GLU:HG3	0.45	2.11	7	1
1:A:283:LYS:HZ3	1:A:283:LYS:HB2	0.45	1.70	8	1
1:A:216:LEU:HG	1:A:218:ILE:HG13	0.45	1.88	15	1
1:A:216:LEU:HD22	1:A:218:ILE:HG13	0.45	1.87	20	1
1:A:245:ILE:O	1:A:249:ILE:HG12	0.45	2.11	5	4
1:A:286:TRP:O	1:A:290:GLN:HG2	0.45	2.12	19	1
1:A:221:GLU:O	1:A:225:LYS:HG2	0.45	2.11	12	1
1:A:242:TRP:CZ3	1:A:296:PHE:HB2	0.45	2.47	7	3
1:A:202:GLN:HA	1:A:209:PHE:CE2	0.44	2.46	5	1
1:A:193:THR:HG21	1:A:297:VAL:HA	0.44	1.88	19	3
1:A:231:MET:CE	1:A:275:ILE:HG13	0.44	2.43	2	1
1:A:189:ARG:HA	1:A:192:GLU:OE1	0.44	2.12	9	1
1:A:267:PHE:C	1:A:270:PRO:HD2	0.44	2.37	17	3
1:A:291:ARG:HD2	1:A:294:ASP:OD2	0.44	2.13	17	1
1:A:212:MET:HB3	2:B:23:PHE:HB3	0.44	1.90	8	1
1:A:195:ARG:O	1:A:199:ASP:HB2	0.44	2.13	10	2
1:A:212:MET:O	1:A:216:LEU:HB2	0.44	2.13	15	1
1:A:226:SER:HA	1:A:229:ARG:HE	0.44	1.71	3	1
2:B:25:ALA:O	2:B:29:LYS:HG2	0.44	2.13	10	1
1:A:231:MET:HG2	1:A:248:LEU:HD22	0.44	1.90	15	1
1:A:168:ARG:HD3	1:A:269:GLU:OE2	0.44	2.13	7	1
1:A:239:VAL:HB	1:A:244:ARG:NH2	0.44	2.28	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:277:ASP:OD1	1:A:281:ARG:HD3	0.43	2.13	16	1
1:A:157:ARG:HD2	1:A:161:GLU:OE2	0.43	2.12	18	1
2:B:23:PHE:CD1	2:B:24:ALA:N	0.43	2.86	5	3
1:A:190:ALA:HA	1:A:297:VAL:CG1	0.43	2.43	2	2
1:A:202:GLN:HG3	1:A:203:ARG:CZ	0.43	2.44	18	2
1:A:213:LEU:HD13	1:A:258:HIS:HB2	0.43	1.89	3	1
1:A:212:MET:O	1:A:216:LEU:HG	0.43	2.13	5	2
1:A:228:SER:HA	1:A:231:MET:HG2	0.43	1.91	6	1
1:A:225:LYS:O	1:A:229:ARG:HG2	0.43	2.13	18	1
1:A:236:LYS:O	1:A:236:LYS:HG2	0.43	2.13	16	1
1:A:231:MET:HG2	1:A:248:LEU:HD13	0.43	1.89	19	1
1:A:284:ARG:HG2	1:A:285:ASP:N	0.43	2.27	5	1
1:A:165:ARG:O	1:A:169:GLU:HB2	0.43	2.14	1	2
1:A:230:VAL:O	1:A:234:VAL:HG23	0.43	2.13	12	4
1:A:165:ARG:HD2	1:A:169:GLU:OE2	0.43	2.13	20	2
1:A:164:SER:O	1:A:168:ARG:HB2	0.42	2.14	13	2
1:A:214:ARG:O	1:A:214:ARG:HD3	0.42	2.14	2	2
1:A:193:THR:OG1	1:A:297:VAL:HG13	0.42	2.14	14	2
1:A:168:ARG:HD2	1:A:269:GLU:OE1	0.42	2.13	11	1
1:A:251:PHE:O	1:A:255:VAL:HG23	0.42	2.14	18	6
1:A:199:ASP:O	1:A:203:ARG:HB2	0.42	2.13	10	2
1:A:245:ILE:HG23	1:A:279:LEU:HD11	0.42	1.91	14	1
1:A:197:VAL:HG21	1:A:300:PHE:HB3	0.42	1.91	18	1
1:A:158:GLN:OE1	1:A:186:ALA:HB3	0.42	2.15	3	1
1:A:232:VAL:O	1:A:236:LYS:HB2	0.42	2.14	4	1
2:B:25:ALA:O	2:B:29:LYS:HG3	0.42	2.14	5	1
2:B:29:LYS:HE3	2:B:29:LYS:HA	0.42	1.91	8	1
1:A:262:VAL:HG23	1:A:264:GLN:HG3	0.42	1.92	7	1
1:A:237:ASP:OD1	1:A:237:ASP:N	0.42	2.52	8	1
1:A:218:ILE:CG1	1:A:259:LEU:HD11	0.42	2.44	11	1
1:A:189:ARG:HB3	1:A:297:VAL:HG21	0.42	1.90	4	1
1:A:213:LEU:HD21	1:A:258:HIS:HB2	0.42	1.92	15	1
1:A:218:ILE:HA	1:A:223:ASP:CB	0.42	2.45	6	1
1:A:216:LEU:HD11	1:A:251:PHE:CZ	0.42	2.50	7	1
1:A:166:TYR:HE1	1:A:195:ARG:HG2	0.42	1.75	15	1
1:A:168:ARG:HD2	1:A:269:GLU:OE2	0.41	2.14	9	1
1:A:259:LEU:HD22	1:A:264:GLN:NE2	0.41	2.30	16	1
1:A:285:ASP:O	1:A:289:LYS:HB2	0.41	2.15	6	1
1:A:198:GLY:O	1:A:202:GLN:HG2	0.41	2.15	10	1
1:A:206:GLU:HG3	1:A:254:PHE:CZ	0.41	2.50	3	1
1:A:296:PHE:CE1	1:A:300:PHE:HE2	0.41	2.33	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:29:LYS:CE	2:B:29:LYS:HA	0.41	2.45	6	1
1:A:265:GLU:HA	1:A:268:ILE:HG12	0.41	1.92	9	1
2:B:30:ILE:O	2:B:34:VAL:HG23	0.41	2.15	9	1
1:A:231:MET:HE1	1:A:275:ILE:HG23	0.41	1.91	3	1
1:A:210:GLN:HB3	1:A:214:ARG:NH2	0.41	2.31	11	1
1:A:218:ILE:HG22	1:A:267:PHE:HE2	0.41	1.75	5	1
1:A:226:SER:O	1:A:229:ARG:HB3	0.41	2.15	8	1
1:A:242:TRP:CH2	1:A:296:PHE:HB2	0.41	2.51	8	1
1:A:203:ARG:HA	1:A:206:GLU:OE1	0.41	2.16	10	1
1:A:217:ASP:OD1	1:A:219:LYS:NZ	0.41	2.51	20	1
1:A:283:LYS:HB3	1:A:287:LEU:HD23	0.41	1.91	20	1
1:A:231:MET:SD	1:A:248:LEU:HD13	0.41	2.56	5	1
1:A:286:TRP:CZ2	1:A:290:GLN:HG2	0.41	2.50	14	1
1:A:291:ARG:HG2	1:A:294:ASP:HB2	0.41	1.93	14	1
1:A:231:MET:HE1	1:A:275:ILE:O	0.41	2.16	9	1
1:A:234:VAL:HG13	2:B:28:ARG:HA	0.41	1.91	20	1
1:A:231:MET:HE1	1:A:275:ILE:HG13	0.40	1.93	2	1
1:A:267:PHE:O	1:A:270:PRO:HD2	0.40	2.16	9	1
1:A:244:ARG:HA	2:B:31:GLY:HA3	0.40	1.91	2	1
1:A:203:ARG:HD3	1:A:206:GLU:OE1	0.40	2.16	3	1
1:A:163:ILE:HD12	1:A:276:THR:HG23	0.40	1.93	5	1
1:A:202:GLN:HA	1:A:209:PHE:CD2	0.40	2.52	18	1
1:A:188:ARG:HE	1:A:192:GLU:HG2	0.40	1.76	19	1
1:A:251:PHE:CD2	2:B:27:LEU:HD11	0.40	2.52	7	1
1:A:160:LEU:CA	1:A:276:THR:HG21	0.40	2.45	8	1
1:A:205:HIS:ND1	2:B:30:ILE:HG12	0.40	2.32	18	1
1:A:242:TRP:CE3	1:A:242:TRP:HA	0.40	2.51	19	1
1:A:240:THR:HG21	1:A:283:LYS:HG2	0.40	1.92	20	1
1:A:189:ARG:O	1:A:192:GLU:HG2	0.40	2.17	3	1
1:A:269:GLU:CB	1:A:270:PRO:HD3	0.40	2.47	19	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	137/162 (85%)	117±33 (86±24%)	5±2 (4±1%)	0±0 (0±0%)	49	83
2	B	18/27 (67%)	17±4 (94±22%)	0±0 (1±2%)	0±0 (0±0%)	100	100
All	All	2787/3780 (74%)	2681 (96%)	103 (4%)	3 (0%)	49	83

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	219	LYS	3

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	117/136 (86%)	90±26 (77±22%)	14±6 (12±5%)	7	49
2	B	15/22 (68%)	12±3 (77±19%)	3±1 (17±8%)	4	38
All	All	2370/3160 (75%)	2039 (86%)	331 (14%)	5	44

All 77 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	26	GLN	17
1	A	290	GLN	13
1	A	154	ASP	11
1	A	260	LYS	10
1	A	236	LYS	10
1	A	217	ASP	9
1	A	203	ARG	8
2	B	33	LYS	8
1	A	191	LEU	8
1	A	237	ASP	8
1	A	156	TYR	7
1	A	169	GLU	7
1	A	298	GLU	7
2	B	23	PHE	7
1	A	161	GLU	7
1	A	254	PHE	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	294	ASP	6
1	A	160	LEU	6
1	A	165	ARG	6
1	A	265	GLU	6
2	B	28	ARG	6
2	B	22	GLU	6
1	A	283	LYS	6
1	A	196	ARG	5
1	A	221	GLU	5
1	A	212	MET	5
2	B	35	TYR	5
1	A	219	LYS	5
1	A	281	ARG	5
1	A	240	THR	4
1	A	266	SER	4
1	A	269	GLU	4
1	A	199	ASP	4
1	A	213	LEU	4
1	A	277	ASP	4
1	A	284	ARG	4
1	A	188	ARG	4
1	A	168	ARG	4
1	A	206	GLU	4
1	A	170	GLN	4
1	A	273	GLU	3
1	A	279	LEU	3
1	A	286	TRP	3
1	A	258	HIS	3
1	A	287	LEU	3
1	A	157	ARG	3
1	A	220	ASN	3
1	A	155	LEU	3
1	A	215	LYS	3
1	A	291	ARG	3
1	A	153	ASP	2
1	A	214	ARG	2
1	A	229	ARG	2
2	B	29	LYS	2
1	A	189	ARG	2
1	A	192	GLU	2
1	A	195	ARG	2
1	A	218	ILE	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	296	PHE	2
1	A	224	VAL	2
1	A	264	GLN	2
1	A	210	GLN	2
1	A	207	THR	2
1	A	248	LEU	2
1	A	158	GLN	1
1	A	164	SER	1
1	A	239	VAL	1
1	A	216	LEU	1
1	A	259	LEU	1
1	A	202	GLN	1
1	A	223	ASP	1
1	A	271	LEU	1
1	A	285	ASP	1
1	A	288	VAL	1
1	A	204	ASN	1
1	A	289	LYS	1
1	A	228	SER	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.6 Ligand geometry ⓘ

There are no ligands in this entry.

6.7 Other polymers ⓘ

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided