



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 02:15 AM UTC

PDB ID : 6ROH / pdb_00006roh
EMDB ID : EMD-4972
Title : Cryo-EM structure of the autoinhibited Drs2p-Cdc50p
Authors : Timcenko, M.; Lyons, J.A.; Janulienė, D.; Ulstrup, J.J.; Dieudonne, T.; Montigny, C.; Ash, M.R.; Karlsen, J.L.; Boesen, T.; Kuhlbrandt, W.; Lenoir, G.; Moeller, A.; Nissen, P.
Deposited on : 2019-05-13
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11806 (2.30 - 3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1460	
2	C	413	
3	B	2	
4	D	4	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 11758 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable phospholipid-transporting ATPase DRS2.

Mol	Chain	Residues	Atoms							AltConf	Trace
1	A	1112	Total	Be	C	F	N	O	S	0	0
			8895	1	5735	3	1460	1659	37		

There are 105 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1356	GLY	-	expression tag	UNP P39524
A	1357	GLY	-	expression tag	UNP P39524
A	1358	GLY	-	expression tag	UNP P39524
A	1359	GLY	-	expression tag	UNP P39524
A	1360	LEU	-	expression tag	UNP P39524
A	1361	VAL	-	expression tag	UNP P39524
A	1362	PRO	-	expression tag	UNP P39524
A	1363	ARG	-	expression tag	UNP P39524
A	1364	GLY	-	expression tag	UNP P39524
A	1365	SER	-	expression tag	UNP P39524
A	1366	GLY	-	expression tag	UNP P39524
A	1367	GLY	-	expression tag	UNP P39524
A	1368	THR	-	expression tag	UNP P39524
A	1369	ALA	-	expression tag	UNP P39524
A	1370	ALA	-	expression tag	UNP P39524
A	1371	ALA	-	expression tag	UNP P39524
A	1372	PRO	-	expression tag	UNP P39524
A	1373	GLY	-	expression tag	UNP P39524
A	1374	PRO	-	expression tag	UNP P39524
A	1375	ALA	-	expression tag	UNP P39524
A	1376	PRO	-	expression tag	UNP P39524
A	1377	ALA	-	expression tag	UNP P39524
A	1378	PRO	-	expression tag	UNP P39524
A	1379	ALA	-	expression tag	UNP P39524
A	1380	PRO	-	expression tag	UNP P39524
A	1381	ALA	-	expression tag	UNP P39524
A	1382	SER	-	expression tag	UNP P39524
A	1383	ALA	-	expression tag	UNP P39524

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1384	PRO	-	expression tag	UNP P39524
A	1385	ALA	-	expression tag	UNP P39524
A	1386	ALA	-	expression tag	UNP P39524
A	1387	ALA	-	expression tag	UNP P39524
A	1388	ALA	-	expression tag	UNP P39524
A	1389	PRO	-	expression tag	UNP P39524
A	1390	ALA	-	expression tag	UNP P39524
A	1391	GLY	-	expression tag	UNP P39524
A	1392	ALA	-	expression tag	UNP P39524
A	1393	GLY	-	expression tag	UNP P39524
A	1394	THR	-	expression tag	UNP P39524
A	1395	PRO	-	expression tag	UNP P39524
A	1396	VAL	-	expression tag	UNP P39524
A	1397	THR	-	expression tag	UNP P39524
A	1398	ALA	-	expression tag	UNP P39524
A	1399	PRO	-	expression tag	UNP P39524
A	1400	LEU	-	expression tag	UNP P39524
A	1401	ALA	-	expression tag	UNP P39524
A	1402	GLY	-	expression tag	UNP P39524
A	1403	THR	-	expression tag	UNP P39524
A	1404	ILE	-	expression tag	UNP P39524
A	1405	TRP	-	expression tag	UNP P39524
A	1406	LYS	-	expression tag	UNP P39524
A	1407	VAL	-	expression tag	UNP P39524
A	1408	LEU	-	expression tag	UNP P39524
A	1409	ALA	-	expression tag	UNP P39524
A	1410	SER	-	expression tag	UNP P39524
A	1411	GLU	-	expression tag	UNP P39524
A	1412	GLY	-	expression tag	UNP P39524
A	1413	GLN	-	expression tag	UNP P39524
A	1414	THR	-	expression tag	UNP P39524
A	1415	VAL	-	expression tag	UNP P39524
A	1416	ALA	-	expression tag	UNP P39524
A	1417	ALA	-	expression tag	UNP P39524
A	1418	GLY	-	expression tag	UNP P39524
A	1419	GLU	-	expression tag	UNP P39524
A	1420	VAL	-	expression tag	UNP P39524
A	1421	LEU	-	expression tag	UNP P39524
A	1422	LEU	-	expression tag	UNP P39524
A	1423	ILE	-	expression tag	UNP P39524
A	1424	LEU	-	expression tag	UNP P39524
A	1425	GLU	-	expression tag	UNP P39524

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1426	ALA	-	expression tag	UNP P39524
A	1427	MET	-	expression tag	UNP P39524
A	1428	LYS	-	expression tag	UNP P39524
A	1429	MET	-	expression tag	UNP P39524
A	1430	GLU	-	expression tag	UNP P39524
A	1431	THR	-	expression tag	UNP P39524
A	1432	GLU	-	expression tag	UNP P39524
A	1433	ILE	-	expression tag	UNP P39524
A	1434	ARG	-	expression tag	UNP P39524
A	1435	ALA	-	expression tag	UNP P39524
A	1436	ALA	-	expression tag	UNP P39524
A	1437	GLN	-	expression tag	UNP P39524
A	1438	ALA	-	expression tag	UNP P39524
A	1439	GLY	-	expression tag	UNP P39524
A	1440	THR	-	expression tag	UNP P39524
A	1441	VAL	-	expression tag	UNP P39524
A	1442	ARG	-	expression tag	UNP P39524
A	1443	GLY	-	expression tag	UNP P39524
A	1444	ILE	-	expression tag	UNP P39524
A	1445	ALA	-	expression tag	UNP P39524
A	1446	VAL	-	expression tag	UNP P39524
A	1447	LYS	-	expression tag	UNP P39524
A	1448	ALA	-	expression tag	UNP P39524
A	1449	GLY	-	expression tag	UNP P39524
A	1450	ASP	-	expression tag	UNP P39524
A	1451	ALA	-	expression tag	UNP P39524
A	1452	VAL	-	expression tag	UNP P39524
A	1453	ALA	-	expression tag	UNP P39524
A	1454	VAL	-	expression tag	UNP P39524
A	1455	GLY	-	expression tag	UNP P39524
A	1456	ASP	-	expression tag	UNP P39524
A	1457	THR	-	expression tag	UNP P39524
A	1458	LEU	-	expression tag	UNP P39524
A	1459	MET	-	expression tag	UNP P39524
A	1460	THR	-	expression tag	UNP P39524

- Molecule 2 is a protein called Cell division control protein 50.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	337	Total	C	N	O	S	0	0
			2738	1775	451	501	11		

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	392	GLY	-	expression tag	UNP P25656
C	393	GLY	-	expression tag	UNP P25656
C	394	GLY	-	expression tag	UNP P25656
C	395	GLY	-	expression tag	UNP P25656
C	396	LEU	-	expression tag	UNP P25656
C	397	VAL	-	expression tag	UNP P25656
C	398	PRO	-	expression tag	UNP P25656
C	399	ARG	-	expression tag	UNP P25656
C	400	GLY	-	expression tag	UNP P25656
C	401	SER	-	expression tag	UNP P25656
C	402	GLY	-	expression tag	UNP P25656
C	403	GLY	-	expression tag	UNP P25656
C	404	HIS	-	expression tag	UNP P25656
C	405	HIS	-	expression tag	UNP P25656
C	406	HIS	-	expression tag	UNP P25656
C	407	HIS	-	expression tag	UNP P25656
C	408	HIS	-	expression tag	UNP P25656
C	409	HIS	-	expression tag	UNP P25656
C	410	HIS	-	expression tag	UNP P25656
C	411	HIS	-	expression tag	UNP P25656
C	412	HIS	-	expression tag	UNP P25656
C	413	HIS	-	expression tag	UNP P25656

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	B	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 5 is 1,2-DICAPROYL-SN-PHOSPHATIDYL-L-SERINE (CCD ID: PSF) (formula: $C_{18}H_{34}NO_{10}P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total	C	N	O	P	0
			30	18	1	10	1	

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
6	A	1	Total	Mg	0
			1	1	

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
7	C	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		AltConf
8	A	2	Total	O	0
			2	2	

ASP
THR
LEU
MET
THR

● Molecule 2: Cell division control protein 50



ASP
ASP
GLU
GLU
ASN
GLU
ASP
TYR
GLU
ASP
VAL
HIS
HIS
ALA
GLU
ASN
THR
THR
LEU
ARG
GLU
ILE
LEU
GLY
GLY
GLY
LEU
VAL
PRO
ARG
GLY
SER
GLY
GLY
HIS
HIS
HIS
HIS
HIS
HIS
HIS

● Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 4: beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	752881	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.229	Depositor
Minimum map value	-0.143	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	275.712, 275.712, 275.712	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.077, 1.077, 1.077	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BFD, PSF, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/9073	0.52	0/12290
2	C	0.26	0/2811	0.54	0/3811
All	All	0.25	0/11884	0.52	0/16101

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8895	0	8905	75	0
2	C	2738	0	2734	24	0
3	B	28	0	25	0	0
4	D	50	0	43	0	0
5	A	30	0	32	0	0
6	A	1	0	0	0	0
7	C	14	0	13	0	0
8	A	2	0	0	0	0
All	All	11758	0	11752	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:838:ARG:HG2	1:A:928:ARG:HH11	1.62	0.64
2:C:182:ARG:NH2	2:C:243:PRO:O	2.31	0.63
1:A:736:ASN:HD22	1:A:803:LEU:H	1.48	0.61
1:A:635:THR:HG21	1:A:1285:GLN:HB2	1.84	0.60
1:A:204:SER:H	1:A:422:HIS:HE1	1.51	0.58
1:A:856:MET:HE2	1:A:894:ALA:HB2	1.86	0.57
1:A:786:ARG:HA	1:A:789:LYS:HG2	1.87	0.56
1:A:466:ASN:ND2	1:A:494:ASP:OD2	2.38	0.56
2:C:142:LYS:HB3	2:C:316:SER:HB2	1.87	0.55
1:A:1298:ARG:HG2	1:A:1303:GLU:HG2	1.89	0.55
1:A:1049:TYR:O	1:A:1054:THR:OG1	2.25	0.54
1:A:796:LEU:O	1:A:799:LYS:NZ	2.41	0.54
1:A:954:ASP:HB3	1:A:971:ILE:HB	1.91	0.53
1:A:577:ILE:HD12	1:A:623:ILE:HG12	1.89	0.53
1:A:186:HIS:O	1:A:193:ASN:ND2	2.41	0.52
2:C:210:ASP:OD1	2:C:210:ASP:N	2.43	0.52
1:A:622:ILE:HG13	1:A:804:ILE:HG23	1.91	0.52
1:A:654:ASP:OD2	1:A:755:ARG:NH2	2.43	0.52
1:A:629:LEU:HD13	1:A:719:PHE:HB3	1.90	0.52
1:A:962:ILE:HG23	1:A:968:GLY:HA3	1.91	0.52
2:C:85:SER:N	2:C:90:GLU:OE1	2.42	0.52
1:A:276:ASP:O	1:A:280:ASN:ND2	2.43	0.52
2:C:149:ASN:ND2	2:C:277:ALA:O	2.42	0.52
1:A:702:ARG:HH21	1:A:704:ARG:HG3	1.75	0.52
1:A:694:ASN:ND2	1:A:769:TYR:OH	2.43	0.51
1:A:507:PRO:HB2	1:A:510:LEU:HB2	1.93	0.51
2:C:189:PRO:HD2	2:C:244:PRO:HD3	1.93	0.51
2:C:92:ILE:HD12	2:C:109:PRO:HB2	1.92	0.51
1:A:598:ILE:HG23	1:A:741:ALA:HA	1.93	0.51
1:A:340:ASP:N	1:A:340:ASP:OD1	2.44	0.50
1:A:1229:MET:HE3	2:C:42:PRO:HD3	1.93	0.50
1:A:599:GLU:O	1:A:745:HIS:NE2	2.44	0.50
1:A:689:GLU:OE2	1:A:691:GLN:NE2	2.46	0.49
1:A:589:ASP:N	1:A:589:ASP:OD1	2.44	0.49
1:A:529:LEU:H	2:C:30:GLN:HE22	1.60	0.49
1:A:636:VAL:O	1:A:672:ARG:NH2	2.45	0.49
1:A:348:LYS:NZ	1:A:397:PRO:O	2.42	0.49
1:A:361:LYS:O	1:A:364:LYS:NZ	2.46	0.48
2:C:218:THR:HG22	2:C:220:LYS:H	1.78	0.48
1:A:246:ASN:OD1	1:A:249:THR:OG1	2.32	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:815:ASP:OD2	1:A:815:ASP:N	2.47	0.48
1:A:629:LEU:HD21	1:A:759:LEU:HB3	1.95	0.47
1:A:510:LEU:HD11	1:A:1012:ILE:HG23	1.97	0.47
1:A:553:GLN:HB2	1:A:948:LEU:HD12	1.97	0.46
2:C:299:GLN:NE2	2:C:301:ASN:OD1	2.49	0.46
1:A:1038:GLN:HE21	2:C:151:ARG:HA	1.81	0.46
1:A:634:HIS:HB2	1:A:636:VAL:HG23	1.97	0.46
1:A:532:TYR:OH	1:A:537:ASP:OD1	2.32	0.46
1:A:1014:TYR:OH	1:A:1146:VAL:O	2.31	0.46
1:A:486:ASN:N	1:A:486:ASN:OD1	2.49	0.45
1:A:201:ASN:OD1	1:A:420:THR:OG1	2.33	0.45
1:A:325:SER:OG	1:A:326:SER:N	2.49	0.45
1:A:325:SER:HB2	1:A:413:ILE:HG22	1.98	0.45
1:A:853:SER:OG	1:A:854:GLU:N	2.49	0.45
2:C:209:ILE:HD11	2:C:299:GLN:HB2	1.98	0.45
1:A:574:SER:HB3	1:A:583:ILE:HG13	1.98	0.45
1:A:277:LYS:HA	1:A:280:ASN:HD22	1.82	0.45
2:C:140:TYR:HB2	2:C:318:VAL:HB	1.97	0.45
1:A:1065:ASP:OD1	1:A:1156:GLN:N	2.50	0.45
1:A:880:LEU:HA	1:A:1256:PHE:HE1	1.82	0.44
1:A:716:ILE:HG13	1:A:764:ILE:HG23	1.98	0.44
1:A:1007:ARG:HB3	1:A:1062:GLY:HA2	1.99	0.44
2:C:123:CYS:HB2	2:C:304:LEU:HD11	1.99	0.44
1:A:451:LEU:HD13	1:A:1094:PHE:HZ	1.83	0.43
1:A:505:LEU:HD11	1:A:1024:MET:HE3	2.01	0.43
1:A:238:GLN:OE1	1:A:247:ARG:NH2	2.47	0.43
1:A:522:ALA:HB1	1:A:542:VAL:HB	2.01	0.43
1:A:753:GLY:O	1:A:844:ASN:ND2	2.50	0.43
1:A:761:MET:HB3	1:A:804:ILE:HD11	2.00	0.43
1:A:877:ILE:HD12	1:A:877:ILE:HA	1.90	0.43
1:A:791:ASP:OD1	1:A:791:ASP:N	2.51	0.42
1:A:187:ILE:HD11	1:A:370:VAL:HG23	2.01	0.42
2:C:217:LEU:HB3	2:C:286:LEU:HB3	2.00	0.42
1:A:204:SER:H	1:A:422:HIS:CE1	2.33	0.42
1:A:727:ILE:HD13	1:A:727:ILE:HA	1.92	0.42
1:A:885:LEU:HD12	1:A:920:LEU:HD23	2.00	0.42
2:C:42:PRO:HG2	2:C:354:LEU:HD21	2.00	0.42
2:C:86:THR:HG22	2:C:113:LEU:HB3	2.02	0.42
1:A:220:GLN:O	1:A:224:LYS:NZ	2.47	0.42
1:A:909:GLU:HG3	1:A:910:LEU:HG	2.00	0.42
1:A:750:ALA:HB2	1:A:1274:GLY:H	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:116:ASN:ND2	2:C:118:ASN:OD1	2.54	0.41
1:A:728:LEU:HA	1:A:731:LEU:HD13	2.03	0.41
1:A:447:GLN:NE2	1:A:1090:SER:O	2.53	0.41
1:A:695:ILE:HG13	1:A:707:ALA:HB2	2.03	0.41
1:A:526:GLY:HA2	1:A:540:THR:HG23	2.03	0.41
1:A:1207:LEU:HD13	2:C:63:LEU:HD11	2.03	0.41
2:C:64:ILE:HG23	2:C:330:MET:HE1	2.03	0.41
2:C:113:LEU:HD11	2:C:121:GLN:HB3	2.02	0.40
2:C:198:PHE:CE2	2:C:200:ASP:HB2	2.56	0.40
1:A:710:ARG:HA	1:A:716:ILE:HA	2.02	0.40
1:A:733:ASP:OD1	1:A:733:ASP:N	2.54	0.40
1:A:359:ASP:HB3	1:A:362:THR:HG22	2.02	0.40
1:A:861:ILE:HG23	1:A:872:ASN:HD22	1.86	0.40
2:C:171:ASP:OD1	2:C:171:ASP:N	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1107/1460 (76%)	1072 (97%)	35 (3%)	0	100	100
2	C	335/413 (81%)	320 (96%)	15 (4%)	0	100	100
All	All	1442/1873 (77%)	1392 (96%)	50 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	972/1252 (78%)	969 (100%)	3 (0%)	86	95
2	C	307/370 (83%)	307 (100%)	0	100	100
All	All	1279/1622 (79%)	1276 (100%)	3 (0%)	85	96

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	212	THR
1	A	458	LEU
1	A	1115	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	ASN
1	A	237	GLN
1	A	280	ASN
1	A	365	ASN
1	A	399	GLN
1	A	422	HIS
1	A	504	ASN
1	A	649	GLN
1	A	694	ASN
1	A	773	ASN
1	A	777	ASN
1	A	822	HIS
1	A	839	GLN
1	A	857	ASN
1	A	862	ASN
1	A	891	ASN
1	A	963	GLN
1	A	978	GLN
1	A	1038	GLN
2	C	30	GLN
2	C	148	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	BFD	A	560	6,1	8,11,12	0.93	0	2,15,17	3.00	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	BFD	A	560	6,1	-	1/5/11/13	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	560	BFD	OD2-CG-CB	-3.87	115.65	124.65

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	560	BFD	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	1	3,2	14,14,15	0.19	0	17,19,21	0.73	1 (5%)
3	NAG	B	2	3	14,14,15	0.32	0	17,19,21	0.45	0
4	NAG	D	1	4,2	14,14,15	0.41	0	17,19,21	0.84	1 (5%)
4	NAG	D	2	4	14,14,15	0.29	0	17,19,21	1.11	1 (5%)
4	BMA	D	3	4	11,11,12	1.08	1 (9%)	15,15,17	1.19	2 (13%)
4	BMA	D	4	4	11,11,12	0.88	1 (9%)	15,15,17	1.15	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	1	3,2	-	4/6/23/26	0/1/1/1
3	NAG	B	2	3	-	2/6/23/26	0/1/1/1
4	NAG	D	1	4,2	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	BMA	D	3	4	-	0/2/19/22	0/1/1/1
4	BMA	D	4	4	-	2/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	4	BMA	C1-C2	2.52	1.58	1.52
4	D	3	BMA	C2-C3	2.29	1.56	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	2	NAG	C2-N2-C7	3.36	127.40	122.90
4	D	3	BMA	C2-C3-C4	2.97	116.08	110.86
4	D	1	NAG	C1-O5-C5	2.88	116.05	112.19
4	D	4	BMA	C1-O5-C5	2.68	115.78	112.19
3	B	1	NAG	C1-O5-C5	2.29	115.26	112.19
4	D	3	BMA	O2-C2-C3	-2.23	105.53	110.15

There are no chirality outliers.


All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	2	NAG	O5-C5-C6-O6
4	D	4	BMA	O5-C5-C6-O6
4	D	4	BMA	C4-C5-C6-O6
3	B	1	NAG	C8-C7-N2-C2
3	B	1	NAG	O7-C7-N2-C2
3	B	2	NAG	C4-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
3	B	1	NAG	C4-C5-C6-O6
3	B	1	NAG	O5-C5-C6-O6
4	D	2	NAG	C3-C2-N2-C7
4	D	2	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PSF	A	2101	-	28,29,29	1.17	3 (10%)	30,36,36	0.89	2 (6%)
7	NAG	C	503	2	14,14,15	0.39	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PSF	A	2101	-	-	16/35/35/35	-
7	NAG	C	503	2	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	2101	PSF	P-O2	2.85	1.70	1.59
5	A	2101	PSF	O11-C3	-2.28	1.41	1.46
5	A	2101	PSF	OT2-C	-2.16	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	2101	PSF	O1-CB-CA	3.44	111.06	108.06
5	A	2101	PSF	O3-P-O4	2.68	124.93	112.44

There are no chirality outliers.

All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	2101	PSF	C2-O2-P-O1
5	A	2101	PSF	C2-O2-P-O4
5	A	2101	PSF	N-CA-CB-O1
5	A	2101	PSF	C-CA-CB-O1
7	C	503	NAG	C4-C5-C6-O6
7	C	503	NAG	O5-C5-C6-O6
5	A	2101	PSF	C1-C13-C14-C15
5	A	2101	PSF	C6-C7-C8-C9
5	A	2101	PSF	C5-C6-C7-C8
5	A	2101	PSF	O2-C2-C3-O11
5	A	2101	PSF	O2-C2-C3-C4
5	A	2101	PSF	C13-C1-O11-C3
5	A	2101	PSF	C2-O2-P-O3
5	A	2101	PSF	CB-O1-P-O2
5	A	2101	PSF	C3-C2-O2-P
5	A	2101	PSF	O12-C1-O11-C3
5	A	2101	PSF	C6-C5-O52-C4
5	A	2101	PSF	O51-C5-O52-C4

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4972. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128



Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 131




Y Index: 126




Z Index: 104


6.3.2 Raw map



X Index: 131



Y Index: 126




Z Index: 104


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_4972_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 73 nm³; this corresponds to an approximate mass of 66 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.357 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.357 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	2.78	3.08	2.82
Unmasked-calculated*	3.24	3.69	3.32

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.24 differs from the reported value 2.8 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4972 and PDB model 6ROH. Per-residue inclusion information can be found in [section 3](#) on [page 9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8400	0.5580
A	0.8380	0.5550
B	0.5360	0.5090
C	0.8540	0.5700
D	0.6800	0.5180

