



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:10 PM UTC

PDB ID : 4RPL / pdb_00004rpl
Title : Crystal structure of Micobacterium tuberculosis UDP-Galactopyranose mutase
in complex with tetrafluorinated substrate analog UDP-F4-Galp
Authors : Van Straaten, K.E.; Sanders, D.A.R.
Deposited on : 2014-10-30
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	13% 88% 9% ..
1	B	399	9% 85% 12% ..
1	C	399	12% 86% 11% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10426 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called UDP-galactopyranose mutase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	391	Total	C	N	O	S	0	2	0
			3207	2045	561	592	9			
1	A	391	Total	C	N	O	S	0	1	0
			3196	2039	557	591	9			
1	C	391	Total	C	N	O	S	0	18	0
			3329	2122	583	616	8			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	306	ARG	PRO	engineered mutation	UNP P9W1Q1
A	306	ARG	PRO	engineered mutation	UNP P9W1Q1
C	306	ARG	PRO	engineered mutation	UNP P9W1Q1

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is [(2R,3S,4R,5R)-5-(2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)-3,4-dihydroxy tetrahydrofuran-2-yl]methyl (2R,5S,6R)-3,3,4,4-tetrafluoro-5-hydroxy-6-(hydroxymethyl) tetrahydro-2H-pyran-2-yl dihydrogen diphosphate (non-preferred name) (CCD ID: 3UC) (formula: C₁₅H₂₀F₄N₂O₁₅P₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	B	1	Total 38	C 15	F 4	N 2	O 15	P 2	0	0
3	A	1	Total 38	C 15	F 4	N 2	O 15	P 2	0	0
3	C	1	Total 38	C 15	F 4	N 2	O 15	P 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	151	Total	O	0	0
			151	151		
4	A	150	Total	O	0	0
			150	150		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	120	Total 120	O 120	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-galactopyranose mutase




- Molecule 1: UDP-galactopyranose mutase



- Molecule 1: UDP-galactopyranose mutase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	171.29Å 98.29Å 100.52Å 90.00° 109.94° 90.00°	Depositor
Resolution (Å)	48.62 – 2.25 48.62 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.62-2.25) 99.9 (48.62-2.25)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.24Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.218 , 0.260 0.223 , 0.261	Depositor DCC
R_{free} test set	3717 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	44.0	Xtriage
Anisotropy	0.342	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 29.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10426	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3UC, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.54	1/3285 (0.0%)	0.73	0/4463
1	B	0.32	0/3296	0.68	2/4477 (0.0%)
1	C	0.29	0/3421	0.68	2/4651 (0.0%)
All	All	0.40	1/10002 (0.0%)	0.70	4/13591 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	53	PRO	N-CD	5.25	1.55	1.47

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	236	SER	CA-C-N	5.20	124.82	119.05
1	B	236	SER	C-N-CA	5.20	124.82	119.05
1	C	52	GLU	CA-C-N	5.13	124.58	119.24
1	C	52	GLU	C-N-CA	5.13	124.58	119.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3196	0	3055	22	0
1	B	3207	0	3067	31	0
1	C	3329	0	3196	30	0
2	A	53	0	30	5	0
2	B	53	0	30	4	0
2	C	53	0	30	5	0
3	A	38	0	20	6	0
3	B	38	0	20	6	0
3	C	38	0	20	2	0
4	A	150	0	0	0	0
4	B	151	0	0	2	0
4	C	120	0	0	0	0
All	All	10426	0	9468	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:402:3UC:O4'	3:A:402:3UC:F2''	2.15	0.88
3:B:402:3UC:F2''	3:B:402:3UC:O4'	2.15	0.88
2:A:401:FAD:O4	3:A:402:3UC:F2''	2.22	0.88
3:C:402:3UC:O4'	3:C:402:3UC:F2''	2.25	0.84
3:A:402:3UC:F2''	3:A:402:3UC:H2	1.93	0.81
2:B:401:FAD:O4	3:B:402:3UC:F2''	2.30	0.79
1:A:17:PHE:HB2	2:A:401:FAD:H5'2	1.70	0.73
1:B:142:GLU:HB2	1:B:170:PRO:HB2	1.74	0.68
1:A:142:GLU:HB2	1:A:170:PRO:HB2	1.76	0.67
3:B:402:3UC:F2''	3:B:402:3UC:H2	2.08	0.64
1:C:360:ARG:NH2	2:C:401:FAD:O2A	2.33	0.62
1:B:190:ARG:NH2	1:B:197:GLU:OE1	2.34	0.61
1:B:351:ALA:HB2	1:B:395:LEU:HD21	1.83	0.60
1:B:366:TYR:HH	3:B:402:3UC:H8	1.50	0.60
1:C:178[A]:ILE:HD11	1:C:181[A]:LEU:HB2	1.85	0.59
1:B:44:GLY:HA3	1:B:208:LEU:HD13	1.86	0.57
1:C:318:ARG:NH1	1:C:324:ASP:OD2	2.33	0.56
1:B:293:ILE:HG12	1:B:314:ARG:HG2	1.88	0.56
1:A:104:MET:HE1	1:A:126:ILE:HG12	1.88	0.55
1:B:292:ARG:NH1	3:B:402:3UC:O5'	2.41	0.54
1:A:154:TYR:CD2	1:A:154:TYR:C	2.85	0.54
1:A:154:TYR:HE2	1:A:159:LYS:HD2	1.72	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:PHE:CG	1:A:103:PRO:HA	2.44	0.53
1:A:269:VAL:HG22	1:A:311:VAL:HG22	1.90	0.53
1:A:292:ARG:NH1	3:A:402:3UC:O5'	2.41	0.53
1:B:137:ASP:N	1:B:137:ASP:OD1	2.41	0.53
1:A:261:ARG:HB2	1:A:328:TYR:HB2	1.91	0.52
1:B:102:PHE:CG	1:B:103:PRO:HA	2.44	0.52
1:C:269:VAL:HG22	1:C:311:VAL:HG22	1.92	0.52
1:B:145:ALA:HB2	1:B:178:ILE:HG13	1.93	0.51
1:C:170[B]:PRO:HB3	1:C:173[B]:LEU:HD12	1.93	0.51
1:C:166:TRP:O	1:C:168[B]:THR:OG1	2.27	0.51
1:A:293:ILE:HG12	1:A:314:ARG:HG2	1.92	0.50
1:C:102:PHE:CG	1:C:103:PRO:HA	2.48	0.49
1:A:44:GLY:HA3	1:A:208:LEU:HD13	1.95	0.49
1:B:368:ASP:H	1:B:371[A]:MET:HE3	1.77	0.48
1:C:17:PHE:HB2	2:C:401:FAD:H5'2	1.95	0.48
1:C:144:LYS:NZ	1:C:175[A]:ALA:O	2.46	0.48
1:B:75:TRP:CE2	1:B:79:ARG:HD2	2.49	0.47
1:B:261:ARG:HB2	1:B:328:TYR:HB2	1.96	0.47
1:B:318:ARG:NH1	1:B:324:ASP:OD2	2.36	0.47
1:C:38:GLU:OE2	2:C:401:FAD:O2B	2.32	0.47
1:B:54:GLN:NE2	4:B:605:HOH:O	2.48	0.47
2:B:401:FAD:N5	3:B:402:3UC:F2''	2.79	0.46
1:A:323:ASP:OD1	1:A:323:ASP:N	2.42	0.45
1:C:20:LEU:HD22	1:C:212:ALA:HB2	1.97	0.45
1:B:330:ILE:HG22	1:B:332:THR:HG23	1.97	0.45
1:C:296:PHE:HA	1:C:299:PHE:CD1	2.51	0.45
1:B:115:LYS:NZ	4:B:603:HOH:O	2.41	0.45
1:B:249:ARG:NE	1:B:249:ARG:O	2.50	0.45
1:B:133:ILE:HG23	1:B:147:SER:HB3	1.99	0.45
1:C:184[B]:ARG:NH1	1:C:188:ASP:OD2	2.50	0.44
1:B:104:MET:HG2	1:B:183:VAL:HG13	1.99	0.44
1:A:60:HIS:ND1	1:A:64:ALA:HA	2.33	0.44
1:C:105:GLY:HA2	1:C:184[A]:ARG:O	2.17	0.44
1:C:142:GLU:HG2	1:C:154:TYR:OH	2.17	0.44
1:A:158:VAL:HG13	3:A:402:3UC:O2	2.17	0.44
2:B:401:FAD:HM81	2:B:401:FAD:HM73	1.87	0.43
1:C:75:TRP:CE2	1:C:79:ARG:HD2	2.53	0.43
1:B:296:PHE:HA	1:B:299:PHE:CD1	2.53	0.43
1:A:133:ILE:HG23	1:A:147:SER:HB3	2.00	0.43
1:B:350:THR:HB	1:B:395:LEU:HD23	2.00	0.43
1:C:24:GLU:HA	1:C:217:ILE:HD11	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11:PHE:HB2	1:B:241:VAL:HG22	2.01	0.43
1:B:325:GLU:HA	1:B:326:PRO:HD3	1.82	0.43
1:C:44:GLY:HA3	1:C:208:LEU:HD13	2.00	0.43
1:C:140:ASN:O	1:C:144:LYS:HB2	2.19	0.43
1:C:179[A]:THR:OG1	1:C:180[A]:ARG:N	2.48	0.43
1:C:169[B]:ASP:OD1	1:C:171[B]:LYS:HG3	2.20	0.42
1:B:104:MET:HE1	1:B:126:ILE:HG13	2.00	0.42
1:B:155:GLU:HA	1:B:159:LYS:HB2	2.00	0.42
1:C:39:ARG:NH2	1:C:224:ASP:OD2	2.52	0.42
1:C:16:GLY:HA3	2:C:401:FAD:O1A	2.19	0.42
1:C:181[B]:LEU:HA	1:C:182[B]:PRO:HD3	1.83	0.42
1:B:44:GLY:HA2	1:B:208:LEU:HD22	2.01	0.42
1:A:296:PHE:HA	1:A:299:PHE:CD1	2.55	0.42
1:A:369:MET:HG3	2:A:401:FAD:N1	2.35	0.41
1:C:153:LEU:HD23	1:C:153:LEU:HA	1.94	0.41
1:C:66:LEU:HD13	1:C:199:LEU:HD21	2.02	0.41
2:C:401:FAD:H9	2:C:401:FAD:H1'1	1.81	0.41
1:B:65:HIS:O	1:B:204:TYR:OH	2.36	0.41
1:B:309:LYS:NZ	1:A:202:ASP:OD2	2.38	0.41
2:A:401:FAD:O4	3:A:402:3UC:F3''	2.69	0.41
1:B:38:GLU:OE2	2:B:401:FAD:O2B	2.39	0.41
1:A:38:GLU:OE2	2:A:401:FAD:O2B	2.37	0.41
1:A:260:TRP:CD2	1:A:326:PRO:HB3	2.56	0.41
1:C:140:ASN:CB	1:C:171[B]:LYS:HG2	2.51	0.41
1:C:292:ARG:HH22	3:C:402:3UC:H7	1.86	0.41
1:A:117:PHE:CE2	1:A:125:LEU:HD22	2.56	0.41
1:B:263:LEU:HD11	1:B:328:TYR:HE1	1.86	0.40
1:A:325:GLU:HA	1:A:326:PRO:HD3	1.83	0.40
1:C:141:LEU:HD22	1:C:170[B]:PRO:HG2	2.02	0.40
1:C:296:PHE:HA	1:C:299:PHE:HD1	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/399 (98%)	383 (98%)	6 (2%)	1 (0%)	36	38
1	B	391/399 (98%)	382 (98%)	8 (2%)	1 (0%)	36	38
1	C	407/399 (102%)	392 (96%)	13 (3%)	2 (0%)	24	23
All	All	1188/1197 (99%)	1157 (97%)	27 (2%)	4 (0%)	36	38

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	170[A]	PRO
1	C	170[B]	PRO
1	A	103	PRO
1	B	103	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/334 (98%)	322 (98%)	7 (2%)	47	56
1	B	330/334 (99%)	324 (98%)	6 (2%)	51	61
1	C	344/334 (103%)	338 (98%)	6 (2%)	53	63
All	All	1003/1002 (100%)	984 (98%)	19 (2%)	51	59

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	137	ASP
1	B	178	ILE
1	B	231	GLN
1	B	249	ARG
1	B	252	ASP
1	B	288	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	126	ILE
1	A	151	ARG
1	A	155	GLU
1	A	159	LYS
1	A	288	VAL
1	A	325	GLU
1	A	360	ARG
1	C	141	LEU
1	C	142	GLU
1	C	144	LYS
1	C	167[A]	GLN
1	C	167[B]	GLN
1	C	249	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	365	GLN
1	A	42	HIS
1	A	54	GLN
1	A	101	GLN
1	C	54	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	C	401	-	58,58,58	2.05	17 (29%)	85,89,89	2.04	24 (28%)
3	3UC	C	402	-	37,40,40	2.96	14 (37%)	54,64,64	3.86	16 (29%)
3	3UC	B	402	-	37,40,40	2.94	14 (37%)	54,64,64	3.73	15 (27%)
3	3UC	A	402	-	37,40,40	2.95	14 (37%)	54,64,64	3.76	15 (27%)
2	FAD	A	401	-	58,58,58	2.11	18 (31%)	85,89,89	1.98	25 (29%)
2	FAD	B	401	-	58,58,58	2.07	18 (31%)	85,89,89	2.12	25 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	C	401	-	-	4/34/50/50	0/6/6/6
3	3UC	C	402	-	-	6/22/68/68	0/3/3/3
3	3UC	B	402	-	-	7/22/68/68	0/3/3/3
3	3UC	A	402	-	-	6/22/68/68	0/3/3/3
2	FAD	A	401	-	-	12/34/50/50	0/6/6/6
2	FAD	B	401	-	-	23/34/50/50	0/6/6/6

All (95) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	402	3UC	C3'-C2'	-9.53	1.47	1.53
3	A	402	3UC	C3'-C2'	-9.34	1.47	1.53
3	B	402	3UC	C3'-C2'	-9.16	1.47	1.53
3	C	402	3UC	F3''-C3'	-8.80	1.12	1.36
3	A	402	3UC	F3''-C3'	-8.77	1.12	1.36
3	B	402	3UC	F3''-C3'	-8.75	1.12	1.36
2	A	401	FAD	C10-N1	5.38	1.44	1.33
2	B	401	FAD	C1'-C2'	5.34	1.60	1.52
2	C	401	FAD	C10-N1	5.33	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	FAD	C10-N1	5.32	1.44	1.33
2	A	401	FAD	C1'-C2'	5.19	1.59	1.52
2	C	401	FAD	C2B-C3B	-5.10	1.39	1.53
2	B	401	FAD	C2B-C3B	-5.09	1.39	1.53
2	A	401	FAD	C2B-C3B	-5.08	1.39	1.53
2	C	401	FAD	C1'-C2'	4.98	1.59	1.52
3	A	402	3UC	O4-C4	4.66	1.33	1.24
3	B	402	3UC	O4-C4	4.65	1.33	1.24
3	C	402	3UC	O4-C4	4.64	1.33	1.24
3	A	402	3UC	PB-O3A	-4.57	1.54	1.59
3	B	402	3UC	PB-O3A	-4.56	1.54	1.59
3	C	402	3UC	PB-O3A	-4.43	1.54	1.59
2	B	401	FAD	C7M-C7	4.26	1.59	1.51
2	A	401	FAD	C7M-C7	4.25	1.59	1.51
2	C	401	FAD	C7M-C7	4.19	1.58	1.51
3	B	402	3UC	C2D-C3D	-3.82	1.43	1.53
3	C	402	3UC	C2D-C3D	-3.81	1.43	1.53
3	A	402	3UC	C2D-C3D	-3.77	1.43	1.53
2	B	401	FAD	C2-N1	3.65	1.44	1.36
2	A	401	FAD	C2-N1	3.65	1.44	1.36
2	C	401	FAD	C2-N1	3.61	1.44	1.36
3	C	402	3UC	F3'-C3'	3.36	1.45	1.36
3	A	402	3UC	F3'-C3'	3.35	1.45	1.36
3	B	402	3UC	PB-O3B	-3.35	1.49	1.59
3	B	402	3UC	F3'-C3'	3.34	1.45	1.36
3	A	402	3UC	PB-O3B	-3.34	1.49	1.59
2	A	401	FAD	C9A-C5X	-3.33	1.35	1.41
2	B	401	FAD	C9A-C5X	-3.33	1.35	1.41
2	C	401	FAD	C9A-C5X	-3.31	1.36	1.41
3	C	402	3UC	PB-O3B	-3.30	1.49	1.59
2	A	401	FAD	PA-O3P	3.30	1.63	1.59
3	B	402	3UC	C4-N3	-3.21	1.33	1.38
3	C	402	3UC	C4-N3	-3.16	1.33	1.38
3	A	402	3UC	C4-N3	-3.14	1.33	1.38
3	C	402	3UC	O5'-C5'	3.03	1.51	1.44
3	A	402	3UC	C2-N1	-3.01	1.33	1.38
2	A	401	FAD	P-O3P	2.99	1.62	1.59
2	C	401	FAD	C9A-N10	-2.99	1.36	1.41
3	B	402	3UC	C2-N1	-2.94	1.33	1.38
2	B	401	FAD	O4'-C4'	2.93	1.49	1.43
3	A	402	3UC	O5'-C5'	2.92	1.51	1.44
3	C	402	3UC	C2-N1	-2.92	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	FAD	C9A-N10	-2.92	1.36	1.41
2	A	401	FAD	O3'-C3'	-2.90	1.35	1.43
3	B	402	3UC	O5'-C5'	2.89	1.51	1.44
2	B	401	FAD	O3'-C3'	-2.87	1.35	1.43
2	A	401	FAD	O4'-C4'	2.86	1.49	1.43
2	C	401	FAD	O3'-C3'	-2.85	1.35	1.43
2	C	401	FAD	O4'-C4'	2.80	1.49	1.43
2	B	401	FAD	C9A-N10	-2.79	1.36	1.41
2	C	401	FAD	P-O1P	2.71	1.60	1.50
2	A	401	FAD	P-O1P	2.68	1.60	1.50
2	B	401	FAD	P-O1P	2.67	1.60	1.50
2	C	401	FAD	C4'-C3'	-2.67	1.48	1.53
2	A	401	FAD	C5A-N7A	-2.65	1.34	1.39
2	A	401	FAD	C4'-C3'	-2.64	1.48	1.53
2	C	401	FAD	C5A-N7A	-2.64	1.34	1.39
2	B	401	FAD	C5A-N7A	-2.63	1.34	1.39
3	C	402	3UC	C3D-C4D	-2.58	1.46	1.53
2	B	401	FAD	C4'-C3'	-2.57	1.48	1.53
3	B	402	3UC	C3D-C4D	-2.57	1.46	1.53
3	A	402	3UC	C3D-C4D	-2.54	1.46	1.53
2	A	401	FAD	C1'-N10	-2.48	1.41	1.47
2	C	401	FAD	C1'-N10	-2.47	1.41	1.47
2	A	401	FAD	C4X-N5	2.42	1.36	1.30
2	C	401	FAD	PA-O3P	2.39	1.62	1.59
2	B	401	FAD	C1'-N10	-2.39	1.42	1.47
2	C	401	FAD	C4X-N5	2.38	1.35	1.30
2	B	401	FAD	C4X-N5	2.34	1.35	1.30
3	A	402	3UC	F2'-C2'	2.33	1.42	1.36
2	B	401	FAD	C5X-N5	-2.29	1.35	1.39
3	C	402	3UC	F2'-C2'	2.28	1.42	1.36
3	B	402	3UC	F2'-C2'	2.27	1.42	1.36
2	C	401	FAD	C5X-N5	-2.25	1.35	1.39
2	B	401	FAD	PA-O3P	2.22	1.61	1.59
2	A	401	FAD	C5X-N5	-2.20	1.35	1.39
2	C	401	FAD	P-O3P	2.19	1.61	1.59
3	B	402	3UC	C5-C4	-2.19	1.38	1.43
3	C	402	3UC	C5-C4	-2.19	1.39	1.43
3	A	402	3UC	C5-C4	-2.18	1.39	1.43
3	C	402	3UC	C6-C5	2.17	1.40	1.35
2	B	401	FAD	C5'-C4'	2.17	1.54	1.51
2	B	401	FAD	P-O3P	2.14	1.61	1.59
3	B	402	3UC	C6-C5	2.14	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	3UC	C6-C5	2.12	1.40	1.35
2	A	401	FAD	C5'-C4'	2.03	1.54	1.51

All (120) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	402	3UC	F2''-C2'-C1'	14.76	127.58	110.27
3	A	402	3UC	F2''-C2'-C1'	14.10	126.82	110.27
3	C	402	3UC	F3'-C3'-F3''	-14.05	91.06	106.01
3	B	402	3UC	F2''-C2'-C1'	14.03	126.73	110.27
3	B	402	3UC	F3'-C3'-F3''	-13.68	91.46	106.01
3	A	402	3UC	F3'-C3'-F3''	-13.66	91.48	106.01
3	C	402	3UC	F2'-C2'-F2''	-9.81	95.57	106.01
3	A	402	3UC	F2'-C2'-F2''	-9.71	95.68	106.01
3	B	402	3UC	F2'-C2'-F2''	-9.59	95.81	106.01
3	B	402	3UC	F3''-C3'-C2'	7.66	121.22	108.37
3	A	402	3UC	F3''-C3'-C2'	7.65	121.20	108.37
3	C	402	3UC	F3''-C3'-C2'	7.33	120.66	108.37
3	B	402	3UC	F2''-C2'-C3'	-6.91	96.77	108.37
3	A	402	3UC	F2''-C2'-C3'	-6.70	97.13	108.37
3	C	402	3UC	F2''-C2'-C3'	-6.26	97.87	108.37
3	A	402	3UC	N3-C2-N1	5.95	122.64	114.89
3	C	402	3UC	N3-C2-N1	5.88	122.54	114.89
3	B	402	3UC	N3-C2-N1	5.87	122.54	114.89
3	C	402	3UC	O5'-C5'-C4'	5.75	116.10	109.34
2	B	401	FAD	O3P-P-O1P	-5.62	93.80	110.70
3	A	402	3UC	C4-N3-C2	-5.44	119.86	126.61
3	C	402	3UC	C4-N3-C2	-5.35	119.97	126.61
3	B	402	3UC	C4-N3-C2	-5.35	119.97	126.61
2	C	401	FAD	O3P-P-O1P	-5.21	95.03	110.70
2	B	401	FAD	C5A-C4A-N3A	-5.06	119.75	126.72
2	C	401	FAD	C5A-C4A-N3A	-5.05	119.76	126.72
2	A	401	FAD	C5A-C4A-N3A	-5.04	119.78	126.72
2	C	401	FAD	O2A-PA-O3P	4.97	120.71	107.27
2	B	401	FAD	O2P-P-O3P	4.93	120.59	107.27
2	C	401	FAD	O5B-PA-O1A	-4.85	89.72	108.94
2	B	401	FAD	O5B-PA-O1A	-4.80	89.92	108.94
2	A	401	FAD	O5B-PA-O1A	-4.65	90.50	108.94
2	B	401	FAD	O2A-PA-O3P	4.59	119.68	107.27
2	A	401	FAD	N3A-C2A-N1A	-4.56	121.68	128.58
2	B	401	FAD	N3A-C2A-N1A	-4.54	121.72	128.58
2	C	401	FAD	N3A-C2A-N1A	-4.51	121.75	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	FAD	O2P-P-O3P	4.49	119.41	107.27
2	A	401	FAD	O3P-P-O1P	-4.43	97.39	110.70
2	A	401	FAD	O2P-P-O3P	4.21	118.64	107.27
2	A	401	FAD	O2A-PA-O3P	3.94	117.92	107.27
2	B	401	FAD	C1'-C2'-C3'	3.93	120.32	109.66
2	B	401	FAD	O3P-PA-O1A	-3.90	98.96	110.70
2	C	401	FAD	O3P-PA-O1A	-3.90	98.98	110.70
2	A	401	FAD	C1'-C2'-C3'	3.82	120.03	109.66
3	C	402	3UC	C1'-O5'-C5'	3.82	119.56	112.54
2	B	401	FAD	O5'-C5'-C4'	3.81	119.53	109.36
3	A	402	3UC	O5'-C5'-C4'	3.76	113.76	109.34
3	A	402	3UC	C5-C4-N3	3.53	119.75	114.80
2	C	401	FAD	C1'-C2'-C3'	3.51	119.18	109.66
3	C	402	3UC	C5-C4-N3	3.50	119.71	114.80
3	B	402	3UC	C5-C4-N3	3.50	119.70	114.80
2	A	401	FAD	O5'-C5'-C4'	3.49	118.68	109.36
3	A	402	3UC	O2-C2-N1	-3.49	118.25	122.80
2	C	401	FAD	N3A-C4A-N9A	3.46	133.06	127.17
3	A	402	3UC	C1'-O5'-C5'	3.44	118.87	112.54
2	A	401	FAD	N3A-C4A-N9A	3.43	133.01	127.17
2	B	401	FAD	N9A-C8A-N7A	-3.40	109.12	113.94
2	C	401	FAD	N9A-C8A-N7A	-3.40	109.12	113.94
2	B	401	FAD	N3A-C4A-N9A	3.39	132.94	127.17
2	B	401	FAD	C2A-N3A-C4A	3.37	120.05	111.83
2	A	401	FAD	N9A-C8A-N7A	-3.36	109.17	113.94
2	A	401	FAD	C2A-N3A-C4A	3.36	120.03	111.83
2	B	401	FAD	C4-N3-C2	-3.35	119.69	125.64
2	C	401	FAD	C2A-N3A-C4A	3.33	119.97	111.83
3	B	402	3UC	O2-C2-N1	-3.31	118.49	122.80
2	A	401	FAD	O5'-P-O1P	-3.28	95.95	108.94
3	B	402	3UC	O5'-C5'-C4'	3.27	113.18	109.34
2	A	401	FAD	C4-N3-C2	-3.25	119.87	125.64
2	C	401	FAD	C4-N3-C2	-3.23	119.91	125.64
3	C	402	3UC	O2-C2-N1	-3.14	118.70	122.80
2	B	401	FAD	O5'-P-O1P	-3.14	96.50	108.94
2	C	401	FAD	O5'-P-O1P	-3.13	96.53	108.94
2	A	401	FAD	O3P-PA-O1A	-2.92	101.92	110.70
3	B	402	3UC	C1'-O5'-C5'	2.88	117.83	112.54
2	B	401	FAD	C5A-N7A-C8A	2.85	107.93	103.45
2	B	401	FAD	C4B-O4B-C1B	-2.83	103.22	109.47
2	C	401	FAD	C5A-N7A-C8A	2.80	107.86	103.45
2	A	401	FAD	C5A-N7A-C8A	2.78	107.83	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	FAD	O5B-C5B-C4B	2.77	118.44	108.99
2	C	401	FAD	O5'-C5'-C4'	2.77	116.74	109.36
3	B	402	3UC	O4-C4-C5	-2.74	120.43	125.16
2	B	401	FAD	C4A-C5A-N7A	-2.73	107.46	110.58
3	A	402	3UC	O4-C4-C5	-2.72	120.47	125.16
3	C	402	3UC	O4-C4-C5	-2.71	120.50	125.16
2	B	401	FAD	O5B-C5B-C4B	2.70	118.19	108.99
2	C	401	FAD	O2A-PA-O5B	2.67	119.66	107.57
2	B	401	FAD	O2A-PA-O5B	2.66	119.64	107.57
3	A	402	3UC	F3''-C3'-C4'	2.65	113.77	110.00
2	C	401	FAD	C4A-C5A-N7A	-2.64	107.56	110.58
2	A	401	FAD	C4X-C4-N3	2.64	119.97	113.25
2	A	401	FAD	C4A-C5A-N7A	-2.62	107.58	110.58
2	B	401	FAD	O2P-P-O5'	2.62	119.46	107.57
2	B	401	FAD	C4X-C4-N3	2.62	119.92	113.25
2	C	401	FAD	C4X-C4-N3	2.61	119.89	113.25
2	C	401	FAD	O2P-P-O5'	2.58	119.28	107.57
3	B	402	3UC	F3''-C3'-C4'	2.57	113.66	110.00
2	C	401	FAD	O5B-C5B-C4B	2.54	117.64	108.99
2	A	401	FAD	C10-C4X-N5	-2.53	119.64	124.81
2	B	401	FAD	C10-C4X-N5	-2.50	119.69	124.81
2	C	401	FAD	C10-C4X-N5	-2.48	119.75	124.81
2	C	401	FAD	O4-C4-C4X	-2.42	120.14	126.53
2	C	401	FAD	C4A-N9A-C8A	2.42	108.28	105.74
2	B	401	FAD	O4-C4-C4X	-2.39	120.22	126.53
3	B	402	3UC	F2'-C2'-C3'	2.37	112.35	108.37
2	A	401	FAD	C4A-N9A-C8A	2.36	108.21	105.74
3	C	402	3UC	F3''-C3'-C4'	2.36	113.35	110.00
2	A	401	FAD	O2P-P-O5'	2.36	118.25	107.57
3	C	402	3UC	F2'-C2'-C3'	2.35	112.31	108.37
2	A	401	FAD	O4-C4-C4X	-2.34	120.36	126.53
2	A	401	FAD	O2A-PA-O5B	2.34	118.17	107.57
2	B	401	FAD	C4A-N9A-C8A	2.32	108.18	105.74
3	A	402	3UC	F2'-C2'-C3'	2.25	112.14	108.37
3	C	402	3UC	F2'-C2'-C1'	2.24	112.90	110.27
3	A	402	3UC	O4D-C1D-N1	2.22	113.39	108.36
3	C	402	3UC	O4D-C1D-N1	2.16	113.26	108.36
2	A	401	FAD	C2B-C3B-C4B	2.12	106.71	102.61
3	B	402	3UC	O4D-C1D-N1	2.10	113.12	108.36
2	C	401	FAD	C2B-C3B-C4B	2.07	106.61	102.61
2	B	401	FAD	C4X-C10-N10	2.05	119.42	116.48
2	A	401	FAD	C4B-O4B-C1B	-2.03	105.00	109.47

There are no chirality outliers.

All (58) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	FAD	C5B-O5B-PA-O3P
2	B	401	FAD	C1'-C2'-C3'-O3'
2	B	401	FAD	C1'-C2'-C3'-C4'
2	B	401	FAD	C3'-C4'-C5'-O5'
2	B	401	FAD	O4'-C4'-C5'-O5'
2	B	401	FAD	C5'-O5'-P-O2P
2	B	401	FAD	C5'-O5'-P-O3P
2	A	401	FAD	C5B-O5B-PA-O3P
2	A	401	FAD	C3'-C4'-C5'-O5'
2	A	401	FAD	O4'-C4'-C5'-O5'
2	A	401	FAD	PA-O3P-P-O5'
2	C	401	FAD	C5'-O5'-P-O1P
3	B	402	3UC	C1'-O3B-PB-O3A
3	A	402	3UC	C1'-O3B-PB-O3A
3	C	402	3UC	O4D-C4D-C5D-O5D
2	B	401	FAD	O3'-C3'-C4'-C5'
3	A	402	3UC	O5'-C5'-C6'-O6'
3	C	402	3UC	O5'-C5'-C6'-O6'
3	B	402	3UC	O5'-C5'-C6'-O6'
3	C	402	3UC	C4'-C5'-C6'-O6'
2	B	401	FAD	O4B-C4B-C5B-O5B
2	B	401	FAD	C3B-C4B-C5B-O5B
2	C	401	FAD	O4B-C4B-C5B-O5B
2	C	401	FAD	C3B-C4B-C5B-O5B
2	B	401	FAD	C2'-C3'-C4'-C5'
3	A	402	3UC	C4'-C5'-C6'-O6'
2	A	401	FAD	O4B-C4B-C5B-O5B
2	A	401	FAD	C3B-C4B-C5B-O5B
3	A	402	3UC	PA-O3A-PB-O1B
3	B	402	3UC	C4'-C5'-C6'-O6'
2	B	401	FAD	C4'-C5'-O5'-P
2	B	401	FAD	O3'-C3'-C4'-O4'
2	A	401	FAD	P-O3P-PA-O5B
2	C	401	FAD	PA-O3P-P-O5'
3	B	402	3UC	PA-O3A-PB-O3B
3	C	402	3UC	PA-O3A-PB-O3B
2	B	401	FAD	C2'-C3'-C4'-O4'
3	C	402	3UC	C3D-C4D-C5D-O5D
3	B	402	3UC	C1'-O3B-PB-O2B
2	B	401	FAD	O2'-C2'-C3'-C4'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	401	FAD	P-O3P-PA-O2A
2	B	401	FAD	PA-O3P-P-O2P
2	B	401	FAD	N10-C1'-C2'-O2'
2	B	401	FAD	O2'-C2'-C3'-O3'
2	B	401	FAD	C5B-O5B-PA-O1A
2	B	401	FAD	C5B-O5B-PA-O2A
2	A	401	FAD	C5'-O5'-P-O3P
2	A	401	FAD	C4'-C5'-O5'-P
2	B	401	FAD	P-O3P-PA-O1A
3	B	402	3UC	PA-O3A-PB-O1B
2	A	401	FAD	O3'-C3'-C4'-C5'
3	B	402	3UC	O4D-C4D-C5D-O5D
3	C	402	3UC	PA-O3A-PB-O1B
3	A	402	3UC	PA-O3A-PB-O3B
2	A	401	FAD	C2'-C3'-C4'-C5'
2	A	401	FAD	C1'-C2'-C3'-O3'
3	A	402	3UC	C1'-O3B-PB-O2B
2	B	401	FAD	PA-O3P-P-O1P


There are no ring outliers.

6 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	FAD	5	0
3	C	402	3UC	2	0
3	B	402	3UC	6	0
3	A	402	3UC	6	0
2	A	401	FAD	5	0
2	B	401	FAD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FAD C 401




Ligand 3UC C 402





Ligand 3UC B 402



Ligand 3UC A 402







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/399 (97%)	0.71	51 (13%) 7 6	19, 43, 78, 105	1 (0%)
1	B	391/399 (97%)	0.57	36 (9%) 14 13	16, 41, 67, 97	2 (0%)
1	C	391/399 (97%)	0.92	46 (11%) 9 8	25, 47, 76, 87	20 (5%)
All	All	1173/1197 (97%)	0.73	133 (11%) 10 9	16, 43, 75, 105	23 (1%)

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	175[A]	ALA	8.3
1	C	176[A]	ALA	7.3
1	C	178[A]	ILE	7.0
1	A	146	ILE	6.7
1	C	170[A]	PRO	6.1
1	C	181[A]	LEU	5.7
1	C	171[A]	LYS	5.6
1	A	148	LEU	5.2
1	C	179[A]	THR	4.9
1	C	183[A]	VAL	4.7
1	A	154	TYR	4.6
1	B	146	ILE	4.6
1	A	183	VAL	4.4
1	C	169[A]	ASP	4.3
1	A	145	ALA	4.2
1	A	149	ILE	4.1
1	C	366	TYR	4.1
1	C	168[A]	THR	4.0
1	A	127	ALA	4.0
1	A	147	SER	4.0
1	C	104	MET	4.0
1	B	133	ILE	4.0
1	A	133	ILE	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	148	LEU	3.9
1	B	183	VAL	3.9
1	C	141	LEU	3.9
1	B	5	THR	3.9
1	A	366	TYR	3.8
1	C	180[A]	ARG	3.8
1	B	170	PRO	3.7
1	B	131	ALA	3.5
1	B	134	ASP	3.5
1	A	151	ARG	3.5
1	A	135	THR	3.4
1	C	323	ASP	3.4
1	B	135	THR	3.4
1	B	154	TYR	3.3
1	C	166	TRP	3.3
1	A	139	GLN	3.2
1	A	168	THR	3.2
1	B	168	THR	3.2
1	C	319	PHE	3.1
1	A	170	PRO	3.1
1	A	130	ALA	3.1
1	C	148	LEU	3.1
1	A	179	THR	3.1
1	A	138	ALA	3.0
1	B	141	LEU	3.0
1	B	366	TYR	3.0
1	A	136	ALA	2.9
1	A	150	GLY	2.9
1	A	156	ALA	2.9
1	A	152	PRO	2.9
1	B	178	ILE	2.9
1	A	108	LEU	2.8
1	C	395	LEU	2.8
1	C	255	GLU	2.8
1	C	131	ALA	2.8
1	B	323	ASP	2.8
1	B	145	ALA	2.8
1	A	176	ALA	2.8
1	A	166	TRP	2.7
1	A	178	ILE	2.7
1	B	147	SER	2.7
1	A	175	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	140	ASN	2.7
1	A	167	GLN	2.6
1	B	136	ALA	2.6
1	B	175	ALA	2.6
1	C	344	ALA	2.6
1	C	332	THR	2.6
1	C	5	THR	2.6
1	C	327	TYR	2.6
1	C	165	GLN	2.5
1	A	143	GLU	2.5
1	C	172[A]	GLU	2.5
1	C	173[A]	LEU	2.5
1	A	5	THR	2.5
1	B	6	ALA	2.5
1	B	322	ASP	2.5
1	A	341	THR	2.4
1	C	167[A]	GLN	2.4
1	C	260	TRP	2.4
1	C	153	LEU	2.4
1	A	144	LYS	2.4
1	B	137	ASP	2.4
1	A	126	ILE	2.4
1	B	130	ALA	2.3
1	A	115	LYS	2.3
1	A	140	ASN	2.3
1	C	322	ASP	2.3
1	C	6	ALA	2.3
1	C	136	ALA	2.3
1	B	176	ALA	2.3
1	B	172	GLU	2.3
1	C	158	VAL	2.3
1	C	357	PHE	2.2
1	A	113	PHE	2.2
1	A	371[A]	MET	2.2
1	A	169	ASP	2.2
1	B	144	LYS	2.2
1	A	131	ALA	2.2
1	C	157	PHE	2.2
1	C	177[A]	ASN	2.2
1	B	152	PRO	2.2
1	B	139	GLN	2.2
1	A	153	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	395	LEU	2.1
1	A	137	ASP	2.1
1	C	331	ASN	2.1
1	A	182	PRO	2.1
1	B	150	GLY	2.1
1	B	156	ALA	2.1
1	A	163	ALA	2.1
1	A	171	LYS	2.1
1	A	112	PHE	2.1
1	C	113	PHE	2.1
1	B	132	GLU	2.1
1	B	367	LEU	2.1
1	A	128	GLU	2.1
1	B	149	ILE	2.1
1	C	108	LEU	2.1
1	C	182[A]	PRO	2.1
1	C	112	PHE	2.1
1	A	114	GLY	2.1
1	A	129	GLN	2.0
1	C	151	ARG	2.0
1	B	319	PHE	2.0
1	B	179	THR	2.0
1	B	169	ASP	2.0
1	A	141	LEU	2.0
1	C	248	ASP	2.0
1	A	43	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	3UC	C	402	38/38	0.78	0.15	43,64,75,81	15
2	FAD	B	401	53/53	0.81	0.19	33,46,52,60	53
2	FAD	C	401	53/53	0.82	0.19	41,52,59,63	53
2	FAD	A	401	53/53	0.82	0.20	30,43,53,55	53
3	3UC	A	402	38/38	0.89	0.11	37,56,64,69	11
3	3UC	B	402	38/38	0.90	0.11	31,48,56,58	11

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 3UC C 402:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 3UC A 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 3UC B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.