



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:50 PM UTC

PDB ID : 8RPK / pdb_00008rpk
Title : AMP-forming Acetyl-CoA synthetase from Chloroflexota bacterium without bound ligand
Authors : Striska, K.; Palm, G.J.; Lammers, M.
Deposited on : 2024-01-16
Resolution : 2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4951 (2.64-2.60)
Clashscore	190562	5303 (2.64-2.60)
Ramachandran outliers	187476	5217 (2.64-2.60)
Sidechain outliers	187428	5217 (2.64-2.60)
RSRZ outliers	180081	4950 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	657	% 83% 11% • 5%
1	B	657	% 78% 15% • 5%
1	C	657	% 81% 13% • 5%
1	D	657	% 80% 13% • 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 40056 atoms, of which 19884 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetate–CoA ligase.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
1	A	626	Total	C	H	N	O	P	S	126	7	0
			9994	3238	4966	842	919	1	28			
1	B	626	Total	C	H	N	O	P	S	126	8	0
			10009	3243	4976	842	919	1	28			
1	C	626	Total	C	H	N	O	P	S	126	7	0
			9994	3238	4966	842	919	1	28			
1	D	626	Total	C	H	N	O	P	S	126	8	0
			10009	3243	4976	842	919	1	28			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	MET	-	initiating methionine	UNP A0A535FEC2
A	-8	ALA	-	expression tag	UNP A0A535FEC2
A	-7	HIS	-	expression tag	UNP A0A535FEC2
A	-6	HIS	-	expression tag	UNP A0A535FEC2
A	-5	HIS	-	expression tag	UNP A0A535FEC2
A	-4	HIS	-	expression tag	UNP A0A535FEC2
A	-3	HIS	-	expression tag	UNP A0A535FEC2
A	-2	HIS	-	expression tag	UNP A0A535FEC2
A	-1	VAL	-	expression tag	UNP A0A535FEC2
A	0	GLY	-	expression tag	UNP A0A535FEC2
A	1	THR	-	expression tag	UNP A0A535FEC2
B	-9	MET	-	initiating methionine	UNP A0A535FEC2
B	-8	ALA	-	expression tag	UNP A0A535FEC2
B	-7	HIS	-	expression tag	UNP A0A535FEC2
B	-6	HIS	-	expression tag	UNP A0A535FEC2
B	-5	HIS	-	expression tag	UNP A0A535FEC2
B	-4	HIS	-	expression tag	UNP A0A535FEC2
B	-3	HIS	-	expression tag	UNP A0A535FEC2
B	-2	HIS	-	expression tag	UNP A0A535FEC2
B	-1	VAL	-	expression tag	UNP A0A535FEC2
B	0	GLY	-	expression tag	UNP A0A535FEC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	THR	-	expression tag	UNP A0A535FEC2
C	-9	MET	-	initiating methionine	UNP A0A535FEC2
C	-8	ALA	-	expression tag	UNP A0A535FEC2
C	-7	HIS	-	expression tag	UNP A0A535FEC2
C	-6	HIS	-	expression tag	UNP A0A535FEC2
C	-5	HIS	-	expression tag	UNP A0A535FEC2
C	-4	HIS	-	expression tag	UNP A0A535FEC2
C	-3	HIS	-	expression tag	UNP A0A535FEC2
C	-2	HIS	-	expression tag	UNP A0A535FEC2
C	-1	VAL	-	expression tag	UNP A0A535FEC2
C	0	GLY	-	expression tag	UNP A0A535FEC2
C	1	THR	-	expression tag	UNP A0A535FEC2
D	-9	MET	-	initiating methionine	UNP A0A535FEC2
D	-8	ALA	-	expression tag	UNP A0A535FEC2
D	-7	HIS	-	expression tag	UNP A0A535FEC2
D	-6	HIS	-	expression tag	UNP A0A535FEC2
D	-5	HIS	-	expression tag	UNP A0A535FEC2
D	-4	HIS	-	expression tag	UNP A0A535FEC2
D	-3	HIS	-	expression tag	UNP A0A535FEC2
D	-2	HIS	-	expression tag	UNP A0A535FEC2
D	-1	VAL	-	expression tag	UNP A0A535FEC2
D	0	GLY	-	expression tag	UNP A0A535FEC2
D	1	THR	-	expression tag	UNP A0A535FEC2

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total K 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	11	Total 11	O 11	0	0
4	B	11	Total 11	O 11	0	0
4	C	12	Total 12	O 12	0	0
4	D	11	Total 11	O 11	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Acetate–CoA ligase




• Molecule 1: Acetate–CoA ligase





• Molecule 1: Acetate–CoA ligase





• Molecule 1: Acetate–CoA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	161.35Å 161.35Å 814.18Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	272.00 – 2.62 271.39 – 2.62	Depositor EDS
% Data completeness (in resolution range)	81.5 (272.00-2.62) 81.5 (271.39-2.62)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.62Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.163 , 0.221 0.164 , 0.222	Depositor DCC
R_{free} test set	5010 reflections (4.04%)	wwPDB-VP
Wilson B-factor (Å ²)	82.1	Xtriage
Anisotropy	0.027	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 57.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	40056	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NEP, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/5162	1.22	18/7018 (0.3%)
1	B	0.64	0/5170	1.24	34/7029 (0.5%)
1	C	0.63	0/5162	1.24	21/7018 (0.3%)
1	D	0.64	0/5170	1.24	24/7029 (0.3%)
All	All	0.64	0/20664	1.23	97/28094 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	7
1	C	0	8
1	D	0	10
All	All	0	32

There are no bond length outliers.

All (97) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	43	ASP	CA-CB-CG	8.86	121.46	112.60
1	B	607	THR	CA-CB-OG1	-8.68	96.58	109.60
1	D	428	ASP	CA-CB-CG	8.50	121.10	112.60
1	D	42	ASP	CB-CA-C	-8.43	93.95	109.29
1	A	80	ASP	CA-CB-CG	8.11	120.71	112.60
1	D	174	ALA	CA-C-O	8.10	124.55	119.29
1	D	196	ASP	CA-CB-CG	7.99	120.59	112.60
1	C	624	LYS	N-CA-CB	7.82	122.33	110.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	376	THR	CA-CB-OG1	-7.70	98.05	109.60
1	D	387	GLU	CB-CG-CD	7.58	125.48	112.60
1	A	402	THR	CA-CB-OG1	-7.46	98.41	109.60
1	C	428	ASP	CA-CB-CG	7.33	119.94	112.60
1	C	536	LYS	CB-CA-C	-7.30	98.96	111.23
1	D	253	ASP	CA-CB-CG	7.22	119.82	112.60
1	C	624	LYS	CB-CA-C	-7.16	95.51	109.76
1	D	387	GLU	CB-CA-C	6.98	124.57	109.99
1	A	42	ASP	CB-CA-C	-6.77	97.39	109.24
1	A	156	MET	O-C-N	-6.76	117.38	121.71
1	C	463	ASP	CA-CB-CG	6.74	119.34	112.60
1	B	42	ASP	CA-CB-CG	6.70	119.30	112.60
1	B	475	GLU	CB-CG-CD	6.70	123.99	112.60
1	B	42	ASP	CB-CA-C	-6.67	97.15	109.29
1	C	246	GLU	CB-CA-C	-6.66	100.45	109.71
1	B	532	ASP	CA-CB-CG	6.63	119.23	112.60
1	C	607	THR	CA-CB-OG1	-6.61	99.68	109.60
1	A	428	ASP	CA-CB-CG	6.61	119.21	112.60
1	B	330	HIS	CA-CB-CG	6.60	120.40	113.80
1	C	506	THR	CA-CB-OG1	-6.54	99.78	109.60
1	D	515	ASP	CA-CB-CG	6.54	119.14	112.60
1	B	463	ASP	CA-CB-CG	6.51	119.11	112.60
1	D	536	LYS	CB-CA-C	-6.48	99.41	110.16
1	B	520	ASP	CA-CB-CG	6.47	119.08	112.60
1	B	253	ASP	CA-CB-CG	6.43	119.03	112.60
1	C	42	ASP	CB-CA-C	-6.42	98.22	109.02
1	A	238	THR	CA-CB-OG1	6.27	119.01	109.60
1	D	533	ASP	CA-CB-CG	6.23	118.83	112.60
1	D	520	ASP	CA-CB-CG	6.18	118.78	112.60
1	D	82	PRO	N-CA-CB	-6.08	95.91	102.60
1	B	409	PRO	N-CA-CB	-6.07	96.88	103.25
1	A	289	LYS	CB-CA-C	-6.02	100.43	110.19
1	A	567	ASP	CA-CB-CG	5.98	118.58	112.60
1	D	73	LYS	CB-CG-CD	5.97	125.03	111.30
1	B	228	THR	CA-CB-OG1	-5.96	100.66	109.60
1	B	16	GLU	CB-CA-C	-5.92	99.67	110.63
1	C	253	ASP	CA-CB-CG	5.92	118.52	112.60
1	D	376	THR	CA-CB-OG1	-5.87	100.79	109.60
1	A	518	THR	CA-CB-OG1	-5.82	100.86	109.60
1	C	624	LYS	CA-CB-CG	5.73	125.57	114.10
1	C	56	PHE	CB-CA-C	5.72	120.58	110.85
1	B	79	THR	CA-CB-OG1	5.71	118.17	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	421	HIS	CA-CB-CG	5.71	119.51	113.80
1	B	43	ASP	CB-CA-C	5.69	120.13	109.71
1	B	475	GLU	N-CA-CB	5.68	120.15	110.50
1	C	634	GLU	CB-CA-C	-5.63	101.57	110.86
1	D	242	VAL	N-CA-CB	5.62	117.65	111.64
1	B	17	GLU	CB-CG-CD	5.61	122.14	112.60
1	B	246	GLU	CB-CA-C	-5.57	101.48	109.84
1	B	22	PRO	N-CA-CB	-5.54	100.27	103.15
1	C	118	ASP	CA-CB-CG	5.54	118.14	112.60
1	B	506	THR	N-CA-C	-5.53	106.21	113.12
1	B	190	ASP	CA-CB-CG	5.52	118.12	112.60
1	D	449	LYS	CB-CA-C	-5.52	102.74	110.13
1	B	408	ASN	CB-CA-C	5.50	117.36	109.11
1	A	323	ASP	CA-CB-CG	5.49	118.09	112.60
1	D	621	ARG	N-CA-CB	5.49	118.28	110.16
1	A	253	ASP	CA-CB-CG	5.46	118.06	112.60
1	A	572	GLU	CB-CA-C	5.44	122.03	110.07
1	D	80	ASP	CA-CB-CG	5.43	118.03	112.60
1	C	194	ASP	CA-CB-CG	5.42	118.02	112.60
1	C	323	ASP	CA-CB-CG	5.40	118.00	112.60
1	B	204	ASP	CA-CB-CG	5.38	117.98	112.60
1	D	19	LEU	N-CA-CB	-5.38	102.10	110.55
1	B	423	GLU	CB-CA-C	-5.37	99.74	110.42
1	A	196	ASP	CA-CB-CG	5.35	117.95	112.60
1	C	615	THR	CA-CB-OG1	-5.33	101.60	109.60
1	B	70	GLU	CB-CA-C	5.30	117.10	109.09
1	B	82	PRO	N-CA-CB	-5.28	96.79	102.60
1	D	518	THR	CA-CB-OG1	-5.26	101.71	109.60
1	D	532	ASP	CA-CB-CG	5.22	117.82	112.60
1	D	89	ASP	CA-CB-CG	5.21	117.81	112.60
1	B	22	PRO	N-CA-C	5.20	116.20	110.64
1	B	515	ASP	CA-CB-CG	5.16	117.76	112.60
1	A	463	ASP	CA-CB-CG	5.16	117.76	112.60
1	D	599	ARG	CG-CD-NE	-5.14	100.68	112.00
1	A	458	PRO	N-CA-CB	-5.11	98.59	103.19
1	B	289	LYS	CB-CA-C	-5.09	101.84	110.19
1	A	150	ASP	CA-CB-CG	5.07	117.67	112.60
1	C	82	PRO	N-CA-C	5.06	125.26	112.10
1	C	62	MET	CG-SD-CE	5.06	112.02	100.90
1	D	73	LYS	CA-CB-CG	5.06	124.22	114.10
1	A	475	GLU	CB-CG-CD	5.05	121.18	112.60
1	B	387	GLU	CB-CA-C	-5.05	102.10	110.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	82	PRO	N-CA-CB	-5.03	97.06	102.60
1	B	413	MET	CG-SD-CE	5.03	111.97	100.90
1	C	150	ASP	CA-CB-CG	5.03	117.63	112.60
1	A	391	ARG	CB-CA-C	-5.02	99.73	110.32
1	B	634	GLU	CB-CA-C	-5.01	101.53	110.70

There are no chirality outliers.

All (32) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	123	ARG	Sidechain
1	A	208[A]	ARG	Sidechain
1	A	208[B]	ARG	Sidechain
1	A	25[A]	ASP	Peptide
1	A	391	ARG	Sidechain
1	A	627	ARG	Sidechain
1	A	631	ARG	Sidechain
1	B	18	ARG	Sidechain
1	B	22	PRO	Peptide
1	B	416	ARG	Sidechain
1	B	499	ARG	Sidechain
1	B	526	ARG	Sidechain
1	B	596	ARG	Sidechain
1	B	627	ARG	Sidechain
1	C	18	ARG	Sidechain
1	C	208[A]	ARG	Sidechain
1	C	208[B]	ARG	Sidechain
1	C	22	PRO	Peptide
1	C	236	ARG	Sidechain
1	C	499	ARG	Sidechain
1	C	596	ARG	Sidechain
1	C	599	ARG	Sidechain
1	D	189	ARG	Sidechain
1	D	208[A]	ARG	Sidechain
1	D	208[B]	ARG	Sidechain
1	D	22	PRO	Mainchain,Peptide
1	D	530	ARG	Sidechain
1	D	596	ARG	Sidechain
1	D	599	ARG	Sidechain
1	D	627	ARG	Sidechain
1	D	628	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5028	4966	4953	36	0
1	B	5033	4976	4964	50	0
1	C	5028	4966	4953	41	0
1	D	5033	4976	4963	55	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
4	A	11	0	0	1	0
4	B	11	0	0	1	0
4	C	12	0	0	0	0
4	D	11	0	0	0	0
All	All	20172	19884	19833	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:23[A]:PRO:O	1:D:25[A]:ASP:N	1.56	1.34
1:A:23[A]:PRO:O	1:A:25[A]:ASP:N	1.83	1.11
1:B:23[A]:PRO:O	1:B:25[A]:ASP:N	1.91	1.01
1:B:24[A]:GLU:O	1:B:25[A]:ASP:OD1	1.81	0.98
1:A:24[A]:GLU:HG3	1:A:25[A]:ASP:OD1	1.69	0.92
1:D:453:ALA:O	1:D:454:SER:HB3	1.73	0.89
1:B:576[A]:VAL:HB	1:B:611[A]:LEU:CD2	2.04	0.88
1:A:23[A]:PRO:C	1:A:25[A]:ASP:H	1.86	0.83
1:D:23[A]:PRO:C	1:D:25[A]:ASP:N	2.36	0.82
1:D:453:ALA:O	1:D:454:SER:CB	2.32	0.78
1:B:416:ARG:NH2	1:D:633:ARG:O	2.23	0.69
1:B:284:SER:HB3	1:B:534:VAL:HA	1.76	0.68
1:D:175:PRO:CB	1:D:275:MET:HE2	2.24	0.67
1:D:576[A]:VAL:HB	1:D:611[A]:LEU:HD23	1.76	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23[A]:PRO:O	1:B:26[A]:ILE:HG22	1.94	0.66
1:D:208[A]:ARG:HH11	1:D:208[A]:ARG:HG3	1.58	0.66
1:D:576[A]:VAL:HB	1:D:611[A]:LEU:CD2	2.26	0.66
1:C:216:LYS:NZ	1:C:220:ASP:OD1	2.29	0.65
1:A:551:LEU:CD1	1:A:576[A]:VAL:HG11	2.27	0.65
1:C:453:ALA:O	1:C:454:SER:HB3	1.96	0.65
1:B:576[A]:VAL:HB	1:B:611[A]:LEU:HD23	1.80	0.64
1:C:85:LYS:HE3	1:C:88:THR:HG22	1.79	0.64
1:B:24[A]:GLU:O	1:B:24[A]:GLU:HG3	1.97	0.64
1:B:605:LEU:H	1:B:605:LEU:HD23	1.62	0.63
1:B:24[A]:GLU:O	1:B:25[A]:ASP:CG	2.42	0.63
1:A:231:LYS:HD2	1:A:248:ARG:O	1.99	0.63
1:B:216:LYS:NZ	1:B:220:ASP:OD1	2.31	0.62
1:D:496:ASP:OD2	1:D:499:ARG:HD2	1.99	0.62
1:C:619:LYS:HA	1:C:624:LYS:O	2.00	0.61
1:B:453:ALA:O	1:B:454:SER:CB	2.49	0.60
1:A:453:ALA:O	1:A:454:SER:CB	2.49	0.60
1:B:360:TRP:HB3	1:B:394:LEU:HD21	1.84	0.60
1:C:453:ALA:O	1:C:454:SER:CB	2.49	0.59
1:C:388:LEU:HB2	1:C:389:PRO:HD3	1.84	0.59
1:B:23[A]:PRO:C	1:B:25[A]:ASP:N	2.60	0.58
1:B:611[B]:LEU:HD21	1:B:613:PHE:CE1	2.38	0.58
1:C:284:SER:HB3	1:C:534:VAL:HA	1.85	0.57
1:B:551:LEU:CD1	1:B:576[A]:VAL:HG11	2.34	0.57
1:D:551:LEU:CD1	1:D:576[A]:VAL:HG11	2.34	0.57
1:B:24[A]:GLU:C	1:B:25[A]:ASP:CG	2.72	0.57
1:D:350:ILE:HB	1:D:351:PRO:CD	2.35	0.56
1:D:23[A]:PRO:HB2	1:D:26[A]:ILE:HG22	1.88	0.56
1:C:551:LEU:CD1	1:C:576[A]:VAL:HG11	2.35	0.56
1:A:405:GLU:HB2	1:A:406:PRO:HD2	1.87	0.56
1:A:23[A]:PRO:O	1:A:26[A]:ILE:N	2.36	0.55
1:B:103:MET:HE2	1:B:103:MET:HA	1.87	0.55
1:D:25[A]:ASP:HA	1:D:28:LYS:HD2	1.89	0.55
1:B:483:ARG:HG2	1:B:483:ARG:HH11	1.71	0.54
1:B:575:LYS:HE2	1:B:577:PHE:CZ	2.42	0.54
1:D:24[A]:GLU:C	1:D:25[A]:ASP:CG	2.75	0.54
1:B:551:LEU:HD13	1:B:576[A]:VAL:HG11	1.89	0.54
1:D:420:GLY:HA2	1:D:424:LEU:HD12	1.88	0.54
1:B:605:LEU:H	1:B:605:LEU:CD2	2.21	0.53
1:A:188:LEU:HG	1:A:192:MET:HE2	1.91	0.53
1:A:408:ASN:ND2	4:A:801:HOH:O	2.41	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:24[B]:GLU:O	1:C:25[B]:ASP:HB2	2.08	0.52
1:B:576[A]:VAL:HB	1:B:611[A]:LEU:HD21	1.91	0.52
1:D:175:PRO:HB2	1:D:275:MET:HE2	1.91	0.52
1:D:481:ILE:HD12	1:D:481:ILE:C	2.35	0.52
1:A:382:MET:HG2	1:A:414:TRP:CD1	2.44	0.52
1:B:208[A]:ARG:HH11	1:B:208[A]:ARG:HG3	1.76	0.51
1:C:620:THR:O	1:C:623:GLY:N	2.43	0.51
1:B:538:SER:OG	1:B:570:LYS:HG2	2.12	0.50
1:A:372:TYR:CZ	1:A:403:VAL:HB	2.46	0.50
1:D:30:ALA:O	1:D:33:THR:HB	2.11	0.50
1:A:372:TYR:CE1	1:A:403:VAL:HB	2.46	0.50
1:C:24[B]:GLU:OE1	1:C:24[B]:GLU:N	2.38	0.50
1:B:443:THR:HB	1:B:444:PRO:CD	2.42	0.50
1:C:275:MET:HE1	1:C:278:ILE:CG1	2.42	0.50
1:B:379:ARG:HD3	4:B:801:HOH:O	2.12	0.49
1:C:360:TRP:HB3	1:C:394:LEU:HD21	1.94	0.49
1:D:287:LYS:HB2	1:D:288:PRO:HD2	1.94	0.49
1:A:22:PRO:O	1:A:24[A]:GLU:N	2.44	0.49
1:A:275:MET:HE1	1:A:278:ILE:CG1	2.43	0.49
1:A:515:ASP:OD1	1:A:530:ARG:HD2	2.12	0.49
1:B:188:LEU:HG	1:B:192:MET:HE2	1.95	0.49
1:A:348:GLU:OE1	1:D:585:GLU:OE1	2.31	0.49
1:C:23[A]:PRO:O	1:C:26[A]:ILE:HG22	2.13	0.48
1:C:431:TRP:HB3	1:C:438:ILE:HA	1.95	0.48
1:B:458:PRO:C	1:B:459:THR:HG23	2.38	0.48
1:C:548:GLU:OE2	1:C:627:ARG:NH2	2.40	0.48
1:D:208[B]:ARG:HG2	1:D:208[B]:ARG:HH11	1.77	0.48
1:A:158:MET:HB2	1:A:348:GLU:HA	1.95	0.48
1:B:158:MET:HB2	1:B:348:GLU:HA	1.95	0.48
1:A:284:SER:O	1:A:544:SER:HB2	2.13	0.48
1:D:175:PRO:HB3	1:D:275:MET:HB3	1.95	0.48
1:D:24[A]:GLU:O	1:D:25[A]:ASP:OD1	2.31	0.48
1:A:24[A]:GLU:CG	1:A:25[A]:ASP:OD1	2.52	0.47
1:D:275:MET:HE1	1:D:278:ILE:HD11	1.95	0.47
1:D:430:TRP:CZ2	1:D:480:LEU:HD23	2.49	0.47
1:C:441:SER:OG	1:C:442:PRO:O	2.33	0.47
1:D:532:ASP:OD2	1:D:534:VAL:HB	2.14	0.47
1:A:353:TYR:HA	1:A:354:PRO:C	2.39	0.47
1:D:80:ASP:O	1:D:81:LYS:C	2.55	0.47
1:C:548:GLU:O	1:C:552:VAL:HG23	2.14	0.47
1:C:565:LYS:HE3	1:C:635:LEU:HD21	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:453:ALA:O	1:B:454:SER:HB3	2.16	0.46
1:B:457:LEU:HB3	1:B:458:PRO:CD	2.45	0.46
1:D:575:LYS:HE2	1:D:577:PHE:CZ	2.51	0.46
1:C:324:ILE:HA	1:C:329:GLY:HA3	1.97	0.46
1:D:450:PRO:O	1:D:526:ARG:NH2	2.48	0.46
1:D:214:GLU:O	1:D:218:ILE:HG13	2.16	0.46
1:A:551:LEU:HD13	1:A:576[A]:VAL:HG11	1.97	0.46
1:D:439:LEU:HD22	1:D:460:ILE:HD12	1.98	0.46
1:D:25[A]:ASP:C	1:D:27:VAL:N	2.72	0.46
1:B:219:ALA:O	1:B:223:VAL:HG23	2.17	0.45
1:D:88:THR:C	1:D:90:GLY:H	2.25	0.45
1:B:25[A]:ASP:HA	1:B:28:LYS:HD2	1.99	0.45
1:D:29:ASN:O	1:D:313:LYS:NZ	2.46	0.45
1:B:616:SER:OG	1:C:24[B]:GLU:HG3	2.16	0.45
1:C:214:GLU:O	1:C:218:ILE:HG13	2.17	0.45
1:C:605:LEU:HD23	1:C:605:LEU:H	1.82	0.45
1:A:313:LYS:HB3	1:A:314:PRO:CD	2.46	0.45
1:C:483:ARG:HG2	1:C:483:ARG:HH11	1.81	0.45
1:A:434:GLU:HB3	1:A:490:MET:HE2	1.98	0.45
1:C:59:TRP:CD2	1:C:487:PRO:HG2	2.52	0.45
1:A:611:LEU:C	1:A:611:LEU:HD23	2.41	0.45
1:D:209:GLY:HA2	1:D:353:TYR:CG	2.52	0.45
1:D:577:PHE:HZ	1:D:634:GLU:HG3	1.82	0.45
1:B:430:TRP:CZ2	1:B:480:LEU:HD23	2.52	0.44
1:B:483:ARG:HG2	1:B:483:ARG:NH1	2.32	0.44
1:B:496:ASP:OD2	1:B:499:ARG:HD3	2.17	0.44
1:C:147:LYS:O	1:C:148:LYS:C	2.60	0.44
1:A:59:TRP:CE3	1:A:487:PRO:HG2	2.52	0.44
1:A:73:LYS:HG2	1:A:89:ASP:HB2	1.99	0.44
1:C:515:ASP:OD1	1:C:530:ARG:HD2	2.18	0.44
1:A:29:ASN:O	1:A:313:LYS:NZ	2.44	0.44
1:B:55:ARG:HD2	1:B:484[B]:HIS:CE1	2.53	0.44
1:B:280:TYR:HA	1:B:289:LYS:O	2.18	0.44
1:B:464:VAL:HG23	1:B:519:MET:HE2	2.00	0.44
1:A:481:ILE:C	1:A:481:ILE:HD12	2.43	0.43
1:A:483:ARG:HH11	1:A:483:ARG:HG2	1.83	0.43
1:D:618:PRO:HD3	1:D:633:ARG:HH12	1.82	0.43
1:D:278:ILE:HA	1:D:291:VAL:O	2.18	0.43
1:D:551:LEU:HD13	1:D:576[A]:VAL:HG11	1.99	0.43
1:A:24[B]:GLU:O	1:A:25[B]:ASP:HB2	2.17	0.43
1:D:175:PRO:HB3	1:D:275:MET:HE2	1.98	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:353:TYR:HA	1:B:354:PRO:C	2.44	0.43
1:B:254:VAL:O	1:B:257:ASN:HB3	2.19	0.43
1:B:576[A]:VAL:HG23	1:B:608:PRO:HB3	2.01	0.43
1:B:606:ALA:O	1:B:607:THR:C	2.62	0.43
1:C:150:ASP:O	1:C:175:PRO:HD2	2.19	0.42
1:A:536:LYS:O	1:A:572:GLU:HG2	2.19	0.42
1:D:350:ILE:HB	1:D:351:PRO:HD3	2.00	0.42
1:C:59:TRP:CE3	1:C:487:PRO:HG2	2.55	0.42
1:D:23[A]:PRO:O	1:D:26[A]:ILE:N	2.52	0.42
1:D:125:TYR:CE1	1:D:160:PRO:HG2	2.55	0.42
1:B:208[A]:ARG:HG3	1:B:208[A]:ARG:NH1	2.35	0.42
1:C:175:PRO:HA	1:C:276:LEU:O	2.19	0.42
1:B:175:PRO:HA	1:B:276:LEU:O	2.20	0.42
1:C:174:ALA:HA	1:C:175:PRO:HD3	1.87	0.42
1:C:358:ARG:HG2	1:C:358:ARG:HH11	1.84	0.42
1:C:311:ASP:O	1:C:312:ILE:C	2.63	0.42
1:B:198:LYS:HG2	1:B:199:VAL:HG13	2.01	0.42
1:C:278:ILE:HA	1:C:291:VAL:O	2.19	0.42
1:D:275:MET:HG2	1:D:292:VAL:HG13	2.02	0.42
1:D:372:TYR:CZ	1:D:403:VAL:HB	2.55	0.42
1:D:611[A]:LEU:HD23	1:D:611[A]:LEU:HA	1.91	0.42
1:A:619:LYS:HA	1:A:624:LYS:O	2.19	0.41
1:C:430:TRP:CZ2	1:C:480:LEU:HD23	2.54	0.41
1:C:158:MET:HB2	1:C:348:GLU:HA	2.02	0.41
1:D:27:VAL:HG13	1:D:445:ILE:HG22	2.03	0.41
1:C:551:LEU:HD13	1:C:576[A]:VAL:HG11	2.03	0.41
1:D:148:LYS:NZ	1:D:274:ASP:OD2	2.54	0.41
1:D:515:ASP:OD1	1:D:530:ARG:HD2	2.21	0.41
1:A:86:TRP:O	1:A:87:PHE:C	2.62	0.41
1:A:387:GLU:HA	1:A:387:GLU:OE1	2.19	0.41
1:D:162:MET:HE2	1:D:324:ILE:CG2	2.51	0.41
1:D:275:MET:CE	1:D:278:ILE:HG13	2.51	0.41
1:A:284:SER:HB3	1:A:534:VAL:HA	2.02	0.41
1:C:576[B]:VAL:HG23	1:C:611:LEU:HG	2.02	0.41
1:D:113:PHE:HA	1:D:344:ILE:O	2.20	0.41
1:C:81:LYS:HA	1:C:82:PRO:HA	1.86	0.40
1:C:271:ASP:C	1:C:273:GLU:H	2.30	0.40
1:B:369:ASN:C	1:B:370:ILE:HG13	2.47	0.40
1:B:619:LYS:HA	1:B:624:LYS:O	2.22	0.40
1:C:103:MET:HA	1:C:103:MET:HE2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	630/657 (96%)	599 (95%)	28 (4%)	3 (0%)	24	44
1	B	631/657 (96%)	598 (95%)	28 (4%)	5 (1%)	16	31
1	C	630/657 (96%)	593 (94%)	32 (5%)	5 (1%)	16	31
1	D	631/657 (96%)	599 (95%)	28 (4%)	4 (1%)	21	39
All	All	2522/2628 (96%)	2389 (95%)	116 (5%)	17 (1%)	24	35

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	454	SER
1	B	454	SER
1	C	454	SER
1	D	454	SER
1	C	73	LYS
1	C	25[A]	ASP
1	C	25[B]	ASP
1	A	23[A]	PRO
1	A	23[B]	PRO
1	B	25[A]	ASP
1	B	25[B]	ASP
1	D	534	VAL
1	D	23[A]	PRO
1	D	23[B]	PRO
1	C	272	SER
1	B	23[A]	PRO
1	B	23[B]	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	536/557 (96%)	522 (97%)	14 (3%)	40	66
1	B	537/557 (96%)	511 (95%)	26 (5%)	23	45
1	C	536/557 (96%)	524 (98%)	12 (2%)	45	70
1	D	537/557 (96%)	519 (97%)	18 (3%)	32	58
All	All	2146/2228 (96%)	2076 (97%)	70 (3%)	35	59

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26[A]	ILE
1	A	26[B]	ILE
1	A	28	LYS
1	A	43	ASP
1	A	82	PRO
1	A	105	THR
1	A	211	LYS
1	A	241	GLU
1	A	272	SER
1	A	287	LYS
1	A	402	THR
1	A	454	SER
1	A	533	ASP
1	A	568	GLU
1	B	26[A]	ILE
1	B	26[B]	ILE
1	B	28	LYS
1	B	33	THR
1	B	73	LYS
1	B	82	PRO
1	B	105	THR
1	B	147	LYS
1	B	208[A]	ARG
1	B	208[B]	ARG
1	B	211	LYS
1	B	228	THR
1	B	285	THR
1	B	396	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	402	THR
1	B	409	PRO
1	B	467	LYS
1	B	528	GLN
1	B	531	VAL
1	B	533	ASP
1	B	536	LYS
1	B	605	LEU
1	B	607	THR
1	B	621	ARG
1	B	622	SER
1	B	628	ARG
1	C	42	ASP
1	C	43	ASP
1	C	73	LYS
1	C	80	ASP
1	C	128	LYS
1	C	147	LYS
1	C	211	LYS
1	C	402	THR
1	C	441	SER
1	C	443	THR
1	C	528	GLN
1	C	532	ASP
1	D	32	ILE
1	D	43	ASP
1	D	73	LYS
1	D	82	PRO
1	D	208[A]	ARG
1	D	208[B]	ARG
1	D	211	LYS
1	D	254	VAL
1	D	257	ASN
1	D	285	THR
1	D	402	THR
1	D	472	VAL
1	D	518	THR
1	D	528	GLN
1	D	531	VAL
1	D	569	VAL
1	D	621	ARG
1	D	634	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	HIS
1	A	418	ASN
1	A	540	HIS
1	A	597	HIS
1	B	54	ASN
1	B	67	HIS
1	B	528	GLN
1	C	54	ASN
1	C	330	HIS
1	C	432	GLN
1	D	54	ASN
1	D	67	HIS
1	D	528	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	NEP	B	476	1	11,14,15	1.39	1 (9%)	8,20,22	0.57	0
1	NEP	D	476	1	11,14,15	1.48	1 (9%)	8,20,22	0.23	0
1	NEP	A	476	1	11,14,15	1.66	2 (18%)	8,20,22	0.52	0
1	NEP	C	476	1	11,14,15	1.57	2 (18%)	8,20,22	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	NEP	B	476	1	-	0/5/12/14	0/1/1/1
1	NEP	D	476	1	-	0/5/12/14	0/1/1/1
1	NEP	A	476	1	-	0/5/12/14	0/1/1/1
1	NEP	C	476	1	-	2/5/12/14	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	476	NEP	P-O3P	4.50	1.53	1.46
1	C	476	NEP	P-O3P	4.44	1.52	1.46
1	D	476	NEP	P-O3P	4.11	1.52	1.46
1	B	476	NEP	P-O3P	3.76	1.51	1.46
1	A	476	NEP	P-O1P	-2.09	1.51	1.56
1	C	476	NEP	P-O2P	-2.01	1.51	1.56

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	476	NEP	CA-CB-CG-ND1
1	C	476	NEP	CA-CB-CG-CD2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	625/657 (95%)	-0.56	8 (1%) 75 71	32, 73, 102, 158	7 (1%)
1	B	625/657 (95%)	-0.57	5 (0%) 82 80	33, 75, 101, 145	8 (1%)
1	C	625/657 (95%)	-0.46	7 (1%) 78 74	33, 81, 113, 145	7 (1%)
1	D	625/657 (95%)	-0.61	5 (0%) 82 80	30, 73, 104, 149	8 (1%)
All	All	2500/2628 (95%)	-0.55	25 (1%) 79 76	30, 76, 106, 158	30 (1%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	24[A]	GLU	22.2
1	C	24[A]	GLU	22.0
1	B	24[A]	GLU	20.5
1	D	24[A]	GLU	20.5
1	A	25[A]	ASP	12.8
1	D	25[A]	ASP	9.7
1	C	25[A]	ASP	8.6
1	B	25[A]	ASP	8.1
1	D	639	VAL	4.3
1	C	639	VAL	4.2
1	A	14	LEU	4.0
1	B	26[A]	ILE	3.8
1	A	467	LYS	3.7
1	D	14	LEU	3.5
1	C	23[A]	PRO	3.0
1	C	484[A]	HIS	3.0
1	B	14	LEU	2.9
1	A	484[A]	HIS	2.8
1	B	639	VAL	2.8
1	A	23[A]	PRO	2.8
1	C	14	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	208[A]	ARG	2.6
1	A	639	VAL	2.2
1	C	59	TRP	2.2
1	D	23[A]	PRO	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	NEP	D	476	14/15	0.88	0.09	78,124,149,166	0
1	NEP	A	476	14/15	0.90	0.07	89,121,143,152	0
1	NEP	B	476	14/15	0.91	0.08	74,116,142,143	0
1	NEP	C	476	14/15	0.92	0.07	95,123,145,148	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	701	1/1	0.88	0.12	87,87,87,87	0
3	K	A	702	1/1	0.90	0.15	109,109,109,109	0
2	MG	D	701	1/1	0.95	0.07	72,72,72,72	0
2	MG	B	701	1/1	0.95	0.08	82,82,82,82	0
2	MG	C	701	1/1	0.99	0.09	87,87,87,87	0

6.5 Other polymers [i](#)

There are no such residues in this entry.