



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:11 AM UTC

PDB ID : 1RRH / pdb_00001rrh
Title : Soybean Lipoxygenase (LOX-3) at ambient temperatures at 2.0 Å resolution
Authors : Borbulevych, O.Y.; Jankun, J.; Skrzypczak-Jankun, E.
Deposited on : 2003-12-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	857	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7339 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Seed lipoxygenase-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	850	Total	C	N	O	S	0	0	0
			6789	4335	1167	1269	18			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	ASP	HIS	SEE REMARK 999	UNP P09186
A	57	SER	PRO	SEE REMARK 999	UNP P09186
A	112	PRO	LEU	SEE REMARK 999	UNP P09186
A	201	ILE	VAL	SEE REMARK 999	UNP P09186
A	382	ASP	GLU	SEE REMARK 999	UNP P09186
A	428	ASP	GLY	SEE REMARK 999	UNP P09186
A	630	THR	ALA	SEE REMARK 999	UNP P09186

- Molecule 2 is FE (II) ION (CCD ID: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	549	Total	O	0	0
			549	549		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Seed lipoxygenase-3



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	112.71Å 137.21Å 61.79Å 90.00° 95.51° 90.00°	Depositor
Resolution (Å)	10.00 – 2.00 10.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	86.5 (10.00-2.00) 85.8 (10.00-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.179 , 0.231 0.181 , 0.231	Depositor DCC
R_{free} test set	2744 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	31.0	Xtriage
Anisotropy	0.009	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7339	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	6/6961 (0.1%)	1.25	45/9453 (0.5%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	785	GLU	CA-C	-6.17	1.44	1.52
1	A	566	VAL	CA-CB	5.99	1.61	1.54
1	A	848	PHE	N-CA	5.91	1.53	1.46
1	A	790	ASN	N-CA	5.38	1.53	1.46
1	A	571	VAL	CA-CB	5.31	1.61	1.54
1	A	789	PRO	CA-C	5.03	1.59	1.52

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	785	GLU	N-CA-C	-14.21	96.03	113.50
1	A	847	THR	CA-C-N	-9.55	103.29	121.54
1	A	847	THR	C-N-CA	-9.55	103.29	121.54
1	A	37	GLY	N-CA-C	-9.41	102.69	114.92
1	A	687	LYS	CA-C-N	-9.29	109.14	122.06
1	A	687	LYS	C-N-CA	-9.29	109.14	122.06
1	A	687	LYS	N-CA-C	-8.44	98.03	110.52
1	A	238	THR	CA-C-N	-8.25	105.25	121.41
1	A	238	THR	C-N-CA	-8.25	105.25	121.41
1	A	789	PRO	N-CD-CG	-7.91	91.34	103.20
1	A	785	GLU	CA-C-N	-7.46	112.43	122.72
1	A	785	GLU	C-N-CA	-7.46	112.43	122.72
1	A	393	VAL	N-CA-C	7.33	122.69	112.50
1	A	396	ASP	N-CA-C	-7.11	102.94	113.61
1	A	847	THR	N-CA-C	-7.11	99.94	110.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	431	ASP	N-CA-C	6.99	121.72	112.35
1	A	584	GLU	CB-CA-C	-6.96	99.67	110.81
1	A	778	SER	CB-CA-C	-6.59	98.44	110.63
1	A	566	VAL	N-CA-CB	-6.44	103.78	112.16
1	A	789	PRO	CA-C-N	6.26	133.51	121.54
1	A	789	PRO	C-N-CA	6.26	133.51	121.54
1	A	163	ALA	CA-C-N	6.26	130.70	120.63
1	A	163	ALA	C-N-CA	6.26	130.70	120.63
1	A	234	ARG	NE-CZ-NH2	-6.22	113.60	119.20
1	A	49	THR	N-CA-C	-6.20	105.70	113.20
1	A	31	SER	N-CA-C	-6.19	97.62	110.80
1	A	164	ASN	N-CA-C	6.06	120.22	112.34
1	A	847	THR	O-C-N	-5.91	115.99	122.84
1	A	566	VAL	CB-CA-C	5.85	118.78	111.65
1	A	108	GLY	N-CA-C	-5.74	99.58	113.18
1	A	788	ASN	N-CA-C	5.66	122.31	109.81
1	A	571	VAL	N-CA-C	5.57	116.31	110.62
1	A	238	THR	N-CA-C	-5.53	100.88	109.72
1	A	687	LYS	O-C-N	-5.52	116.76	122.94
1	A	238	THR	O-C-N	-5.45	116.10	123.19
1	A	789	PRO	CB-CA-C	-5.40	102.65	111.56
1	A	707	ALA	N-CA-C	5.36	117.87	111.71
1	A	848	PHE	CB-CA-C	5.33	121.02	110.42
1	A	209	ASP	N-CA-CB	-5.32	103.82	110.90
1	A	790	ASN	CB-CA-C	-5.13	100.20	110.42
1	A	789	PRO	N-CA-C	5.09	122.95	112.47
1	A	375	ASN	N-CA-CB	-5.08	103.18	110.65
1	A	33	GLY	N-CA-C	5.05	121.30	111.34
1	A	737	LYS	N-CA-C	5.03	121.52	110.80
1	A	607	ARG	NE-CZ-NH2	-5.02	114.68	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6789	0	6714	73	0
2	A	1	0	0	0	0
3	A	549	0	0	9	0
All	All	7339	0	6714	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:TYR:CD1	1:A:481:ALA:HB2	2.15	0.79
1:A:541:HIS:HD2	1:A:543:ILE:H	1.31	0.78
1:A:438:ARG:NH1	1:A:477:ASP:OD1	2.23	0.71
1:A:36:ILE:HG13	1:A:267:LEU:HB3	1.72	0.71
1:A:784:GLY:HA3	1:A:808:LEU:HD23	1.78	0.64
1:A:438:ARG:HD2	1:A:473:HIS:HE1	1.64	0.61
1:A:473:HIS:HB2	1:A:476:GLY:H	1.68	0.58
1:A:271:ASP:OD2	1:A:778:SER:HB2	2.02	0.58
1:A:319:THR:HA	1:A:322:ILE:HB	1.85	0.57
1:A:394:TYR:HD1	1:A:481:ALA:HB2	1.64	0.57
1:A:560:LEU:HG	1:A:560:LEU:O	2.00	0.57
1:A:618:HIS:ND1	1:A:638:ASP:OD2	2.27	0.57
1:A:567:ASN:H	1:A:567:ASN:HD22	1.53	0.57
1:A:819:ASN:ND2	1:A:827:ARG:HE	2.04	0.56
1:A:394:TYR:N	1:A:394:TYR:HD2	2.04	0.55
1:A:690:THR:HG22	1:A:693:GLU:H	1.72	0.55
1:A:784:GLY:HA2	1:A:804:PHE:CE2	2.41	0.55
1:A:336:ARG:HB2	1:A:344:LYS:HB2	1.89	0.55
1:A:561:ALA:HA	1:A:565:LEU:HB2	1.87	0.55
1:A:394:TYR:HD2	1:A:394:TYR:H	1.53	0.54
1:A:511:CYS:HG	1:A:578:TRP:CG	2.26	0.54
1:A:106:ASP:N	1:A:106:ASP:OD1	2.40	0.53
1:A:394:TYR:N	1:A:394:TYR:CD2	2.77	0.52
1:A:392:GLN:HB2	1:A:394:TYR:HE2	1.75	0.51
1:A:393:VAL:HB	3:A:1385:HOH:O	2.11	0.51
1:A:365:ALA:HB1	1:A:462:LEU:HB3	1.94	0.50
1:A:403:LYS:NZ	3:A:1347:HOH:O	2.43	0.50
1:A:438:ARG:HG2	3:A:1262:HOH:O	2.11	0.50
1:A:20:ARG:H	1:A:20:ARG:HH11	1.61	0.49
1:A:541:HIS:CD2	1:A:543:ILE:H	2.22	0.49
1:A:159:ARG:HD2	1:A:159:ARG:HA	1.63	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:THR:HG21	1:A:329:PRO:HB3	1.96	0.48
1:A:183:GLU:OE1	3:A:1259:HOH:O	2.20	0.48
1:A:782:TYR:H	1:A:786:ARG:HD2	1.78	0.48
1:A:407:GLU:HA	1:A:408:PRO:HD3	1.56	0.47
1:A:394:TYR:HA	1:A:397:HIS:HB2	1.97	0.47
1:A:497:ILE:HD11	1:A:742:TYR:HE2	1.80	0.47
1:A:552:ARG:NH1	3:A:1206:HOH:O	2.48	0.47
1:A:408:PRO:HB3	3:A:1375:HOH:O	2.14	0.47
1:A:387:SER:HB3	1:A:395:GLY:HA2	1.96	0.46
1:A:36:ILE:HG21	1:A:268:LYS:HB2	1.98	0.46
1:A:473:HIS:HA	1:A:474:PRO:HD2	1.88	0.46
1:A:408:PRO:HB2	1:A:409:ASN:H	1.53	0.45
1:A:455:PHE:HB2	1:A:465:LEU:HD22	1.99	0.45
1:A:304:PHE:H	1:A:750:GLN:NE2	2.15	0.44
1:A:438:ARG:HD2	1:A:473:HIS:CE1	2.49	0.44
1:A:447:ALA:HB2	1:A:577:LEU:HD11	1.99	0.44
1:A:40:LEU:HA	1:A:40:LEU:HD23	1.74	0.43
1:A:38:GLN:HB3	1:A:39:GLY:H	1.68	0.43
1:A:378:ARG:NH1	1:A:428:ASP:H	2.16	0.43
1:A:380:LEU:HD11	1:A:385:PRO:HG3	2.00	0.43
1:A:10:HIS:HD2	1:A:135:ILE:HG12	1.83	0.43
1:A:604:LEU:HD11	1:A:630:THR:OG1	2.18	0.43
1:A:36:ILE:HD13	1:A:36:ILE:HA	1.87	0.42
1:A:39:GLY:O	1:A:41:ASP:N	2.52	0.42
1:A:350:VAL:HG13	1:A:351:ILE:HG23	2.01	0.42
1:A:36:ILE:HB	1:A:268:LYS:HG3	2.00	0.42
1:A:402:THR:HG22	1:A:405:HIS:ND1	2.35	0.42
1:A:829:GLY:O	1:A:832:GLN:NE2	2.53	0.42
1:A:788:ASN:HD22	1:A:788:ASN:HA	1.60	0.41
1:A:380:LEU:HD13	1:A:426:LEU:HB2	2.02	0.41
1:A:382:ASP:OD1	1:A:382:ASP:N	2.53	0.41
1:A:338:ASP:HB2	1:A:344:LYS:HE3	2.02	0.41
1:A:784:GLY:HA3	1:A:808:LEU:CD2	2.50	0.41
1:A:136:PRO:O	1:A:138:HIS:N	2.54	0.41
1:A:411:GLU:HG3	1:A:423:ARG:HH22	1.86	0.41
1:A:159:ARG:NE	3:A:1282:HOH:O	2.28	0.41
1:A:318:PRO:HG2	1:A:321:ILE:HD12	2.03	0.41
1:A:594:VAL:HB	1:A:684:TRP:CE2	2.56	0.40
1:A:340:GLU:N	3:A:1323:HOH:O	2.52	0.40
1:A:790:ASN:HA	3:A:1270:HOH:O	2.20	0.40
1:A:254:ASN:HD22	1:A:254:ASN:HA	1.68	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:839:LEU:HA	1:A:840:PRO:HD3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	848/857 (99%)	792 (93%)	38 (4%)	18 (2%)	5 2

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	41	ASP
1	A	42	LEU
1	A	43	VAL
1	A	295	ASN
1	A	408	PRO
1	A	789	PRO
1	A	137	ASN
1	A	410	LEU
1	A	737	LYS
1	A	329	PRO
1	A	472	PRO
1	A	108	GLY
1	A	135	ILE
1	A	390	ASP
1	A	44	GLY
1	A	339	GLY
1	A	474	PRO
1	A	34	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	744/749 (99%)	636 (86%)	108 (14%)	3 2

All (108) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	15	THR
1	A	20	ARG
1	A	23	VAL
1	A	24	LEU
1	A	29	VAL
1	A	31	SER
1	A	32	VAL
1	A	35	ILE
1	A	36	ILE
1	A	41	ASP
1	A	43	VAL
1	A	47	LEU
1	A	48	ASP
1	A	50	LEU
1	A	51	THR
1	A	54	LEU
1	A	67	LYS
1	A	71	ASN
1	A	75	LYS
1	A	86	ILE
1	A	106	ASP
1	A	109	SER
1	A	134	ASP
1	A	153	LYS
1	A	157	SER
1	A	164	ASN
1	A	178	LYS
1	A	183	GLU
1	A	184	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	187	LEU
1	A	241	LYS
1	A	245	LYS
1	A	252	ARG
1	A	254	ASN
1	A	258	LEU
1	A	267	LEU
1	A	277	LEU
1	A	290	SER
1	A	297	THR
1	A	300	GLU
1	A	317	LEU
1	A	336	ARG
1	A	337	THR
1	A	343	LEU
1	A	350	VAL
1	A	355	LYS
1	A	362	GLU
1	A	375	ASN
1	A	381	LYS
1	A	382	ASP
1	A	391	SER
1	A	392	GLN
1	A	394	TYR
1	A	397	HIS
1	A	398	THR
1	A	410	LEU
1	A	411	GLU
1	A	417	GLU
1	A	427	LEU
1	A	437	LEU
1	A	438	ARG
1	A	453	ILE
1	A	465	LEU
1	A	473	HIS
1	A	475	GLN
1	A	479	SER
1	A	493	VAL
1	A	515	LEU
1	A	525	VAL
1	A	537	LEU
1	A	540	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	547	LEU
1	A	553	ASP
1	A	565	LEU
1	A	566	VAL
1	A	567	ASN
1	A	568	ASP
1	A	571	VAL
1	A	583	VAL
1	A	591	LYS
1	A	594	VAL
1	A	604	LEU
1	A	615	SER
1	A	623	VAL
1	A	630	THR
1	A	687	LYS
1	A	688	MET
1	A	690	THR
1	A	722	LEU
1	A	724	LEU
1	A	739	SER
1	A	754	LEU
1	A	762	GLN
1	A	773	LEU
1	A	778	SER
1	A	798	LEU
1	A	802	LYS
1	A	807	LYS
1	A	808	LEU
1	A	815	LEU
1	A	823	LYS
1	A	831	VAL
1	A	833	MET
1	A	837	LEU
1	A	838	LEU
1	A	846	LEU
1	A	857	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	HIS
1	A	22	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	38	GLN
1	A	137	ASN
1	A	164	ASN
1	A	254	ASN
1	A	282	GLN
1	A	295	ASN
1	A	375	ASN
1	A	421	ASN
1	A	458	ASN
1	A	473	HIS
1	A	475	GLN
1	A	478	GLN
1	A	541	HIS
1	A	567	ASN
1	A	574	GLN
1	A	645	HIS
1	A	750	GLN
1	A	762	GLN
1	A	788	ASN
1	A	806	ASN
1	A	813	ASN
1	A	819	ASN
1	A	832	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	850/857 (99%)	-0.21	42 (4%) 35 34	11, 21, 45, 65	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	393	VAL	6.6
1	A	34	GLY	5.8
1	A	33	GLY	4.6
1	A	36	ILE	4.4
1	A	44	GLY	4.3
1	A	409	ASN	4.3
1	A	42	LEU	4.0
1	A	394	TYR	4.0
1	A	32	VAL	4.0
1	A	395	GLY	3.9
1	A	396	ASP	3.8
1	A	135	ILE	3.8
1	A	784	GLY	3.7
1	A	341	GLN	3.6
1	A	46	THR	3.5
1	A	31	SER	3.4
1	A	297	THR	3.4
1	A	9	GLY	3.2
1	A	43	VAL	3.2
1	A	49	THR	3.2
1	A	39	GLY	3.1
1	A	137	ASN	3.1
1	A	408	PRO	3.1
1	A	107	ASP	3.1
1	A	48	ASP	3.1
1	A	40	LEU	3.0
1	A	333	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	35	ILE	3.0
1	A	41	ASP	3.0
1	A	785	GLU	2.9
1	A	47	LEU	2.9
1	A	789	PRO	2.9
1	A	397	HIS	2.9
1	A	45	SER	2.8
1	A	410	LEU	2.8
1	A	334	ILE	2.7
1	A	391	SER	2.7
1	A	29	VAL	2.5
1	A	296	PHE	2.3
1	A	294	LEU	2.3
1	A	134	ASP	2.1
1	A	54	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FE2	A	858	1/1	0.96	0.06	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.