



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:49 PM UTC

PDB ID : 7RS1 / pdb_00007rs1
Title : Crystal Structure of the ER-alpha Ligand-binding Domain (L372S, L536S) in complex with DMERI-21
Authors : Min, J.; Nwachukwu, J.C.; Min, C.K.; Njeri, J.W.; Srinivasan, S.; Rangarajan, E.S.; Nettles, C.C.; Yan, S.; Houtman, R.; Griffin, P.R.; Izard, T.; Katzenellenbogen, B.S.; Katzenellenbogen, J.A.; Nettles, K.W.
Deposited on : 2021-08-10
Resolution : 1.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	6% 82% 7% 10%
1	B	257	7% 82% 14%
1	C	257	13% 82% 8% 9%
1	D	257	9% 85% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	7Q5	B	601	-	X	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7925 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Estrogen receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	231	Total	C	N	O	S	0	1	0
			1850	1183	313	337	17			
1	B	221	Total	C	N	O	S	0	0	0
			1765	1130	302	316	17			
1	C	233	Total	C	N	O	S	0	1	0
			1859	1186	315	341	17			
1	D	227	Total	C	N	O	S	0	0	0
			1809	1158	307	326	18			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	372	SER	LEU	engineered mutation	UNP P03372
A	536	SER	LEU	engineered mutation	UNP P03372
B	372	SER	LEU	engineered mutation	UNP P03372
B	536	SER	LEU	engineered mutation	UNP P03372
C	372	SER	LEU	engineered mutation	UNP P03372
C	536	SER	LEU	engineered mutation	UNP P03372
D	372	SER	LEU	engineered mutation	UNP P03372
D	536	SER	LEU	engineered mutation	UNP P03372

- Molecule 2 is methyl 3-(4-{[(1S,2R,4S)-5,6-bis(4-hydroxyphenyl)-7-oxabicyclo[2.2.1]hept-5-ene-2-sulfonyl](2,2,2-trifluoroethyl)amino}phenyl)prop-2-enoate (CCD ID: 7Q5) (formula: C₃₀H₂₆F₃NO₇S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			38	28	3	1	5	1		
2	B	1	Total	C	F	N	O	S	0	0
			42	30	3	1	7	1		
2	C	1	Total	C	F	N	O	S	0	0
			38	28	3	1	5	1		
2	D	1	Total	C	F	N	O	S	0	0
			42	30	3	1	7	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	141	Total	O	0	0
			141	141		
3	B	136	Total	O	0	0
			136	136		
3	C	103	Total	O	0	0
			103	103		
3	D	102	Total	O	0	0
			102	102		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Estrogen receptor




• Molecule 1: Estrogen receptor




• Molecule 1: Estrogen receptor



• Molecule 1: Estrogen receptor





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	53.58Å 58.77Å 93.15Å 86.71° 75.09° 62.87°	Depositor
Resolution (Å)	89.80 – 1.59 89.80 – 1.59	Depositor EDS
% Data completeness (in resolution range)	71.0 (89.80-1.59) 71.3 (89.80-1.59)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 1.58Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.186 , 0.219 0.197 , 0.228	Depositor DCC
R_{free} test set	4613 reflections (3.41%)	wwPDB-VP
Wilson B-factor (Å ²)	23.7	Xtriage
Anisotropy	0.025	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.079 for h,h-k,h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7925	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YCM, 7Q5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	0/1871	0.94	0/2525
1	B	0.85	0/1783	0.94	2/2403 (0.1%)
1	C	0.79	0/1880	0.90	1/2537 (0.0%)
1	D	0.77	0/1828	0.89	0/2465
All	All	0.84	0/7362	0.92	3/9930 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	464	SER	N-CA-C	7.56	126.90	110.80
1	B	534	VAL	N-CA-CB	5.93	116.57	110.23
1	B	534	VAL	CB-CA-C	5.64	116.19	110.94

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1850	0	1882	15	0
1	B	1765	0	1813	5	0
1	C	1859	0	1883	20	0
1	D	1809	0	1862	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	38	0	0	6	0
2	B	42	0	0	3	0
2	C	38	0	0	12	0
2	D	42	0	0	3	0
3	A	141	0	0	1	1
3	B	136	0	0	0	1
3	C	103	0	0	4	0
3	D	102	0	0	0	0
All	All	7925	0	7440	54	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:601:7Q5:S32	2:A:601:7Q5:C03	2.11	1.39
2:B:601:7Q5:C03	2:B:601:7Q5:S32	2.11	1.39
2:D:601:7Q5:S32	2:D:601:7Q5:C03	2.12	1.38
2:C:601:7Q5:S32	2:C:601:7Q5:C03	2.10	1.37
1:C:525:LEU:CB	2:C:601:7Q5:C27	2.31	1.08
1:C:328:TYR:N	3:C:701:HOH:O	2.03	0.92
1:C:305:SER:N	3:C:702:HOH:O	2.04	0.87
1:C:326:ILE:C	3:C:711:HOH:O	2.16	0.87
1:A:370:LEU:HD11	1:A:475:ILE:HD11	1.58	0.86
1:A:328:TYR:N	3:A:701:HOH:O	2.11	0.84
2:B:601:7Q5:S32	2:B:601:7Q5:C02	2.68	0.81
1:C:525:LEU:CB	2:C:601:7Q5:C1	2.60	0.80
1:C:525:LEU:CB	2:C:601:7Q5:C26	2.60	0.79
2:C:601:7Q5:S32	2:C:601:7Q5:C04	2.71	0.79
2:A:601:7Q5:S32	2:A:601:7Q5:C02	2.72	0.77
2:D:601:7Q5:S32	2:D:601:7Q5:C02	2.74	0.76
2:B:601:7Q5:S32	2:B:601:7Q5:C04	2.75	0.74
2:A:601:7Q5:S32	2:A:601:7Q5:C04	2.74	0.74
1:A:523:GLU:O	1:A:525:LEU:C	2.30	0.74
2:C:601:7Q5:S32	2:C:601:7Q5:C02	2.78	0.72
1:A:534:VAL:HG22	2:A:601:7Q5:C1	2.22	0.69
1:D:434:ARG:HH11	1:D:437:MET:HE3	1.60	0.66
1:C:539:LEU:HG	1:C:543:MET:HE3	1.79	0.65
1:B:434:ARG:HH11	1:B:437:MET:HE3	1.62	0.64
2:D:601:7Q5:S32	2:D:601:7Q5:C04	2.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:THR:HG23	1:A:468:SER:H	1.63	0.63
1:B:396:MET:HE3	1:B:436:ARG:HA	1.80	0.62
1:C:525:LEU:CB	2:C:601:7Q5:C30	2.78	0.62
1:A:523:GLU:O	1:A:525:LEU:N	2.33	0.61
1:A:335:ARG:NH2	1:A:414:GLN:HE22	1.99	0.60
1:C:533:VAL:CG2	2:C:601:7Q5:C1	2.78	0.60
1:C:396:MET:O	1:C:436:ARG:HD3	2.07	0.55
1:C:533:VAL:HG23	2:C:601:7Q5:C1	2.37	0.54
1:A:525:LEU:HD22	2:A:601:7Q5:C27	2.38	0.54
1:A:396:MET:O	1:A:436:ARG:HD3	2.08	0.53
1:B:524:HIS:CD2	1:B:528:MET:HE2	2.45	0.52
1:A:523:GLU:O	1:A:524:HIS:C	2.54	0.50
1:C:525:LEU:CB	2:C:601:7Q5:C28	2.90	0.48
1:D:492:LYS:HA	1:D:492:LYS:HE2	1.96	0.48
1:A:525:LEU:HD22	2:A:601:7Q5:C30	2.44	0.47
1:C:533:VAL:HG22	2:C:601:7Q5:C1	2.46	0.46
1:C:534:VAL:HG23	2:C:601:7Q5:C1	2.45	0.46
1:D:398:HIS:HB3	1:D:401:LYS:HE2	1.99	0.44
1:A:519:ASN:HD21	1:B:516:HIS:HA	1.83	0.43
1:C:335:ARG:HA	1:C:336:PRO:C	2.43	0.43
1:C:539:LEU:HD11	1:C:543:MET:HE2	2.00	0.43
1:A:454:LEU:HD22	1:A:475:ILE:HD12	2.00	0.43
1:A:335:ARG:HA	1:A:336:PRO:C	2.43	0.43
1:C:362:LYS:HD2	1:C:368:VAL:HG12	2.01	0.42
1:B:358:ILE:CD1	1:B:379:LEU:HD13	2.49	0.41
1:C:418:VAL:HG11	1:C:421:MET:HE3	2.03	0.41
1:C:328:TYR:N	3:C:711:HOH:O	2.54	0.41
1:A:520:LYS:HA	1:A:520:LYS:HD2	1.84	0.41
1:C:374:ASP:OD2	1:C:471:GLU:OE1	2.39	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:798:HOH:O	3:B:823:HOH:O[1_565]	2.14	0.06

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	223/257 (87%)	219 (98%)	2 (1%)	2 (1%)	14	3
1	B	212/257 (82%)	211 (100%)	1 (0%)	0	100	100
1	C	225/257 (88%)	222 (99%)	1 (0%)	2 (1%)	14	3
1	D	220/257 (86%)	219 (100%)	1 (0%)	0	100	100
All	All	880/1028 (86%)	871 (99%)	5 (1%)	4 (0%)	24	10

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	464	SER
1	A	523	GLU
1	A	524	HIS
1	C	465	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/231 (90%)	204 (99%)	3 (1%)	59	38
1	B	198/231 (86%)	196 (99%)	2 (1%)	68	50
1	C	208/231 (90%)	204 (98%)	4 (2%)	50	27
1	D	204/231 (88%)	199 (98%)	5 (2%)	42	18
All	All	817/924 (88%)	803 (98%)	14 (2%)	53	30

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	358	ILE
1	A	437	MET
1	A	466	LEU
1	B	432	SER
1	B	534	VAL
1	C	358	ILE
1	C	417	CYS
1	C	437	MET
1	C	533	VAL
1	D	306	LEU
1	D	358	ILE
1	D	437	MET
1	D	492	LYS
1	D	544	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	398	HIS
1	A	474	HIS
1	A	488	HIS
1	A	500	GLN
1	A	513	HIS
1	A	519	ASN
1	B	304	ASN
1	B	476	HIS
1	B	513	HIS
1	B	519	ASN
1	C	413	ASN
1	C	474	HIS
1	C	501	HIS
1	C	513	HIS
1	C	519	ASN
1	D	513	HIS
1	D	516	HIS
1	D	519	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	YCM	B	381	1	7,9,10	0.65	0	5,10,12	0.23	0
1	YCM	D	381	1	7,9,10	0.54	0	5,10,12	0.50	0
1	YCM	C	381	1	7,9,10	0.42	0	5,10,12	0.43	0
1	YCM	A	381	1	7,9,10	0.45	0	5,10,12	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	YCM	B	381	1	-	1/6/8/10	-
1	YCM	D	381	1	-	1/6/8/10	-
1	YCM	C	381	1	-	2/6/8/10	-
1	YCM	A	381	1	-	2/6/8/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	381	YCM	CE-CD-SG-CB
1	B	381	YCM	SG-CD-CE-NZ2
1	C	381	YCM	CE-CD-SG-CB
1	C	381	YCM	SG-CD-CE-NZ2
1	D	381	YCM	SG-CD-CE-NZ2
1	A	381	YCM	SG-CD-CE-NZ2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	7Q5	A	601	-	40,42,46	7.64	29 (72%)	54,64,69	3.94	19 (35%)
2	7Q5	C	601	-	40,42,46	7.88	30 (75%)	54,64,69	3.63	19 (35%)
2	7Q5	B	601	-	44,46,46	7.78	34 (77%)	59,69,69	3.09	23 (38%)
2	7Q5	D	601	-	44,46,46	7.69	35 (79%)	59,69,69	3.60	20 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7Q5	A	601	-	-	9/29/55/60	0/6/5/5
2	7Q5	C	601	-	-	14/29/55/60	0/6/5/5
2	7Q5	B	601	-	-	16/34/60/60	0/6/5/5
2	7Q5	D	601	-	-	12/34/60/60	0/6/5/5

All (128) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	7Q5	C04-C03	-25.84	1.23	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	7Q5	C04-C03	-25.81	1.23	1.54
2	D	601	7Q5	C04-C03	-25.09	1.24	1.54
2	A	601	7Q5	C04-C03	-24.78	1.24	1.54
2	B	601	7Q5	C05-C01	19.64	1.72	1.34
2	D	601	7Q5	C05-C01	19.29	1.71	1.34
2	C	601	7Q5	C05-C01	19.00	1.71	1.34
2	A	601	7Q5	C05-C01	18.10	1.69	1.34
2	D	601	7Q5	C03-S32	16.69	2.12	1.77
2	B	601	7Q5	C03-S32	15.92	2.11	1.77
2	A	601	7Q5	C03-S32	15.89	2.11	1.77
2	C	601	7Q5	C03-S32	15.70	2.10	1.77
2	B	601	7Q5	C10-C09	9.68	1.54	1.39
2	B	601	7Q5	C04-C06	-9.67	1.33	1.53
2	B	601	7Q5	C29-C28	9.65	1.54	1.38
2	B	601	7Q5	C25-C26	9.57	1.54	1.38
2	D	601	7Q5	C29-C28	9.54	1.54	1.38
2	D	601	7Q5	C04-C06	-9.50	1.33	1.53
2	C	601	7Q5	C25-C26	9.37	1.54	1.38
2	B	601	7Q5	C15-C08	9.31	1.53	1.39
2	D	601	7Q5	C25-C26	9.30	1.53	1.38
2	D	601	7Q5	C10-C09	9.25	1.53	1.39
2	C	601	7Q5	C04-C06	-9.21	1.34	1.53
2	A	601	7Q5	C04-C06	-9.10	1.34	1.53
2	D	601	7Q5	C11-C10	8.89	1.53	1.38
2	A	601	7Q5	C10-C09	8.88	1.52	1.39
2	A	601	7Q5	C29-C28	8.85	1.53	1.38
2	B	601	7Q5	C11-C10	8.80	1.53	1.38
2	C	601	7Q5	C29-C28	8.70	1.52	1.38
2	A	601	7Q5	C25-C26	8.61	1.52	1.38
2	C	601	7Q5	C10-C09	8.54	1.52	1.39
2	D	601	7Q5	C15-C08	8.49	1.52	1.39
2	C	601	7Q5	C19-C08	8.11	1.51	1.39
2	C	601	7Q5	C11-C10	7.96	1.51	1.38
2	A	601	7Q5	C19-C08	7.76	1.51	1.39
2	B	601	7Q5	C11-C12	7.76	1.53	1.39
2	C	601	7Q5	C15-C08	7.75	1.51	1.39
2	C	601	7Q5	C25-C23	7.73	1.53	1.39
2	A	601	7Q5	C14-C09	7.73	1.51	1.39
2	B	601	7Q5	C14-C13	7.70	1.51	1.38
2	D	601	7Q5	C19-C08	7.70	1.51	1.39
2	B	601	7Q5	C29-C23	7.62	1.53	1.39
2	D	601	7Q5	C14-C09	7.57	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	7Q5	C29-C23	7.54	1.53	1.39
2	B	601	7Q5	C25-C23	7.53	1.53	1.39
2	D	601	7Q5	C25-C23	7.51	1.53	1.39
2	D	601	7Q5	C11-C12	7.49	1.53	1.39
2	B	601	7Q5	C14-C09	7.40	1.50	1.39
2	C	601	7Q5	C16-C17	7.39	1.52	1.39
2	C	601	7Q5	C29-C23	7.38	1.53	1.39
2	A	601	7Q5	C19-C18	7.33	1.50	1.38
2	A	601	7Q5	C29-C23	7.23	1.53	1.39
2	C	601	7Q5	C16-C15	7.22	1.50	1.38
2	C	601	7Q5	C11-C12	7.21	1.52	1.39
2	D	601	7Q5	C16-C15	7.21	1.50	1.38
2	B	601	7Q5	C16-C15	7.18	1.50	1.38
2	D	601	7Q5	C14-C13	7.17	1.50	1.38
2	C	601	7Q5	C14-C09	7.16	1.50	1.39
2	B	601	7Q5	C19-C08	7.14	1.50	1.39
2	A	601	7Q5	C18-C17	7.13	1.52	1.39
2	A	601	7Q5	C25-C23	7.07	1.52	1.39
2	A	601	7Q5	C15-C08	7.05	1.50	1.39
2	A	601	7Q5	C11-C12	7.04	1.52	1.39
2	D	601	7Q5	C26-C27	7.03	1.53	1.39
2	D	601	7Q5	C28-C27	7.02	1.53	1.39
2	C	601	7Q5	C14-C13	6.99	1.50	1.38
2	C	601	7Q5	C19-C18	6.92	1.50	1.38
2	A	601	7Q5	C11-C10	6.91	1.50	1.38
2	D	601	7Q5	C18-C17	6.87	1.51	1.39
2	B	601	7Q5	C26-C27	6.87	1.53	1.39
2	B	601	7Q5	C16-C17	6.83	1.51	1.39
2	B	601	7Q5	C28-C27	6.80	1.53	1.39
2	D	601	7Q5	C16-C17	6.79	1.51	1.39
2	B	601	7Q5	C13-C12	6.73	1.51	1.39
2	C	601	7Q5	C18-C17	6.67	1.51	1.39
2	C	601	7Q5	C26-C27	6.61	1.52	1.39
2	C	601	7Q5	C28-C27	6.54	1.52	1.39
2	B	601	7Q5	C19-C18	6.46	1.49	1.38
2	A	601	7Q5	C16-C15	6.41	1.49	1.38
2	A	601	7Q5	C14-C13	6.39	1.49	1.38
2	A	601	7Q5	C28-C27	6.33	1.52	1.39
2	A	601	7Q5	O33-S32	6.33	1.48	1.43
2	D	601	7Q5	O34-S32	6.30	1.48	1.43
2	B	601	7Q5	C18-C17	6.27	1.50	1.39
2	A	601	7Q5	C16-C17	6.23	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	7Q5	C26-C27	6.16	1.51	1.39
2	D	601	7Q5	C19-C18	6.03	1.48	1.38
2	D	601	7Q5	C13-C12	6.02	1.50	1.39
2	A	601	7Q5	C13-C12	5.99	1.50	1.39
2	C	601	7Q5	O33-S32	5.89	1.48	1.43
2	B	601	7Q5	O34-S32	5.88	1.48	1.43
2	C	601	7Q5	C13-C12	5.31	1.48	1.39
2	B	601	7Q5	O07-C02	4.92	1.50	1.43
2	C	601	7Q5	O07-C06	4.58	1.54	1.44
2	A	601	7Q5	O07-C06	4.49	1.54	1.44
2	D	601	7Q5	O07-C02	4.44	1.50	1.43
2	B	601	7Q5	O07-C06	4.26	1.53	1.44
2	C	601	7Q5	C06-C05	-4.09	1.46	1.52
2	D	601	7Q5	O07-C06	4.09	1.53	1.44
2	B	601	7Q5	O33-S32	3.87	1.46	1.43
2	D	601	7Q5	C06-C05	-3.60	1.47	1.52
2	A	601	7Q5	C06-C05	-3.48	1.47	1.52
2	D	601	7Q5	S32-N22	3.44	1.74	1.67
2	C	601	7Q5	O34-S32	3.41	1.46	1.43
2	A	601	7Q5	O34-S32	3.36	1.46	1.43
2	B	601	7Q5	C02-C01	-3.35	1.47	1.50
2	D	601	7Q5	O33-S32	3.26	1.46	1.43
2	B	601	7Q5	S32-N22	3.11	1.73	1.67
2	A	601	7Q5	S32-N22	3.08	1.73	1.67
2	C	601	7Q5	O07-C02	3.04	1.48	1.43
2	A	601	7Q5	C02-C01	-3.03	1.47	1.50
2	B	601	7Q5	O2-C2	2.88	1.41	1.34
2	D	601	7Q5	O2-C2	2.86	1.41	1.34
2	B	601	7Q5	C09-C01	2.85	1.53	1.48
2	B	601	7Q5	C1-C2	2.64	1.54	1.48
2	A	601	7Q5	O07-C02	2.64	1.47	1.43
2	D	601	7Q5	C02-C01	-2.63	1.47	1.50
2	D	601	7Q5	C1-C2	2.59	1.53	1.48
2	B	601	7Q5	C06-C05	-2.57	1.48	1.52
2	D	601	7Q5	C23-N22	2.57	1.48	1.44
2	C	601	7Q5	C02-C01	-2.55	1.47	1.50
2	D	601	7Q5	C27-C30	2.48	1.54	1.47
2	C	601	7Q5	C23-N22	2.28	1.47	1.44
2	B	601	7Q5	C27-C30	2.26	1.53	1.47
2	D	601	7Q5	C09-C01	2.20	1.52	1.48
2	C	601	7Q5	S32-N22	2.14	1.71	1.67
2	B	601	7Q5	C23-N22	2.12	1.47	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	7Q5	O2-C4	-2.03	1.40	1.45

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	7Q5	O34-S32-O33	-19.59	104.42	119.17
2	D	601	7Q5	O34-S32-O33	-19.53	104.46	119.17
2	C	601	7Q5	O34-S32-O33	-15.49	107.51	119.17
2	B	601	7Q5	O34-S32-O33	-13.38	109.09	119.17
2	C	601	7Q5	O34-S32-N22	10.34	119.74	107.39
2	D	601	7Q5	C06-C04-C03	9.20	108.74	100.61
2	A	601	7Q5	C06-C04-C03	9.06	108.62	100.61
2	B	601	7Q5	C06-C04-C03	8.16	107.83	100.61
2	A	601	7Q5	O34-S32-N22	8.13	117.10	107.39
2	C	601	7Q5	C06-C04-C03	6.85	106.67	100.61
2	C	601	7Q5	C24-N22-C23	6.71	126.44	117.63
2	D	601	7Q5	O33-S32-N22	6.51	115.17	107.39
2	B	601	7Q5	C09-C01-C05	-5.94	113.43	128.81
2	A	601	7Q5	C14-C09-C01	-5.92	113.23	120.91
2	C	601	7Q5	C14-C09-C01	-5.82	113.36	120.91
2	C	601	7Q5	O33-S32-N22	5.69	114.18	107.39
2	A	601	7Q5	C24-N22-C23	5.52	124.87	117.63
2	A	601	7Q5	O07-C06-C04	-5.38	94.22	104.73
2	A	601	7Q5	C19-C08-C15	5.32	125.34	118.57
2	D	601	7Q5	O2-C2-C1	5.26	120.09	111.39
2	C	601	7Q5	C19-C08-C15	5.20	125.18	118.57
2	B	601	7Q5	O2-C2-C1	5.10	119.83	111.39
2	A	601	7Q5	C15-C08-C05	-5.06	114.34	120.91
2	D	601	7Q5	C35-C24-N22	5.01	117.01	112.14
2	A	601	7Q5	O33-S32-N22	4.91	113.26	107.39
2	B	601	7Q5	O34-S32-C03	-4.77	101.98	107.79
2	B	601	7Q5	O33-S32-N22	4.72	113.03	107.39
2	D	601	7Q5	C14-C09-C01	-4.70	114.81	120.91
2	B	601	7Q5	C35-C24-N22	4.63	116.64	112.14
2	D	601	7Q5	O07-C06-C05	-4.36	95.92	101.99
2	B	601	7Q5	C08-C05-C01	-4.36	117.52	128.81
2	C	601	7Q5	F37-C35-C24	-4.33	103.88	112.04
2	D	601	7Q5	C08-C05-C06	4.28	128.92	121.26
2	A	601	7Q5	C18-C19-C08	-4.28	116.23	120.80
2	C	601	7Q5	O07-C06-C04	-4.24	96.45	104.73
2	A	601	7Q5	C08-C05-C06	4.13	128.66	121.26
2	D	601	7Q5	C19-C08-C15	4.12	123.80	118.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	7Q5	C19-C08-C15	3.96	123.61	118.57
2	C	601	7Q5	C15-C08-C05	-3.94	115.80	120.91
2	B	601	7Q5	C08-C05-C06	3.88	128.21	121.26
2	A	601	7Q5	C14-C09-C10	3.79	123.38	118.57
2	B	601	7Q5	C19-C08-C05	-3.64	116.18	120.91
2	D	601	7Q5	C03-C02-C01	3.62	115.57	105.52
2	C	601	7Q5	O34-S32-C03	-3.55	103.47	107.79
2	C	601	7Q5	C18-C19-C08	-3.52	117.04	120.80
2	B	601	7Q5	O07-C06-C05	-3.47	97.17	101.99
2	C	601	7Q5	C10-C09-C01	3.46	125.39	120.91
2	D	601	7Q5	C10-C09-C01	3.38	125.29	120.91
2	B	601	7Q5	O07-C06-C04	-3.24	98.41	104.73
2	C	601	7Q5	C16-C15-C08	-3.22	117.36	120.80
2	C	601	7Q5	O33-S32-C03	3.17	111.65	107.79
2	A	601	7Q5	C11-C10-C09	-3.14	117.44	120.80
2	D	601	7Q5	O07-C06-C04	-3.14	98.60	104.73
2	A	601	7Q5	C03-C02-C01	3.07	114.05	105.52
2	D	601	7Q5	C18-C19-C08	-3.05	117.54	120.80
2	D	601	7Q5	C19-C08-C05	-3.03	116.98	120.91
2	B	601	7Q5	C09-C01-C02	2.98	126.44	121.10
2	B	601	7Q5	C16-C15-C08	-2.96	117.64	120.80
2	D	601	7Q5	C09-C01-C05	-2.85	121.44	128.81
2	C	601	7Q5	C03-C02-C01	2.72	113.08	105.52
2	B	601	7Q5	C03-C02-C01	2.62	112.78	105.52
2	A	601	7Q5	C13-C14-C09	-2.58	118.04	120.80
2	A	601	7Q5	C16-C15-C08	-2.54	118.08	120.80
2	B	601	7Q5	O33-S32-C03	-2.48	104.77	107.79
2	B	601	7Q5	C18-C17-C16	2.48	123.72	119.77
2	D	601	7Q5	F37-C35-C24	-2.41	107.50	112.04
2	D	601	7Q5	O34-S32-C03	-2.40	104.87	107.79
2	D	601	7Q5	C16-C15-C08	-2.39	118.25	120.80
2	A	601	7Q5	C28-C27-C26	2.31	121.08	117.65
2	B	601	7Q5	F36-C35-C24	-2.31	107.69	112.04
2	C	601	7Q5	F36-C35-C24	-2.30	107.71	112.04
2	B	601	7Q5	C18-C19-C08	-2.27	118.37	120.80
2	A	601	7Q5	C18-C17-C16	2.25	123.35	119.77
2	B	601	7Q5	C14-C09-C01	-2.23	118.01	120.91
2	C	601	7Q5	C18-C17-C16	2.19	123.25	119.77
2	D	601	7Q5	F36-C35-C24	-2.18	107.93	112.04
2	D	601	7Q5	C14-C13-C12	2.16	122.16	119.88
2	C	601	7Q5	C14-C09-C10	2.09	121.23	118.57
2	B	601	7Q5	C10-C11-C12	-2.08	117.68	119.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	7Q5	C13-C14-C09	-2.08	118.58	120.80
2	A	601	7Q5	F36-C35-C24	-2.02	108.22	112.04

There are no chirality outliers.

All (51) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	7Q5	C24-N22-S32-O33
2	A	601	7Q5	C24-N22-S32-O34
2	A	601	7Q5	C23-N22-S32-C03
2	A	601	7Q5	C23-N22-S32-O34
2	B	601	7Q5	C02-C03-S32-O33
2	B	601	7Q5	C02-C03-S32-O34
2	B	601	7Q5	C24-N22-S32-O34
2	B	601	7Q5	C1-C2-O2-C4
2	B	601	7Q5	O1-C2-O2-C4
2	C	601	7Q5	C24-N22-S32-O33
2	C	601	7Q5	C24-N22-S32-O34
2	C	601	7Q5	C23-N22-S32-O34
2	D	601	7Q5	C1-C2-O2-C4
2	D	601	7Q5	O1-C2-O2-C4
2	C	601	7Q5	C28-C27-C30-C1
2	C	601	7Q5	C26-C27-C30-C1
2	B	601	7Q5	C26-C27-C30-C1
2	A	601	7Q5	C25-C23-N22-S32
2	C	601	7Q5	C25-C23-N22-S32
2	C	601	7Q5	C29-C23-N22-S32
2	D	601	7Q5	C30-C1-C2-O2
2	B	601	7Q5	C28-C27-C30-C1
2	B	601	7Q5	C30-C1-C2-O2
2	B	601	7Q5	C04-C03-S32-O34
2	A	601	7Q5	C24-N22-S32-C03
2	C	601	7Q5	C24-N22-S32-C03
2	D	601	7Q5	C01-C05-C08-C15
2	D	601	7Q5	C01-C05-C08-C19
2	D	601	7Q5	C30-C1-C2-O1
2	B	601	7Q5	C30-C1-C2-O1
2	A	601	7Q5	C29-C23-N22-S32
2	C	601	7Q5	C25-C23-N22-C24
2	B	601	7Q5	C02-C01-C09-C10
2	B	601	7Q5	C02-C01-C09-C14
2	C	601	7Q5	C02-C01-C09-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	601	7Q5	C02-C01-C09-C10
2	D	601	7Q5	C02-C01-C09-C14
2	B	601	7Q5	C04-C03-S32-O33
2	A	601	7Q5	C02-C01-C09-C10
2	A	601	7Q5	C02-C01-C09-C14
2	C	601	7Q5	C02-C01-C09-C14
2	D	601	7Q5	C04-C03-S32-O34
2	B	601	7Q5	C05-C01-C09-C10
2	B	601	7Q5	C24-N22-S32-C03
2	C	601	7Q5	C01-C05-C08-C19
2	C	601	7Q5	C29-C23-N22-C24
2	C	601	7Q5	C01-C05-C08-C15
2	D	601	7Q5	C24-N22-S32-O34
2	D	601	7Q5	C23-N22-S32-O33
2	D	601	7Q5	C24-N22-S32-C03
2	B	601	7Q5	C05-C01-C09-C14


There are no ring outliers.

4 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	7Q5	6	0
2	C	601	7Q5	12	0
2	B	601	7Q5	3	0
2	D	601	7Q5	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 7Q5 A 601




Ligand 7Q5 C 601



Ligand 7Q5 B 601





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	230/257 (89%)	0.36	16 (6%)	22 23	15, 28, 54, 72	1 (0%)
1	B	220/257 (85%)	0.50	17 (7%)	19 20	17, 28, 63, 106	0
1	C	232/257 (90%)	0.69	33 (14%)	6 6	16, 35, 65, 98	1 (0%)
1	D	226/257 (87%)	0.49	23 (10%)	12 12	17, 31, 66, 83	0
All	All	908/1028 (88%)	0.51	89 (9%)	13 13	15, 30, 64, 106	2 (0%)

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	306	LEU	5.9
1	B	469	LEU	4.8
1	C	525	LEU	4.7
1	C	305	SER	4.6
1	D	425	PHE	4.2
1	A	524	HIS	4.1
1	C	463	SER	4.1
1	C	425	PHE	4.1
1	B	546	ALA	4.1
1	D	306	LEU	4.1
1	C	417	CYS	4.0
1	A	332	ASP	4.0
1	B	530	CYS	3.9
1	D	462	LEU	3.9
1	C	466	LEU	3.7
1	A	305	SER	3.7
1	C	461	PHE	3.5
1	D	525	LEU	3.4
1	A	460	THR	3.4
1	A	525	LEU	3.4
1	B	415	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	305	SER	3.2
1	B	532	ASN	3.2
1	C	331	TYR	3.2
1	C	306	LEU	3.1
1	B	458	VAL	3.0
1	D	422	VAL	3.0
1	A	418	VAL	3.0
1	B	468	SER	3.0
1	A	331	TYR	2.9
1	A	461	PHE	2.9
1	B	461	PHE	2.9
1	B	459	TYR	2.9
1	B	422	VAL	2.9
1	C	533	VAL	2.9
1	C	464	SER	2.8
1	C	332	ASP	2.8
1	C	418	VAL	2.8
1	C	546	ALA	2.7
1	C	433	SER	2.7
1	B	524	HIS	2.7
1	A	417	CYS	2.7
1	D	528	MET	2.7
1	D	463	SER	2.6
1	D	524	HIS	2.6
1	C	413	ASN	2.6
1	D	530	CYS	2.5
1	D	328	TYR	2.5
1	C	536	SER	2.5
1	D	546	ALA	2.5
1	C	420	GLY	2.5
1	C	468	SER	2.4
1	C	494	GLY	2.4
1	D	526	TYR	2.4
1	A	546	ALA	2.4
1	A	465	THR	2.4
1	D	464	SER	2.4
1	C	523	GLU	2.4
1	A	544	LEU	2.4
1	D	437	MET	2.4
1	D	532	ASN	2.4
1	A	533	VAL	2.3
1	B	413	ASN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	497	LEU	2.3
1	C	534	VAL	2.3
1	D	421	MET	2.3
1	A	539	LEU	2.3
1	C	415	GLY	2.2
1	A	468	SER	2.2
1	C	334	THR	2.2
1	D	329	SER	2.2
1	D	539	LEU	2.2
1	C	333	PRO	2.2
1	D	305	SER	2.2
1	C	421	MET	2.2
1	D	341	SER	2.1
1	D	414	GLN	2.1
1	B	545	ASP	2.1
1	D	344	GLY	2.1
1	C	539	LEU	2.1
1	A	334	THR	2.1
1	B	534	VAL	2.1
1	B	414	GLN	2.1
1	C	538	ASP	2.1
1	C	465	THR	2.0
1	C	411	ASP	2.0
1	C	460	THR	2.0
1	C	307	ALA	2.0
1	C	337	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	YCM	A	381	10/11	0.95	0.09	19,24,45,50	0
1	YCM	B	381	10/11	0.95	0.12	21,26,67,73	0
1	YCM	C	381	10/11	0.95	0.09	21,24,47,48	0
1	YCM	D	381	10/11	0.96	0.10	22,28,74,78	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	7Q5	D	601	42/42	0.90	0.15	23,44,106,128	0
2	7Q5	C	601	38/42	0.91	0.12	17,31,70,85	0
2	7Q5	B	601	42/42	0.91	0.13	21,43,77,82	0
2	7Q5	A	601	38/42	0.92	0.14	18,28,83,88	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 7Q5 D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7Q5 C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7Q5 B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 7Q5 A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.