



## wwPDB EM Validation Summary Report ⓘ

Mar 27, 2026 – 07:47 PM UTC

PDB ID : 7RSO / pdb\_00007rso  
EMDB ID : EMD-24676  
Title : AMC016 SOSIP.v4.2 in complex with PGV04 Fab  
Authors : Bader, D.L.V.; Cottrell, C.A.; Ward, A.B.  
Deposited on : 2021-08-11  
Resolution : 4.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) | Similar EM resolution<br>(#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|-----------------------------|----------------------------------------------------------|
| Clashscore            | 229148                      | 23984                       | -                                                        |
| Ramachandran outliers | 224038                      | 23583                       | -                                                        |
| Sidechain outliers    | 223484                      | 23102                       | -                                                        |
| Q-score               | -                           | 25397                       | 6458 ( 3.60 - 4.60 )                                     |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1   | A     | 486    | <br>84% 6% 10%   |
| 1   | C     | 486    | <br>84% 6% 10%   |
| 1   | D     | 486    | <br>84% 6% 10%   |
| 2   | B     | 154    | <br>77% 19%      |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain                                                                     |
|-----|-------|--------|--------------------------------------------------------------------------------------|
| 2   | E     | 154    |    |
| 2   | F     | 154    |    |
| 3   | G     | 229    |    |
| 3   | H     | 229    |    |
| 3   | I     | 229    |    |
| 4   | J     | 208    |    |
| 4   | K     | 208    |    |
| 4   | L     | 208    |    |
| 5   | M     | 2      |    |
| 5   | N     | 2      |    |
| 5   | R     | 2      |    |
| 5   | S     | 2      |  |
| 5   | T     | 2      |  |
| 5   | U     | 2      |  |
| 5   | V     | 2      |  |
| 5   | X     | 2      |  |
| 5   | Y     | 2      |  |
| 5   | Z     | 2      |  |
| 5   | d     | 2      |  |
| 5   | e     | 2      |  |
| 5   | f     | 2      |  |
| 5   | g     | 2      |  |
| 5   | h     | 2      |  |
| 5   | j     | 2      |  |
| 5   | k     | 2      |  |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain                                          |
|-----|-------|--------|-----------------------------------------------------------|
| 5   | l     | 2      | <div> <div>50%</div> <div>100%</div> </div>               |
| 5   | p     | 2      | <div> <div>50%</div> <div>50%</div> </div>                |
| 5   | q     | 2      | <div> <div>50%</div> <div>100%</div> </div>               |
| 5   | r     | 2      | <div> <div>100%</div> </div>                              |
| 5   | s     | 2      | <div> <div>50%</div> <div>100%</div> </div>               |
| 5   | t     | 2      | <div> <div>50%</div> <div>50%</div> </div>                |
| 5   | v     | 2      | <div> <div>100%</div> </div>                              |
| 6   | O     | 3      | <div> <div>67%</div> <div>100%</div> </div>               |
| 6   | W     | 3      | <div> <div>67%</div> <div>100%</div> </div>               |
| 6   | a     | 3      | <div> <div>67%</div> <div>100%</div> </div>               |
| 6   | i     | 3      | <div> <div>67%</div> <div>100%</div> </div>               |
| 6   | m     | 3      | <div> <div>67%</div> <div>100%</div> </div>               |
| 6   | u     | 3      | <div> <div>67%</div> <div>100%</div> </div>               |
| 7   | P     | 6      | <div> <div>17%</div> <div>17%</div> <div>83%</div> </div> |
| 7   | b     | 6      | <div> <div>17%</div> <div>17%</div> <div>83%</div> </div> |
| 7   | n     | 6      | <div> <div>17%</div> <div>17%</div> <div>83%</div> </div> |
| 8   | Q     | 5      | <div> <div>100%</div> </div>                              |
| 8   | c     | 5      | <div> <div>100%</div> </div>                              |
| 8   | o     | 5      | <div> <div>100%</div> </div>                              |

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 20568 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AMC016 gp120.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 1   | A     | 437      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3453  | 2175 | 602 | 650 | 26 |         |       |
| 1   | C     | 437      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3453  | 2175 | 602 | 650 | 26 |         |       |
| 1   | D     | 437      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3453  | 2175 | 602 | 650 | 26 |         |       |

- Molecule 2 is a protein called AMC016 gp41.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 2   | B     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 989   | 628 | 167 | 187 | 7 |         |       |
| 2   | E     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 989   | 628 | 167 | 187 | 7 |         |       |
| 2   | F     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 989   | 628 | 167 | 187 | 7 |         |       |

- Molecule 3 is a protein called PGV04 Fab heavy chain.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 3   | H     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 985   | 627 | 177 | 178 | 3 |         |       |
| 3   | G     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 985   | 627 | 177 | 178 | 3 |         |       |
| 3   | I     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 985   | 627 | 177 | 178 | 3 |         |       |

- Molecule 4 is a protein called PGV04 kappa chain.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4   | L     | 100      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 784   | 500 | 131 | 149 | 4 |         |       |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4   | J     | 100      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 784   | 500 | 131 | 149 | 4 |         |       |
| 4   | K     | 100      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 784   | 500 | 131 | 149 | 4 |         |       |

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 5   | M     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | N     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | R     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | S     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | T     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | U     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | V     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | X     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | Y     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | Z     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | d     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | e     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | f     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | g     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | h     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |

*Continued on next page...*

Continued from previous page...


| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 5   | j     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | k     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | l     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | p     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | q     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | r     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | s     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | t     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | v     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 6   | O     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 6   | W     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 6   | a     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 6   | i     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 6   | m     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 6   | u     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 7   | P     | 6        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 72    | 40 | 2 | 30 |         |       |
| 7   | b     | 6        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 72    | 40 | 2 | 30 |         |       |
| 7   | n     | 6        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 72    | 40 | 2 | 30 |         |       |

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 8   | Q     | 5        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 61    | 34 | 2 | 25 |         |       |
| 8   | c     | 5        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 61    | 34 | 2 | 25 |         |       |
| 8   | o     | 5        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 61    | 34 | 2 | 25 |         |       |

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



| Mol | Chain | Residues | Atoms |   |   |   | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
|     |       |          | Total | C | N | O |         |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | A     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | B     | 1        | 14    | 8 | 1 | 5 | 0       |
| 9   | B     | 1        | 14    | 8 | 1 | 5 | 0       |

Continued on next page...

*Continued from previous page...*


| Mol | Chain | Residues | Atoms       |        |        |        | AltConf |
|-----|-------|----------|-------------|--------|--------|--------|---------|
| 9   | B     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | C     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | E     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | E     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | E     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |

*Continued on next page...*



*Continued from previous page...*

| Mol | Chain | Residues | Atoms       |        |        |        | AltConf |
|-----|-------|----------|-------------|--------|--------|--------|---------|
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | D     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | F     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | F     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |
| 9   | F     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |









• Molecule 2: AMC016 gp41





• Molecule 2: AMC016 gp41




• Molecule 2: AMC016 gp41



• Molecule 3: PGV04 Fab heavy chain



• Molecule 3: PGV04 Fab heavy chain




[illegible]

- Molecule 3: PGV04 Fab heavy chain

Chain I:  51% 46%


[illegible]

- Molecule 4: PGV04 kappa chain

Chain L:  45% 52%


| Position | Residue | Conservation | Phylogenetic Information |
|----------|---------|--------------|--------------------------|
| 1        | ARG     | 0.00         | 0.00                     |
| 2        | GLU     | 0.00         | 0.00                     |
| 3        | ALA     | 0.00         | 0.00                     |
| 4        | LYS     | 0.00         | 0.00                     |
| 5        | VAL     | 0.00         | 0.00                     |
| 6        | GLN     | 0.00         | 0.00                     |
| 7        | TRP     | 0.00         | 0.00                     |
| 8        | LYS     | 0.00         | 0.00                     |
| 9        | VAL     | 0.00         | 0.00                     |
| 10       | ASN     | 0.00         | 0.00                     |
| 11       | ASP     | 0.00         | 0.00                     |
| 12       | ASN     | 0.00         | 0.00                     |
| 13       | ALA     | 0.00         | 0.00                     |
| 14       | LEU     | 0.00         | 0.00                     |
| 15       | GLN     | 0.00         | 0.00                     |
| 16       | SER     | 0.00         | 0.00                     |
| 17       | GLY     | 0.00         | 0.00                     |
| 18       | ASN     | 0.00         | 0.00                     |
| 19       | SER     | 0.00         | 0.00                     |
| 20       | GLN     | 0.00         | 0.00                     |
| 21       | GLU     | 0.00         | 0.00                     |
| 22       | SER     | 0.00         | 0.00                     |
| 23       | VAL     | 0.00         | 0.00                     |
| 24       | GLU     | 0.00         | 0.00                     |
| 25       | GLN     | 0.00         | 0.00                     |
| 26       | ASP     | 0.00         | 0.00                     |
| 27       | SER     | 0.00         | 0.00                     |
| 28       | LYS     | 0.00         | 0.00                     |
| 29       | ASP     | 0.00         | 0.00                     |
| 30       | TYR     | 0.00         | 0.00                     |
| 31       | GLU     | 0.00         | 0.00                     |
| 32       | LYS     | 0.00         | 0.00                     |
| 33       | HIS     | 0.00         | 0.00                     |
| 34       | LYS     | 0.00         | 0.00                     |
| 35       | VAL     | 0.00         | 0.00                     |
| 36       | TYR     | 0.00         | 0.00                     |
| 37       | ALA     | 0.00         | 0.00                     |
| 38       | CYS     | 0.00         | 0.00                     |
| 39       | GLU     | 0.00         | 0.00                     |
| 40       | VAL     | 0.00         | 0.00                     |
| 41       | THR     | 0.00         | 0.00                     |
| 42       | HIS     | 0.00         | 0.00                     |
| 43       | GLN     | 0.00         | 0.00                     |
| 44       | GLY     | 0.00         | 0.00                     |
| 45       | LEU     | 0.00         | 0.00                     |

- Molecule 4: PGV04 kappa chain

Chain J:  45% 52%

| Position | Residue | Conservation | Feature |
|----------|---------|--------------|---------|
| 1        | SER     | 0.00         |         |
| 2        | PRO     | 0.00         |         |
| 3        | VAL     | 0.00         |         |
| 4        | THR     | 0.00         |         |
| 5        | LYS     | 0.00         |         |
| 6        | SER     | 0.00         |         |
| 7        | PHE     | 0.00         |         |
| 8        | ASN     | 0.00         |         |
| 9        | ARG     | 0.00         |         |
| 10       | GLY     | 0.00         |         |
| 11       | GLU     | 0.00         |         |
| 12       | CYS     | 0.00         |         |
| 13       | GLU     | 0.00         |         |
| 14       | ALA     | 0.00         |         |
| 15       | ASN     | 0.00         |         |
| 16       | ASP     | 0.00         |         |
| 17       | VAL     | 0.00         |         |
| 18       | LEU     | 0.00         |         |
| 19       | SER     | 0.00         |         |
| 20       | GLN     | 0.00         |         |
| 21       | SER     | 0.00         |         |
| 22       | GLY     | 0.00         |         |
| 23       | ASN     | 0.00         |         |
| 24       | SER     | 0.00         |         |
| 25       | GLN     | 0.00         |         |
| 26       | GLU     | 0.00         |         |
| 27       | SER     | 0.00         |         |
| 28       | VAL     | 0.00         |         |
| 29       | THR     | 0.00         |         |
| 30       | GLU     | 0.00         |         |
| 31       | GLN     | 0.00         |         |
| 32       | ASP     | 0.00         |         |
| 33       | SER     | 0.00         |         |
| 34       | LYS     | 0.00         |         |
| 35       | ASP     | 0.00         |         |
| 36       | SER     | 0.00         |         |
| 37       | THR     | 0.00         |         |
| 38       | THR     | 0.00         |         |
| 39       | TYR     | 0.00         |         |
| 40       | SER     | 0.00         |         |
| 41       | LEU     | 0.00         |         |
| 42       | THR     | 0.00         |         |
| 43       | THR     | 0.00         |         |
| 44       | LEU     | 0.00         |         |
| 45       | LEU     | 0.00         |         |
| 46       | SER     | 0.00         |         |
| 47       | LYS     | 0.00         |         |
| 48       | ASP     | 0.00         |         |
| 49       | GLU     | 0.00         |         |
| 50       | THR     | 0.00         |         |
| 51       | GLN     | 0.00         |         |
| 52       | THR     | 0.00         |         |
| 53       | VAL     | 0.00         |         |
| 54       | LYS     | 0.00         |         |
| 55       | HIS     | 0.00         |         |
| 56       | TYR     | 0.00         |         |
| 57       | ALA     | 0.00         |         |
| 58       | CYS     | 0.00         |         |
| 59       | GLU     | 0.00         |         |
| 60       | THR     | 0.00         |         |
| 61       | THR     | 0.00         |         |
| 62       | HIS     | 0.00         |         |
| 63       | GLN     | 0.00         |         |
| 64       | GLY     | 0.00         |         |
| 65       | LEU     | 0.00         |         |
| 66       | SER     | 0.00         |         |
| 67       | PRO     | 0.00         |         |
| 68       | ARG     | 0.00         |         |

- Molecule 4: PGV04 kappa chain

Chain K: 

 E1
  G16
  H32
  H33
  Q42
  P43
  A50
  S56
  P59
  T75
  T76
  R77
  M78
  E79
  I106
 ARG
 ARG
 THR
 THR
 VAL
 VAL
 ALA
 ALA
 PRO
 PRO
 SER
 SER
 VAL
 VAL
 PHE
 PHE
 ILE
 ILE
 PHE
 PHE
 PRO
 PRO
 PRO
 PRO
 SER
 SER
 ASP
 ASP
 GLU
 GLU
 GLN
 GLN
 LEU
 LEU
 LYS
 LYS
 SER
 SER
 GLY
 GLY
 THR
 THR
 ALA
 ALA
 SER
 SER
 VAL
 VAL
 VAL
 VAL
 CYS
 CYS
 LEU
 LEU
 LEU
 LEU
 ASN
 ASN
 ASN
 ASN
 PHE
 PHE
 TYR
 TYR
 PRO
 PRO
 PRO
 PRO
 ARG
 ARG
 GLU
 GLU

ALA LYS VAL GLN TRP LYS VAL ASP ASN GLU LEU GLN SER GLY ASN SER GLN SER VAL THR GLN ASP SER LYS ASP SER THR TYR SER LEU SER SER THR LEU THR LEU SER LYS ALA ASP TYR GLU LYS HIS LYS VAL TYR ALA CYS GLU VAL THR HIS GLN GLY LEU SER SER


PRO VAL THR LYS SER PHE ASN ARG GLY CYS

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M: 

 MAG1 MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 

 MAG1 MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R: 


 MAG1 MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 

 MAG1 MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T: 

MAG1 MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  100%


NAG1  
NAG2

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  67%  
 100%


NAG1  
NAG2  
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  67%  
 100%


NAG1  
NAG2  
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  67%  
 100%


NAG1  
NAG2  
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  67%  
 100%

NAG1  
NAG2  
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain m:  67%  
 100%

NAG1  
NAG2  
BMA3


- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2  
BMA3  
MAN4  
MAN5

● Molecule 8:  $\alpha$ -D-mannopyranose-(1-3)-[ $\alpha$ -D-mannopyranose-(1-6)] $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain o:

100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, C3                               | Depositor |
| Number of particles used             | 77068                                   | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TITAN KRIOS                         | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 40                                      | Depositor |
| Minimum defocus (nm)                 | Not provided                            |           |
| Maximum defocus (nm)                 | Not provided                            |           |
| Magnification                        | Not provided                            |           |
| Image detector                       | GATAN K2 SUMMIT (4k x 4k)               | Depositor |
| Maximum map value                    | 2.708                                   | Depositor |
| Minimum map value                    | -1.449                                  | Depositor |
| Average map value                    | 0.001                                   | Depositor |
| Map value standard deviation         | 0.066                                   | Depositor |
| Recommended contour level            | 0.4                                     | Depositor |
| Map size (Å)                         | 335.36, 335.36, 335.36                  | wwPDB     |
| Map dimensions                       | 256, 256, 256                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 1.31, 1.31, 1.31                        | Depositor |

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |                 | Bond angles |                  |
|-----|-------|--------------|-----------------|-------------|------------------|
|     |       | RMSZ         | $\# Z  > 5$     | RMSZ        | $\# Z  > 5$      |
| 1   | A     | 1.02         | 1/3527 (0.0%)   | 1.30        | 27/4790 (0.6%)   |
| 1   | C     | 1.02         | 1/3527 (0.0%)   | 1.30        | 27/4790 (0.6%)   |
| 1   | D     | 1.02         | 1/3527 (0.0%)   | 1.30        | 27/4790 (0.6%)   |
| 2   | B     | 1.07         | 2/1006 (0.2%)   | 1.06        | 7/1362 (0.5%)    |
| 2   | E     | 1.07         | 2/1006 (0.2%)   | 1.06        | 7/1362 (0.5%)    |
| 2   | F     | 1.07         | 2/1006 (0.2%)   | 1.06        | 7/1362 (0.5%)    |
| 3   | G     | 1.10         | 2/1011 (0.2%)   | 1.26        | 5/1371 (0.4%)    |
| 3   | H     | 1.10         | 2/1011 (0.2%)   | 1.26        | 5/1371 (0.4%)    |
| 3   | I     | 1.10         | 2/1011 (0.2%)   | 1.26        | 5/1371 (0.4%)    |
| 4   | J     | 1.01         | 2/804 (0.2%)    | 1.28        | 6/1087 (0.6%)    |
| 4   | K     | 1.01         | 2/804 (0.2%)    | 1.28        | 6/1087 (0.6%)    |
| 4   | L     | 1.01         | 2/804 (0.2%)    | 1.28        | 6/1087 (0.6%)    |
| All | All   | 1.04         | 21/19044 (0.1%) | 1.26        | 135/25830 (0.5%) |

The worst 5 of 21 bond length outliers are listed below:

| Mol | Chain | Res    | Type | Atoms | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|--------|------|-------|-------|-------------|----------|
| 3   | G     | 100(E) | TYR  | CB-CG | -7.46 | 1.35        | 1.51     |
| 3   | I     | 100(E) | TYR  | CB-CG | -7.45 | 1.35        | 1.51     |
| 3   | H     | 100(E) | TYR  | CB-CG | -7.45 | 1.35        | 1.51     |
| 2   | B     | 663    | LEU  | CB-CG | 6.20  | 1.65        | 1.53     |
| 2   | E     | 663    | LEU  | CB-CG | 6.20  | 1.65        | 1.53     |

The worst 5 of 135 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms  | Z    | Observed(°) | Ideal(°) |
|-----|-------|-----|------|--------|------|-------------|----------|
| 1   | A     | 205 | CYS  | CA-C-N | 7.38 | 127.09      | 119.56   |
| 1   | A     | 205 | CYS  | C-N-CA | 7.38 | 127.09      | 119.56   |
| 1   | C     | 205 | CYS  | CA-C-N | 7.37 | 127.08      | 119.56   |
| 1   | C     | 205 | CYS  | C-N-CA | 7.37 | 127.08      | 119.56   |
| 1   | D     | 205 | CYS  | CA-C-N | 7.34 | 127.05      | 119.56   |

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 3453  | 0        | 3371     | 7       | 0            |
| 1   | C     | 3453  | 0        | 3371     | 7       | 0            |
| 1   | D     | 3453  | 0        | 3371     | 7       | 0            |
| 2   | B     | 989   | 0        | 978      | 0       | 0            |
| 2   | E     | 989   | 0        | 978      | 0       | 0            |
| 2   | F     | 989   | 0        | 978      | 0       | 0            |
| 3   | G     | 985   | 0        | 953      | 1       | 0            |
| 3   | H     | 985   | 0        | 953      | 1       | 0            |
| 3   | I     | 985   | 0        | 953      | 1       | 0            |
| 4   | J     | 784   | 0        | 771      | 2       | 0            |
| 4   | K     | 784   | 0        | 771      | 3       | 0            |
| 4   | L     | 784   | 0        | 771      | 2       | 0            |
| 5   | M     | 28    | 0        | 25       | 1       | 0            |
| 5   | N     | 28    | 0        | 25       | 0       | 0            |
| 5   | R     | 28    | 0        | 25       | 0       | 0            |
| 5   | S     | 28    | 0        | 25       | 0       | 0            |
| 5   | T     | 28    | 0        | 25       | 0       | 0            |
| 5   | U     | 28    | 0        | 25       | 0       | 0            |
| 5   | V     | 28    | 0        | 25       | 1       | 0            |
| 5   | X     | 28    | 0        | 24       | 0       | 0            |
| 5   | Y     | 28    | 0        | 25       | 1       | 0            |
| 5   | Z     | 28    | 0        | 25       | 0       | 0            |
| 5   | d     | 28    | 0        | 25       | 0       | 0            |
| 5   | e     | 28    | 0        | 25       | 0       | 0            |
| 5   | f     | 28    | 0        | 25       | 0       | 0            |
| 5   | g     | 28    | 0        | 25       | 0       | 0            |
| 5   | h     | 28    | 0        | 25       | 1       | 0            |
| 5   | j     | 28    | 0        | 24       | 0       | 0            |
| 5   | k     | 28    | 0        | 25       | 1       | 0            |
| 5   | l     | 28    | 0        | 25       | 0       | 0            |
| 5   | p     | 28    | 0        | 25       | 0       | 0            |
| 5   | q     | 28    | 0        | 25       | 0       | 0            |
| 5   | r     | 28    | 0        | 25       | 0       | 0            |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 5   | s     | 28    | 0        | 25       | 0       | 0            |
| 5   | t     | 28    | 0        | 25       | 1       | 0            |
| 5   | v     | 28    | 0        | 24       | 0       | 0            |
| 6   | O     | 39    | 0        | 34       | 0       | 0            |
| 6   | W     | 39    | 0        | 34       | 0       | 0            |
| 6   | a     | 39    | 0        | 34       | 0       | 0            |
| 6   | i     | 39    | 0        | 34       | 0       | 0            |
| 6   | m     | 39    | 0        | 34       | 0       | 0            |
| 6   | u     | 39    | 0        | 34       | 0       | 0            |
| 7   | P     | 72    | 0        | 61       | 0       | 0            |
| 7   | b     | 72    | 0        | 61       | 0       | 0            |
| 7   | n     | 72    | 0        | 61       | 0       | 0            |
| 8   | Q     | 61    | 0        | 52       | 0       | 0            |
| 8   | c     | 61    | 0        | 52       | 0       | 0            |
| 8   | o     | 61    | 0        | 52       | 0       | 0            |
| 9   | A     | 168   | 0        | 155      | 0       | 0            |
| 9   | B     | 42    | 0        | 39       | 0       | 0            |
| 9   | C     | 168   | 0        | 155      | 0       | 0            |
| 9   | D     | 168   | 0        | 155      | 0       | 0            |
| 9   | E     | 42    | 0        | 39       | 0       | 0            |
| 9   | F     | 42    | 0        | 39       | 0       | 0            |
| All | All   | 20568 | 0        | 19941    | 31      | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 31 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1          | Atom-2        | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|---------------|--------------------------|-------------------|
| 1:C:446:SER:HB2 | 5:h:1:NAG:H82 | 1.75                     | 0.69              |
| 1:D:446:SER:HB2 | 5:t:1:NAG:H82 | 1.75                     | 0.68              |
| 1:A:446:SER:HB2 | 5:V:1:NAG:H82 | 1.75                     | 0.67              |
| 1:C:175:THR:OG1 | 5:Y:1:NAG:H82 | 2.03                     | 0.58              |
| 1:A:175:THR:OG1 | 5:M:1:NAG:H82 | 2.03                     | 0.58              |

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Favoured   | Allowed | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 1   | A     | 429/486 (88%)   | 422 (98%)  | 7 (2%)  | 0        | 100         | 100 |
| 1   | C     | 429/486 (88%)   | 422 (98%)  | 7 (2%)  | 0        | 100         | 100 |
| 1   | D     | 429/486 (88%)   | 422 (98%)  | 7 (2%)  | 0        | 100         | 100 |
| 2   | B     | 120/154 (78%)   | 119 (99%)  | 1 (1%)  | 0        | 100         | 100 |
| 2   | E     | 120/154 (78%)   | 119 (99%)  | 1 (1%)  | 0        | 100         | 100 |
| 2   | F     | 120/154 (78%)   | 119 (99%)  | 1 (1%)  | 0        | 100         | 100 |
| 3   | G     | 122/229 (53%)   | 122 (100%) | 0       | 0        | 100         | 100 |
| 3   | H     | 122/229 (53%)   | 122 (100%) | 0       | 0        | 100         | 100 |
| 3   | I     | 122/229 (53%)   | 122 (100%) | 0       | 0        | 100         | 100 |
| 4   | J     | 98/208 (47%)    | 95 (97%)   | 3 (3%)  | 0        | 100         | 100 |
| 4   | K     | 98/208 (47%)    | 95 (97%)   | 3 (3%)  | 0        | 100         | 100 |
| 4   | L     | 98/208 (47%)    | 95 (97%)   | 3 (3%)  | 0        | 100         | 100 |
| All | All   | 2307/3231 (71%) | 2274 (99%) | 33 (1%) | 0        | 100         | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Rotameric  | Outliers | Percentiles |    |
|-----|-------|---------------|------------|----------|-------------|----|
| 1   | A     | 393/434 (91%) | 392 (100%) | 1 (0%)   | 86          | 85 |
| 1   | C     | 393/434 (91%) | 392 (100%) | 1 (0%)   | 86          | 85 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed        | Rotameric   | Outliers | Percentiles |     |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 1   | D     | 393/434 (91%)   | 392 (100%)  | 1 (0%)   | 86          | 85  |
| 2   | B     | 107/130 (82%)   | 107 (100%)  | 0        | 100         | 100 |
| 2   | E     | 107/130 (82%)   | 107 (100%)  | 0        | 100         | 100 |
| 2   | F     | 107/130 (82%)   | 107 (100%)  | 0        | 100         | 100 |
| 3   | G     | 103/194 (53%)   | 103 (100%)  | 0        | 100         | 100 |
| 3   | H     | 103/194 (53%)   | 103 (100%)  | 0        | 100         | 100 |
| 3   | I     | 103/194 (53%)   | 103 (100%)  | 0        | 100         | 100 |
| 4   | J     | 85/182 (47%)    | 85 (100%)   | 0        | 100         | 100 |
| 4   | K     | 85/182 (47%)    | 85 (100%)   | 0        | 100         | 100 |
| 4   | L     | 85/182 (47%)    | 85 (100%)   | 0        | 100         | 100 |
| All | All   | 2064/2820 (73%) | 2061 (100%) | 3 (0%)   | 87          | 89  |

All (3) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | A     | 230 | ASN  |
| 1   | C     | 230 | ASN  |
| 1   | D     | 230 | ASN  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | C     | 461 | ASN  |
| 1   | D     | 328 | GLN  |
| 4   | J     | 89  | GLN  |
| 1   | D     | 422 | GLN  |
| 1   | D     | 461 | ASN  |

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

99 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 5   | NAG  | M     | 1   | 1,5  | 14,14,15     | 2.23 | 6 (42%)  | 17,19,21    | 1.09 | 2 (11%)  |
| 5   | NAG  | M     | 2   | 5    | 14,14,15     | 2.10 | 6 (42%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 5   | NAG  | N     | 1   | 1,5  | 14,14,15     | 2.46 | 7 (50%)  | 17,19,21    | 1.04 | 1 (5%)   |
| 5   | NAG  | N     | 2   | 5    | 14,14,15     | 2.12 | 6 (42%)  | 17,19,21    | 0.94 | 1 (5%)   |
| 6   | NAG  | O     | 1   | 1,6  | 14,14,15     | 2.15 | 5 (35%)  | 17,19,21    | 1.20 | 1 (5%)   |
| 6   | NAG  | O     | 2   | 6    | 14,14,15     | 2.18 | 6 (42%)  | 17,19,21    | 0.92 | 1 (5%)   |
| 6   | BMA  | O     | 3   | 6    | 11,11,12     | 1.99 | 5 (45%)  | 15,15,17    | 0.67 | 0        |
| 7   | NAG  | P     | 1   | 1,7  | 14,14,15     | 2.13 | 6 (42%)  | 17,19,21    | 1.14 | 2 (11%)  |
| 7   | NAG  | P     | 2   | 7    | 14,14,15     | 2.05 | 6 (42%)  | 17,19,21    | 0.98 | 1 (5%)   |
| 7   | BMA  | P     | 3   | 7    | 11,11,12     | 1.45 | 3 (27%)  | 15,15,17    | 0.59 | 0        |
| 7   | MAN  | P     | 4   | 7    | 11,11,12     | 0.79 | 0        | 15,15,17    | 0.82 | 0        |
| 7   | MAN  | P     | 5   | 7    | 11,11,12     | 1.98 | 6 (54%)  | 15,15,17    | 0.69 | 0        |
| 7   | MAN  | P     | 6   | 7    | 11,11,12     | 1.93 | 4 (36%)  | 15,15,17    | 0.69 | 0        |
| 8   | NAG  | Q     | 1   | 1,8  | 14,14,15     | 2.18 | 5 (35%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 8   | NAG  | Q     | 2   | 8    | 14,14,15     | 2.10 | 6 (42%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 8   | BMA  | Q     | 3   | 8    | 11,11,12     | 1.49 | 3 (27%)  | 15,15,17    | 0.56 | 0        |
| 8   | MAN  | Q     | 4   | 8    | 11,11,12     | 1.92 | 5 (45%)  | 15,15,17    | 0.75 | 0        |
| 8   | MAN  | Q     | 5   | 8    | 11,11,12     | 1.92 | 5 (45%)  | 15,15,17    | 0.70 | 0        |
| 5   | NAG  | R     | 1   | 1,5  | 14,14,15     | 0.57 | 0        | 17,19,21    | 1.24 | 1 (5%)   |
| 5   | NAG  | R     | 2   | 5    | 14,14,15     | 0.32 | 0        | 17,19,21    | 0.62 | 0        |
| 5   | NAG  | S     | 1   | 1,5  | 14,14,15     | 2.17 | 6 (42%)  | 17,19,21    | 1.14 | 1 (5%)   |
| 5   | NAG  | S     | 2   | 5    | 14,14,15     | 2.17 | 7 (50%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 5   | NAG  | T     | 1   | 1,5  | 14,14,15     | 2.17 | 5 (35%)  | 17,19,21    | 1.01 | 0        |
| 5   | NAG  | T     | 2   | 5    | 14,14,15     | 2.09 | 6 (42%)  | 17,19,21    | 0.96 | 2 (11%)  |
| 5   | NAG  | U     | 1   | 1,5  | 14,14,15     | 2.32 | 6 (42%)  | 17,19,21    | 1.03 | 1 (5%)   |
| 5   | NAG  | U     | 2   | 5    | 14,14,15     | 2.12 | 7 (50%)  | 17,19,21    | 0.86 | 1 (5%)   |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 5   | NAG  | V     | 1   | 1,5  | 14,14,15     | 2.35 | 5 (35%)  | 17,19,21    | 1.14 | 3 (17%)  |
| 5   | NAG  | V     | 2   | 5    | 14,14,15     | 2.08 | 6 (42%)  | 17,19,21    | 0.94 | 1 (5%)   |
| 6   | NAG  | W     | 1   | 1,6  | 14,14,15     | 2.32 | 6 (42%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 6   | NAG  | W     | 2   | 6    | 14,14,15     | 2.23 | 6 (42%)  | 17,19,21    | 0.88 | 1 (5%)   |
| 6   | BMA  | W     | 3   | 6    | 11,11,12     | 2.02 | 6 (54%)  | 15,15,17    | 0.71 | 0        |
| 5   | NAG  | X     | 1   | 1,5  | 14,14,15     | 2.24 | 5 (35%)  | 17,19,21    | 1.05 | 1 (5%)   |
| 5   | NAG  | X     | 2   | 5    | 14,14,15     | 2.00 | 6 (42%)  | 17,19,21    | 6.85 | 2 (11%)  |
| 5   | NAG  | Y     | 1   | 1,5  | 14,14,15     | 2.23 | 6 (42%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 5   | NAG  | Y     | 2   | 5    | 14,14,15     | 2.09 | 6 (42%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 5   | NAG  | Z     | 1   | 1,5  | 14,14,15     | 2.46 | 7 (50%)  | 17,19,21    | 1.04 | 1 (5%)   |
| 5   | NAG  | Z     | 2   | 5    | 14,14,15     | 2.13 | 6 (42%)  | 17,19,21    | 0.94 | 1 (5%)   |
| 6   | NAG  | a     | 1   | 1,6  | 14,14,15     | 2.14 | 5 (35%)  | 17,19,21    | 1.19 | 1 (5%)   |
| 6   | NAG  | a     | 2   | 6    | 14,14,15     | 2.17 | 6 (42%)  | 17,19,21    | 0.92 | 1 (5%)   |
| 6   | BMA  | a     | 3   | 6    | 11,11,12     | 1.99 | 5 (45%)  | 15,15,17    | 0.67 | 0        |
| 7   | NAG  | b     | 1   | 1,7  | 14,14,15     | 2.13 | 6 (42%)  | 17,19,21    | 1.14 | 2 (11%)  |
| 7   | NAG  | b     | 2   | 7    | 14,14,15     | 2.05 | 6 (42%)  | 17,19,21    | 0.98 | 1 (5%)   |
| 7   | BMA  | b     | 3   | 7    | 11,11,12     | 1.45 | 3 (27%)  | 15,15,17    | 0.59 | 0        |
| 7   | MAN  | b     | 4   | 7    | 11,11,12     | 0.79 | 0        | 15,15,17    | 0.82 | 0        |
| 7   | MAN  | b     | 5   | 7    | 11,11,12     | 1.98 | 6 (54%)  | 15,15,17    | 0.68 | 0        |
| 7   | MAN  | b     | 6   | 7    | 11,11,12     | 1.93 | 4 (36%)  | 15,15,17    | 0.69 | 0        |
| 8   | NAG  | c     | 1   | 1,8  | 14,14,15     | 2.18 | 5 (35%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 8   | NAG  | c     | 2   | 8    | 14,14,15     | 2.10 | 6 (42%)  | 17,19,21    | 1.06 | 2 (11%)  |
| 8   | BMA  | c     | 3   | 8    | 11,11,12     | 1.49 | 3 (27%)  | 15,15,17    | 0.57 | 0        |
| 8   | MAN  | c     | 4   | 8    | 11,11,12     | 1.92 | 4 (36%)  | 15,15,17    | 0.75 | 0        |
| 8   | MAN  | c     | 5   | 8    | 11,11,12     | 1.91 | 5 (45%)  | 15,15,17    | 0.70 | 0        |
| 5   | NAG  | d     | 1   | 1,5  | 14,14,15     | 0.57 | 0        | 17,19,21    | 1.24 | 1 (5%)   |
| 5   | NAG  | d     | 2   | 5    | 14,14,15     | 0.32 | 0        | 17,19,21    | 0.63 | 0        |
| 5   | NAG  | e     | 1   | 1,5  | 14,14,15     | 2.17 | 6 (42%)  | 17,19,21    | 1.13 | 1 (5%)   |
| 5   | NAG  | e     | 2   | 5    | 14,14,15     | 2.17 | 7 (50%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 5   | NAG  | f     | 1   | 1,5  | 14,14,15     | 2.16 | 5 (35%)  | 17,19,21    | 1.01 | 0        |
| 5   | NAG  | f     | 2   | 5    | 14,14,15     | 2.09 | 5 (35%)  | 17,19,21    | 0.96 | 2 (11%)  |
| 5   | NAG  | g     | 1   | 1,5  | 14,14,15     | 2.32 | 7 (50%)  | 17,19,21    | 1.02 | 1 (5%)   |
| 5   | NAG  | g     | 2   | 5    | 14,14,15     | 2.11 | 6 (42%)  | 17,19,21    | 0.87 | 1 (5%)   |
| 5   | NAG  | h     | 1   | 1,5  | 14,14,15     | 2.35 | 5 (35%)  | 17,19,21    | 1.14 | 3 (17%)  |
| 5   | NAG  | h     | 2   | 5    | 14,14,15     | 2.08 | 6 (42%)  | 17,19,21    | 0.95 | 1 (5%)   |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 6   | NAG  | i     | 1   | 1,6  | 14,14,15     | 2.31 | 6 (42%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 6   | NAG  | i     | 2   | 6    | 14,14,15     | 2.22 | 6 (42%)  | 17,19,21    | 0.88 | 1 (5%)   |
| 6   | BMA  | i     | 3   | 6    | 11,11,12     | 2.02 | 6 (54%)  | 15,15,17    | 0.71 | 0        |
| 5   | NAG  | j     | 1   | 1,5  | 14,14,15     | 2.24 | 5 (35%)  | 17,19,21    | 1.05 | 1 (5%)   |
| 5   | NAG  | j     | 2   | 5    | 14,14,15     | 2.00 | 6 (42%)  | 17,19,21    | 6.85 | 2 (11%)  |
| 5   | NAG  | k     | 1   | 1,5  | 14,14,15     | 2.22 | 6 (42%)  | 17,19,21    | 1.09 | 2 (11%)  |
| 5   | NAG  | k     | 2   | 5    | 14,14,15     | 2.10 | 6 (42%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 5   | NAG  | l     | 1   | 1,5  | 14,14,15     | 2.46 | 7 (50%)  | 17,19,21    | 1.04 | 1 (5%)   |
| 5   | NAG  | l     | 2   | 5    | 14,14,15     | 2.13 | 7 (50%)  | 17,19,21    | 0.94 | 1 (5%)   |
| 6   | NAG  | m     | 1   | 1,6  | 14,14,15     | 2.15 | 5 (35%)  | 17,19,21    | 1.19 | 1 (5%)   |
| 6   | NAG  | m     | 2   | 6    | 14,14,15     | 2.18 | 6 (42%)  | 17,19,21    | 0.92 | 1 (5%)   |
| 6   | BMA  | m     | 3   | 6    | 11,11,12     | 1.99 | 5 (45%)  | 15,15,17    | 0.67 | 0        |
| 7   | NAG  | n     | 1   | 1,7  | 14,14,15     | 2.13 | 6 (42%)  | 17,19,21    | 1.14 | 2 (11%)  |
| 7   | NAG  | n     | 2   | 7    | 14,14,15     | 2.05 | 6 (42%)  | 17,19,21    | 0.98 | 1 (5%)   |
| 7   | BMA  | n     | 3   | 7    | 11,11,12     | 1.45 | 3 (27%)  | 15,15,17    | 0.59 | 0        |
| 7   | MAN  | n     | 4   | 7    | 11,11,12     | 0.78 | 0        | 15,15,17    | 0.82 | 0        |
| 7   | MAN  | n     | 5   | 7    | 11,11,12     | 1.98 | 6 (54%)  | 15,15,17    | 0.68 | 0        |
| 7   | MAN  | n     | 6   | 7    | 11,11,12     | 1.94 | 4 (36%)  | 15,15,17    | 0.69 | 0        |
| 8   | NAG  | o     | 1   | 1,8  | 14,14,15     | 2.18 | 5 (35%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 8   | NAG  | o     | 2   | 8    | 14,14,15     | 2.10 | 6 (42%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 8   | BMA  | o     | 3   | 8    | 11,11,12     | 1.49 | 3 (27%)  | 15,15,17    | 0.57 | 0        |
| 8   | MAN  | o     | 4   | 8    | 11,11,12     | 1.92 | 6 (54%)  | 15,15,17    | 0.75 | 0        |
| 8   | MAN  | o     | 5   | 8    | 11,11,12     | 1.91 | 5 (45%)  | 15,15,17    | 0.70 | 0        |
| 5   | NAG  | p     | 1   | 1,5  | 14,14,15     | 0.57 | 0        | 17,19,21    | 1.24 | 1 (5%)   |
| 5   | NAG  | p     | 2   | 5    | 14,14,15     | 0.32 | 0        | 17,19,21    | 0.63 | 0        |
| 5   | NAG  | q     | 1   | 1,5  | 14,14,15     | 2.17 | 6 (42%)  | 17,19,21    | 1.13 | 1 (5%)   |
| 5   | NAG  | q     | 2   | 5    | 14,14,15     | 2.17 | 7 (50%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 5   | NAG  | r     | 1   | 1,5  | 14,14,15     | 2.16 | 5 (35%)  | 17,19,21    | 1.01 | 0        |
| 5   | NAG  | r     | 2   | 5    | 14,14,15     | 2.09 | 5 (35%)  | 17,19,21    | 0.96 | 2 (11%)  |
| 5   | NAG  | s     | 1   | 1,5  | 14,14,15     | 2.31 | 6 (42%)  | 17,19,21    | 1.02 | 1 (5%)   |
| 5   | NAG  | s     | 2   | 5    | 14,14,15     | 2.12 | 7 (50%)  | 17,19,21    | 0.87 | 1 (5%)   |
| 5   | NAG  | t     | 1   | 1,5  | 14,14,15     | 2.35 | 5 (35%)  | 17,19,21    | 1.14 | 3 (17%)  |
| 5   | NAG  | t     | 2   | 5    | 14,14,15     | 2.08 | 6 (42%)  | 17,19,21    | 0.94 | 1 (5%)   |
| 6   | NAG  | u     | 1   | 1,6  | 14,14,15     | 2.31 | 6 (42%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 6   | NAG  | u     | 2   | 6    | 14,14,15     | 2.22 | 6 (42%)  | 17,19,21    | 0.88 | 1 (5%)   |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 6   | BMA  | u     | 3   | 6    | 11,11,12     | 2.02 | 6 (54%)  | 15,15,17    | 0.71 | 0        |
| 5   | NAG  | v     | 1   | 1,5  | 14,14,15     | 2.25 | 5 (35%)  | 17,19,21    | 1.05 | 1 (5%)   |
| 5   | NAG  | v     | 2   | 5    | 14,14,15     | 2.00 | 6 (42%)  | 17,19,21    | 6.85 | 2 (11%)  |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 5   | NAG  | M     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | M     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | N     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | N     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | O     | 1   | 1,6  | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | O     | 2   | 6    | -       | 2/6/23/26 | 0/1/1/1 |
| 6   | BMA  | O     | 3   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | NAG  | P     | 1   | 1,7  | -       | 0/6/23/26 | 0/1/1/1 |
| 7   | NAG  | P     | 2   | 7    | -       | 0/6/23/26 | 0/1/1/1 |
| 7   | BMA  | P     | 3   | 7    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | MAN  | P     | 4   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 7   | MAN  | P     | 5   | 7    | -       | 2/2/19/22 | 0/1/1/1 |
| 7   | MAN  | P     | 6   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 8   | NAG  | Q     | 1   | 1,8  | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | Q     | 2   | 8    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | BMA  | Q     | 3   | 8    | -       | 0/2/19/22 | 0/1/1/1 |
| 8   | MAN  | Q     | 4   | 8    | -       | 1/2/19/22 | 0/1/1/1 |
| 8   | MAN  | Q     | 5   | 8    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | R     | 1   | 1,5  | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | R     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | S     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | S     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | T     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | T     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | U     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | U     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | V     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | V     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 6   | NAG  | W     | 1   | 1,6  | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | W     | 2   | 6    | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | BMA  | W     | 3   | 6    | -       | 1/2/19/22 | 0/1/1/1 |

Continued on next page...

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 5   | NAG  | X     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | X     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Y     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Y     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Z     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Z     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | a     | 1   | 1,6  | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | a     | 2   | 6    | -       | 2/6/23/26 | 0/1/1/1 |
| 6   | BMA  | a     | 3   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | NAG  | b     | 1   | 1,7  | -       | 0/6/23/26 | 0/1/1/1 |
| 7   | NAG  | b     | 2   | 7    | -       | 0/6/23/26 | 0/1/1/1 |
| 7   | BMA  | b     | 3   | 7    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | MAN  | b     | 4   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 7   | MAN  | b     | 5   | 7    | -       | 2/2/19/22 | 0/1/1/1 |
| 7   | MAN  | b     | 6   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 8   | NAG  | c     | 1   | 1,8  | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | c     | 2   | 8    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | BMA  | c     | 3   | 8    | -       | 0/2/19/22 | 0/1/1/1 |
| 8   | MAN  | c     | 4   | 8    | -       | 1/2/19/22 | 0/1/1/1 |
| 8   | MAN  | c     | 5   | 8    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | d     | 1   | 1,5  | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | d     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | e     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | e     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | f     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | f     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | g     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | g     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | h     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | h     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 6   | NAG  | i     | 1   | 1,6  | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | i     | 2   | 6    | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | BMA  | i     | 3   | 6    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | j     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | j     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | k     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | k     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | l     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | l     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | m     | 1   | 1,6  | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | m     | 2   | 6    | -       | 2/6/23/26 | 0/1/1/1 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 6   | BMA  | m     | 3   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | NAG  | n     | 1   | 1,7  | -       | 0/6/23/26 | 0/1/1/1 |
| 7   | NAG  | n     | 2   | 7    | -       | 0/6/23/26 | 0/1/1/1 |
| 7   | BMA  | n     | 3   | 7    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | MAN  | n     | 4   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 7   | MAN  | n     | 5   | 7    | -       | 2/2/19/22 | 0/1/1/1 |
| 7   | MAN  | n     | 6   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 8   | NAG  | o     | 1   | 1,8  | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | o     | 2   | 8    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | BMA  | o     | 3   | 8    | -       | 0/2/19/22 | 0/1/1/1 |
| 8   | MAN  | o     | 4   | 8    | -       | 1/2/19/22 | 0/1/1/1 |
| 8   | MAN  | o     | 5   | 8    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | p     | 1   | 1,5  | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | p     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | q     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | q     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | r     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | r     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | s     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | s     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | t     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | t     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 6   | NAG  | u     | 1   | 1,6  | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | NAG  | u     | 2   | 6    | -       | 0/6/23/26 | 0/1/1/1 |
| 6   | BMA  | u     | 3   | 6    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | v     | 1   | 1,5  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | v     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |

The worst 5 of 500 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z    | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 5   | Z     | 1   | NAG  | C1-C2 | 6.40 | 1.61        | 1.52     |
| 5   | N     | 1   | NAG  | C1-C2 | 6.40 | 1.61        | 1.52     |
| 5   | l     | 1   | NAG  | C1-C2 | 6.36 | 1.61        | 1.52     |
| 5   | V     | 1   | NAG  | C1-C2 | 6.17 | 1.60        | 1.52     |
| 5   | t     | 1   | NAG  | C1-C2 | 6.16 | 1.60        | 1.52     |

The worst 5 of 96 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 5   | v     | 2   | NAG  | C2-N2-C7 | 27.96 | 160.37      | 122.90   |
| 5   | j     | 2   | NAG  | C2-N2-C7 | 27.96 | 160.37      | 122.90   |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 5   | X     | 2   | NAG  | C2-N2-C7 | 27.95 | 160.36      | 122.90   |
| 5   | p     | 1   | NAG  | C2-N2-C7 | -3.34 | 118.42      | 122.90   |
| 5   | d     | 1   | NAG  | C2-N2-C7 | -3.33 | 118.44      | 122.90   |

There are no chirality outliers.

5 of 45 torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 7   | b     | 4   | MAN  | O5-C5-C6-O6 |
| 7   | P     | 4   | MAN  | O5-C5-C6-O6 |
| 7   | n     | 4   | MAN  | O5-C5-C6-O6 |
| 6   | O     | 2   | NAG  | O5-C5-C6-O6 |
| 6   | a     | 2   | NAG  | O5-C5-C6-O6 |


There are no ring outliers.


6 monomers are involved in 6 short contacts:


| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 5   | h     | 1   | NAG  | 1       | 0            |
| 5   | k     | 1   | NAG  | 1       | 0            |
| 5   | V     | 1   | NAG  | 1       | 0            |
| 5   | t     | 1   | NAG  | 1       | 0            |
| 5   | M     | 1   | NAG  | 1       | 0            |
| 5   | Y     | 1   | NAG  | 1       | 0            |


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


































































































## 5.6 Ligand geometry [i](#)

45 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |     |      | Counts       | RMSZ | $\# Z  > 2$ | Counts      | RMSZ | $\# Z  > 2$ |
| 9   | NAG  | F     | 703 | 2    | 14,14,15     | 2.30 | 5 (35%)     | 17,19,21    | 0.96 | 1 (5%)      |
| 9   | NAG  | A     | 611 | 1    | 14,14,15     | 2.12 | 6 (42%)     | 17,19,21    | 1.03 | 1 (5%)      |
| 9   | NAG  | A     | 606 | 1    | 14,14,15     | 2.12 | 6 (42%)     | 17,19,21    | 1.12 | 1 (5%)      |
| 9   | NAG  | D     | 606 | 1    | 14,14,15     | 2.12 | 6 (42%)     | 17,19,21    | 1.12 | 1 (5%)      |
| 9   | NAG  | A     | 601 | 1    | 14,14,15     | 2.21 | 7 (50%)     | 17,19,21    | 1.03 | 1 (5%)      |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 9   | NAG  | D     | 603 | 1    | 14,14,15     | 2.27 | 7 (50%)  | 17,19,21    | 2.14 | 2 (11%)  |
| 9   | NAG  | C     | 611 | 1    | 14,14,15     | 2.11 | 6 (42%)  | 17,19,21    | 1.04 | 1 (5%)   |
| 9   | NAG  | D     | 608 | 1    | 14,14,15     | 2.35 | 6 (42%)  | 17,19,21    | 1.15 | 1 (5%)   |
| 9   | NAG  | C     | 602 | 1    | 14,14,15     | 2.19 | 7 (50%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 9   | NAG  | A     | 603 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 2.14 | 3 (17%)  |
| 9   | NAG  | A     | 605 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 0.97 | 1 (5%)   |
| 9   | NAG  | D     | 607 | 1    | 14,14,15     | 2.23 | 5 (35%)  | 17,19,21    | 0.97 | 1 (5%)   |
| 9   | NAG  | C     | 606 | 1    | 14,14,15     | 2.12 | 6 (42%)  | 17,19,21    | 1.12 | 1 (5%)   |
| 9   | NAG  | C     | 609 | 1    | 14,14,15     | 1.97 | 4 (28%)  | 17,19,21    | 7.00 | 3 (17%)  |
| 9   | NAG  | C     | 612 | 1    | 14,14,15     | 2.32 | 6 (42%)  | 17,19,21    | 0.97 | 1 (5%)   |
| 9   | NAG  | A     | 607 | 1    | 14,14,15     | 2.23 | 5 (35%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 9   | NAG  | B     | 703 | 2    | 14,14,15     | 2.30 | 5 (35%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 9   | NAG  | C     | 601 | 1    | 14,14,15     | 2.20 | 7 (50%)  | 17,19,21    | 1.03 | 1 (5%)   |
| 9   | NAG  | D     | 609 | 1    | 14,14,15     | 1.98 | 4 (28%)  | 17,19,21    | 7.00 | 3 (17%)  |
| 9   | NAG  | B     | 701 | 2    | 14,14,15     | 2.39 | 6 (42%)  | 17,19,21    | 1.08 | 1 (5%)   |
| 9   | NAG  | E     | 703 | 2    | 14,14,15     | 2.31 | 5 (35%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 9   | NAG  | F     | 701 | 2    | 14,14,15     | 2.40 | 6 (42%)  | 17,19,21    | 1.08 | 1 (5%)   |
| 9   | NAG  | B     | 702 | 2    | 14,14,15     | 2.31 | 6 (42%)  | 17,19,21    | 1.08 | 2 (11%)  |
| 9   | NAG  | D     | 601 | 1    | 14,14,15     | 2.20 | 7 (50%)  | 17,19,21    | 1.03 | 1 (5%)   |
| 9   | NAG  | C     | 603 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 2.14 | 3 (17%)  |
| 9   | NAG  | C     | 605 | 1    | 14,14,15     | 2.27 | 7 (50%)  | 17,19,21    | 0.97 | 1 (5%)   |
| 9   | NAG  | D     | 612 | 1    | 14,14,15     | 2.32 | 6 (42%)  | 17,19,21    | 0.97 | 1 (5%)   |
| 9   | NAG  | E     | 701 | 2    | 14,14,15     | 2.39 | 6 (42%)  | 17,19,21    | 1.08 | 1 (5%)   |
| 9   | NAG  | D     | 610 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 9   | NAG  | E     | 702 | 2    | 14,14,15     | 2.30 | 6 (42%)  | 17,19,21    | 1.08 | 2 (11%)  |
| 9   | NAG  | C     | 608 | 1    | 14,14,15     | 2.35 | 6 (42%)  | 17,19,21    | 1.15 | 1 (5%)   |
| 9   | NAG  | A     | 612 | 1    | 14,14,15     | 2.33 | 6 (42%)  | 17,19,21    | 0.97 | 1 (5%)   |
| 9   | NAG  | A     | 610 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 9   | NAG  | D     | 605 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 0.98 | 1 (5%)   |
| 9   | NAG  | F     | 702 | 2    | 14,14,15     | 2.30 | 6 (42%)  | 17,19,21    | 1.08 | 2 (11%)  |
| 9   | NAG  | A     | 608 | 1    | 14,14,15     | 2.35 | 6 (42%)  | 17,19,21    | 1.16 | 1 (5%)   |
| 9   | NAG  | D     | 604 | 1    | 14,14,15     | 2.34 | 5 (35%)  | 17,19,21    | 0.99 | 0        |
| 9   | NAG  | C     | 610 | 1    | 14,14,15     | 2.27 | 6 (42%)  | 17,19,21    | 1.05 | 2 (11%)  |
| 9   | NAG  | D     | 602 | 1    | 14,14,15     | 2.19 | 7 (50%)  | 17,19,21    | 1.11 | 2 (11%)  |
| 9   | NAG  | C     | 604 | 1    | 14,14,15     | 2.34 | 5 (35%)  | 17,19,21    | 0.99 | 0        |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 9   | NAG  | A     | 604 | 1    | 14,14,15     | 2.33 | 5 (35%)  | 17,19,21    | 0.99 | 0        |
| 9   | NAG  | A     | 602 | 1    | 14,14,15     | 2.19 | 7 (50%)  | 17,19,21    | 1.10 | 2 (11%)  |
| 9   | NAG  | C     | 607 | 1    | 14,14,15     | 2.23 | 5 (35%)  | 17,19,21    | 0.96 | 1 (5%)   |
| 9   | NAG  | A     | 609 | 1    | 14,14,15     | 1.97 | 4 (28%)  | 17,19,21    | 7.00 | 3 (17%)  |
| 9   | NAG  | D     | 611 | 1    | 14,14,15     | 2.11 | 6 (42%)  | 17,19,21    | 1.04 | 1 (5%)   |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 9   | NAG  | F     | 703 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 611 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 606 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 606 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 601 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 603 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 611 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 608 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 602 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 603 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 605 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 607 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 606 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 609 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 612 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 607 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | B     | 703 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 601 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 609 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | B     | 701 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | E     | 703 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | F     | 701 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | B     | 702 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 601 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 603 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 605 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 612 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | E     | 701 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 610 | 1    | -       | 0/6/23/26 | 0/1/1/1 |

Continued on next page...

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 9   | NAG  | E     | 702 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 608 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 612 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 610 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 605 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | F     | 702 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 608 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 604 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 610 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 602 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 604 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 604 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 602 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | C     | 607 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 9   | NAG  | A     | 609 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 9   | NAG  | D     | 611 | 1    | -       | 0/6/23/26 | 0/1/1/1 |

The worst 5 of 263 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z    | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 9   | F     | 701 | NAG  | C1-C2 | 6.61 | 1.61        | 1.52     |
| 9   | E     | 701 | NAG  | C1-C2 | 6.57 | 1.61        | 1.52     |
| 9   | B     | 701 | NAG  | C1-C2 | 6.56 | 1.61        | 1.52     |
| 9   | D     | 604 | NAG  | C1-C2 | 6.27 | 1.60        | 1.52     |
| 9   | C     | 604 | NAG  | C1-C2 | 6.26 | 1.60        | 1.52     |

The worst 5 of 62 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 9   | C     | 609 | NAG  | C2-N2-C7 | 28.41 | 160.97      | 122.90   |
| 9   | D     | 609 | NAG  | C2-N2-C7 | 28.40 | 160.96      | 122.90   |
| 9   | A     | 609 | NAG  | C2-N2-C7 | 28.40 | 160.95      | 122.90   |
| 9   | A     | 603 | NAG  | C8-C7-N2 | 6.72  | 127.26      | 116.12   |
| 9   | D     | 603 | NAG  | C8-C7-N2 | 6.71  | 127.25      | 116.12   |

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 9   | A     | 603 | NAG  | C8-C7-N2-C2 |
| 9   | A     | 603 | NAG  | O7-C7-N2-C2 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 9   | C     | 603 | NAG  | C8-C7-N2-C2 |
| 9   | C     | 603 | NAG  | O7-C7-N2-C2 |
| 9   | D     | 603 | NAG  | C8-C7-N2-C2 |

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24676. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 114




Y Index: 134




Z Index: 128


### 6.3.2 Raw map



X Index: 138



Y Index: 135




Z Index: 128


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 182 nm<sup>3</sup>; this corresponds to an approximate mass of 165 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.244 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.244 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 4.10                               | -    | -        |
| Author-provided FSC curve | 4.10                               | 4.50 | 4.15     |
| Unmasked-calculated*      | 4.51                               | 5.58 | 4.61     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.51 differs from the reported value 4.1 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-24676 and PDB model 7RSO. Per-residue inclusion information can be found in section 3 on page 12.


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion                                                                             | Q-score                                                                                    |
|-------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| All   |  0.7110   |  0.3490   |
| A     |  0.7330   |  0.3690   |
| B     |  0.6920   |  0.3030   |
| C     |  0.7370   |  0.3690   |
| D     |  0.7340   |  0.3690   |
| E     |  0.6890   |  0.3030   |
| F     |  0.6880   |  0.3080   |
| G     |  0.7590   |  0.3720   |
| H     |  0.7630   |  0.3750   |
| I     |  0.7610   |  0.3730   |
| J     |  0.6690   |  0.3020   |
| K     |  0.6650   |  0.3040   |
| L     |  0.6730   |  0.3030   |
| M     |  0.4640   |  0.3030   |
| N     |  0.5360  |  0.3790  |
| O     |  0.4360 |  0.3290 |
| P     |  0.6250 |  0.3550 |
| Q     |  0.7050 |  0.3230 |
| R     |  0.4290 |  0.4490 |
| S     |  0.4290 |  0.2610 |
| T     |  0.6790 |  0.3440 |
| U     |  0.4290 |  0.3020 |
| V     |  0.3570 |  0.1210 |
| W     |  0.4360 |  0.2540 |
| X     |  0.6430 |  0.3390 |
| Y     |  0.4640 |  0.2870 |
| Z     |  0.5360 |  0.3760 |
| a     |  0.4360 |  0.3150 |
| b     |  0.6110 |  0.3550 |
| c     |  0.7050 |  0.3240 |
| d     |  0.4640 |  0.4460 |
| e     |  0.3930 |  0.2410 |
| f     |  0.6790 |  0.3330 |
| g     |  0.4290 |  0.2970 |
| h     |  0.3570 |  0.1230 |



*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion                                                                           | Q-score                                                                                  |
|-------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| i     |  0.4360 |  0.2600 |
| j     |  0.6790 |  0.3500 |
| k     |  0.4640 |  0.2970 |
| l     |  0.5360 |  0.3700 |
| m     |  0.4360 |  0.3320 |
| n     |  0.6110 |  0.3640 |
| o     |  0.6890 |  0.3330 |
| p     |  0.3930 |  0.4520 |
| q     |  0.4290 |  0.2390 |
| r     |  0.6790 |  0.3370 |
| s     |  0.4290 |  0.2970 |
| t     |  0.3570 |  0.1050 |
| u     |  0.4360 |  0.2620 |
| v     |  0.6790 |  0.3390 |