



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 08:32 AM UTC

PDB ID : 1RT8 / pdb_00001rt8
Title : CRYSTAL STRUCTURE OF THE ACTIN-CROSSLINKING CORE OF SCHIZOSACCHAROMYCES POMBE FIMBRIN
Authors : Klein, M.G.; Shi, W.; Ramagopal, U.; Tseng, Y.; Wirtz, D.; Kovar, D.R.; Staiger, C.J.; Almo, S.C.
Deposited on : 2003-12-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3783 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called fimbrin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	467	3654	2317	639	683	15	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	102	GLY	-	cloning artifact	UNP O59945
A	103	SER	-	cloning artifact	UNP O59945
A	104	PRO	-	cloning artifact	UNP O59945
A	105	GLU	-	cloning artifact	UNP O59945
A	106	PHE	-	cloning artifact	UNP O59945
A	107	MET	-	cloning artifact	UNP O59945

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	104	Total O 104 104	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: fimbrin



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	84.24Å 84.24Å 150.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.02	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.00) 89.0 (30.00-2.02)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.03Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.237 , 0.270 0.247 , 0.278	Depositor DCC
R_{free} test set	3717 reflections (9.14%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtrriage
Anisotropy	0.126	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 32.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.033 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3783	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/3717	0.92	11/5034 (0.2%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	LYS	N-CA-C	6.33	118.99	111.71
1	A	218	GLU	N-CA-C	6.02	117.51	111.07
1	A	429	VAL	N-CA-C	5.58	116.34	108.36
1	A	412	ARG	N-CA-C	5.43	117.96	111.71
1	A	181	LEU	N-CA-C	-5.42	100.07	108.90
1	A	500	HIS	N-CA-C	-5.24	107.02	113.41
1	A	292	SER	N-CA-C	5.22	119.27	113.01
1	A	600	ARG	CA-C-N	5.17	126.31	119.84
1	A	600	ARG	C-N-CA	5.17	126.31	119.84
1	A	266	ILE	N-CA-C	-5.14	107.39	111.81
1	A	206	THR	N-CA-C	-5.11	106.99	113.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3654	0	3689	97	0
2	A	25	0	0	1	0
3	A	104	0	0	2	0
All	All	3783	0	3689	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:572:ILE:HD12	1:A:597:VAL:HG21	1.39	0.98
1:A:401:THR:HB	1:A:402:PRO:HD3	1.43	0.96
1:A:136:VAL:HB	1:A:137:PRO:HD3	1.51	0.92
1:A:236:LYS:HD2	1:A:236:LYS:H	1.39	0.87
1:A:258:PHE:HE1	1:A:269:ARG:HD2	1.40	0.85
1:A:568:GLU:O	1:A:572:ILE:HD13	1.82	0.80
1:A:205:ILE:O	1:A:205:ILE:HG13	1.83	0.79
1:A:258:PHE:CE1	1:A:269:ARG:HD2	2.22	0.74
1:A:401:THR:HB	1:A:402:PRO:CD	2.19	0.73
1:A:133:GLY:HA2	1:A:136:VAL:CG2	2.19	0.72
1:A:198:LYS:HG3	1:A:205:ILE:HD11	1.72	0.71
1:A:590:PHE:H	1:A:606:HIS:HE1	1.39	0.70
1:A:572:ILE:CD1	1:A:597:VAL:HG21	2.19	0.67
1:A:494:ASN:O	1:A:498:THR:HG23	1.96	0.65
1:A:133:GLY:O	1:A:136:VAL:HG23	1.97	0.64
1:A:546:LEU:HD13	1:A:562:VAL:HG22	1.81	0.62
1:A:517:TRP:CZ2	1:A:521:MET:HE2	2.35	0.61
1:A:405:HIS:H	1:A:410:ASN:ND2	1.98	0.61
1:A:143:PHE:CE2	1:A:146:PHE:HB2	2.35	0.60
1:A:127:ALA:O	1:A:136:VAL:HG21	2.02	0.58
1:A:324:GLU:O	1:A:328:GLN:HG3	2.03	0.58
1:A:175:GLN:O	1:A:181:LEU:HD13	2.04	0.57
1:A:132:VAL:O	1:A:132:VAL:HG12	2.04	0.57
1:A:404:ILE:HG23	1:A:410:ASN:HD22	1.70	0.57
1:A:535:ARG:HB2	1:A:535:ARG:HH11	1.70	0.56
1:A:521:MET:HE3	1:A:552:ILE:HG12	1.86	0.56
1:A:406:ASP:H	1:A:410:ASN:ND2	2.03	0.56
1:A:260:ARG:HD3	1:A:389:ARG:NH2	2.21	0.56
1:A:508:THR:HG22	1:A:508:THR:O	2.06	0.55
1:A:122:ILE:HA	1:A:125:VAL:HG12	1.88	0.55
1:A:430:ASN:C	1:A:430:ASN:HD22	2.15	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:611:LEU:O	1:A:614:VAL:HG22	2.07	0.54
1:A:237:ILE:HB	1:A:259:LEU:HD13	1.90	0.54
1:A:254:THR:HB	1:A:257:GLN:CD	2.33	0.54
1:A:311:ARG:HB3	1:A:314:LEU:HD12	1.89	0.53
1:A:151:ASP:HB2	1:A:181:LEU:HD23	1.90	0.53
1:A:112:GLU:H	1:A:112:GLU:CD	2.16	0.53
1:A:532:ARG:HH11	1:A:532:ARG:HG3	1.74	0.52
1:A:143:PHE:O	1:A:144:GLU:C	2.51	0.52
1:A:268:LEU:HD22	1:A:284:VAL:HG12	1.92	0.52
1:A:387:GLU:OE2	1:A:602:ARG:HD2	2.10	0.51
1:A:308:LEU:HD12	1:A:308:LEU:N	2.25	0.51
1:A:430:ASN:OD1	1:A:433:LYS:HE3	2.11	0.51
1:A:405:HIS:H	1:A:410:ASN:HD21	1.57	0.50
1:A:136:VAL:O	1:A:138:ILE:N	2.45	0.50
1:A:194:ILE:O	1:A:205:ILE:HD11	2.11	0.50
1:A:110:ILE:HG13	1:A:219:HIS:CE1	2.46	0.50
1:A:203:ILE:HG22	1:A:205:ILE:HG23	1.94	0.49
1:A:447:PHE:O	1:A:451:GLU:HG3	2.13	0.49
1:A:564:ASP:OD2	1:A:566:SER:HB3	2.12	0.48
1:A:136:VAL:HB	1:A:137:PRO:CD	2.28	0.48
1:A:254:THR:HG22	1:A:256:ASP:N	2.28	0.48
1:A:532:ARG:HG3	1:A:532:ARG:NH1	2.30	0.47
1:A:254:THR:HB	1:A:257:GLN:OE1	2.15	0.47
1:A:181:LEU:HB2	3:A:8084:HOH:O	2.14	0.47
1:A:268:LEU:CD2	1:A:284:VAL:HG12	2.46	0.46
1:A:466:SER:H	1:A:489:GLN:NE2	2.14	0.46
1:A:454:ASN:OD1	1:A:472:GLY:HA3	2.14	0.46
1:A:430:ASN:ND2	1:A:432:LYS:H	2.14	0.46
1:A:122:ILE:HA	1:A:125:VAL:CG1	2.46	0.46
1:A:127:ALA:HA	1:A:136:VAL:HG11	1.98	0.46
1:A:205:ILE:HG21	1:A:224:LEU:HD13	1.98	0.46
1:A:135:ARG:HD3	1:A:148:GLN:OE1	2.16	0.46
1:A:401:THR:CB	1:A:402:PRO:CD	2.93	0.46
1:A:605:LEU:C	1:A:605:LEU:HD23	2.41	0.45
1:A:430:ASN:C	1:A:430:ASN:ND2	2.75	0.45
1:A:533:SER:OG	1:A:535:ARG:NH1	2.50	0.45
1:A:139:ASN:ND2	1:A:142:THR:HG23	2.31	0.44
1:A:254:THR:HB	1:A:257:GLN:HG3	1.99	0.44
1:A:558:ASP:OD1	1:A:560:ASN:HB2	2.17	0.44
1:A:569:GLU:O	1:A:573:GLN:HG3	2.16	0.44
1:A:126:LEU:O	1:A:127:ALA:C	2.60	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:GLU:HG3	1:A:336:ARG:HB2	2.00	0.44
1:A:236:LYS:HD2	1:A:236:LYS:N	2.19	0.44
1:A:116:ARG:O	1:A:120:LYS:HG3	2.18	0.43
1:A:556:TYR:CE2	1:A:584:LYS:HD2	2.52	0.43
1:A:136:VAL:O	1:A:138:ILE:HG13	2.19	0.43
1:A:489:GLN:NE2	3:A:8100:HOH:O	2.52	0.43
1:A:127:ALA:CA	1:A:136:VAL:HG11	2.49	0.43
1:A:262:PRO:HB3	2:A:9002:SO4:O2	2.19	0.42
1:A:254:THR:HG22	1:A:256:ASP:H	1.84	0.42
1:A:519:ASN:HB3	1:A:530:GLN:OE1	2.19	0.42
1:A:413:ASP:OD1	1:A:413:ASP:C	2.63	0.42
1:A:280:TRP:CD2	1:A:299:VAL:HG21	2.55	0.42
1:A:129:ASP:O	1:A:133:GLY:N	2.53	0.41
1:A:254:THR:HB	1:A:257:GLN:CG	2.51	0.41
1:A:402:PRO:O	1:A:403:SER:C	2.63	0.41
1:A:430:ASN:HD21	1:A:432:LYS:HB2	1.85	0.41
1:A:143:PHE:O	1:A:145:PHE:N	2.54	0.41
1:A:367:GLU:HA	1:A:368:PRO:HD3	1.93	0.41
1:A:535:ARG:HG2	1:A:601:PRO:HB3	2.03	0.41
1:A:280:TRP:CD1	1:A:282:ARG:HB2	2.57	0.40
1:A:599:VAL:O	1:A:599:VAL:HG12	2.21	0.40
1:A:203:ILE:HG23	1:A:227:GLN:HB3	2.04	0.40
1:A:143:PHE:O	1:A:143:PHE:HD2	2.04	0.40
1:A:197:ALA:HB3	1:A:205:ILE:HD13	2.03	0.40
1:A:222:LEU:HD12	1:A:222:LEU:HA	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	457/513 (89%)	434 (95%)	19 (4%)	4 (1%)	14 9

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	127	ALA
1	A	401	THR
1	A	144	GLU
1	A	137	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	402/446 (90%)	395 (98%)	7 (2%)	53 60

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	ILE
1	A	236	LYS
1	A	283	THR
1	A	422	ASP
1	A	430	ASN
1	A	521	MET
1	A	535	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	HIS
1	A	123	ASN
1	A	139	ASN
1	A	207	ASN
1	A	219	HIS
1	A	325	GLN
1	A	410	ASN
1	A	430	ASN
1	A	489	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	573	GLN
1	A	606	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	9002	-	4,4,4	1.83	2 (50%)	6,6,6	0.85	0
2	SO4	A	9003	-	4,4,4	1.86	2 (50%)	6,6,6	0.84	0
2	SO4	A	9001	-	4,4,4	1.86	2 (50%)	6,6,6	0.83	0
2	SO4	A	9004	-	4,4,4	1.86	2 (50%)	6,6,6	0.82	0
2	SO4	A	9005	-	4,4,4	1.84	2 (50%)	6,6,6	0.84	0

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	9003	SO4	O1-S	3.08	1.63	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	9004	SO4	O1-S	3.03	1.62	1.44
2	A	9001	SO4	O1-S	3.03	1.62	1.44
2	A	9005	SO4	O1-S	3.02	1.62	1.44
2	A	9002	SO4	O1-S	2.97	1.62	1.44
2	A	9001	SO4	O3-S	-2.11	1.30	1.48
2	A	9004	SO4	O3-S	-2.09	1.31	1.48
2	A	9002	SO4	O3-S	-2.08	1.31	1.48
2	A	9005	SO4	O3-S	-2.06	1.31	1.48
2	A	9003	SO4	O3-S	-2.05	1.31	1.48

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	9002	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	467/513 (91%)	0.80	58 (12%) 8 7	20, 32, 58, 73	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	401	THR	8.4
1	A	175	GLN	7.3
1	A	136	VAL	7.2
1	A	143	PHE	5.7
1	A	206	THR	5.5
1	A	468	VAL	5.3
1	A	205	ILE	4.8
1	A	237	ILE	4.6
1	A	508	THR	4.5
1	A	174	LYS	4.3
1	A	127	ALA	4.3
1	A	176	ARG	4.3
1	A	306	PRO	4.2
1	A	142	THR	4.1
1	A	402	PRO	4.1
1	A	269	ARG	4.1
1	A	138	ILE	4.1
1	A	132	VAL	4.0
1	A	382	ALA	4.0
1	A	207	ASN	3.8
1	A	180	PRO	3.8
1	A	133	GLY	3.7
1	A	204	SER	3.7
1	A	236	LYS	3.6
1	A	110	ILE	3.6
1	A	137	PRO	3.4
1	A	366	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	309	CYS	3.2
1	A	368	PRO	3.2
1	A	501	SER	3.0
1	A	128	GLY	3.0
1	A	254	THR	2.8
1	A	526	GLY	2.8
1	A	498	THR	2.8
1	A	367	GLU	2.8
1	A	528	GLY	2.7
1	A	426	PRO	2.7
1	A	139	ASN	2.7
1	A	182	ASP	2.7
1	A	181	LEU	2.6
1	A	124	SER	2.6
1	A	399	ASP	2.6
1	A	403	SER	2.6
1	A	266	ILE	2.6
1	A	144	GLU	2.5
1	A	235	GLY	2.5
1	A	365	GLY	2.5
1	A	258	PHE	2.4
1	A	125	VAL	2.3
1	A	130	PRO	2.2
1	A	140	THR	2.2
1	A	184	PHE	2.2
1	A	312	ALA	2.2
1	A	126	LEU	2.1
1	A	308	LEU	2.1
1	A	208	ILE	2.1
1	A	263	PRO	2.0
1	A	561	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	A	9001	5/5	0.71	0.20	93,93,94,94	0
2	SO4	A	9005	5/5	0.71	0.14	99,100,100,100	0
2	SO4	A	9003	5/5	0.73	0.22	81,82,83,84	0
2	SO4	A	9002	5/5	0.79	0.18	86,86,87,87	0
2	SO4	A	9004	5/5	0.81	0.17	99,99,100,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.