



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 01:00 PM UTC

PDB ID : 5RVX / pdb_00005rvx
Title : PanDDA analysis group deposition – Crystal Structure of DHTKD1 in complex with Z804566442
Authors : Bezerra, G.A.; Foster, W.R.; Bailey, H.J.; Shrestha, L.; Krojer, T.; Brandao-Neto, J.; Douangamath, A.; Burgess-Brown, N.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Yue, W.W.
Deposited on : 2020-10-27
Resolution : 1.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	898	5% 88% 8% ••
1	B	898	8% 88% 8% •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15404 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	867	Total	C	N	O	S	0	5	0
			6775	4317	1169	1249	40			
1	B	867	Total	C	N	O	S	0	2	0
			6740	4296	1163	1243	38			

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	22	MET	-	initiating methionine	UNP Q96HY7
A	23	HIS	-	expression tag	UNP Q96HY7
A	24	HIS	-	expression tag	UNP Q96HY7
A	25	HIS	-	expression tag	UNP Q96HY7
A	26	HIS	-	expression tag	UNP Q96HY7
A	27	HIS	-	expression tag	UNP Q96HY7
A	28	HIS	-	expression tag	UNP Q96HY7
A	29	SER	-	expression tag	UNP Q96HY7
A	30	SER	-	expression tag	UNP Q96HY7
A	31	GLY	-	expression tag	UNP Q96HY7
A	32	VAL	-	expression tag	UNP Q96HY7
A	33	ASP	-	expression tag	UNP Q96HY7
A	34	LEU	-	expression tag	UNP Q96HY7
A	35	GLY	-	expression tag	UNP Q96HY7
A	36	THR	-	expression tag	UNP Q96HY7
A	37	GLU	-	expression tag	UNP Q96HY7
A	38	ASN	-	expression tag	UNP Q96HY7
A	39	LEU	-	expression tag	UNP Q96HY7
A	40	TYR	-	expression tag	UNP Q96HY7
A	41	PHE	-	expression tag	UNP Q96HY7
A	42	GLN	-	expression tag	UNP Q96HY7
A	43	SER	-	expression tag	UNP Q96HY7
A	44	MET	-	expression tag	UNP Q96HY7
B	22	MET	-	initiating methionine	UNP Q96HY7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	23	HIS	-	expression tag	UNP Q96HY7
B	24	HIS	-	expression tag	UNP Q96HY7
B	25	HIS	-	expression tag	UNP Q96HY7
B	26	HIS	-	expression tag	UNP Q96HY7
B	27	HIS	-	expression tag	UNP Q96HY7
B	28	HIS	-	expression tag	UNP Q96HY7
B	29	SER	-	expression tag	UNP Q96HY7
B	30	SER	-	expression tag	UNP Q96HY7
B	31	GLY	-	expression tag	UNP Q96HY7
B	32	VAL	-	expression tag	UNP Q96HY7
B	33	ASP	-	expression tag	UNP Q96HY7
B	34	LEU	-	expression tag	UNP Q96HY7
B	35	GLY	-	expression tag	UNP Q96HY7
B	36	THR	-	expression tag	UNP Q96HY7
B	37	GLU	-	expression tag	UNP Q96HY7
B	38	ASN	-	expression tag	UNP Q96HY7
B	39	LEU	-	expression tag	UNP Q96HY7
B	40	TYR	-	expression tag	UNP Q96HY7
B	41	PHE	-	expression tag	UNP Q96HY7
B	42	GLN	-	expression tag	UNP Q96HY7
B	43	SER	-	expression tag	UNP Q96HY7
B	44	MET	-	expression tag	UNP Q96HY7

- Molecule 2 is 5-ethyl- {N}-[(1-methylpyrazol-4-yl)methyl]thiophene-2-carboxamide (CCD ID: B0Y) (formula: C₁₂H₁₅N₃OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			17	12	3	1	1		
2	B	1	Total	C	N	O	S	0	0
			17	12	3	1	1		

- Molecule 3 is THIAMINE DIPHOSPHATE (CCD ID: TPP) (formula: $C_{12}H_{19}N_4O_7P_2S$).




Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	798	Total	O	0	0
			798	798		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial



- Molecule 1: Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.14Å 147.44Å 87.56Å 90.00° 102.63° 90.00°	Depositor
Resolution (Å)	85.44 – 1.66 85.44 – 1.66	Depositor EDS
% Data completeness (in resolution range)	58.6 (85.44-1.66) 58.6 (85.44-1.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 1.66Å)	Xtriage
Refinement program	BUSTER 2.10.3 (20-MAY-2020)	Depositor
R, R_{free}	0.171 , 0.198 (Not available) , 0.195	Depositor DCC
R_{free} test set	6590 reflections (2.91%)	wwPDB-VP
Wilson B-factor (Å ²)	19.1	Xtriage
Anisotropy	0.099	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15404	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPP, B0Y, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	1/6959 (0.0%)	1.02	2/9439 (0.0%)
1	B	0.69	2/6914 (0.0%)	1.02	5/9385 (0.1%)
All	All	0.71	3/13873 (0.0%)	1.02	7/18824 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	560	MET	SD-CE	-7.54	1.60	1.79
1	B	768	MET	SD-CE	-5.39	1.66	1.79
1	B	102	THR	CA-C	5.05	1.59	1.53

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	519	ILE	N-CA-CB	7.02	120.80	111.25
1	B	316	ASP	CA-CB-CG	6.78	119.38	112.60
1	B	315	PRO	CA-C-N	6.32	129.72	120.82
1	B	315	PRO	C-N-CA	6.32	129.72	120.82
1	B	479	GLU	CB-CG-CD	5.67	122.24	112.60
1	B	665	PHE	N-CA-C	-5.26	101.19	109.50
1	A	665	PHE	N-CA-C	-5.24	101.22	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6775	0	6624	44	0
1	B	6740	0	6571	39	0
2	A	17	0	0	2	0
2	B	17	0	0	0	0
3	A	26	0	16	2	0
3	B	26	0	16	3	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
5	A	1002	0	0	2	1
5	B	798	0	0	3	1
All	All	15404	0	13227	79	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:GLU:HA	2:A:1001:BOY:C5	2.09	0.82
1:A:556:VAL:HG12	1:A:560:MET:HE2	1.60	0.82
1:A:853:TYR:HA	1:A:855:HIS:CE1	2.29	0.68
1:B:432:GLN:O	1:B:453:ARG:NH1	2.19	0.67
1:A:375:GLU:HA	2:A:1001:BOY:C4	2.30	0.61
1:A:494:ASN:HA	1:A:497[A]:HIS:CE1	2.37	0.60
1:B:545:LEU:HG	1:B:610:CYS:HB2	1.84	0.59
1:A:853:TYR:HB3	1:A:856:VAL:HG23	1.89	0.54
3:B:1002:TPP:HN42	3:B:1002:TPP:H2	1.74	0.52
1:A:389:LEU:HD12	1:A:390:VAL:HG13	1.90	0.52
1:A:557:GLN:HA	1:A:560:MET:HE3	1.92	0.51
1:A:494:ASN:ND2	1:A:497[B]:HIS:CD2	2.78	0.51
1:A:586:GLY:HA2	1:A:628:LYS:HG3	1.93	0.51
1:A:64:CYS:HG	1:A:126:TYR:HH	1.58	0.51
1:A:96:LEU:HD23	1:B:54:HIS:CE1	2.46	0.51
1:A:569:LEU:HD11	1:A:779:LEU:HD13	1.91	0.51
1:B:551:LEU:HD21	1:B:605:HIS:CE1	2.47	0.50
1:B:467:ILE:HD11	1:B:477:VAL:HG21	1.92	0.50
1:B:389:LEU:HD12	1:B:390:VAL:HG13	1.92	0.50
1:A:853:TYR:HB3	1:A:856:VAL:CG2	2.43	0.49
1:A:54:HIS:CE1	1:B:95:THR:HG22	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:843:LEU:HD13	1:A:882:GLN:HB3	1.95	0.49
1:B:194:GLY:O	1:B:429:CYS:HB2	2.12	0.49
1:B:768:MET:HE1	5:B:1117:HOH:O	2.12	0.49
1:A:129:GLN:HB2	1:A:404:GLU:HG3	1.95	0.48
1:B:129:GLN:HB2	1:B:404:GLU:HG3	1.95	0.48
3:B:1002:TPP:HN42	3:B:1002:TPP:C2	2.26	0.48
1:A:768:MET:HE1	5:A:1106:HOH:O	2.13	0.48
1:B:853:TYR:HB3	1:B:856:VAL:CG2	2.44	0.48
1:A:376:ARG:NH1	1:B:353:HIS:HD2	2.11	0.48
1:A:897:VAL:HG11	1:B:686:LYS:HG3	1.95	0.47
1:A:194:GLY:O	1:A:429:CYS:HB2	2.15	0.47
1:B:106:LEU:HD21	1:B:118:VAL:HG13	1.95	0.47
1:A:494:ASN:HA	1:A:497[A]:HIS:HE1	1.77	0.47
1:B:368:LEU:HD23	1:B:373:PRO:HA	1.97	0.47
1:A:148:LYS:NZ	5:A:1121:HOH:O	2.48	0.47
1:A:609:VAL:HG22	1:A:616:THR:HG22	1.97	0.47
1:B:609:VAL:HG22	1:B:616:THR:HG22	1.96	0.47
1:A:528:LEU:HD22	1:A:779:LEU:HG	1.97	0.46
1:A:594:GLN:OE1	3:B:1002:TPP:HG6'	2.15	0.46
1:B:843:LEU:HD13	1:B:882:GLN:HB3	1.97	0.46
1:A:686:LYS:HG3	1:B:897:VAL:HG11	1.98	0.46
3:A:1002:TPP:H2	5:B:1354:HOH:O	2.16	0.45
1:A:198:MET:HE2	1:A:202:PHE:HE2	1.81	0.45
1:B:824:GLY:O	1:B:827:LYS:HG2	2.17	0.45
1:A:531:LEU:HD22	1:A:577:LEU:HB3	1.99	0.45
1:A:495:MET:HB3	1:A:495:MET:HE3	1.71	0.45
1:B:106:LEU:HG	1:B:121:TYR:CE2	2.53	0.44
1:B:547:MET:SD	1:B:556:VAL:HG21	2.57	0.44
1:B:221:MET:HG3	1:B:330:VAL:HB	1.99	0.44
1:B:568:LYS:HA	1:B:776:VAL:HB	2.01	0.43
1:A:287:PRO:HB3	1:A:678:THR:HB	2.01	0.43
1:B:735:PHE:CE2	1:B:755:ARG:NH2	2.87	0.43
1:A:97:GLN:O	1:A:98:GLY:O	2.36	0.43
1:B:853:TYR:HB3	1:B:856:VAL:HG23	2.00	0.43
1:A:221:MET:HG3	1:A:330:VAL:HB	2.00	0.42
1:B:198:MET:HE2	1:B:202:PHE:HE2	1.84	0.42
1:A:545:LEU:HG	1:A:610:CYS:HB2	2.00	0.42
1:A:204:GLU:HG3	1:A:208:MET:HE2	2.01	0.42
1:A:568:LYS:HA	1:A:776:VAL:HB	2.00	0.42
1:B:892:ARG:HG3	1:B:913:ILE:HD11	2.02	0.42
1:B:450:LYS:HB3	1:B:450:LYS:HE2	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:368:LEU:HD23	1:A:373:PRO:HA	2.02	0.41
1:A:96:LEU:HD23	1:B:54:HIS:NE2	2.36	0.41
1:B:531:LEU:HD22	1:B:577:LEU:HB3	2.02	0.41
1:B:571:TRP:CE2	1:B:766:PRO:HG3	2.56	0.41
1:A:75:PRO:HB3	1:A:400:ASP:HB2	2.03	0.41
1:A:552:LEU:HA	1:A:556:VAL:HB	2.03	0.41
1:B:102:THR:HG23	1:B:106:LEU:HB3	2.02	0.41
1:B:551:LEU:HD21	1:B:605:HIS:NE2	2.36	0.41
1:A:733:ASN:HB3	1:B:896:PRO:HB3	2.02	0.41
1:B:102:THR:HG22	1:B:103:ALA:H	1.86	0.41
1:B:514:GLN:NE2	5:B:1135:HOH:O	2.53	0.41
1:B:552:LEU:HA	1:B:556:VAL:HB	2.03	0.41
1:A:892:ARG:HG3	1:A:913:ILE:HD11	2.02	0.40
1:A:156:GLU:O	1:A:407:ARG:NH1	2.44	0.40
1:A:571:TRP:CE2	1:A:766:PRO:HG3	2.56	0.40
3:A:1002:TPP:H6'	1:B:594:GLN:OE1	2.21	0.40
1:B:287:PRO:HB3	1:B:678:THR:HB	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1266:HOH:O	5:B:1623:HOH:O[1_655]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	870/898 (97%)	837 (96%)	29 (3%)	4 (0%)	24	10
1	B	865/898 (96%)	835 (96%)	25 (3%)	5 (1%)	21	8
All	All	1735/1796 (97%)	1672 (96%)	54 (3%)	9 (0%)	24	10

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	98	GLY
1	A	496	ALA
1	B	103	ALA
1	A	222	PRO
1	B	84	GLU
1	B	222	PRO
1	B	277	HIS
1	A	659	PRO
1	B	659	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	729/776 (94%)	718 (98%)	11 (2%)	57	37
1	B	723/776 (93%)	713 (99%)	10 (1%)	59	39
All	All	1452/1552 (94%)	1431 (99%)	21 (1%)	59	39

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	146	PHE
1	A	495	MET
1	A	497[A]	HIS
1	A	497[B]	HIS
1	A	519	ILE
1	A	553	LYS
1	A	628	LYS
1	A	638	LEU
1	A	800	LYS
1	A	811	LYS
1	A	849	GLU
1	B	106	LEU
1	B	146	PHE
1	B	309	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	347	THR
1	B	475	GLU
1	B	627	GLN
1	B	638	LEU
1	B	811	LYS
1	B	849	GLU
1	B	880	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	174	GLN
1	A	235	GLN
1	A	309	GLN
1	A	350	ASN
1	A	465	HIS
1	A	494	ASN
1	A	518	GLN
1	A	752	GLN
1	B	80	GLN
1	B	129	GLN
1	B	174	GLN
1	B	309	GLN
1	B	350	ASN
1	B	465	HIS
1	B	494	ASN
1	B	738	HIS
1	B	848	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TPP	B	1002	4	26,27,27	0.59	0	38,40,40	0.68	0
2	B0Y	A	1001	-	17,18,18	0.69	0	22,24,24	0.78	1 (4%)
2	B0Y	B	1001	-	17,18,18	0.70	0	22,24,24	0.86	2 (9%)
3	TPP	A	1002	4	26,27,27	0.45	0	38,40,40	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TPP	B	1002	4	-	1/17/17/17	0/2/2/2
2	B0Y	A	1001	-	-	2/11/11/11	0/2/2/2
2	B0Y	B	1001	-	-	5/11/11/11	0/2/2/2
3	TPP	A	1002	4	-	2/17/17/17	0/2/2/2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	B0Y	C3-S1-C6	-2.22	89.98	92.63
2	B	1001	B0Y	C6-C7-N1	-2.13	114.55	117.09
2	A	1001	B0Y	C3-S1-C6	-2.05	90.19	92.63

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	B0Y	C6-C7-N1-C8

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	B	1001	B0Y	C6-C7-N1-C8
3	A	1002	TPP	PA-O3A-PB-O2B
3	A	1002	TPP	PA-O3A-PB-O3B
2	B	1001	B0Y	O1-C7-N1-C8
2	A	1001	B0Y	O1-C7-N1-C8
2	B	1001	B0Y	N1-C8-C9-C11
3	B	1002	TPP	PA-O3A-PB-O3B
2	B	1001	B0Y	C1-C2-C3-C4
2	B	1001	B0Y	C1-C2-C3-S1


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1002	TPP	3	0
2	A	1001	B0Y	2	0
3	A	1002	TPP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	867/898 (96%)	0.07	49 (5%)	29 33	9, 21, 46, 67	5 (0%)
1	B	867/898 (96%)	0.35	73 (8%)	17 19	10, 27, 58, 76	2 (0%)
All	All	1734/1796 (96%)	0.21	122 (7%)	22 25	9, 24, 53, 76	7 (0%)

All (122) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	82	LEU	9.7
1	A	83	LEU	9.1
1	A	81	ALA	5.9
1	B	83	LEU	5.8
1	B	98	GLY	5.8
1	B	105	LEU	5.8
1	B	509	TRP	5.8
1	A	503	LEU	5.5
1	B	101	HIS	5.4
1	A	80	GLN	5.3
1	A	855	HIS	5.1
1	A	505	LEU	5.0
1	A	77	PHE	4.9
1	A	276	HIS	4.8
1	B	211	TYR	4.7
1	A	98	GLY	4.7
1	A	519	ILE	4.6
1	A	78	THR	4.6
1	B	81	ALA	4.6
1	B	103	ALA	4.6
1	B	498	TYR	4.5
1	B	512	LEU	4.3
1	B	273	PHE	4.2
1	B	276	HIS	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	102	THR	4.2
1	A	79	GLY	4.2
1	B	106	LEU	4.1
1	B	104	GLY	4.1
1	B	501	PRO	4.1
1	B	85	ASN	4.0
1	B	100	PHE	3.9
1	A	103	ALA	3.9
1	B	99	PRO	3.7
1	B	275	ALA	3.6
1	B	82	LEU	3.6
1	A	495	MET	3.6
1	B	508	HIS	3.6
1	B	495	MET	3.6
1	B	477	VAL	3.6
1	A	854	LYS	3.5
1	B	473	THR	3.5
1	A	502	ALA	3.5
1	B	496	ALA	3.4
1	A	104	GLY	3.4
1	B	500	PRO	3.4
1	B	471	LEU	3.3
1	B	77	PHE	3.3
1	A	504	ASN	3.3
1	A	275	ALA	3.2
1	B	107	ASN	3.2
1	B	510	GLN	3.2
1	A	277	HIS	3.2
1	A	497[A]	HIS	3.2
1	A	211	TYR	3.1
1	B	78	THR	3.0
1	B	255	PHE	3.0
1	B	115	LEU	3.0
1	B	467	ILE	3.0
1	B	274	GLY	3.0
1	B	552	LEU	2.9
1	B	96	LEU	2.9
1	B	466	LEU	2.9
1	A	105	LEU	2.8
1	B	472	MET	2.8
1	B	109	GLY	2.8
1	B	317	ASN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	64	CYS	2.8
1	B	368	LEU	2.8
1	A	102	THR	2.8
1	A	274	GLY	2.8
1	B	49	ARG	2.7
1	A	501	PRO	2.7
1	A	97	GLN	2.7
1	B	513	ALA	2.7
1	B	79	GLY	2.6
1	B	470	GLY	2.6
1	B	97	GLN	2.6
1	A	84	GLU	2.6
1	A	115	LEU	2.6
1	A	508	HIS	2.5
1	A	106	LEU	2.5
1	A	109	GLY	2.5
1	B	95	THR	2.5
1	B	824	GLY	2.5
1	B	157	THR	2.5
1	A	512	LEU	2.4
1	B	625	PRO	2.4
1	B	475	GLU	2.4
1	B	511	GLY	2.3
1	A	101	HIS	2.3
1	B	94	GLN	2.3
1	B	52	VAL	2.3
1	A	95	THR	2.3
1	A	85	ASN	2.3
1	A	107	ASN	2.3
1	B	212	SER	2.3
1	A	118	VAL	2.3
1	A	507	ALA	2.2
1	B	507	ALA	2.2
1	B	825	ALA	2.2
1	B	158	PHE	2.2
1	B	50	PRO	2.2
1	A	494	ASN	2.2
1	B	51	PRO	2.2
1	A	94	GLN	2.2
1	B	499	ARG	2.2
1	B	485	TYR	2.2
1	B	797	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	160	THR	2.1
1	A	110	LYS	2.1
1	A	509	TRP	2.1
1	B	84	GLU	2.1
1	B	80	GLN	2.1
1	A	496	ALA	2.1
1	A	154	GLN	2.1
1	B	111	GLU	2.0
1	A	851	SER	2.0
1	A	76	LEU	2.0
1	B	166	LEU	2.0
1	B	497	HIS	2.0
1	B	110	LYS	2.0
1	B	118	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	B0Y	A	1001	17/17	0.69	0.30	36,40,43,43	17
2	B0Y	B	1001	17/17	0.70	0.29	36,38,40,40	17
3	TPP	A	1002	26/26	0.98	0.05	12,13,14,15	0
3	TPP	B	1002	26/26	0.98	0.06	16,17,19,20	0
4	MG	A	1003	1/1	0.98	0.03	16,16,16,16	0
4	MG	B	1003	1/1	0.98	0.02	20,20,20,20	0
4	MG	A	1004	1/1	0.99	0.02	12,12,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around B0Y A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around B0Y B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TPP A 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.