



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 03:30 PM UTC

PDB ID : 5RVY / pdb_00005rvy
Title : PanDDA analysis group deposition – Crystal Structure of DHTKD1 in complex with Z437516460
Authors : Bezerra, G.A.; Foster, W.R.; Bailey, H.J.; Shrestha, L.; Krojer, T.; Brandao-Neto, J.; Douangamath, A.; Burgess-Brown, N.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Yue, W.W.
Deposited on : 2020-10-27
Resolution : 1.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	898	5% 89% 7% ••
1	B	898	7% 89% 7% •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15391 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	867	Total	C	N	O	S	0	5	0
			6775	4317	1169	1249	40			
1	B	867	Total	C	N	O	S	0	2	0
			6740	4296	1163	1243	38			

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	22	MET	-	initiating methionine	UNP Q96HY7
A	23	HIS	-	expression tag	UNP Q96HY7
A	24	HIS	-	expression tag	UNP Q96HY7
A	25	HIS	-	expression tag	UNP Q96HY7
A	26	HIS	-	expression tag	UNP Q96HY7
A	27	HIS	-	expression tag	UNP Q96HY7
A	28	HIS	-	expression tag	UNP Q96HY7
A	29	SER	-	expression tag	UNP Q96HY7
A	30	SER	-	expression tag	UNP Q96HY7
A	31	GLY	-	expression tag	UNP Q96HY7
A	32	VAL	-	expression tag	UNP Q96HY7
A	33	ASP	-	expression tag	UNP Q96HY7
A	34	LEU	-	expression tag	UNP Q96HY7
A	35	GLY	-	expression tag	UNP Q96HY7
A	36	THR	-	expression tag	UNP Q96HY7
A	37	GLU	-	expression tag	UNP Q96HY7
A	38	ASN	-	expression tag	UNP Q96HY7
A	39	LEU	-	expression tag	UNP Q96HY7
A	40	TYR	-	expression tag	UNP Q96HY7
A	41	PHE	-	expression tag	UNP Q96HY7
A	42	GLN	-	expression tag	UNP Q96HY7
A	43	SER	-	expression tag	UNP Q96HY7
A	44	MET	-	expression tag	UNP Q96HY7
B	22	MET	-	initiating methionine	UNP Q96HY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	23	HIS	-	expression tag	UNP Q96HY7
B	24	HIS	-	expression tag	UNP Q96HY7
B	25	HIS	-	expression tag	UNP Q96HY7
B	26	HIS	-	expression tag	UNP Q96HY7
B	27	HIS	-	expression tag	UNP Q96HY7
B	28	HIS	-	expression tag	UNP Q96HY7
B	29	SER	-	expression tag	UNP Q96HY7
B	30	SER	-	expression tag	UNP Q96HY7
B	31	GLY	-	expression tag	UNP Q96HY7
B	32	VAL	-	expression tag	UNP Q96HY7
B	33	ASP	-	expression tag	UNP Q96HY7
B	34	LEU	-	expression tag	UNP Q96HY7
B	35	GLY	-	expression tag	UNP Q96HY7
B	36	THR	-	expression tag	UNP Q96HY7
B	37	GLU	-	expression tag	UNP Q96HY7
B	38	ASN	-	expression tag	UNP Q96HY7
B	39	LEU	-	expression tag	UNP Q96HY7
B	40	TYR	-	expression tag	UNP Q96HY7
B	41	PHE	-	expression tag	UNP Q96HY7
B	42	GLN	-	expression tag	UNP Q96HY7
B	43	SER	-	expression tag	UNP Q96HY7
B	44	MET	-	expression tag	UNP Q96HY7

- Molecule 2 is THIAMINE DIPHOSPHATE (CCD ID: TPP) (formula: $C_{12}H_{19}N_4O_7P_2S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	
			26	12	4	7	2	1	0
2	B	1	Total	C	N	O	P	S	
			26	12	4	7	2	1	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is N-[(6-methylpyridin-3-yl)methyl]cyclobutanecarboxamide (CCD ID: NWY) (formula: C₁₂H₁₆N₂O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O		
			15	12	2	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1005	Total	O	0	0
			1005	1005		
5	B	801	Total	O	0	0
			801	801		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial



- Molecule 1: Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.11Å 147.37Å 87.43Å 90.00° 102.61° 90.00°	Depositor
Resolution (Å)	85.32 – 1.61 85.32 – 1.61	Depositor EDS
% Data completeness (in resolution range)	58.3 (85.32-1.61) 58.3 (85.32-1.61)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.61Å)	Xtriage
Refinement program	BUSTER 2.10.3 (20-MAY-2020)	Depositor
R, R_{free}	0.164 , 0.188 0.173 , 0.199	Depositor DCC
R_{free} test set	7171 reflections (2.88%)	wwPDB-VP
Wilson B-factor (Å ²)	15.9	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 42.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15391	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPP, MG, NWY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	1/6959 (0.0%)	1.01	3/9439 (0.0%)
1	B	0.69	2/6914 (0.0%)	1.01	6/9385 (0.1%)
All	All	0.70	3/13873 (0.0%)	1.01	9/18824 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	560	MET	SD-CE	-7.73	1.60	1.79
1	B	102	THR	CA-C	6.94	1.59	1.53
1	B	768	MET	SD-CE	-5.27	1.66	1.79

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	519	ILE	N-CA-CB	5.96	122.24	111.21
1	B	554	THR	CA-C-N	5.94	128.56	120.54
1	B	554	THR	C-N-CA	5.94	128.56	120.54
1	B	764	ALA	N-CA-C	-5.40	98.95	108.23
1	A	585	GLN	CB-CG-CD	5.36	121.72	112.60
1	B	316	ASP	CA-CB-CG	5.20	117.80	112.60
1	A	494	ASN	CA-CB-CG	5.12	117.72	112.60
1	B	585	GLN	CB-CG-CD	-5.06	104.00	112.60
1	B	665	PHE	N-CA-C	-5.01	101.59	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6775	0	6624	42	0
1	B	6740	0	6571	30	0
2	A	26	0	16	2	0
2	B	26	0	16	1	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	B	15	0	0	0	0
5	A	1005	0	0	1	0
5	B	801	0	0	2	0
All	All	15391	0	13227	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:556:VAL:HG12	1:A:560:MET:HE2	1.36	1.06
1:B:432:GLN:O	1:B:453:ARG:NH1	2.12	0.83
1:A:556:VAL:HG12	1:A:560:MET:CE	2.16	0.71
1:A:494:ASN:HA	1:A:497[A]:HIS:CE1	2.26	0.69
1:A:54:HIS:CE1	1:B:95:THR:HG22	2.30	0.66
1:A:768:MET:HE1	5:A:1113:HOH:O	2.01	0.60
1:A:556:VAL:CG1	1:A:560:MET:HE2	2.20	0.59
1:A:494:ASN:HA	1:A:497[A]:HIS:HE1	1.65	0.59
1:A:270:ASP:OD1	1:A:280[B]:HIS:ND1	2.27	0.59
1:A:843:LEU:HD13	1:A:882:GLN:HB3	1.85	0.59
1:B:545:LEU:HG	1:B:610:CYS:HB2	1.84	0.58
1:A:557:GLN:HA	1:A:560:MET:HE3	1.85	0.58
1:A:54:HIS:HE1	1:B:95:THR:HG22	1.68	0.57
1:A:90:GLN:O	1:A:94:GLN:HG2	2.05	0.56
1:A:805:LEU:HG	1:A:856:VAL:HG11	1.88	0.56
1:A:586:GLY:HA2	1:A:628:LYS:HG3	1.88	0.55
1:B:843:LEU:HD13	1:B:882:GLN:HB3	1.89	0.54
1:A:389:LEU:HD12	1:A:390:VAL:HG13	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:LEU:HG	1:A:610:CYS:HB2	1.89	0.53
1:A:494:ASN:ND2	1:A:497[B]:HIS:CD2	2.77	0.53
1:B:824:GLY:O	1:B:827:LYS:HG2	2.10	0.52
1:B:389:LEU:HD12	1:B:390:VAL:HG13	1.91	0.52
1:A:569:LEU:HD11	1:A:779:LEU:HD13	1.92	0.51
1:A:853:TYR:HB3	1:A:856:VAL:CG2	2.42	0.49
1:A:129:GLN:HB2	1:A:404:GLU:HG3	1.95	0.48
1:B:547:MET:SD	1:B:556:VAL:HG21	2.53	0.48
1:B:129:GLN:HB2	1:B:404:GLU:HG3	1.97	0.46
1:B:56:LEU:HD23	1:B:105:LEU:HD12	1.98	0.46
2:A:1001:TPP:H6'	1:B:594:GLN:OE1	2.17	0.45
1:A:495:MET:HB3	1:A:495:MET:HE3	1.63	0.45
1:A:531:LEU:HD22	1:A:577:LEU:HB3	1.99	0.45
1:A:346:PHE:CE1	1:A:392[B]:CYS:SG	3.10	0.45
1:B:768:MET:HE3	1:B:772:LEU:HD22	2.00	0.44
1:A:562:LYS:HB3	1:A:569:LEU:HD23	2.00	0.44
1:B:450:LYS:HE2	1:B:450:LYS:HB3	1.80	0.44
1:A:594:GLN:OE1	2:B:1002:TPP:H6'	2.17	0.43
1:B:194:GLY:O	1:B:429:CYS:HB2	2.18	0.43
1:A:552:LEU:HA	1:A:556:VAL:HB	2.01	0.43
1:A:194:GLY:O	1:A:429:CYS:HB2	2.19	0.43
1:A:897:VAL:HG11	1:B:686:LYS:HG3	1.99	0.43
1:B:342:VAL:HB	1:B:343:PRO:HD3	2.01	0.42
1:A:492:LEU:HD12	1:A:495:MET:HE2	2.01	0.42
1:A:853:TYR:HB3	1:A:856:VAL:HG23	2.00	0.42
1:B:892:ARG:HG3	1:B:913:ILE:HD11	2.01	0.42
1:B:916:LYS:HB2	1:B:916:LYS:HE3	1.85	0.42
1:B:164:LYS:HE3	1:B:472:MET:HG2	2.01	0.42
1:B:295:PRO:HG3	1:B:341:ILE:HD11	2.02	0.42
1:A:853:TYR:HA	1:A:855:HIS:CE1	2.55	0.42
2:A:1001:TPP:H2	5:B:1340:HOH:O	2.19	0.41
1:B:509:TRP:CE3	1:B:512:LEU:HD12	2.55	0.41
1:B:571:TRP:CE2	1:B:766:PRO:HG3	2.55	0.41
1:A:96:LEU:HD23	1:B:54:HIS:CE1	2.56	0.41
1:A:342:VAL:HB	1:A:343:PRO:CD	2.51	0.41
1:B:853:TYR:HB3	1:B:856:VAL:HG23	2.02	0.41
1:A:686:LYS:HG3	1:B:897:VAL:HG11	2.01	0.41
1:A:628:LYS:H	1:A:628:LYS:HG2	1.68	0.41
1:B:311:GLY:HA3	1:B:321:PRO:HA	2.02	0.41
1:A:305:GLN:HG2	1:A:325:VAL:HB	2.02	0.41
1:B:768:MET:HE1	5:B:1153:HOH:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:PRO:HB3	1:A:678:THR:HB	2.03	0.40
1:A:295:PRO:HG3	1:A:341:ILE:HD11	2.03	0.40
1:A:509:TRP:CE3	1:A:512:LEU:HD12	2.55	0.40
1:A:547:MET:SD	1:A:556:VAL:HG21	2.61	0.40
1:A:768:MET:HE3	1:A:772:LEU:HD22	2.03	0.40
1:B:342:VAL:HB	1:B:343:PRO:CD	2.52	0.40
1:B:735:PHE:CE2	1:B:755:ARG:NH2	2.90	0.40
1:A:342:VAL:HB	1:A:343:PRO:HD3	2.03	0.40
1:B:531:LEU:HD22	1:B:577:LEU:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	870/898 (97%)	839 (96%)	26 (3%)	5 (1%)	21	7
1	B	865/898 (96%)	833 (96%)	29 (3%)	3 (0%)	36	20
All	All	1735/1796 (97%)	1672 (96%)	55 (3%)	8 (0%)	24	10

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	103	ALA
1	A	222	PRO
1	A	496	ALA
1	B	222	PRO
1	A	275	ALA
1	A	110	LYS
1	A	659	PRO
1	B	659	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	729/776 (94%)	717 (98%)	12 (2%)	55	33
1	B	723/776 (93%)	712 (98%)	11 (2%)	57	35
All	All	1452/1552 (94%)	1429 (98%)	23 (2%)	57	33

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	THR
1	A	123	ASN
1	A	146	PHE
1	A	495	MET
1	A	497[A]	HIS
1	A	497[B]	HIS
1	A	519	ILE
1	A	628	LYS
1	A	638	LEU
1	A	664	GLN
1	A	800	LYS
1	A	811	LYS
1	B	62	VAL
1	B	106	LEU
1	B	124	GLN
1	B	146	PHE
1	B	269	VAL
1	B	309	GLN
1	B	317	ASN
1	B	638	LEU
1	B	664	GLN
1	B	811	LYS
1	B	911	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	GLN
1	A	140	GLN
1	A	235	GLN
1	A	350	ASN
1	A	489	ASN
1	A	494	ASN
1	A	514	GLN
1	A	626	ASN
1	B	80	GLN
1	B	174	GLN
1	B	280	HIS
1	B	309	GLN
1	B	317	ASN
1	B	465	HIS
1	B	489	ASN
1	B	494	ASN
1	B	848	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPP	A	1001	3	26,27,27	0.42	0	38,40,40	0.69	0
4	NWY	B	1001	-	16,16,16	0.22	0	19,21,21	0.86	2 (10%)
2	TPP	B	1002	3	26,27,27	0.53	0	38,40,40	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPP	A	1001	3	-	2/17/17/17	0/2/2/2
4	NWY	B	1001	-	-	0/9/15/15	0/2/2/2
2	TPP	B	1002	3	-	1/17/17/17	0/2/2/2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1001	NWY	C9-C10-C7	-2.13	86.65	88.48
4	B	1001	NWY	C9-C8-C7	-2.01	86.76	88.48

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	TPP	PA-O3A-PB-O2B
2	A	1001	TPP	PA-O3A-PB-O3B
2	B	1002	TPP	PA-O3A-PB-O3B


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	TPP	2	0
2	B	1002	TPP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	867/898 (96%)	-0.08	47 (5%)	31 32	7, 17, 41, 55	5 (0%)
1	B	867/898 (96%)	0.13	61 (7%)	22 23	8, 21, 49, 71	2 (0%)
All	All	1734/1796 (96%)	0.02	108 (6%)	26 27	7, 19, 46, 71	7 (0%)

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	505	LEU	7.1
1	A	83	LEU	6.9
1	A	98	GLY	6.2
1	A	82	LEU	6.0
1	B	101	HIS	5.8
1	B	98	GLY	5.8
1	A	503	LEU	5.4
1	B	106	LEU	5.3
1	B	276	HIS	5.2
1	A	504	ASN	5.2
1	A	81	ALA	5.1
1	B	105	LEU	5.0
1	B	102	THR	4.8
1	A	97	GLN	4.6
1	B	103	ALA	4.6
1	A	276	HIS	4.6
1	B	104	GLY	4.2
1	A	519	ILE	4.2
1	B	275	ALA	4.1
1	B	99	PRO	4.1
1	A	502	ALA	4.1
1	B	509	TRP	4.1
1	B	100	PHE	4.0
1	A	78	THR	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	508	HIS	3.7
1	B	96	LEU	3.7
1	B	498	TYR	3.7
1	B	83	LEU	3.6
1	A	80	GLN	3.5
1	B	107	ASN	3.5
1	A	275	ALA	3.5
1	A	495	MET	3.5
1	B	95	THR	3.4
1	A	211	TYR	3.4
1	A	855	HIS	3.3
1	B	211	TYR	3.3
1	B	94	GLN	3.2
1	B	52	VAL	3.2
1	A	277	HIS	3.1
1	B	510	GLN	3.1
1	A	107	ASN	3.1
1	B	511	GLY	3.1
1	A	96	LEU	3.0
1	A	77	PHE	3.0
1	B	471	LEU	3.0
1	A	497[A]	HIS	2.9
1	A	102	THR	2.9
1	A	501	PRO	2.9
1	B	368	LEU	2.9
1	B	50	PRO	2.9
1	A	494	ASN	2.9
1	B	49	ARG	2.8
1	B	97	GLN	2.8
1	B	473	THR	2.8
1	A	274	GLY	2.8
1	A	254	ASN	2.8
1	B	496	ALA	2.7
1	B	85	ASN	2.7
1	B	507	ALA	2.7
1	A	508	HIS	2.7
1	B	255	PHE	2.7
1	A	64	CYS	2.7
1	B	93	VAL	2.7
1	B	316	ASP	2.7
1	B	501	PRO	2.6
1	B	317	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	81	ALA	2.6
1	A	103	ALA	2.6
1	B	273	PHE	2.6
1	B	254	ASN	2.6
1	B	122	LEU	2.5
1	A	104	GLY	2.5
1	B	109	GLY	2.5
1	A	854	LYS	2.5
1	B	470	GLY	2.4
1	B	512	LEU	2.4
1	B	824	GLY	2.4
1	A	84	GLU	2.4
1	A	110	LYS	2.4
1	A	856	VAL	2.3
1	B	114	SER	2.3
1	B	84	GLU	2.3
1	B	111	GLU	2.3
1	A	79	GLY	2.3
1	B	274	GLY	2.3
1	A	278	PRO	2.3
1	B	108	MET	2.3
1	B	552	LEU	2.3
1	B	856	VAL	2.3
1	A	101	HIS	2.2
1	A	517	ALA	2.2
1	B	110	LYS	2.2
1	A	255	PHE	2.2
1	A	496	ALA	2.2
1	A	85	ASN	2.2
1	B	56	LEU	2.1
1	B	466	LEU	2.1
1	A	626	ASN	2.1
1	B	626	ASN	2.1
1	B	77	PHE	2.1
1	A	507	ALA	2.1
1	A	95	THR	2.1
1	B	82	LEU	2.1
1	B	472	MET	2.0
1	B	120	VAL	2.0
1	A	99	PRO	2.0
1	A	109	GLY	2.0
1	B	86	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NWY	B	1001	15/15	0.79	0.24	44,45,47,47	15
3	MG	B	1003	1/1	0.98	0.03	11,11,11,11	0
2	TPP	B	1002	26/26	0.98	0.05	9,11,13,14	0
3	MG	A	1003	1/1	0.99	0.01	10,10,10,10	0
2	TPP	A	1001	26/26	0.99	0.04	8,9,11,11	0
3	MG	A	1002	1/1	0.99	0.03	9,9,9,9	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around NWY B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TPP B 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.