



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 04:17 AM UTC

PDB ID : 6RX5 / pdb_00006rx5
Title : Trypanosoma brucei PTR1 (TbPTR1) in complex with inhibitor 1 (NMT-C0003)
Authors : Landi, G.; Pozzi, C.; Mangani, S.
Deposited on : 2019-06-07
Resolution : 1.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4041 (1.44-1.40)
Clashscore	190562	4154 (1.44-1.40)
Ramachandran outliers	187476	4083 (1.44-1.40)
Sidechain outliers	187428	4082 (1.44-1.40)
RSRZ outliers	180081	4039 (1.44-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	3% 83% 7% 10%
1	B	288	81% 5% 14%
1	C	288	% 76% 5% 19%
1	D	288	81% 6% 14%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8663 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	18	0
			1951	1228	342	368	13			
1	B	247	Total	C	N	O	S	0	11	0
			1891	1195	328	356	12			
1	C	233	Total	C	N	O	S	0	9	0
			1740	1100	298	331	11			
1	D	248	Total	C	N	O	S	0	10	0
			1862	1184	321	345	12			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	B	1	Total 48	C 21	N 7	O 17	P 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	1
			48	21	7	17		
2	D	1	Total	C	N	O	0	0
			48	21	7	17		

- Molecule 3 is METHYL 1-(4-{[(2,4-DIAMINOPTERIDIN-6-YL)METHYL](METHYL)AMINO}BENZOYL)PIPERIDINE-4-CARBOXYLATE (CCD ID: FE1) (formula: $C_{22}H_{26}N_8O_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	22	8	3		
3	B	1	Total	C	N	O	0	0
			33	22	8	3		
3	D	1	Total	C	N	O	0	0
			33	22	8	3		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	227	Total 230	O 230	0	7
6	B	270	Total 278	O 278	0	12
6	C	192	Total 193	O 193	0	6
6	D	215	Total 217	O 217	0	3


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pteridine reductase




- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase



CYS	THR	SER	SER	N153	V164	H179	V206	G254	L263	S264	L265	L268
-----	-----	-----	-----	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.86Å 90.70Å 82.95Å 90.00° 115.73° 90.00°	Depositor
Resolution (Å)	57.67 – 1.42 57.67 – 1.42	Depositor EDS
% Data completeness (in resolution range)	99.7 (57.67-1.42) 99.7 (57.67-1.42)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 1.42Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.138 , 0.175 0.138 , 0.175	Depositor DCC
R_{free} test set	9189 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	8.9	Xtriage
Anisotropy	0.535	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8663	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.07 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.1150e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, FE1, ACT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	0/1989	0.89	0/2704
1	B	0.91	0/1948	0.91	0/2643
1	C	0.89	0/1792	0.86	0/2437
1	D	0.91	0/1919	0.87	0/2608
All	All	0.90	0/7648	0.88	0/10392

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1951	0	1963	15	0
1	B	1891	0	1932	9	0
1	C	1740	0	1748	10	0
1	D	1862	0	1906	11	0
2	A	48	0	25	1	0
2	B	48	0	25	2	0
2	C	48	0	25	2	0
2	D	48	0	25	2	0
3	A	33	0	26	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	33	0	26	2	0
3	D	33	0	26	5	0
4	A	6	0	8	0	0
5	A	4	0	3	0	0
6	A	230	0	0	0	0
6	B	278	0	0	0	0
6	C	193	0	0	2	0
6	D	217	0	0	1	0
All	All	8663	0	7738	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:302:FE1:HAW1	3:D:302:FE1:HAL	1.46	0.95
3:D:302:FE1:HAW1	3:D:302:FE1:CAL	2.04	0.83
3:D:302:FE1:HAL	3:D:302:FE1:CAW	2.15	0.76
1:D:99:PRO:HD3	3:D:302:FE1:HBC	1.71	0.73
1:B:51:GLU:OE1	1:B:52[B]:ARG:HG3	1.93	0.69
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.34	0.62
1:D:141:ARG:HG2	6:D:565:HOH:O	2.00	0.62
1:A:68[B]:VAL:HG12	1:A:68[B]:VAL:O	2.00	0.61
1:B:164:VAL:HG22	1:B:179:HIS:CD2	2.36	0.60
1:D:206:VAL:HG23	1:D:263:LEU:HD22	1.82	0.60
3:D:302:FE1:CAL	3:D:302:FE1:CAW	2.78	0.58
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.39	0.57
1:C:164:VAL:HG22	1:C:179:HIS:CD2	2.44	0.53
1:B:206:VAL:HG23	1:B:263:LEU:HD22	1.90	0.52
1:C:205:GLY:O	2:C:301[A]:NAP:H4N	2.10	0.51
1:D:65:ASN:HA	1:D:69:LEU:HD22	1.92	0.51
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.92	0.51
1:A:136[B]:MET:HG3	1:C:102:LEU:O	2.11	0.51
1:A:206:VAL:HG23	1:A:263:LEU:HD22	1.92	0.50
3:A:302:FE1:CBA	3:A:302:FE1:HAL	2.41	0.50
1:C:163:MET:HE1	6:C:493:HOH:O	2.13	0.49
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.95	0.48
1:B:15:ILE:HB	2:B:301:NAP:H51N	1.96	0.47
1:C:9:THR:HA	1:C:33:HIS:HB3	1.96	0.47
1:A:265:LEU:HD11	1:B:254:GLY:HA3	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:265:LEU:HD11	1:D:254:GLY:HA3	1.97	0.47
1:C:141:ARG:HG2	6:C:535:HOH:O	2.15	0.46
1:A:116[A]:VAL:HA	1:A:119:GLN:HE21	1.81	0.46
1:A:9:THR:HA	1:A:33:HIS:HB3	1.97	0.45
1:B:35:HIS:HB2	2:B:301:NAP:C2A	2.46	0.45
1:C:65:ASN:HA	1:C:69:LEU:HD22	1.99	0.45
1:C:15:ILE:HB	2:C:301[A]:NAP:H51N	1.99	0.44
1:C:190[B]:LEU:HD11	1:D:265:LEU:O	2.18	0.44
1:A:148[A]:ASN:O	1:A:148[A]:ASN:OD1	2.36	0.43
1:A:15:ILE:HB	2:A:301:NAP:H51N	1.99	0.43
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.54	0.43
1:B:65:ASN:HA	1:B:69:LEU:HD22	2.00	0.43
3:B:302:FE1:H92	3:B:302:FE1:HAK	1.81	0.43
1:D:130:ALA:HB3	1:D:131:PRO:HD3	2.00	0.43
1:B:99:PRO:HD3	3:B:302:FE1:HBB1	2.01	0.42
1:A:33:HIS:HA	1:A:59:CYS:O	2.20	0.42
1:D:9:THR:HA	1:D:33:HIS:HB3	2.01	0.42
3:A:302:FE1:HAL	3:A:302:FE1:HBA2	2.03	0.41
1:A:148[A]:ASN:OD1	1:A:148[A]:ASN:C	2.62	0.41
1:D:15:ILE:HB	2:D:301:NAP:H51N	2.02	0.41
1:A:148[A]:ASN:O	1:A:148[A]:ASN:CG	2.62	0.41
1:D:35:HIS:HB2	2:D:301:NAP:C2A	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/288 (91%)	252 (96%)	11 (4%)	0	100	100
1	B	252/288 (88%)	244 (97%)	8 (3%)	0	100	100
1	C	234/288 (81%)	227 (97%)	7 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	252/288 (88%)	243 (96%)	9 (4%)	0	100	100
All	All	1001/1152 (87%)	966 (96%)	35 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/231 (90%)	207 (100%)	0	100	100
1	B	204/231 (88%)	202 (99%)	2 (1%)	68	39
1	C	185/231 (80%)	184 (100%)	1 (0%)	81	62
1	D	198/231 (86%)	198 (100%)	0	100	100
All	All	794/924 (86%)	791 (100%)	3 (0%)	86	67

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	67[A]	ASN
1	B	67[B]	ASN
1	C	166	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN
1	A	92	ASN
1	A	119	GLN
1	A	175	ASN
1	A	179	HIS
1	B	36	ASN
1	B	54	ASN
1	B	65	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	92	ASN
1	B	119	GLN
1	B	250	GLN
1	C	54	ASN
1	C	92	ASN
1	C	175	ASN
1	C	179	HIS
1	D	92	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	B	301	-	50,52,52	1.35	7 (14%)	71,80,80	1.73	17 (23%)
2	NAP	C	301[A]	-	50,52,52	1.21	6 (12%)	71,80,80	1.47	14 (19%)
3	FE1	B	302	-	36,36,36	1.81	7 (19%)	49,51,51	2.56	23 (46%)
2	NAP	A	301	-	50,52,52	1.33	5 (10%)	71,80,80	1.51	13 (18%)
3	FE1	D	302	-	36,36,36	1.71	7 (19%)	49,51,51	2.24	14 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FE1	A	302	-	36,36,36	1.66	7 (19%)	49,51,51	2.20	15 (30%)
4	GOL	A	303	-	5,5,5	0.28	0	5,5,5	0.85	0
5	ACT	A	304	-	3,3,3	0.94	0	3,3,3	0.68	0
2	NAP	D	301	-	50,52,52	1.30	5 (10%)	71,80,80	1.66	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	B	301	-	-	0/35/67/67	0/5/5/5
2	NAP	C	301[A]	-	-	3/35/67/67	0/5/5/5
3	FE1	B	302	-	-	2/22/32/32	0/4/4/4
2	NAP	A	301	-	-	0/35/67/67	0/5/5/5
3	FE1	D	302	-	-	1/22/32/32	1/4/4/4
3	FE1	A	302	-	-	1/22/32/32	1/4/4/4
4	GOL	A	303	-	-	0/4/4/4	-
2	NAP	D	301	-	-	0/35/67/67	0/5/5/5

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	FE1	C9-C6	-5.41	1.42	1.51
3	B	302	FE1	C7-N8	5.03	1.40	1.31
2	C	301[A]	NAP	C5A-C4A	4.90	1.47	1.39
3	D	302	FE1	C7-N8	4.84	1.39	1.31
3	D	302	FE1	C9-C6	-4.76	1.43	1.51
3	B	302	FE1	C9-C6	-4.57	1.43	1.51
2	A	301	NAP	PA-O3	4.41	1.64	1.59
3	A	302	FE1	C7-N8	4.08	1.38	1.31
2	B	301	NAP	C2N-N1N	4.07	1.39	1.35
2	A	301	NAP	C5A-C4A	4.07	1.46	1.39
2	D	301	NAP	C5A-C4A	3.88	1.46	1.39
3	B	302	FE1	C6-N5	3.57	1.38	1.32
2	D	301	NAP	PA-O3	3.55	1.63	1.59
3	B	302	FE1	CAT-CAU	-3.52	1.44	1.50
2	B	301	NAP	C5A-C4A	3.48	1.45	1.39
3	D	302	FE1	CAT-CAU	-3.26	1.44	1.50
2	D	301	NAP	P2B-O2B	3.12	1.65	1.59
2	B	301	NAP	C4A-N9A	-3.00	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NAP	C5A-C6A	2.88	1.49	1.41
2	A	301	NAP	C5N-C4N	2.86	1.43	1.38
3	B	302	FE1	CAS-CAT	2.85	1.43	1.39
3	D	302	FE1	C6-N5	2.78	1.37	1.32
2	D	301	NAP	C5A-C6A	2.76	1.48	1.41
3	A	302	FE1	CAT-CAU	-2.75	1.45	1.50
2	C	301[A]	NAP	C5A-C6A	2.72	1.48	1.41
2	B	301	NAP	C5A-C6A	2.69	1.48	1.41
3	B	302	FE1	CAR-CAS	2.65	1.43	1.38
2	C	301[A]	NAP	C4A-N9A	-2.64	1.32	1.37
2	B	301	NAP	C8A-N7A	2.59	1.36	1.31
3	A	302	FE1	CAR-CAJ	2.58	1.44	1.39
3	A	302	FE1	C6-N5	2.56	1.36	1.32
3	A	302	FE1	CAS-CAT	2.45	1.43	1.39
2	A	301	NAP	C8A-N7A	2.43	1.36	1.31
2	B	301	NAP	PN-O3	2.42	1.62	1.59
3	D	302	FE1	CAS-CAT	2.42	1.43	1.39
3	A	302	FE1	CAR-CAS	2.34	1.42	1.38
2	C	301[A]	NAP	C8A-N7A	2.32	1.36	1.31
2	C	301[A]	NAP	PN-O3	2.25	1.61	1.59
3	D	302	FE1	CAB-N10	2.20	1.49	1.46
2	D	301	NAP	O4D-C1D	2.20	1.43	1.40
2	C	301[A]	NAP	PA-O3	2.20	1.61	1.59
3	B	302	FE1	CAB-N10	2.05	1.49	1.46
3	D	302	FE1	CAR-CAJ	2.03	1.43	1.39
2	B	301	NAP	C2B-C1B	2.01	1.58	1.53

All (111) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	FE1	C2-N1-C8A	6.72	122.73	115.48
3	B	302	FE1	CAT-CAU-NAV	6.23	126.45	118.66
3	A	302	FE1	C2-N1-C8A	6.15	122.11	115.48
3	B	302	FE1	N1-C2-N3	-6.05	119.52	127.21
3	D	302	FE1	C2-N1-C8A	5.96	121.91	115.48
2	B	301	NAP	C4A-N9A-C8A	5.81	111.84	105.74
3	D	302	FE1	N1-C2-N3	-5.45	120.29	127.21
3	A	302	FE1	CAT-CAU-NAV	5.25	125.21	118.66
3	D	302	FE1	C4-C4A-N5	4.78	124.01	120.33
2	D	301	NAP	N3A-C2A-N1A	-4.60	121.62	128.58
2	D	301	NAP	C2B-C1B-N9A	-4.54	106.28	113.75
2	B	301	NAP	C2B-C1B-N9A	-4.51	106.33	113.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	FE1	N1-C2-N3	-4.46	121.54	127.21
3	B	302	FE1	C4-C4A-N5	4.43	123.74	120.33
3	D	302	FE1	CAK-CAJ-N10	-4.35	115.52	121.59
2	B	301	NAP	N9A-C8A-N7A	-4.26	107.89	113.94
3	D	302	FE1	CAR-CAJ-N10	4.17	127.40	121.59
3	B	302	FE1	C9-C6-N5	4.03	123.63	117.09
2	A	301	NAP	C2B-C1B-N9A	-3.96	107.23	113.75
3	B	302	FE1	CAK-CAJ-N10	-3.93	116.11	121.59
2	C	301[A]	NAP	C5A-C4A-N3A	-3.91	121.33	126.72
2	C	301[A]	NAP	C4A-C5A-N7A	-3.69	106.36	110.58
3	D	302	FE1	C9-C6-N5	3.68	123.07	117.09
2	B	301	NAP	C4D-O4D-C1D	3.67	113.28	109.92
2	D	301	NAP	C5A-C4A-N3A	-3.57	121.80	126.72
3	A	302	FE1	C9-C6-N5	3.56	122.86	117.09
2	C	301[A]	NAP	C4A-N9A-C8A	3.53	109.44	105.74
2	B	301	NAP	N3A-C2A-N1A	-3.49	123.31	128.58
3	D	302	FE1	N8-C8A-N1	3.41	119.48	115.77
3	A	302	FE1	C4-C4A-N5	3.37	122.92	120.33
2	A	301	NAP	N3A-C2A-N1A	-3.33	123.55	128.58
3	B	302	FE1	CAL-CAK-CAJ	3.32	124.50	120.30
3	A	302	FE1	CAR-CAJ-N10	3.30	126.20	121.59
3	A	302	FE1	N8-C8A-N1	3.29	119.35	115.77
3	B	302	FE1	CAR-CAS-CAT	3.28	124.30	120.80
2	B	301	NAP	C2A-N1A-C6A	3.21	124.00	118.73
2	A	301	NAP	C4A-N9A-C8A	3.21	109.11	105.74
2	D	301	NAP	C2A-N3A-C4A	3.20	119.65	111.83
3	B	302	FE1	CBF-OBE-CBD	-3.19	108.67	115.92
2	D	301	NAP	O4B-C1B-N9A	3.17	114.18	108.09
2	D	301	NAP	C2A-N1A-C6A	3.17	123.93	118.73
2	D	301	NAP	C3N-C7N-N7N	3.13	121.60	117.74
3	D	302	FE1	CAT-CAU-NAV	3.10	122.53	118.66
2	C	301[A]	NAP	N3A-C4A-N9A	3.10	132.44	127.17
3	A	302	FE1	CAK-CAJ-N10	-3.08	117.29	121.59
3	A	302	FE1	CAL-CAK-CAJ	3.08	124.20	120.30
2	B	301	NAP	O7N-C7N-C3N	-3.07	115.84	119.60
2	A	301	NAP	N9A-C8A-N7A	-3.06	109.60	113.94
3	B	302	FE1	OAZ-CAU-NAV	-3.06	117.53	122.35
2	D	301	NAP	N3A-C4A-N9A	3.03	132.33	127.17
3	D	302	FE1	C6-C7-N8	-3.01	120.25	123.14
3	D	302	FE1	C7-C6-N5	-2.97	118.94	120.87
2	D	301	NAP	C4A-N9A-C8A	2.95	108.83	105.74
2	A	301	NAP	C5A-C4A-N3A	-2.94	122.67	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	FE1	CAR-CAS-CAT	2.92	123.92	120.80
2	C	301[A]	NAP	O2B-P2B-O1X	-2.90	99.01	109.33
2	B	301	NAP	N3A-C4A-N9A	2.88	132.06	127.17
3	B	302	FE1	OBE-CBD-CBC	2.87	116.06	111.76
3	B	302	FE1	CAR-CAJ-N10	2.82	125.52	121.59
3	A	302	FE1	CBF-OBE-CBD	-2.82	109.53	115.92
2	A	301	NAP	C4A-C5A-N7A	-2.81	107.37	110.58
3	A	302	FE1	OBE-CBD-CBC	2.79	115.93	111.76
3	A	302	FE1	OAZ-CAU-NAV	-2.79	117.96	122.35
2	A	301	NAP	C4A-N9A-C1B	-2.74	120.21	126.63
3	B	302	FE1	C9-C6-C7	-2.73	116.41	121.38
2	C	301[A]	NAP	C2B-C1B-N9A	-2.70	109.31	113.75
2	D	301	NAP	C4A-C5A-N7A	-2.68	107.52	110.58
2	A	301	NAP	C5A-N7A-C8A	2.68	107.66	103.45
3	B	302	FE1	CAS-CAR-CAJ	-2.67	116.92	120.30
2	C	301[A]	NAP	C2A-N3A-C4A	2.65	118.29	111.83
3	D	302	FE1	CBF-OBE-CBD	-2.63	109.95	115.92
3	D	302	FE1	OBE-CBD-CBC	2.62	115.68	111.76
2	C	301[A]	NAP	N3A-C2A-N1A	-2.62	124.62	128.58
2	A	301	NAP	C2A-N1A-C6A	2.61	123.01	118.73
2	D	301	NAP	C6A-C5A-N7A	2.57	137.05	132.09
2	C	301[A]	NAP	C6A-C5A-N7A	2.56	137.03	132.09
3	B	302	FE1	CAW-CAX-CBC	-2.55	106.49	110.54
2	D	301	NAP	O2N-PN-O1N	2.54	124.25	112.44
2	C	301[A]	NAP	C5A-N7A-C8A	2.51	107.39	103.45
3	B	302	FE1	N2-C2-N1	2.48	121.66	117.79
2	D	301	NAP	C5A-N7A-C8A	2.47	107.34	103.45
2	A	301	NAP	C2A-N3A-C4A	2.46	117.84	111.83
2	D	301	NAP	N9A-C8A-N7A	-2.46	110.45	113.94
2	A	301	NAP	C6A-C5A-N7A	2.45	136.82	132.09
2	B	301	NAP	C5A-C4A-N3A	-2.41	123.40	126.72
2	B	301	NAP	C3N-C7N-N7N	2.41	120.70	117.74
2	C	301[A]	NAP	C2A-N1A-C6A	2.38	122.64	118.73
3	B	302	FE1	CBA-CBB-CBC	2.37	114.30	110.54
2	C	301[A]	NAP	N9A-C8A-N7A	-2.37	110.58	113.94
3	A	302	FE1	C9-C6-C7	-2.37	117.08	121.38
2	B	301	NAP	C4A-N9A-C1B	-2.37	121.10	126.63
2	B	301	NAP	C4B-O4B-C1B	-2.35	104.29	109.47
2	A	301	NAP	C4D-O4D-C1D	2.34	112.07	109.92
3	D	302	FE1	C8A-C4A-N5	-2.34	119.74	122.35
2	A	301	NAP	N3A-C4A-N9A	2.33	131.13	127.17
2	B	301	NAP	C5A-N7A-C8A	2.30	107.06	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	FE1	CAX-CAW-NAV	-2.30	106.16	110.66
2	C	301[A]	NAP	C3N-C7N-N7N	2.28	120.54	117.74
2	B	301	NAP	O4B-C1B-N9A	2.25	112.42	108.09
3	B	302	FE1	CAK-CAL-CAT	-2.24	118.40	120.80
3	B	302	FE1	OAZ-CAU-CAT	-2.22	115.89	120.29
3	A	302	FE1	CAL-CAT-CAS	-2.21	115.76	118.57
3	B	302	FE1	CAX-CBC-CBD	-2.17	105.65	111.72
3	D	302	FE1	CAL-CAK-CAJ	2.16	123.04	120.30
2	B	301	NAP	C6N-N1N-C2N	2.16	123.72	121.88
2	B	301	NAP	O3B-C3B-C2B	2.13	117.15	111.19
2	C	301[A]	NAP	C4A-N9A-C1B	-2.13	121.66	126.63
3	B	302	FE1	CBA-NAV-CAU	2.11	129.30	122.79
2	D	301	NAP	C4A-N9A-C1B	-2.10	121.72	126.63
3	B	302	FE1	C8A-C4A-N5	-2.09	120.01	122.35
2	B	301	NAP	C6A-C5A-N7A	2.07	136.09	132.09

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	301[A]	NAP	C5B-O5B-PA-O1A
3	B	302	FE1	C6-C9-N10-CAB
2	C	301[A]	NAP	C5B-O5B-PA-O3
3	D	302	FE1	CBC-CBD-OBE-CBF
3	A	302	FE1	C6-C9-N10-CAB
3	B	302	FE1	CBC-CBD-OBE-CBF
2	C	301[A]	NAP	O4B-C4B-C5B-O5B

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	FE1	CAW-CAX-CBA-CBB-CBC-NAV
3	D	302	FE1	CAW-CAX-CBA-CBB-CBC-NAV

7 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	NAP	2	0
2	C	301[A]	NAP	2	0
3	B	302	FE1	2	0
2	A	301	NAP	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	302	FE1	5	0
3	A	302	FE1	2	0
2	D	301	NAP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand NAP C 301 (A)



Ligand FE1 B 302







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	258/288 (89%)	-0.52	9 (3%)	47	49	4, 10, 22, 44	23 (8%)
1	B	247/288 (85%)	-0.79	1 (0%)	88	91	4, 9, 21, 40	14 (5%)
1	C	233/288 (80%)	-0.54	4 (1%)	69	73	6, 12, 23, 32	17 (7%)
1	D	248/288 (86%)	-0.68	1 (0%)	88	91	4, 11, 22, 39	15 (6%)
All	All	986/1152 (85%)	-0.63	15 (1%)	72	76	4, 10, 22, 44	69 (6%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	104	GLN	6.8
1	D	104	GLN	6.7
1	C	221	TRP	6.4
1	A	146[A]	ASN	5.3
1	A	145[A]	THR	5.3
1	A	150[A]	THR	5.3
1	C	2	GLU	5.1
1	A	147[A]	PRO	5.1
1	A	149[A]	CYS	5.1
1	A	144[A]	GLY	4.6
1	A	143[A]	LYS	4.5
1	C	222	ARG	4.2
1	A	148[A]	ASN	3.5
1	A	151[A]	SER	3.0
1	B	211	VAL	3.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAP	C	301[A]	48/48	0.77	0.19	18,22,25,26	48
4	GOL	A	303	6/6	0.84	0.15	17,19,21,21	6
3	FE1	D	302	33/33	0.94	0.14	10,21,43,43	10
3	FE1	B	302	33/33	0.95	0.16	8,20,46,46	10
3	FE1	A	302	33/33	0.96	0.13	9,18,40,41	10
2	NAP	D	301	48/48	0.97	0.05	9,10,12,13	0
2	NAP	A	301	48/48	0.99	0.04	7,9,11,13	0
2	NAP	B	301	48/48	0.99	0.03	6,8,11,13	0
5	ACT	A	304	4/4	0.99	0.06	14,15,16,17	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP C 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FE1 D 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE1 B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE1 A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.