



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 01:10 AM UTC

PDB ID : 8RX0 / pdb_00008rx0
EMDB ID : EMD-19567
Title : (NEDD8)-CRL2VHL-MZ1-Brd4BD2-Ub(G76S, K48C)-UBE2R1(C93K, S138C, C191S, C223S)-Ub
Authors : Crowe, C.; Nakasone, M.A.; Ciulli, A.
Deposited on : 2024-02-05
Resolution : 3.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	111	88% 88% 12%
2	B	160	86% 79% 13% 8%
3	D	96	95% 68% 26% • 5%
4	C	104	96% 70% 26% •
5	E	745	60% 72% 13% 15%
6	G	236	33% 57% • 41%
7	N	77	90% 86% 8% 6%
8	R	96	66% 72% • 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	U	76	47% 99%

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 14170 atoms, of which 5855 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform B of Bromodomain-containing protein 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	98	Total	C	N	O	0	0
			392	196	98	98		

- Molecule 2 is a protein called von Hippel-Lindau disease tumor suppressor.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	148	Total	C	H	N	O	S	0	0
			1365	441	581	170	172	1		

- Molecule 3 is a protein called Elongin-C.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	D	91	Total	C	H	N	O	S	0	0
			1390	449	690	113	132	6		

- Molecule 4 is a protein called Elongin-B.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	C	100	Total	C	H	N	O	S	0	0
			1599	505	804	134	151	5		

- Molecule 5 is a protein called Cullin-2.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	E	631	Total	C	H	N	O	S	0	0
			7779	2503	3639	792	823	22		

- Molecule 6 is a protein called Ubiquitin-conjugating enzyme E2 R1.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	G	140	Total	C	N	O	0	0
			560	280	140	140		

- Molecule 7 is a protein called NEDD8.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	N	72	Total	C	N	O	0	0
			288	144	72	72		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	0	SER	-	expression tag	UNP Q15843

- Molecule 8 is a protein called E3 ubiquitin-protein ligase RBX1, N-terminally processed.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	R	71	Total	C	H	N	O	0
			425	142	141	71	71	0


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	13	SER	-	expression tag	UNP P62877
R	14	HIS	-	expression tag	UNP P62877
R	15	MET	-	expression tag	UNP P62877

- Molecule 9 is a protein called Polyubiquitin-B.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	U	75	Total	C	N	O	0	0
			300	150	75	75		

- Molecule 10 is (2 {S},4 {R})-1-[(2 {S})-2-[2-[2-[2-[2-[(9 {S})-7-(4-chlorophenyl)-4,5,13-trimethyl-3-thia-1,8,11,12-tetrazatricyclo[8.3.0.0[^]{2,6}]trideca-2(6),4,7,10,12-pentaen-9-yl]ethanoylamino]ethoxy]ethoxy]ethoxy]ethanoylamino]-3,3-dimethyl-butanoyl]- {N}-[[4-(4-methyl-2,3-dihydro-1,3-thiazol-5-yl)phenyl]methyl]-4-oxidanyl-pyrrolidine-2-carboxamide (CCD ID: 759) (formula: C₄₉H₆₀ClN₉O₈S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						AltConf
10	B	1	Total	C	Cl	N	O	S	0
			69	49	1	9	8	2	


- Molecule 11 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
11	R	3	Total	Zn	0
			3	3	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isoform B of Bromodomain-containing protein 4




- Molecule 2: von Hippel-Lindau disease tumor suppressor




- Molecule 3: Elongin-C



- Molecule 4: Elongin-B




• Molecule 5: Cullin-2




ALA ARG LYS VAL LEU ARG HIS ASN ALA LEU ILE GLN GLU VAL ILE ILE SER SER GLN SER ARG ALA ARG ARG PHE ASN PRO PRO SER ILE MET ILE LYS LYS CYS ILE GLU VAL LEU ILE ASP LYS LYS TYR TYR GLU ARG SER GLN ALA ALA ASP ASP TYR SER TYR VAL ALA

• Molecule 6: Ubiquitin-conjugating enzyme E2 R1

Chain G: 




• Molecule 7: NEDD8

Chain N: 





• Molecule 8: E3 ubiquitin-protein ligase RBX1, N-terminally processed

Chain R: 



• Molecule 9: Polyubiquitin-B

Chain U: 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	149823	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	38	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.237	Depositor
Minimum map value	-0.858	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.06	Depositor
Map size (Å)	396.0, 396.0, 396.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.825, 0.825, 0.825	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 759, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.11	0/390	0.29	0/484
2	B	0.20	0/790	0.43	0/1027
3	D	0.36	0/713	0.68	2/960 (0.2%)
4	C	0.17	0/810	0.45	0/1090
5	E	0.21	0/4203	0.44	0/5562
6	G	0.14	0/559	0.30	0/697
7	N	0.12	0/287	0.30	0/357
8	R	0.12	0/281	0.44	0/346
9	U	0.14	0/299	0.28	0/372
All	All	0.21	0/8332	0.44	2/10895 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	D	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	64	GLU	CA-CB-CG	6.98	128.07	114.10
3	D	64	GLU	CB-CA-C	-6.33	97.82	110.42

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	D	64	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	392	0	97	0	0
2	B	784	581	483	19	0
3	D	700	690	689	47	0
4	C	795	804	803	19	0
5	E	4140	3639	3390	101	0
6	G	560	0	141	3	0
7	N	288	0	81	3	0
8	R	284	141	69	1	0
9	U	300	0	84	0	0
10	B	69	0	0	4	0
11	R	3	0	0	0	0
All	All	8315	5855	5837	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:63:ARG:N	5:E:2:SER:O	1.99	0.94
2:B:110:HIS:O	10:B:301:759:CA	2.19	0.90
2:B:110:HIS:O	10:B:301:759:CB	2.19	0.90
2:B:178:LEU:O	2:B:185:TYR:OH	1.96	0.84
5:E:219:TYR:OH	5:E:246:GLU:OE1	1.98	0.81
4:C:16:THR:HG21	4:C:34:ILE:HD11	1.65	0.79
2:B:155:VAL:HG22	3:D:84:THR:OG1	1.86	0.76
6:G:59:LYS:O	6:G:78:LEU:N	2.23	0.72
5:E:322:GLU:OE1	5:E:325:ARG:NH2	2.22	0.71
4:C:8:ARG:NH2	4:C:91:GLU:O	2.23	0.71
3:D:62:PHE:HB3	5:E:2:SER:N	2.07	0.69
5:E:353:LEU:O	5:E:357:VAL:HG22	1.91	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:24:VAL:HG21	5:E:35:TRP:CZ3	2.27	0.68
7:N:30:VAL:O	7:N:34:GLU:N	2.27	0.66
4:C:27:LEU:O	4:C:31:VAL:HG23	1.96	0.66
6:G:47:GLY:HA3	6:G:53:TYR:O	1.96	0.65
5:E:170:ASP:OD2	5:E:253:TYR:OH	2.09	0.65
5:E:110:THR:OG1	5:E:114:LYS:NZ	2.28	0.65
5:E:298:TYR:OH	5:E:302:ARG:NH2	2.29	0.65
5:E:65:LEU:HD21	5:E:101:MET:HE1	1.79	0.65
6:G:31:THR:O	6:G:42:GLU:N	2.27	0.64
2:B:111:SER:CA	10:B:301:759:OD1	2.45	0.64
3:D:98:GLU:OE1	3:D:98:GLU:N	2.30	0.63
5:E:2:SER:OG	5:E:3:LEU:N	2.32	0.62
3:D:62:PHE:HB3	5:E:1:MET:C	2.25	0.61
5:E:8:VAL:HG11	5:E:45:LEU:HD21	1.82	0.61
5:E:76:VAL:HG11	5:E:155:LEU:HD11	1.82	0.61
5:E:8:VAL:HG11	5:E:45:LEU:CD2	2.31	0.61
2:B:88:TRP:O	2:B:96:GLN:N	2.34	0.61
3:D:64:GLU:OE2	5:E:4:LYS:HA	2.02	0.60
3:D:63:ARG:C	5:E:1:MET:HB3	2.26	0.60
4:C:9:ARG:NH2	4:C:86:GLU:OE1	2.34	0.60
5:E:281:GLU:OE1	5:E:284:ASN:ND2	2.34	0.60
3:D:22:ILE:O	5:E:1:MET:N	2.36	0.59
5:E:394:TYR:CZ	5:E:398:LEU:HD11	2.37	0.59
3:D:62:PHE:CB	5:E:1:MET:C	2.76	0.59
4:C:14:ILE:HD13	4:C:34:ILE:HG21	1.84	0.58
3:D:49:PRO:O	3:D:53:ALA:N	2.37	0.58
2:B:177:ARG:O	4:C:102:VAL:HG21	2.04	0.57
3:D:64:GLU:OE1	5:E:3:LEU:N	2.38	0.56
3:D:35:HIS:HE1	3:D:81:VAL:HG11	1.70	0.55
5:E:138:GLU:OE1	5:E:138:GLU:N	2.30	0.55
3:D:63:ARG:CA	5:E:2:SER:O	2.55	0.55
5:E:250:CYS:SG	5:E:262:VAL:HG11	2.46	0.55
5:E:340:VAL:HG21	5:E:394:TYR:CD2	2.41	0.55
5:E:232:CYS:SG	5:E:236:MET:HE2	2.46	0.54
3:D:111:ASP:OD2	5:E:106:ARG:NH1	2.40	0.54
4:C:35:LEU:N	4:C:36:LYS:HA	2.22	0.54
4:C:24:VAL:HG23	4:C:55:LYS:O	2.06	0.54
5:E:301:LEU:HD12	5:E:307:GLY:HA3	1.90	0.54
3:D:64:GLU:HG3	5:E:4:LYS:HG2	1.89	0.54
3:D:63:ARG:CB	5:E:2:SER:O	2.56	0.54
5:E:232:CYS:O	5:E:236:MET:HE3	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:62:PHE:HB2	5:E:1:MET:N	2.23	0.53
5:E:171:ARG:NH2	5:E:215:THR:OG1	2.42	0.53
3:D:64:GLU:N	5:E:2:SER:H	2.08	0.52
2:B:158:LEU:HD13	3:D:76:TYR:CG	2.45	0.52
2:B:102:PRO:O	2:B:105:THR:N	2.35	0.52
5:E:298:TYR:HH	5:E:302:ARG:NH2	2.08	0.52
5:E:17:LEU:HD21	5:E:42:ILE:HG13	1.92	0.51
3:D:82:ARG:NH2	4:C:2:ASP:OD2	2.43	0.51
5:E:220:LYS:HD2	5:E:269:ARG:HD2	1.92	0.51
3:D:64:GLU:C	5:E:1:MET:HB3	2.36	0.51
3:D:65:ILE:H	5:E:1:MET:C	2.18	0.51
5:E:396:ASP:O	5:E:400:LYS:HG2	2.11	0.51
7:N:0:SER:N	7:N:17:ILE:O	2.38	0.51
3:D:64:GLU:OE1	5:E:2:SER:HB3	2.11	0.50
3:D:35:HIS:ND1	3:D:81:VAL:HG21	2.27	0.50
4:C:99:LEU:HD12	4:C:100:PRO:HD2	1.94	0.49
3:D:64:GLU:OE1	5:E:2:SER:CB	2.60	0.49
5:E:351:VAL:HG22	5:E:365:MET:HE1	1.94	0.49
5:E:301:LEU:HD12	5:E:307:GLY:CA	2.43	0.49
3:D:64:GLU:HB2	5:E:2:SER:HB3	1.95	0.48
8:R:33:TRP:O	8:R:34:ALA:C	2.56	0.48
2:B:175:TYR:HB3	2:B:188:LEU:HD12	1.95	0.48
5:E:26:MET:SD	5:E:68:HIS:CE1	3.06	0.48
2:B:182:ARG:CD	2:B:182:ARG:N	2.77	0.48
5:E:22:LYS:HB3	5:E:26:MET:HE1	1.96	0.48
5:E:180:VAL:O	5:E:184:VAL:HG23	2.14	0.48
4:C:14:ILE:HD13	4:C:34:ILE:CG2	2.43	0.48
3:D:27:HIS:CD2	4:C:11:LYS:O	2.67	0.47
5:E:42:ILE:HD12	5:E:104:LEU:HD21	1.96	0.47
5:E:76:VAL:HG11	5:E:155:LEU:CD1	2.44	0.47
5:E:340:VAL:O	5:E:344:LEU:HD23	2.15	0.47
5:E:73:HIS:NE2	5:E:154:PRO:HB2	2.29	0.47
5:E:189:VAL:HG22	5:E:200:LEU:HD12	1.96	0.47
3:D:62:PHE:O	5:E:1:MET:HE3	2.15	0.47
3:D:63:ARG:O	5:E:1:MET:SD	2.72	0.47
5:E:45:LEU:HD12	5:E:57:LEU:HD13	1.97	0.47
3:D:48:GLY:O	3:D:53:ALA:N	2.48	0.46
5:E:66:GLU:N	5:E:146:MET:SD	2.88	0.46
2:B:75:ILE:N	2:B:147:ILE:O	2.49	0.46
3:D:65:ILE:H	5:E:2:SER:N	2.14	0.46
3:D:64:GLU:HG3	5:E:4:LYS:CG	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:87:TYR:C	5:E:87:TYR:CD1	2.94	0.46
2:B:182:ARG:N	2:B:182:ARG:HD2	2.31	0.46
2:B:184:LEU:O	2:B:188:LEU:HG	2.15	0.46
3:D:24:SER:HA	5:E:1:MET:SD	2.56	0.46
5:E:115:LYS:HA	5:E:115:LYS:HE2	1.97	0.46
5:E:209:SER:HB3	5:E:210:PRO:HD3	1.98	0.46
3:D:20:LYS:NZ	3:D:30:ILE:HD11	2.31	0.45
5:E:396:ASP:OD1	5:E:400:LYS:HE2	2.16	0.45
3:D:65:ILE:HG23	3:D:69:VAL:HB	1.99	0.45
5:E:81:GLU:OE1	5:E:81:GLU:N	2.42	0.45
4:C:9:ARG:NH1	4:C:86:GLU:OE1	2.49	0.45
3:D:71:SER:OG	3:D:75:MET:HE3	2.17	0.45
5:E:189:VAL:HG22	5:E:200:LEU:CD1	2.47	0.45
5:E:27:LEU:HD21	5:E:93:GLU:HA	2.00	0.44
5:E:24:VAL:HG23	5:E:30:VAL:HG21	1.98	0.44
5:E:387:ALA:HB3	5:E:388:PRO:HD3	1.98	0.44
5:E:155:LEU:O	5:E:156:GLN:C	2.59	0.44
5:E:43:TYR:CE2	5:E:107:TYR:CZ	3.06	0.44
5:E:160:ILE:HD11	5:E:206:ILE:O	2.18	0.44
3:D:65:ILE:HD12	5:E:1:MET:O	2.18	0.43
2:B:153:LEU:HD22	3:D:92:GLU:OE2	2.19	0.43
3:D:35:HIS:CE1	3:D:81:VAL:HG11	2.52	0.43
4:C:46:LYS:HD2	4:C:62:PHE:CE1	2.53	0.43
5:E:289:GLU:N	5:E:289:GLU:OE2	2.51	0.43
3:D:62:PHE:HB2	5:E:1:MET:CA	2.49	0.43
5:E:189:VAL:O	5:E:192:GLU:HB2	2.19	0.43
5:E:368:LEU:C	5:E:368:LEU:HD23	2.44	0.43
3:D:23:SER:HA	5:E:1:MET:H1	1.83	0.43
4:C:7:ILE:HG22	4:C:77:LEU:HD11	2.00	0.43
5:E:342:SER:O	5:E:345:GLU:HG3	2.19	0.43
4:C:89:CYS:SG	4:C:91:GLU:OE2	2.77	0.43
5:E:470:THR:O	5:E:471:SER:C	2.61	0.42
2:B:175:TYR:HB3	2:B:188:LEU:CD1	2.49	0.42
4:C:14:ILE:HG22	4:C:15:PHE:N	2.34	0.42
5:E:373:THR:HA	5:E:376:VAL:HG12	2.01	0.42
10:B:301:759:CCE	10:B:301:759:CAD	2.96	0.42
5:E:160:ILE:O	5:E:164:LEU:HG	2.19	0.42
5:E:376:VAL:O	5:E:376:VAL:HG22	2.19	0.42
3:D:65:ILE:HG22	3:D:66:PRO:O	2.19	0.42
5:E:229:GLU:OE2	5:E:229:GLU:HA	2.20	0.42
5:E:90:TYR:O	5:E:93:GLU:HB3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:N:44:ILE:N	7:N:68:HIS:O	2.38	0.42
3:D:69:VAL:HG21	3:D:102:GLU:HB3	2.02	0.41
3:D:65:ILE:HG13	5:E:2:SER:HB2	2.01	0.41
5:E:223:ALA:HB2	5:E:270:MET:SD	2.60	0.41
5:E:282:CYS:SG	5:E:286:ILE:HD12	2.60	0.41
5:E:42:ILE:CD1	5:E:104:LEU:HD21	2.51	0.41
2:B:180:ILE:HD12	2:B:184:LEU:HB2	2.02	0.41
5:E:141:GLU:OE2	5:E:194:TYR:HB2	2.20	0.41
5:E:357:VAL:HG23	5:E:358:LEU:HG	2.02	0.41
4:C:27:LEU:CD2	4:C:44:LEU:HD13	2.50	0.41
5:E:239:VAL:HG22	5:E:270:MET:HG2	2.03	0.41
3:D:64:GLU:H	5:E:2:SER:C	2.29	0.41
5:E:24:VAL:CG2	5:E:35:TRP:CZ3	3.02	0.41
5:E:26:MET:O	5:E:27:LEU:HB2	2.21	0.41
5:E:43:TYR:CD1	5:E:43:TYR:C	2.99	0.41
5:E:394:TYR:OH	5:E:398:LEU:HD11	2.20	0.41
2:B:167:ARG:HA	2:B:175:TYR:HE1	1.86	0.40
2:B:160:GLU:C	2:B:160:GLU:OE1	2.64	0.40
4:C:43:ARG:O	4:C:78:ALA:N	2.52	0.40
5:E:80:GLU:O	5:E:83:VAL:HG23	2.20	0.40
3:D:65:ILE:O	5:E:1:MET:HA	2.21	0.40
3:D:65:ILE:HB	5:E:1:MET:HA	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	94/111 (85%)	94 (100%)	0	0	100	100
2	B	146/160 (91%)	142 (97%)	4 (3%)	0	100	100
3	D	86/96 (90%)	76 (88%)	10 (12%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	C	96/104 (92%)	91 (95%)	5 (5%)	0	100	100
5	E	621/745 (83%)	602 (97%)	19 (3%)	0	100	100
6	G	138/236 (58%)	138 (100%)	0	0	100	100
7	N	70/77 (91%)	70 (100%)	0	0	100	100
8	R	65/96 (68%)	61 (94%)	4 (6%)	0	100	100
9	U	73/76 (96%)	72 (99%)	1 (1%)	0	100	100
All	All	1389/1701 (82%)	1346 (97%)	43 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	43/147 (29%)	43 (100%)	0	100	100
3	D	77/85 (91%)	77 (100%)	0	100	100
4	C	89/92 (97%)	89 (100%)	0	100	100
5	E	346/681 (51%)	346 (100%)	0	100	100
All	All	555/1005 (55%)	555 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	D	35	HIS
5	E	313	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	759	B	301	-	70,75,75	2.01	15 (21%)	92,107,107	2.74	17 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	759	B	301	-	-	7/53/81/81	0/6/7/7

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	301	759	NBJ-NBK	-6.21	1.26	1.39
10	B	301	759	CCF-CCH	-5.99	1.35	1.48
10	B	301	759	CCE-CBX	-5.61	1.39	1.48
10	B	301	759	CBC-CCA	-5.27	1.39	1.51
10	B	301	759	CAV-SBR	-4.54	1.64	1.72
10	B	301	759	CA-C	-4.26	1.42	1.52
10	B	301	759	CA-N	3.33	1.53	1.47
10	B	301	759	CCI-CBX	-3.05	1.35	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	301	759	CCG-NCP	-2.80	1.34	1.38
10	B	301	759	CAB-CCB	2.58	1.53	1.49
10	B	301	759	CCB-NCP	-2.45	1.32	1.38
10	B	301	759	CCC-SBS	-2.40	1.63	1.73
10	B	301	759	CAA-CBZ	2.14	1.54	1.49
10	B	301	759	CCI-CCJ	-2.09	1.35	1.38
10	B	301	759	CBE-CBU	2.04	1.56	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	301	759	CAV-SBR-CCH	14.53	96.57	88.96
10	B	301	759	SBR-CAV-NBI	-10.47	107.08	116.08
10	B	301	759	CCL-NBH-CBX	9.58	127.03	117.67
10	B	301	759	OBQ-CBD-CBT	-6.62	98.69	112.41
10	B	301	759	CBZ-CCH-SBR	-6.49	105.66	109.64
10	B	301	759	CAV-NBI-CBZ	4.65	115.94	110.71
10	B	301	759	CBW-CCN-NBN	-4.37	102.10	107.40
10	B	301	759	CCF-CCH-SBR	4.04	126.29	118.77
10	B	301	759	CCI-CCJ-SBS	-3.84	108.84	112.53
10	B	301	759	CBD-OBQ-CBB	2.91	121.67	113.24
10	B	301	759	CBD-CBT-NBN	-2.90	111.39	116.41
10	B	301	759	CCE-CBX-CCI	2.73	122.36	118.75
10	B	301	759	CCE-CBX-NBH	-2.53	114.39	117.30
10	B	301	759	CAT-CCF-CCH	2.14	124.25	120.84
10	B	301	759	CAO-CBY-CAN	-2.13	118.59	121.24
10	B	301	759	CCF-CCH-CBZ	-2.05	128.04	130.81
10	B	301	759	CCQ-CCN-NBN	-2.02	108.78	111.94

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
10	B	301	759	OBP-CBA-CBB-OBQ
10	B	301	759	NBL-CAW-CAX-OBO
10	B	301	759	OBQ-CBD-CBT-NBN
10	B	301	759	OBQ-CBD-CBT-OAH
10	B	301	759	CAZ-CAY-OBO-CAX
10	B	301	759	CBA-CBB-OBQ-CBD
10	B	301	759	OBO-CAY-CAZ-OBP

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	B	301	759	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
8	R	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	R	37:ILE	C	38:VAL	N	5.86


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19567. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 237




Y Index: 246



Z Index: 290


6.3.2 Raw map



X Index: 238



Y Index: 246




Z Index: 288


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 157 nm³; this corresponds to an approximate mass of 142 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.70	-	-
Author-provided FSC curve	3.68	4.14	3.71
Unmasked-calculated*	4.30	7.63	4.37

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.30 differs from the reported value 3.7 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19567 and PDB model 8RX0. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).

9.4 Atom inclusion [i](#)



At the recommended contour level, 13% of all backbone atoms, 15% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.1540	-0.0110
A	0.0000	-0.0170
B	0.0440	0.0010
C	0.0000	-0.0060
D	0.0000	-0.0030
E	0.2390	-0.0110
G	0.3660	-0.0080
N	0.0450	-0.0250
R	0.1080	-0.0370
U	0.4200	-0.0270

1.0
0.0
-0.0