



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:32 AM UTC

PDB ID : 6RYV / pdb_00006ryv
Title : Copper oxidase from Colletotrichum graminicola
Authors : Offen, W.A.; Henrissat, B.; Davies, G.J.
Deposited on : 2019-06-12
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	714	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4614 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	605	4527	2838	777	887	25	0	2	0

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLU	-	cloning artifact	UNP E3Q9X3
A	0	PHE	-	cloning artifact	UNP E3Q9X3
A	690	GLY	-	expression tag	UNP E3Q9X3
A	691	LEU	-	expression tag	UNP E3Q9X3
A	692	GLU	-	expression tag	UNP E3Q9X3
A	693	GLN	-	expression tag	UNP E3Q9X3
A	694	LYS	-	expression tag	UNP E3Q9X3
A	695	LEU	-	expression tag	UNP E3Q9X3
A	696	ILE	-	expression tag	UNP E3Q9X3
A	697	SER	-	expression tag	UNP E3Q9X3
A	698	GLU	-	expression tag	UNP E3Q9X3
A	699	GLU	-	expression tag	UNP E3Q9X3
A	700	ASP	-	expression tag	UNP E3Q9X3
A	701	LEU	-	expression tag	UNP E3Q9X3
A	702	ASN	-	expression tag	UNP E3Q9X3
A	703	SER	-	expression tag	UNP E3Q9X3
A	704	ALA	-	expression tag	UNP E3Q9X3
A	705	VAL	-	expression tag	UNP E3Q9X3
A	706	ASP	-	expression tag	UNP E3Q9X3
A	707	HIS	-	expression tag	UNP E3Q9X3
A	708	HIS	-	expression tag	UNP E3Q9X3
A	709	HIS	-	expression tag	UNP E3Q9X3
A	710	HIS	-	expression tag	UNP E3Q9X3
A	711	HIS	-	expression tag	UNP E3Q9X3
A	712	HIS	-	expression tag	UNP E3Q9X3


- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:

C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cu	0	0
			1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	51	Total	O	0	0
			51	51		

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	172.11Å 172.11Å 172.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	60.92 – 2.30 60.92 – 2.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (60.92-2.30) 100.0 (60.92-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.238 , 0.286 0.240 , 0.286	Depositor DCC
R_{free} test set	1819 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å ²)	51.7	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 69.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.029 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4614	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CU, NAG, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	2/4639 (0.0%)	1.46	13/6335 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	483	VAL	C-O	6.06	1.30	1.24
1	A	508	ILE	C-O	5.12	1.30	1.24

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	666	GLY	CA-C-O	-7.73	116.88	122.45
1	A	678	THR	CB-CA-C	6.43	117.18	109.85
1	A	679	PRO	N-CA-C	6.14	122.02	111.77
1	A	360	ASP	CA-CB-CG	6.01	118.61	112.60
1	A	18	VAL	CA-C-O	-5.85	116.24	121.97
1	A	340	GLY	CA-C-O	-5.70	116.39	121.41
1	A	589	ARG	CB-CA-C	5.69	118.79	110.26
1	A	423	GLY	N-CA-C	-5.62	105.34	112.54
1	A	138	GLY	CA-C-N	5.47	128.42	120.98
1	A	138	GLY	C-N-CA	5.47	128.42	120.98
1	A	273	PRO	CB-CA-C	-5.13	103.10	111.56
1	A	407	GLY	CA-C-N	5.09	131.26	121.54
1	A	407	GLY	C-N-CA	5.09	131.26	121.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4527	0	4145	84	0
2	A	14	0	13	0	0
3	A	16	0	22	0	0
4	A	5	0	0	0	0
5	A	1	0	0	0	0
6	A	51	0	0	3	0
All	All	4614	0	4180	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:THR:HG22	1:A:375:GLU:HA	1.43	0.99
1:A:519[A]:ARG:HH11	1:A:519[A]:ARG:CG	1.91	0.83
1:A:519[A]:ARG:HH11	1:A:519[A]:ARG:HG3	1.44	0.81
1:A:310:MET:HE1	1:A:314:ARG:HD2	1.70	0.73
1:A:664:LEU:O	1:A:668:TYR:OH	2.05	0.72
1:A:152:THR:HG21	1:A:169:ILE:HD13	1.74	0.70
1:A:206:LEU:HD23	1:A:575:GLU:HG2	1.74	0.69
1:A:384:TRP:CE2	1:A:458:ILE:HD12	2.29	0.67
1:A:247:GLN:NE2	1:A:247:GLN:HA	2.11	0.65
1:A:519[A]:ARG:CG	1:A:519[A]:ARG:NH1	2.56	0.64
1:A:366:THR:HG21	6:A:928:HOH:O	1.97	0.63
1:A:427:MET:SD	1:A:639:ARG:NH1	2.73	0.61
1:A:366:THR:OG1	1:A:419:ASP:CG	2.44	0.61
1:A:346:TYR:OH	1:A:351:ASN:OD1	2.13	0.59
1:A:213:PRO:HD2	1:A:549:GLY:HA2	1.84	0.59
1:A:407:GLY:O	1:A:408:THR:HG23	2.03	0.59
1:A:385:LYS:HG2	1:A:659:ASP:OD2	2.04	0.58
1:A:339:VAL:O	1:A:341:LYS:HD3	2.04	0.57
1:A:312:LEU:HD21	1:A:341:LYS:HE2	1.85	0.57
1:A:251:TYR:CE2	1:A:253:PHE:HB3	2.41	0.56
1:A:670:LEU:O	1:A:682:ALA:HA	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:THR:HG1	1:A:419:ASP:CG	2.15	0.55
1:A:491:LEU:HD23	1:A:545:VAL:HG21	1.87	0.54
1:A:592:ARG:HD2	1:A:679:PRO:O	2.08	0.54
1:A:487:ASP:OD2	1:A:489:GLN:NE2	2.42	0.53
1:A:308:PRO:HG2	1:A:353:TRP:CD1	2.44	0.52
1:A:327:VAL:O	1:A:345:VAL:HA	2.09	0.52
1:A:586:ASP:OD1	1:A:588:SER:OG	2.22	0.51
1:A:491:LEU:CD2	1:A:545:VAL:HG21	2.41	0.51
1:A:428:TYR:O	1:A:640:ARG:HD3	2.12	0.50
1:A:20:TYR:OH	1:A:52:ASP:HA	2.12	0.50
1:A:429:ASP:OD1	1:A:642:PRO:HG3	2.11	0.50
1:A:675:PRO:HA	6:A:927:HOH:O	2.12	0.50
1:A:128:TYR:CE2	1:A:188:THR:HB	2.48	0.48
1:A:215:ALA:O	1:A:230:PHE:HA	2.12	0.48
1:A:663:LEU:O	1:A:664:LEU:C	2.56	0.48
1:A:461:PRO:O	1:A:462:ASN:HB2	2.12	0.48
1:A:243:SER:CB	1:A:558:VAL:HG21	2.44	0.47
1:A:663:LEU:HD21	1:A:687:VAL:HG21	1.96	0.47
1:A:340:GLY:HA3	1:A:361:PHE:CE1	2.49	0.47
1:A:272:CYS:N	1:A:273:PRO:HD3	2.29	0.47
1:A:660:TYR:CZ	1:A:689:LEU:HA	2.50	0.47
1:A:380:TRP:CD1	1:A:425:TRP:CD1	3.02	0.47
1:A:414:THR:O	1:A:467:VAL:HG11	2.16	0.46
1:A:250:ASP:O	1:A:258:ILE:HA	2.15	0.46
1:A:195:ILE:O	1:A:197:PRO:HD3	2.16	0.46
1:A:560:ASP:O	6:A:903:HOH:O	2.20	0.46
1:A:468:GLU:OE2	1:A:519[A]:ARG:NH2	2.48	0.46
1:A:429:ASP:OD1	1:A:642:PRO:CG	2.64	0.46
1:A:485:LEU:HD12	1:A:513:LEU:HD11	1.97	0.46
1:A:243:SER:HB2	1:A:558:VAL:HG21	1.98	0.46
1:A:659:ASP:HB3	1:A:662:ILE:HG13	1.98	0.45
1:A:391:GLN:HE21	1:A:391:GLN:HB3	1.52	0.45
1:A:163:ILE:HG12	1:A:185:GLN:HG3	1.99	0.44
1:A:176:THR:HG22	1:A:177:SER:N	2.33	0.44
1:A:280:ASP:OD2	1:A:282:ARG:HD2	2.16	0.44
1:A:430:ALA:HB1	1:A:662:ILE:HG23	1.99	0.44
1:A:376:ASP:OD1	1:A:376:ASP:C	2.61	0.44
1:A:206:LEU:HD21	1:A:529:VAL:HG23	1.98	0.43
1:A:380:TRP:CD1	1:A:425:TRP:NE1	2.87	0.43
1:A:415:ARG:HA	1:A:467:VAL:HG21	2.00	0.43
1:A:128:TYR:HA	1:A:179:PHE:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:LEU:HD21	1:A:529:VAL:CG2	2.49	0.43
1:A:486:PRO:HG3	1:A:671:PHE:CD2	2.54	0.43
1:A:247:GLN:HA	1:A:247:GLN:HE21	1.84	0.43
1:A:477:ARG:HB3	1:A:480:ALA:HB2	2.01	0.42
1:A:270:MET:SD	1:A:285:ILE:HG21	2.59	0.42
1:A:298:ASP:HB3	1:A:301:THR:HG22	2.00	0.42
1:A:671:PHE:CZ	1:A:682:ALA:HB2	2.54	0.42
1:A:271:PHE:O	1:A:272:CYS:HB2	2.18	0.41
1:A:426:VAL:O	1:A:436:PHE:N	2.42	0.41
1:A:429:ASP:OD1	1:A:431:VAL:HG22	2.20	0.41
1:A:660:TYR:CE1	1:A:689:LEU:HA	2.56	0.41
1:A:519[A]:ARG:NH1	1:A:519[A]:ARG:HG2	2.33	0.41
1:A:384:TRP:HB3	1:A:388:SER:OG	2.21	0.41
1:A:47:CYS:O	1:A:50:ILE:CB	2.69	0.41
1:A:362:ARG:N	1:A:363:PRO:CD	2.84	0.41
1:A:671:PHE:CE1	1:A:682:ALA:HB2	2.56	0.41
1:A:245:MET:HB3	1:A:264:THR:HG22	2.03	0.40
1:A:366:THR:CG2	1:A:375:GLU:HA	2.32	0.40
1:A:579:PRO:HG2	1:A:581:TYR:CZ	2.57	0.40
1:A:286:GLN:HE22	1:A:319:SER:HB3	1.86	0.40
1:A:543:ALA:O	1:A:581:TYR:OH	2.29	0.40
1:A:546:PHE:CD1	1:A:546:PHE:C	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	593/714 (83%)	540 (91%)	49 (8%)	4 (1%)	18 23

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	408	THR
1	A	323	SER
1	A	14	THR
1	A	462	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	460/589 (78%)	437 (95%)	23 (5%)	22	33

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	CYS
1	A	103	THR
1	A	105	SER
1	A	141	THR
1	A	177	SER
1	A	221	SER
1	A	228	LEU
1	A	276	SER
1	A	323	SER
1	A	324	ASN
1	A	374	ARG
1	A	391	GLN
1	A	456	THR
1	A	457	THR
1	A	486	PRO
1	A	519[A]	ARG
1	A	519[B]	ARG
1	A	520	GLU
1	A	537	SER
1	A	562	THR
1	A	581	TYR
1	A	603	ILE
1	A	662	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	GLN
1	A	377	ASN
1	A	391	GLN
1	A	398	GLN
1	A	462	ASN
1	A	481	ASN
1	A	489	GLN
1	A	556	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	803	-	4,4,4	0.27	0	6,6,6	0.08	0
2	NAG	A	801	1	14,14,15	0.46	0	17,19,21	1.46	1 (5%)
3	1PE	A	802	-	15,15,15	0.59	0	14,14,14	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	801	1	-	3/6/23/26	0/1/1/1
3	1PE	A	802	-	-	7/13/13/13	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	NAG	C1-C2-N2	-4.84	102.80	110.43

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	NAG	C3-C2-N2-C7
2	A	801	NAG	O5-C5-C6-O6
2	A	801	NAG	C4-C5-C6-O6
3	A	802	1PE	OH2-C12-C22-OH3
3	A	802	1PE	OH4-C13-C23-OH3
3	A	802	1PE	OH6-C15-C25-OH5
3	A	802	1PE	C13-C23-OH3-C22
3	A	802	1PE	C24-C14-OH5-C25
3	A	802	1PE	OH5-C14-C24-OH4
3	A	802	1PE	C23-C13-OH4-C24

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	605/714 (84%)	0.97	83 (13%) 6 7	26, 52, 78, 96	61 (10%)

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	114	PRO	13.1
1	A	45	LEU	10.1
1	A	46	GLU	9.4
1	A	645	VAL	7.8
1	A	608	THR	7.8
1	A	116	THR	7.5
1	A	690	GLY	7.2
1	A	113	VAL	7.0
1	A	12	TRP	6.7
1	A	61	VAL	5.6
1	A	600	ALA	5.3
1	A	655	THR	5.1
1	A	431	VAL	4.3
1	A	596	SER	4.2
1	A	60	ALA	4.2
1	A	672	VAL	4.1
1	A	554	TRP	4.1
1	A	10	THR	4.0
1	A	561	SER	3.7
1	A	592	ARG	3.6
1	A	115	GLU	3.6
1	A	658	ASP	3.4
1	A	138	GLY	3.3
1	A	253	PHE	3.1
1	A	191	LEU	3.1
1	A	689	LEU	3.0
1	A	142	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	598	ILE	3.0
1	A	153	GLN	2.9
1	A	518	THR	2.9
1	A	657	PRO	2.9
1	A	676	GLN	2.8
1	A	139	VAL	2.8
1	A	20	TYR	2.8
1	A	623	ALA	2.8
1	A	555	VAL	2.7
1	A	193	GLU	2.7
1	A	460	GLU	2.7
1	A	301	THR	2.6
1	A	51	CYS	2.6
1	A	106	PHE	2.6
1	A	603	ILE	2.6
1	A	525	ALA	2.5
1	A	384	TRP	2.5
1	A	203	TRP	2.5
1	A	515	ASN	2.5
1	A	591	ALA	2.5
1	A	47	CYS	2.5
1	A	599	SER	2.5
1	A	112	ARG	2.5
1	A	91	LEU	2.5
1	A	670	LEU	2.4
1	A	602	PRO	2.4
1	A	407	GLY	2.4
1	A	671	PHE	2.4
1	A	155	CYS	2.4
1	A	294	VAL	2.3
1	A	595	ILE	2.3
1	A	675	PRO	2.3
1	A	198	ALA	2.3
1	A	278	LEU	2.3
1	A	356	LEU	2.3
1	A	214	VAL	2.3
1	A	57	CYS	2.2
1	A	669	TYR	2.2
1	A	400	TRP	2.2
1	A	681	ILE	2.2
1	A	48	ALA	2.2
1	A	621	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	656	LEU	2.1
1	A	192	PRO	2.1
1	A	171	ALA	2.1
1	A	463	THR	2.1
1	A	684	THR	2.1
1	A	119	GLU	2.1
1	A	154	ASP	2.1
1	A	14	THR	2.1
1	A	517	GLU	2.1
1	A	146	ALA	2.0
1	A	18	VAL	2.0
1	A	143	GLN	2.0
1	A	509	LEU	2.0
1	A	16	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	801	14/15	0.74	0.23	59,76,80,81	14
4	SO4	A	803	5/5	0.74	0.09	93,97,107,113	0
3	1PE	A	802	16/16	0.88	0.14	68,82,91,91	0
5	CU	A	804	1/1	0.98	0.10	65,65,65,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.