



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 02:40 PM UTC

PDB ID : 1RZ1 / pdb_00001rz1
Title : Reduced flavin reductase PheA2 in complex with NAD
Authors : Van Den Heuvel, R.H.; Westphal, A.H.; Heck, A.J.; Walsh, M.A.; Rovida, S.;
Van Berkel, W.J.; Mattevi, A.
Deposited on : 2003-12-23
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	161	80% 14% • 5%
1	B	161	75% 19% • 5%
1	C	161	80% 14% • 5%
1	D	161	76% 17% • 5%
1	E	161	79% 15% • 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	161	 76%17% • 5%
1	G	161	 76%17% • 5%
1	H	161	 79%15% • 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called phenol 2-hydroxylase component B.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	B	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	C	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	D	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	E	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	F	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	G	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			
1	H	153	Total	C	N	O	S	Se	0	0	0
			1176	749	196	224	1	6			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q9LAG2
A	10	MSE	MET	modified residue	UNP Q9LAG2
A	31	MSE	MET	modified residue	UNP Q9LAG2
A	37	MSE	MET	modified residue	UNP Q9LAG2
A	56	MSE	MET	modified residue	UNP Q9LAG2
A	80	MSE	MET	modified residue	UNP Q9LAG2
B	1	MSE	MET	modified residue	UNP Q9LAG2
B	10	MSE	MET	modified residue	UNP Q9LAG2
B	31	MSE	MET	modified residue	UNP Q9LAG2
B	37	MSE	MET	modified residue	UNP Q9LAG2
B	56	MSE	MET	modified residue	UNP Q9LAG2
B	80	MSE	MET	modified residue	UNP Q9LAG2
C	1	MSE	MET	modified residue	UNP Q9LAG2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	10	MSE	MET	modified residue	UNP Q9LAG2
C	31	MSE	MET	modified residue	UNP Q9LAG2
C	37	MSE	MET	modified residue	UNP Q9LAG2
C	56	MSE	MET	modified residue	UNP Q9LAG2
C	80	MSE	MET	modified residue	UNP Q9LAG2
D	1	MSE	MET	modified residue	UNP Q9LAG2
D	10	MSE	MET	modified residue	UNP Q9LAG2
D	31	MSE	MET	modified residue	UNP Q9LAG2
D	37	MSE	MET	modified residue	UNP Q9LAG2
D	56	MSE	MET	modified residue	UNP Q9LAG2
D	80	MSE	MET	modified residue	UNP Q9LAG2
E	1	MSE	MET	modified residue	UNP Q9LAG2
E	10	MSE	MET	modified residue	UNP Q9LAG2
E	31	MSE	MET	modified residue	UNP Q9LAG2
E	37	MSE	MET	modified residue	UNP Q9LAG2
E	56	MSE	MET	modified residue	UNP Q9LAG2
E	80	MSE	MET	modified residue	UNP Q9LAG2
F	1	MSE	MET	modified residue	UNP Q9LAG2
F	10	MSE	MET	modified residue	UNP Q9LAG2
F	31	MSE	MET	modified residue	UNP Q9LAG2
F	37	MSE	MET	modified residue	UNP Q9LAG2
F	56	MSE	MET	modified residue	UNP Q9LAG2
F	80	MSE	MET	modified residue	UNP Q9LAG2
G	1	MSE	MET	modified residue	UNP Q9LAG2
G	10	MSE	MET	modified residue	UNP Q9LAG2
G	31	MSE	MET	modified residue	UNP Q9LAG2
G	37	MSE	MET	modified residue	UNP Q9LAG2
G	56	MSE	MET	modified residue	UNP Q9LAG2
G	80	MSE	MET	modified residue	UNP Q9LAG2
H	1	MSE	MET	modified residue	UNP Q9LAG2
H	10	MSE	MET	modified residue	UNP Q9LAG2
H	31	MSE	MET	modified residue	UNP Q9LAG2
H	37	MSE	MET	modified residue	UNP Q9LAG2
H	56	MSE	MET	modified residue	UNP Q9LAG2
H	80	MSE	MET	modified residue	UNP Q9LAG2

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	H	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	62	Total	O	0	0
			62	62		
4	B	53	Total	O	0	0
			53	53		
4	C	57	Total	O	0	0
			57	57		
4	D	51	Total	O	0	0
			51	51		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	40	Total 40	O 40	0	0
4	F	44	Total 44	O 44	0	0
4	G	47	Total 47	O 47	0	0
4	H	43	Total 43	O 43	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: phenol 2-hydroxylase component B

Chain A: 



- Molecule 1: phenol 2-hydroxylase component B

Chain B: 




- Molecule 1: phenol 2-hydroxylase component B

Chain C: 



- Molecule 1: phenol 2-hydroxylase component B

Chain D: 




- Molecule 1: phenol 2-hydroxylase component B

Chain E: 



- Molecule 1: phenol 2-hydroxylase component B

Chain F: 76% 17% • 5%




- Molecule 1: phenol 2-hydroxylase component B

Chain G: 76% 17% • 5%



- Molecule 1: phenol 2-hydroxylase component B

Chain H: 79% 15% • 5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.69Å 156.46Å 83.92Å 90.00° 91.11° 90.00°	Depositor
Resolution (Å)	15.00 – 2.10 15.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.2 (15.00-2.10) 95.1 (15.00-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.237 , 0.256 0.234 , 0.260	Depositor DCC
R_{free} test set	1560 reflections (2.04%)	wwPDB-VP
Wilson B-factor (Å ²)	34.1	Xtriage
Anisotropy	0.288	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 36.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.229 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10581	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.77 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.4791e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.84	2/1187 (0.2%)	0.89	0/1592
1	B	0.81	1/1187 (0.1%)	0.92	0/1592
1	C	0.80	1/1187 (0.1%)	0.89	0/1592
1	D	0.80	0/1187	0.89	1/1592 (0.1%)
1	E	0.78	1/1187 (0.1%)	0.88	0/1592
1	F	0.88	2/1187 (0.2%)	0.93	0/1592
1	G	0.81	2/1187 (0.2%)	0.90	0/1592
1	H	0.78	1/1187 (0.1%)	0.88	0/1592
All	All	0.81	10/9496 (0.1%)	0.90	1/12736 (0.0%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	80	MSE	SE-CE	-7.04	1.74	1.95
1	A	80	MSE	SE-CE	-6.70	1.75	1.95
1	C	80	MSE	SE-CE	-6.52	1.75	1.95
1	H	80	MSE	SE-CE	-6.51	1.75	1.95
1	F	31	MSE	SE-CE	-6.46	1.76	1.95
1	A	31	MSE	SE-CE	-6.46	1.76	1.95
1	G	80	MSE	SE-CE	-5.46	1.79	1.95
1	E	80	MSE	SE-CE	-5.28	1.79	1.95
1	B	80	MSE	SE-CE	-5.13	1.80	1.95
1	G	31	MSE	SE-CE	-5.03	1.80	1.95

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	25	ASN	CB-CA-C	-5.23	103.25	111.51

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1176	0	1205	22	0
1	B	1176	0	1205	31	4
1	C	1176	0	1205	23	0
1	D	1176	0	1205	33	4
1	E	1176	0	1205	29	0
1	F	1176	0	1205	38	1
1	G	1176	0	1205	31	0
1	H	1176	0	1205	29	1
2	A	53	0	31	3	0
2	B	53	0	31	4	0
2	C	53	0	31	4	0
2	D	53	0	31	4	0
2	E	53	0	31	4	0
2	F	53	0	31	4	0
2	G	53	0	31	5	0
2	H	53	0	31	3	0
3	A	44	0	26	0	0
3	B	44	0	26	0	0
3	C	44	0	26	0	0
3	D	44	0	26	0	0
3	E	44	0	26	0	0
3	F	44	0	26	0	0
3	G	44	0	26	0	0
3	H	44	0	26	0	0
4	A	62	0	0	2	0
4	B	53	0	0	6	0
4	C	57	0	0	2	0
4	D	51	0	0	2	0
4	E	40	0	0	3	0
4	F	44	0	0	4	0
4	G	47	0	0	3	0
4	H	43	0	0	0	0
All	All	10581	0	10096	191	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:CYS:HB2	4:A:1263:HOH:O	1.35	1.22
1:D:31:MSE:HE3	2:D:4200:FAD:H5'2	1.33	1.09
1:H:31:MSE:HE3	2:H:8200:FAD:H5'2	1.31	1.09
1:B:31:MSE:HE3	2:B:2200:FAD:H5'2	1.24	1.08
1:E:31:MSE:HE3	2:E:5200:FAD:H5'2	1.37	1.05
1:A:37:MSE:HE3	1:A:39:VAL:HG22	1.39	1.04
1:F:31:MSE:HE3	2:F:6200:FAD:H5'2	1.35	1.00
1:A:31:MSE:HE3	2:A:1200:FAD:H5'2	1.42	0.99
1:G:31:MSE:HE3	2:G:7200:FAD:H5'2	1.43	0.96
1:C:31:MSE:HE3	2:C:3200:FAD:H5'2	1.46	0.96
1:G:37:MSE:HE3	1:G:39:VAL:HG22	1.51	0.92
1:C:37:MSE:HE3	1:C:39:VAL:HG22	1.50	0.92
1:F:25:ASN:H	1:F:25:ASN:HD22	1.19	0.90
1:F:37:MSE:HE3	1:F:39:VAL:HG22	1.56	0.87
1:F:31:MSE:CE	2:F:6200:FAD:H5'2	2.06	0.86
1:E:31:MSE:CE	2:E:5200:FAD:H5'2	2.06	0.85
1:D:31:MSE:HE2	2:D:4200:FAD:H2'	1.57	0.84
1:E:31:MSE:HE2	2:E:5200:FAD:H2'	1.60	0.84
1:C:31:MSE:CE	2:C:3200:FAD:H5'2	2.08	0.83
1:B:74:ASP:HA	1:F:87:GLU:HB2	1.61	0.83
1:D:37:MSE:HE3	1:D:39:VAL:HG22	1.62	0.81
1:E:37:MSE:HE3	1:E:39:VAL:HG22	1.63	0.80
1:B:150:GLN:NE2	1:F:87:GLU:OE2	2.15	0.79
1:B:31:MSE:CE	2:B:2200:FAD:H5'2	2.11	0.79
1:D:31:MSE:CE	2:D:4200:FAD:H5'2	2.11	0.79
1:A:31:MSE:CE	2:A:1200:FAD:H5'2	2.12	0.78
1:B:31:MSE:CE	4:B:2207:HOH:O	2.31	0.78
1:B:37:MSE:HE3	1:B:39:VAL:HG22	1.66	0.78
1:A:31:MSE:HE2	2:A:1200:FAD:H2'	1.65	0.78
1:A:37:MSE:CE	1:A:39:VAL:HG22	2.14	0.78
1:F:31:MSE:HE2	2:F:6200:FAD:H2'	1.64	0.78
1:C:31:MSE:HE2	2:C:3200:FAD:H2'	1.65	0.77
1:H:31:MSE:HE2	2:H:8200:FAD:H2'	1.67	0.77
1:B:31:MSE:HE2	2:B:2200:FAD:H2'	1.67	0.76
1:G:49:SER:HB2	1:H:37:MSE:HE1	1.68	0.75
1:G:31:MSE:HE2	2:G:7200:FAD:H2'	1.67	0.75
1:B:31:MSE:HE1	4:B:2207:HOH:O	1.87	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:37:MSE:CE	1:G:39:VAL:HG22	2.18	0.73
1:F:116:ASN:HD22	1:F:117:GLU:H	1.36	0.73
1:C:37:MSE:HE2	1:C:47:LEU:HD13	1.71	0.73
1:D:37:MSE:CE	1:D:39:VAL:HG22	2.19	0.72
1:F:37:MSE:CE	1:F:39:VAL:HG22	2.20	0.72
1:D:87:GLU:HB2	1:H:74:ASP:HA	1.73	0.70
1:D:116:ASN:HD22	1:D:117:GLU:H	1.40	0.70
1:H:31:MSE:CE	2:H:8200:FAD:H5'2	2.16	0.70
1:D:1:MSE:HG2	1:D:5:LEU:HD23	1.74	0.69
1:H:37:MSE:HE3	1:H:39:VAL:HG22	1.74	0.69
1:A:116:ASN:HD22	1:A:117:GLU:H	1.39	0.69
1:G:31:MSE:CE	2:G:7200:FAD:H5'2	2.19	0.69
1:G:135:ILE:HD11	1:H:9:ALA:HB2	1.74	0.69
1:C:37:MSE:CE	1:C:39:VAL:HG22	2.22	0.68
1:E:116:ASN:HD22	1:E:117:GLU:H	1.40	0.68
1:B:74:ASP:OD1	1:F:87:GLU:HB3	1.93	0.68
1:G:31:MSE:CE	4:G:7208:HOH:O	2.43	0.67
1:G:116:ASN:HD22	1:G:117:GLU:H	1.43	0.67
1:G:1:MSE:HA	1:G:5:LEU:HD23	1.77	0.67
1:D:87:GLU:HB3	1:H:74:ASP:OD1	1.95	0.66
1:E:37:MSE:CE	1:E:39:VAL:HG22	2.25	0.66
1:B:37:MSE:CE	1:B:39:VAL:HG22	2.25	0.66
1:H:116:ASN:HD22	1:H:117:GLU:H	1.44	0.66
1:E:31:MSE:HE1	4:E:5217:HOH:O	1.95	0.65
1:E:49:SER:HB2	1:F:37:MSE:HE1	1.78	0.65
1:G:9:ALA:HB2	1:H:135:ILE:HD11	1.77	0.65
1:B:116:ASN:HD22	1:B:117:GLU:H	1.46	0.64
1:A:37:MSE:HE2	1:A:47:LEU:HD13	1.80	0.64
1:B:62:GLN:HG3	4:B:2209:HOH:O	1.97	0.63
1:F:77:VAL:HA	1:F:80:MSE:HE3	1.79	0.63
1:E:37:MSE:HE2	1:E:47:LEU:HD13	1.81	0.63
1:D:80:MSE:HE1	1:H:80:MSE:HE1	1.81	0.63
1:C:9:ALA:HB2	1:D:135:ILE:HD11	1.81	0.62
1:C:116:ASN:HD22	1:C:117:GLU:H	1.45	0.62
1:E:31:MSE:CE	4:E:5217:HOH:O	2.47	0.62
1:G:96:GLU:CD	4:G:7223:HOH:O	2.43	0.61
1:E:9:ALA:HB2	1:F:135:ILE:HD11	1.80	0.61
1:C:49:SER:HB2	1:D:37:MSE:HE1	1.83	0.60
1:A:49:SER:HB2	1:B:37:MSE:HE1	1.83	0.60
1:A:9:ALA:HB2	1:B:135:ILE:HD11	1.82	0.60
1:H:37:MSE:CE	1:H:39:VAL:HG22	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:122:ASP:HB3	1:F:123:HIS:HD1	1.67	0.59
1:F:116:ASN:ND2	1:F:117:GLU:H	2.00	0.58
1:E:122:ASP:HB3	1:E:123:HIS:HD1	1.69	0.58
1:H:122:ASP:HB3	1:H:123:HIS:HD1	1.68	0.58
1:C:122:ASP:HB3	1:C:123:HIS:HD1	1.69	0.57
1:A:77:VAL:HA	1:A:80:MSE:HE3	1.85	0.57
1:D:116:ASN:ND2	1:D:117:GLU:H	2.01	0.57
1:D:87:GLU:CB	1:H:74:ASP:OD1	2.52	0.57
1:F:31:MSE:HE1	4:F:6227:HOH:O	2.04	0.56
1:E:116:ASN:ND2	1:E:117:GLU:H	2.03	0.56
1:G:77:VAL:HA	1:G:80:MSE:HE3	1.87	0.56
1:F:37:MSE:HE2	1:F:47:LEU:HD13	1.86	0.56
1:A:135:ILE:HD11	1:B:9:ALA:HB2	1.86	0.56
1:B:116:ASN:ND2	1:B:117:GLU:H	2.03	0.56
1:A:1:MSE:HG2	1:A:5:LEU:HD23	1.89	0.55
1:D:122:ASP:HB3	1:D:123:HIS:HD1	1.71	0.55
1:H:116:ASN:ND2	1:H:117:GLU:H	2.04	0.55
1:E:135:ILE:HD11	1:F:9:ALA:HB2	1.89	0.55
1:F:25:ASN:H	1:F:25:ASN:ND2	1.94	0.55
1:G:37:MSE:HE2	1:G:47:LEU:HD13	1.87	0.55
1:A:122:ASP:HB3	1:A:123:HIS:HD1	1.72	0.54
1:B:122:ASP:HB3	1:B:123:HIS:HD1	1.71	0.54
1:F:31:MSE:CE	4:F:6227:HOH:O	2.56	0.54
1:E:1:MSE:HG2	1:E:5:LEU:HD23	1.90	0.53
1:B:23:GLU:OE1	1:B:26:GLY:HA2	2.08	0.53
1:A:1:MSE:HG3	4:B:2240:HOH:O	2.06	0.53
1:A:116:ASN:HD22	1:A:117:GLU:N	2.07	0.53
1:G:122:ASP:HB3	1:G:123:HIS:HD1	1.74	0.53
1:E:77:VAL:HA	1:E:80:MSE:HE3	1.90	0.53
1:G:95:GLU:HG3	1:G:102:VAL:HG23	1.91	0.53
1:B:138:GLN:OE1	4:B:2250:HOH:O	2.19	0.52
1:F:116:ASN:HD22	1:F:117:GLU:N	2.05	0.52
1:G:116:ASN:ND2	1:G:117:GLU:H	2.06	0.52
1:C:116:ASN:ND2	1:C:117:GLU:H	2.06	0.52
1:B:73:GLN:O	1:F:87:GLU:HG3	2.09	0.52
1:D:95:GLU:HG3	1:D:102:VAL:HG23	1.92	0.52
1:G:37:MSE:HE1	1:H:49:SER:HB2	1.92	0.52
1:G:31:MSE:HE1	4:G:7208:HOH:O	2.09	0.51
1:A:116:ASN:ND2	1:A:117:GLU:H	2.07	0.51
1:H:95:GLU:HG3	1:H:102:VAL:HG23	1.93	0.51
1:E:37:MSE:HE1	1:F:49:SER:HB2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:10:MSE:HE1	1:F:110:ILE:HD13	1.91	0.51
1:F:31:MSE:HE3	2:F:6200:FAD:C5'	2.25	0.51
1:B:31:MSE:HE3	2:B:2200:FAD:C5'	2.17	0.50
1:F:23:GLU:HB3	4:F:6222:HOH:O	2.11	0.50
1:G:133:ILE:HD12	1:H:1:MSE:SE	2.61	0.50
1:C:130:VAL:HG21	1:D:6:PHE:HE1	1.76	0.50
1:E:40:SER:OG	1:F:122:ASP:HB2	2.11	0.50
1:B:75:GLN:HA	4:B:2230:HOH:O	2.12	0.50
1:A:95:GLU:HG3	1:A:102:VAL:HG23	1.93	0.50
1:E:116:ASN:HD22	1:E:117:GLU:N	2.08	0.50
1:B:1:MSE:HG2	1:B:5:LEU:HD23	1.92	0.49
1:F:95:GLU:HG3	1:F:102:VAL:HG23	1.93	0.49
1:E:1:MSE:SE	1:F:133:ILE:HD12	2.62	0.49
1:E:95:GLU:HG3	1:E:102:VAL:HG23	1.94	0.49
1:B:40:SER:HB3	1:B:45:LEU:HB2	1.95	0.48
1:A:37:MSE:HE1	1:B:49:SER:HB2	1.95	0.48
1:B:37:MSE:HE2	1:B:47:LEU:HD13	1.95	0.48
1:B:95:GLU:HG3	1:B:102:VAL:HG23	1.95	0.48
1:D:77:VAL:HA	1:D:80:MSE:HE3	1.94	0.48
1:C:4:ARG:HG2	4:C:3246:HOH:O	2.13	0.48
1:F:25:ASN:HD22	1:F:25:ASN:N	1.99	0.48
1:D:37:MSE:HE2	1:D:47:LEU:HD13	1.95	0.47
1:B:74:ASP:HA	1:F:87:GLU:CB	2.41	0.47
1:D:80:MSE:CE	1:H:80:MSE:HE1	2.43	0.47
1:C:37:MSE:HE1	1:D:49:SER:HB2	1.96	0.46
1:D:75:GLN:HA	4:D:4231:HOH:O	2.14	0.46
1:G:41:LEU:HB3	1:H:122:ASP:OD1	2.15	0.46
1:C:31:MSE:HE3	2:C:3200:FAD:C5'	2.32	0.46
1:F:148:TYR:OH	4:F:6239:HOH:O	2.19	0.46
1:C:77:VAL:HA	1:C:80:MSE:HE3	1.96	0.46
1:C:116:ASN:HD22	1:C:117:GLU:N	2.13	0.46
1:C:95:GLU:HG3	1:C:102:VAL:HG23	1.98	0.46
1:F:77:VAL:HA	1:F:80:MSE:CE	2.46	0.45
1:C:133:ILE:HD12	1:D:1:MSE:SE	2.66	0.45
1:A:4:ARG:HD2	4:A:1231:HOH:O	2.16	0.45
1:G:122:ASP:OD1	1:H:41:LEU:HB3	2.16	0.45
1:C:89:PRO:HG3	4:C:3242:HOH:O	2.16	0.45
1:H:116:ASN:HD22	1:H:117:GLU:N	2.13	0.45
1:C:40:SER:OG	1:D:122:ASP:HB2	2.16	0.45
1:D:116:ASN:HD22	1:D:117:GLU:N	2.10	0.45
1:E:87:GLU:OE2	1:G:87:GLU:CD	2.60	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:80:MSE:HE1	1:F:80:MSE:HE1	1.98	0.44
1:G:116:ASN:HD22	1:G:117:GLU:N	2.12	0.44
1:G:33:ALA:HA	2:G:7200:FAD:N5	2.33	0.44
1:D:80:MSE:HE1	1:H:80:MSE:CE	2.46	0.44
1:F:50:ILE:HD13	1:F:60:ILE:HD12	2.00	0.44
1:C:135:ILE:HD11	1:D:9:ALA:HB2	2.01	0.43
1:D:116:ASN:ND2	1:D:117:GLU:N	2.66	0.43
1:F:116:ASN:ND2	1:F:117:GLU:N	2.64	0.43
1:G:104:LYS:O	1:G:105:ASP:HB2	2.17	0.43
1:H:77:VAL:HA	1:H:80:MSE:HE3	2.01	0.42
1:E:31:MSE:HE3	2:E:5200:FAD:C5'	2.25	0.42
1:E:3:ASP:HB2	4:E:5235:HOH:O	2.20	0.42
1:E:87:GLU:CD	1:G:87:GLU:OE2	2.62	0.42
1:E:116:ASN:ND2	1:E:117:GLU:N	2.66	0.42
1:D:87:GLU:CG	1:H:74:ASP:OD1	2.68	0.42
1:D:33:ALA:HA	2:D:4200:FAD:N5	2.34	0.42
1:G:130:VAL:HG12	1:H:1:MSE:HE1	2.02	0.41
1:A:6:PHE:CE1	1:A:10:MSE:HE3	2.55	0.41
1:G:47:LEU:HD23	1:G:47:LEU:C	2.45	0.41
1:A:37:MSE:HE1	1:B:125:LEU:HD22	2.01	0.41
1:G:40:SER:OG	1:H:122:ASP:HB2	2.20	0.41
1:H:50:ILE:HD13	1:H:60:ILE:HD12	2.03	0.41
1:H:37:MSE:HE2	1:H:47:LEU:HD13	2.02	0.41
1:B:116:ASN:ND2	1:B:117:GLU:N	2.68	0.41
1:E:77:VAL:HA	1:E:80:MSE:CE	2.49	0.41
1:D:77:VAL:HA	1:D:80:MSE:CE	2.51	0.41
1:C:1:MSE:HE1	1:D:130:VAL:O	2.20	0.40
1:G:33:ALA:HA	2:G:7200:FAD:C4X	2.51	0.40
1:D:44:LYS:HE3	4:D:4213:HOH:O	2.22	0.40
1:E:122:ASP:HB2	1:F:40:SER:OG	2.21	0.40
1:F:39:VAL:HG21	1:F:47:LEU:HB2	2.04	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:GLN:NE2	1:D:62:GLN:CG[1_455]	1.24	0.96
1:B:58:GLU:OE2	1:D:25:ASN:ND2[1_455]	1.84	0.36
1:B:62:GLN:NE2	1:D:62:GLN:CB[1_455]	2.04	0.16
1:F:62:GLN:OE1	1:H:62:GLN:NE2[1_456]	2.08	0.12
1:B:62:GLN:NE2	1:D:62:GLN:CD[1_455]	2.11	0.09

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/161 (94%)	149 (99%)	2 (1%)	0	100	100
1	B	151/161 (94%)	149 (99%)	2 (1%)	0	100	100
1	C	151/161 (94%)	148 (98%)	3 (2%)	0	100	100
1	D	151/161 (94%)	147 (97%)	3 (2%)	1 (1%)	18	15
1	E	151/161 (94%)	147 (97%)	4 (3%)	0	100	100
1	F	151/161 (94%)	147 (97%)	4 (3%)	0	100	100
1	G	151/161 (94%)	149 (99%)	2 (1%)	0	100	100
1	H	151/161 (94%)	149 (99%)	2 (1%)	0	100	100
All	All	1208/1288 (94%)	1185 (98%)	22 (2%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	122	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	130/132 (98%)	125 (96%)	5 (4%)	29	32
1	B	130/132 (98%)	125 (96%)	5 (4%)	29	32
1	C	130/132 (98%)	125 (96%)	5 (4%)	29	32
1	D	130/132 (98%)	124 (95%)	6 (5%)	24	25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	130/132 (98%)	124 (95%)	6 (5%)	24	25
1	F	130/132 (98%)	124 (95%)	6 (5%)	24	25
1	G	130/132 (98%)	125 (96%)	5 (4%)	29	32
1	H	130/132 (98%)	124 (95%)	6 (5%)	24	25
All	All	1040/1056 (98%)	996 (96%)	44 (4%)	26	28

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MSE
1	A	46	VAL
1	A	90	VAL
1	A	100	LEU
1	A	134	LYS
1	B	1	MSE
1	B	46	VAL
1	B	90	VAL
1	B	100	LEU
1	B	134	LYS
1	C	1	MSE
1	C	46	VAL
1	C	90	VAL
1	C	100	LEU
1	C	134	LYS
1	D	1	MSE
1	D	2	ASP
1	D	46	VAL
1	D	90	VAL
1	D	100	LEU
1	D	134	LYS
1	E	1	MSE
1	E	2	ASP
1	E	46	VAL
1	E	90	VAL
1	E	100	LEU
1	E	134	LYS
1	F	1	MSE
1	F	25	ASN
1	F	46	VAL
1	F	90	VAL
1	F	100	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	134	LYS
1	G	1	MSE
1	G	46	VAL
1	G	90	VAL
1	G	100	LEU
1	G	134	LYS
1	H	1	MSE
1	H	2	ASP
1	H	46	VAL
1	H	90	VAL
1	H	100	LEU
1	H	134	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	113	GLN
1	A	116	ASN
1	B	113	GLN
1	B	116	ASN
1	B	138	GLN
1	C	116	ASN
1	D	25	ASN
1	D	113	GLN
1	D	116	ASN
1	E	34	ASN
1	E	113	GLN
1	E	116	ASN
1	F	25	ASN
1	F	113	GLN
1	F	116	ASN
1	G	113	GLN
1	G	116	ASN
1	H	113	GLN
1	H	116	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FAD	F	6200	-	58,58,58	1.23	5 (8%)	85,89,89	1.71	19 (22%)
3	NAD	H	8201	-	46,48,48	1.81	5 (10%)	64,73,73	1.53	8 (12%)
3	NAD	D	4201	-	46,48,48	1.71	4 (8%)	64,73,73	1.58	8 (12%)
3	NAD	F	6201	-	46,48,48	1.79	5 (10%)	64,73,73	1.59	7 (10%)
3	NAD	C	3201	-	46,48,48	1.75	3 (6%)	64,73,73	1.56	8 (12%)
3	NAD	A	1201	-	46,48,48	1.74	3 (6%)	64,73,73	1.52	7 (10%)
3	NAD	E	5201	-	46,48,48	1.64	4 (8%)	64,73,73	1.54	8 (12%)
2	FAD	E	5200	-	58,58,58	1.22	5 (8%)	85,89,89	1.65	16 (18%)
2	FAD	B	2200	-	58,58,58	1.28	8 (13%)	85,89,89	1.66	15 (17%)
2	FAD	G	7200	-	58,58,58	1.17	4 (6%)	85,89,89	1.59	16 (18%)
3	NAD	G	7201	-	46,48,48	1.70	4 (8%)	64,73,73	1.54	9 (14%)
2	FAD	D	4200	-	58,58,58	1.27	6 (10%)	85,89,89	1.70	18 (21%)
3	NAD	B	2201	-	46,48,48	1.80	5 (10%)	64,73,73	1.59	9 (14%)
2	FAD	H	8200	-	58,58,58	1.18	7 (12%)	85,89,89	1.69	17 (20%)
2	FAD	C	3200	-	58,58,58	1.29	9 (15%)	85,89,89	1.60	18 (21%)
2	FAD	A	1200	-	58,58,58	1.20	5 (8%)	85,89,89	1.66	19 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	F	6200	-	-	10/34/50/50	0/6/6/6
3	NAD	H	8201	-	-	6/30/62/62	0/5/5/5
3	NAD	D	4201	-	-	6/30/62/62	0/5/5/5
3	NAD	F	6201	-	-	6/30/62/62	0/5/5/5
3	NAD	C	3201	-	-	6/30/62/62	0/5/5/5
3	NAD	A	1201	-	-	6/30/62/62	0/5/5/5
3	NAD	E	5201	-	-	6/30/62/62	0/5/5/5
2	FAD	E	5200	-	-	10/34/50/50	0/6/6/6
2	FAD	B	2200	-	-	11/34/50/50	0/6/6/6
2	FAD	G	7200	-	-	11/34/50/50	0/6/6/6
3	NAD	G	7201	-	-	6/30/62/62	0/5/5/5
2	FAD	D	4200	-	-	10/34/50/50	0/6/6/6
3	NAD	B	2201	-	-	6/30/62/62	0/5/5/5
2	FAD	H	8200	-	-	10/34/50/50	0/6/6/6
2	FAD	C	3200	-	-	9/34/50/50	0/6/6/6
2	FAD	A	1200	-	-	11/34/50/50	0/6/6/6

All (82) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	6201	NAD	O7N-C7N	9.88	1.42	1.24
3	A	1201	NAD	O7N-C7N	9.60	1.42	1.24
3	G	7201	NAD	O7N-C7N	9.59	1.42	1.24
3	B	2201	NAD	O7N-C7N	9.44	1.41	1.24
3	H	8201	NAD	O7N-C7N	9.43	1.41	1.24
3	C	3201	NAD	O7N-C7N	9.28	1.41	1.24
3	D	4201	NAD	O7N-C7N	9.15	1.41	1.24
3	E	5201	NAD	O7N-C7N	8.99	1.40	1.24
2	C	3200	FAD	P-O3P	4.05	1.63	1.59
2	F	6200	FAD	PA-O3P	3.91	1.63	1.59
2	A	1200	FAD	C4X-N5	3.88	1.39	1.30
2	H	8200	FAD	C4X-N5	3.73	1.38	1.30
2	E	5200	FAD	C4X-N5	3.70	1.38	1.30
2	G	7200	FAD	C4X-N5	3.65	1.38	1.30
2	D	4200	FAD	C4X-N5	3.56	1.38	1.30
2	B	2200	FAD	C4X-N5	3.50	1.38	1.30
2	D	4200	FAD	C2A-N1A	3.47	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4200	FAD	PA-O3P	3.45	1.63	1.59
2	C	3200	FAD	C4X-N5	3.39	1.38	1.30
2	D	4200	FAD	C2A-N3A	3.37	1.39	1.33
2	F	6200	FAD	C4X-N5	3.35	1.38	1.30
3	H	8201	NAD	C2A-N1A	3.29	1.39	1.33
2	E	5200	FAD	P-O3P	3.29	1.63	1.59
2	F	6200	FAD	C2A-N3A	3.16	1.39	1.33
2	B	2200	FAD	PA-O3P	3.15	1.62	1.59
3	B	2201	NAD	C2A-N3A	3.14	1.39	1.33
2	G	7200	FAD	C2A-N1A	3.11	1.39	1.33
2	C	3200	FAD	C2A-N1A	3.11	1.39	1.33
2	B	2200	FAD	C2A-N1A	3.08	1.39	1.33
2	E	5200	FAD	C2A-N1A	3.04	1.39	1.33
3	B	2201	NAD	C2A-N1A	3.03	1.39	1.33
2	A	1200	FAD	C2A-N1A	3.02	1.39	1.33
3	H	8201	NAD	C2A-N3A	2.99	1.39	1.33
2	G	7200	FAD	C2A-N3A	2.96	1.39	1.33
2	E	5200	FAD	C2A-N3A	2.95	1.39	1.33
3	C	3201	NAD	C2A-N3A	2.93	1.39	1.33
2	B	2200	FAD	C2A-N3A	2.93	1.39	1.33
2	H	8200	FAD	C2A-N3A	2.93	1.39	1.33
2	F	6200	FAD	C2A-N1A	2.90	1.39	1.33
3	G	7201	NAD	C2A-N1A	2.86	1.39	1.33
3	C	3201	NAD	C2A-N1A	2.85	1.39	1.33
3	D	4201	NAD	C2A-N3A	2.82	1.38	1.33
2	A	1200	FAD	C10-N1	2.82	1.38	1.33
2	E	5200	FAD	C10-N1	2.81	1.38	1.33
3	D	4201	NAD	C2A-N1A	2.80	1.38	1.33
3	E	5201	NAD	C2A-N1A	2.77	1.38	1.33
3	A	1201	NAD	C2A-N3A	2.75	1.38	1.33
3	F	6201	NAD	C2A-N1A	2.75	1.38	1.33
2	H	8200	FAD	C10-N1	2.73	1.38	1.33
2	B	2200	FAD	C10-N1	2.73	1.38	1.33
3	A	1201	NAD	C2A-N1A	2.73	1.38	1.33
2	H	8200	FAD	C2A-N1A	2.70	1.38	1.33
3	B	2201	NAD	C8A-N7A	2.69	1.36	1.31
2	A	1200	FAD	C2A-N3A	2.68	1.38	1.33
3	F	6201	NAD	C2A-N3A	2.67	1.38	1.33
3	H	8201	NAD	C2N-N1N	2.63	1.37	1.35
2	B	2200	FAD	P-O3P	2.62	1.62	1.59
2	C	3200	FAD	C10-N1	2.59	1.38	1.33
3	F	6201	NAD	C8A-N7A	2.53	1.36	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	5201	NAD	C2A-N3A	2.52	1.38	1.33
3	H	8201	NAD	C8A-N7A	2.52	1.36	1.31
3	G	7201	NAD	C2A-N3A	2.44	1.38	1.33
2	D	4200	FAD	P-O3P	2.43	1.62	1.59
2	C	3200	FAD	C5A-N7A	-2.40	1.34	1.39
2	D	4200	FAD	C10-N1	2.39	1.38	1.33
2	G	7200	FAD	C10-N1	2.35	1.38	1.33
2	F	6200	FAD	C10-N1	2.34	1.38	1.33
2	A	1200	FAD	C5A-N7A	-2.25	1.35	1.39
2	H	8200	FAD	C8A-N7A	2.21	1.35	1.31
2	H	8200	FAD	PA-O3P	2.20	1.61	1.59
3	B	2201	NAD	C2N-N1N	2.20	1.37	1.35
2	C	3200	FAD	C2A-N3A	2.17	1.37	1.33
2	B	2200	FAD	C8A-N7A	2.17	1.35	1.31
2	C	3200	FAD	C9-C8	2.07	1.42	1.39
3	E	5201	NAD	C2N-N1N	2.07	1.37	1.35
2	C	3200	FAD	C8A-N7A	2.07	1.35	1.31
2	H	8200	FAD	P-O3P	2.05	1.61	1.59
3	D	4201	NAD	C8A-N7A	2.04	1.35	1.31
3	F	6201	NAD	PA-O3	2.04	1.61	1.59
2	B	2200	FAD	C2-N1	2.03	1.41	1.36
2	C	3200	FAD	PA-O3P	2.03	1.61	1.59
3	G	7201	NAD	C8A-N7A	2.02	1.35	1.31

All (202) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	8200	FAD	N3A-C2A-N1A	-5.93	119.60	128.58
2	F	6200	FAD	N3A-C2A-N1A	-5.93	119.61	128.58
2	E	5200	FAD	N3A-C2A-N1A	-5.84	119.74	128.58
3	E	5201	NAD	N3A-C2A-N1A	-5.82	119.77	128.58
2	B	2200	FAD	N3A-C2A-N1A	-5.80	119.80	128.58
3	D	4201	NAD	N3A-C2A-N1A	-5.78	119.83	128.58
3	F	6201	NAD	N3A-C2A-N1A	-5.68	119.98	128.58
2	G	7200	FAD	N3A-C2A-N1A	-5.66	120.02	128.58
3	A	1201	NAD	N3A-C2A-N1A	-5.58	120.13	128.58
3	C	3201	NAD	N3A-C2A-N1A	-5.58	120.14	128.58
2	A	1200	FAD	N3A-C2A-N1A	-5.47	120.30	128.58
3	B	2201	NAD	N3A-C2A-N1A	-5.46	120.32	128.58
3	G	7201	NAD	N3A-C2A-N1A	-5.38	120.44	128.58
3	H	8201	NAD	N3A-C2A-N1A	-5.30	120.56	128.58
2	C	3200	FAD	N3A-C2A-N1A	-5.26	120.62	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	4200	FAD	N3A-C2A-N1A	-5.02	120.99	128.58
2	F	6200	FAD	C5A-C4A-N3A	-4.89	119.98	126.72
3	F	6201	NAD	C5A-C4A-N3A	-4.79	120.12	126.72
2	A	1200	FAD	C5A-C4A-N3A	-4.77	120.15	126.72
2	D	4200	FAD	C5A-C4A-N3A	-4.73	120.21	126.72
2	B	2200	FAD	C5A-C4A-N3A	-4.72	120.22	126.72
2	E	5200	FAD	C5A-C4A-N3A	-4.61	120.37	126.72
3	D	4201	NAD	C5A-C4A-N3A	-4.59	120.40	126.72
2	G	7200	FAD	C5A-C4A-N3A	-4.54	120.46	126.72
3	B	2201	NAD	C5A-C4A-N3A	-4.52	120.49	126.72
2	H	8200	FAD	C5A-C4A-N3A	-4.49	120.53	126.72
3	E	5201	NAD	C5A-C4A-N3A	-4.43	120.62	126.72
3	G	7201	NAD	C5A-C4A-N3A	-4.35	120.73	126.72
3	H	8201	NAD	C5A-C4A-N3A	-4.30	120.80	126.72
2	C	3200	FAD	C5A-C4A-N3A	-4.29	120.81	126.72
3	A	1201	NAD	C5A-C4A-N3A	-4.26	120.85	126.72
3	C	3201	NAD	N9A-C8A-N7A	-4.24	107.92	113.94
3	C	3201	NAD	C5A-C4A-N3A	-4.23	120.89	126.72
3	B	2201	NAD	N9A-C8A-N7A	-4.16	108.04	113.94
2	E	5200	FAD	C4-N3-C2	-4.03	118.48	125.64
2	D	4200	FAD	C4-N3-C2	-4.01	118.52	125.64
2	D	4200	FAD	N9A-C8A-N7A	-4.01	108.25	113.94
3	G	7201	NAD	N9A-C8A-N7A	-3.99	108.27	113.94
2	H	8200	FAD	C4-N3-C2	-3.97	118.60	125.64
2	B	2200	FAD	C4-N3-C2	-3.96	118.61	125.64
3	H	8201	NAD	N9A-C8A-N7A	-3.93	108.36	113.94
3	C	3201	NAD	C5A-N7A-C8A	3.90	109.58	103.45
3	F	6201	NAD	N9A-C8A-N7A	-3.89	108.42	113.94
3	A	1201	NAD	N9A-C8A-N7A	-3.88	108.43	113.94
3	E	5201	NAD	N9A-C8A-N7A	-3.87	108.44	113.94
3	D	4201	NAD	N9A-C8A-N7A	-3.81	108.53	113.94
3	F	6201	NAD	C5A-N7A-C8A	3.81	109.43	103.45
2	F	6200	FAD	N9A-C8A-N7A	-3.79	108.56	113.94
2	G	7200	FAD	C4-N3-C2	-3.73	119.01	125.64
2	B	2200	FAD	C2A-N3A-C4A	3.73	120.94	111.83
3	B	2201	NAD	C5A-N7A-C8A	3.71	109.29	103.45
3	D	4201	NAD	C2A-N3A-C4A	3.71	120.90	111.83
3	H	8201	NAD	C5A-N7A-C8A	3.69	109.25	103.45
3	F	6201	NAD	C2A-N3A-C4A	3.68	120.83	111.83
2	D	4200	FAD	C5A-N7A-C8A	3.68	109.24	103.45
2	F	6200	FAD	C2A-N3A-C4A	3.68	120.81	111.83
2	H	8200	FAD	N9A-C8A-N7A	-3.68	108.72	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	3200	FAD	N9A-C8A-N7A	-3.67	108.73	113.94
2	D	4200	FAD	N3A-C4A-N9A	3.67	133.41	127.17
3	D	4201	NAD	C5A-N7A-C8A	3.65	109.19	103.45
2	A	1200	FAD	C4-N3-C2	-3.63	119.20	125.64
2	A	1200	FAD	N3A-C4A-N9A	3.61	133.31	127.17
2	F	6200	FAD	N3A-C4A-N9A	3.57	133.24	127.17
2	H	8200	FAD	O4-C4-C4X	-3.55	117.16	126.53
3	E	5201	NAD	C2A-N3A-C4A	3.53	120.46	111.83
3	G	7201	NAD	C5A-N7A-C8A	3.49	108.94	103.45
2	H	8200	FAD	C2A-N3A-C4A	3.49	120.36	111.83
2	H	8200	FAD	N3A-C4A-N9A	3.46	133.05	127.17
2	F	6200	FAD	C5A-N7A-C8A	3.45	108.87	103.45
3	E	5201	NAD	C5A-N7A-C8A	3.44	108.86	103.45
3	A	1201	NAD	C5A-N7A-C8A	3.41	108.81	103.45
3	G	7201	NAD	C2A-N3A-C4A	3.40	120.13	111.83
2	C	3200	FAD	C5A-N7A-C8A	3.39	108.78	103.45
2	E	5200	FAD	N3A-C4A-N9A	3.38	132.91	127.17
2	G	7200	FAD	N9A-C8A-N7A	-3.38	109.14	113.94
2	G	7200	FAD	C2A-N3A-C4A	3.35	120.02	111.83
2	A	1200	FAD	C2A-N3A-C4A	3.35	120.00	111.83
2	G	7200	FAD	N3A-C4A-N9A	3.34	132.85	127.17
3	B	2201	NAD	C2A-N3A-C4A	3.34	119.98	111.83
2	E	5200	FAD	C2A-N3A-C4A	3.33	119.96	111.83
2	A	1200	FAD	N9A-C8A-N7A	-3.31	109.23	113.94
2	B	2200	FAD	N3A-C4A-N9A	3.31	132.80	127.17
2	C	3200	FAD	C4-N3-C2	-3.30	119.78	125.64
2	F	6200	FAD	C4-N3-C2	-3.28	119.83	125.64
3	A	1201	NAD	C2A-N3A-C4A	3.25	119.78	111.83
2	E	5200	FAD	C4X-C10-N10	3.25	121.13	116.48
2	E	5200	FAD	N9A-C8A-N7A	-3.22	109.37	113.94
3	C	3201	NAD	C2A-N3A-C4A	3.22	119.69	111.83
2	A	1200	FAD	C5A-N7A-C8A	3.21	108.49	103.45
2	E	5200	FAD	C10-C4X-N5	-3.18	118.31	124.81
3	H	8201	NAD	C2A-N3A-C4A	3.16	119.56	111.83
2	D	4200	FAD	C2A-N3A-C4A	3.16	119.55	111.83
2	B	2200	FAD	N9A-C8A-N7A	-3.15	109.47	113.94
2	H	8200	FAD	C5A-N7A-C8A	3.13	108.37	103.45
2	D	4200	FAD	C4X-C10-N10	3.13	120.97	116.48
2	E	5200	FAD	C5A-N7A-C8A	3.13	108.37	103.45
2	H	8200	FAD	O2A-PA-O3P	3.10	115.66	107.27
2	C	3200	FAD	N3A-C4A-N9A	3.10	132.44	127.17
2	G	7200	FAD	C5A-N7A-C8A	3.09	108.31	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	4201	NAD	N3A-C4A-N9A	3.05	132.36	127.17
2	B	2200	FAD	C4X-C4-N3	3.05	121.00	113.25
3	F	6201	NAD	C4A-C5A-N7A	-3.03	107.11	110.58
2	F	6200	FAD	C4X-C10-N10	3.03	120.83	116.48
3	E	5201	NAD	N3A-C4A-N9A	3.01	132.29	127.17
3	B	2201	NAD	N3A-C4A-N9A	3.00	132.28	127.17
2	C	3200	FAD	C2A-N3A-C4A	3.00	119.15	111.83
2	B	2200	FAD	O4-C4-C4X	-2.95	118.74	126.53
3	A	1201	NAD	N3A-C4A-N9A	2.95	132.19	127.17
3	C	3201	NAD	N3A-C4A-N9A	2.94	132.17	127.17
2	H	8200	FAD	C4X-C4-N3	2.92	120.69	113.25
2	D	4200	FAD	O2A-PA-O3P	2.91	115.14	107.27
3	G	7201	NAD	N3A-C4A-N9A	2.89	132.08	127.17
2	B	2200	FAD	C4X-C10-N10	2.87	120.59	116.48
2	A	1200	FAD	C10-C4X-N5	-2.85	118.99	124.81
2	C	3200	FAD	C9A-C5X-N5	-2.85	119.43	122.45
2	C	3200	FAD	C10-C4X-N5	-2.85	119.00	124.81
3	F	6201	NAD	N3A-C4A-N9A	2.84	132.00	127.17
2	A	1200	FAD	O2A-PA-O3P	2.84	114.95	107.27
2	C	3200	FAD	C4X-C10-N10	2.81	120.51	116.48
2	D	4200	FAD	O2-C2-N1	-2.78	117.18	121.80
2	D	4200	FAD	C10-C4X-N5	-2.77	119.15	124.81
3	H	8201	NAD	C4A-C5A-N7A	-2.77	107.42	110.58
2	B	2200	FAD	C5A-N7A-C8A	2.76	107.79	103.45
2	G	7200	FAD	C10-C4X-N5	-2.76	119.18	124.81
2	B	2200	FAD	C10-C4X-N5	-2.74	119.21	124.81
2	A	1200	FAD	C9A-C5X-N5	-2.74	119.55	122.45
2	F	6200	FAD	O2-C2-N1	-2.73	117.27	121.80
2	F	6200	FAD	O4-C4-C4X	-2.73	119.33	126.53
2	F	6200	FAD	O2A-PA-O3P	2.72	114.63	107.27
3	H	8201	NAD	N3A-C4A-N9A	2.72	131.79	127.17
3	C	3201	NAD	C4A-C5A-N7A	-2.69	107.50	110.58
3	B	2201	NAD	C4A-C5A-N7A	-2.66	107.54	110.58
2	D	4200	FAD	C4X-C4-N3	2.66	120.02	113.25
2	G	7200	FAD	O4-C4-C4X	-2.64	119.55	126.53
2	A	1200	FAD	C4X-C4-N3	2.62	119.93	113.25
2	F	6200	FAD	C10-C4X-N5	-2.62	119.47	124.81
2	G	7200	FAD	O2A-PA-O3P	2.60	114.31	107.27
3	D	4201	NAD	C4A-C5A-N7A	-2.59	107.62	110.58
2	D	4200	FAD	O4-C4-C4X	-2.55	119.81	126.53
2	E	5200	FAD	C4X-C10-N1	-2.54	118.37	124.59
2	E	5200	FAD	C4X-C4-N3	2.53	119.70	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	7201	NAD	C4A-C5A-N7A	-2.48	107.75	110.58
2	E	5200	FAD	C4-C4X-C10	2.47	121.18	116.93
2	C	3200	FAD	C4X-C4-N3	2.45	119.50	113.25
2	F	6200	FAD	C4X-C4-N3	2.44	119.47	113.25
2	D	4200	FAD	C4A-N9A-C8A	2.44	108.30	105.74
2	H	8200	FAD	C10-C4X-N5	-2.44	119.83	124.81
2	C	3200	FAD	O2'-C2'-C3'	2.42	114.91	109.25
2	C	3200	FAD	O4-C4-C4X	-2.42	120.16	126.53
3	E	5201	NAD	C4A-C5A-N7A	-2.42	107.82	110.58
2	D	4200	FAD	C4A-C5A-N7A	-2.41	107.82	110.58
2	E	5200	FAD	O2A-PA-O3P	2.39	113.73	107.27
2	G	7200	FAD	C4X-C4-N3	2.39	119.33	113.25
2	B	2200	FAD	C4X-C10-N1	-2.38	118.75	124.59
2	A	1200	FAD	C5X-N5-C4X	2.35	121.89	118.09
2	B	2200	FAD	O2A-PA-O3P	2.35	113.63	107.27
2	A	1200	FAD	C4X-C10-N10	2.35	119.85	116.48
2	G	7200	FAD	C4X-C10-N10	2.33	119.82	116.48
2	C	3200	FAD	C4X-C10-N1	-2.33	118.89	124.59
2	H	8200	FAD	C9A-C5X-N5	-2.32	119.99	122.45
2	C	3200	FAD	C5X-N5-C4X	2.32	121.84	118.09
3	H	8201	NAD	O2N-PN-O1N	2.30	123.12	112.44
2	F	6200	FAD	C9A-C5X-N5	-2.29	120.02	122.45
2	H	8200	FAD	C4X-C10-N1	-2.28	119.00	124.59
2	E	5200	FAD	O2-C2-N1	-2.27	118.04	121.80
2	A	1200	FAD	O2'-C2'-C3'	2.26	114.55	109.25
2	G	7200	FAD	C9A-C5X-N5	-2.25	120.07	122.45
3	A	1201	NAD	C4A-C5A-N7A	-2.24	108.02	110.58
2	A	1200	FAD	C4A-C5A-N7A	-2.22	108.04	110.58
2	B	2200	FAD	C10-N1-C2	2.22	121.66	116.85
3	C	3201	NAD	C4A-N9A-C8A	2.21	108.06	105.74
2	G	7200	FAD	C4X-C10-N1	-2.19	119.23	124.59
2	D	4200	FAD	C4X-C10-N1	-2.18	119.24	124.59
2	E	5200	FAD	O4-C4-C4X	-2.18	120.77	126.53
2	C	3200	FAD	C6A-C5A-C4A	2.17	120.14	117.18
2	F	6200	FAD	C4A-C5A-N7A	-2.16	108.11	110.58
2	H	8200	FAD	C4X-C10-N10	2.15	119.56	116.48
2	A	1200	FAD	C4X-C10-N1	-2.15	119.33	124.59
2	D	4200	FAD	C9A-C5X-N5	-2.14	120.18	122.45
3	G	7201	NAD	O3-PN-O1N	-2.14	104.28	110.70
2	G	7200	FAD	C4-C4X-C10	2.13	120.59	116.93
2	D	4200	FAD	C6A-C5A-C4A	2.13	120.09	117.18
2	H	8200	FAD	C4A-N9A-C8A	2.11	107.95	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	6200	FAD	O4B-C1B-N9A	2.10	112.13	108.09
2	B	2200	FAD	C9A-C5X-N5	-2.09	120.24	122.45
2	H	8200	FAD	C4-C4X-C10	2.09	120.51	116.93
2	F	6200	FAD	C4-C4X-C10	2.09	120.51	116.93
2	A	1200	FAD	O4'-C4'-C5'	-2.09	105.39	109.99
2	C	3200	FAD	C4-C4X-C10	2.08	120.50	116.93
2	C	3200	FAD	O2A-PA-O5B	2.08	116.99	107.57
2	F	6200	FAD	C4X-C10-N1	-2.07	119.52	124.59
3	B	2201	NAD	C4A-N9A-C8A	2.06	107.90	105.74
2	A	1200	FAD	O4-C4-C4X	-2.06	121.09	126.53
3	B	2201	NAD	O2N-PN-O1N	2.05	121.98	112.44
2	F	6200	FAD	O2-C2-N3	2.04	122.50	118.58
2	G	7200	FAD	C5X-N5-C4X	2.04	121.38	118.09
2	A	1200	FAD	O4B-C1B-N9A	2.03	111.99	108.09
2	H	8200	FAD	C5A-C6A-N6A	-2.02	118.28	123.29
2	E	5200	FAD	C4A-C5A-N7A	-2.02	108.27	110.58
3	E	5201	NAD	C3B-C2B-C1B	2.01	105.27	101.46
3	D	4201	NAD	C2N-C3N-C4N	2.01	120.59	118.26
3	G	7201	NAD	C4A-N9A-C8A	2.00	107.84	105.74

There are no chirality outliers.

All (130) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1200	FAD	C5B-O5B-PA-O2A
2	A	1200	FAD	C5B-O5B-PA-O3P
2	A	1200	FAD	C5'-O5'-P-O1P
2	A	1200	FAD	C5'-O5'-P-O2P
2	A	1200	FAD	C5'-O5'-P-O3P
2	B	2200	FAD	C5B-O5B-PA-O3P
2	B	2200	FAD	C5'-O5'-P-O1P
2	B	2200	FAD	C5'-O5'-P-O2P
2	B	2200	FAD	C5'-O5'-P-O3P
2	C	3200	FAD	C5B-O5B-PA-O3P
2	C	3200	FAD	C5'-O5'-P-O1P
2	C	3200	FAD	C5'-O5'-P-O2P
2	C	3200	FAD	C5'-O5'-P-O3P
2	D	4200	FAD	C5B-O5B-PA-O2A
2	D	4200	FAD	C5B-O5B-PA-O3P
2	D	4200	FAD	C5'-O5'-P-O2P
2	D	4200	FAD	C5'-O5'-P-O3P
2	E	5200	FAD	C5B-O5B-PA-O3P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	5200	FAD	C5'-O5'-P-O1P
2	E	5200	FAD	C5'-O5'-P-O2P
2	E	5200	FAD	C5'-O5'-P-O3P
2	F	6200	FAD	C5B-O5B-PA-O3P
2	F	6200	FAD	C5'-O5'-P-O1P
2	F	6200	FAD	C5'-O5'-P-O2P
2	F	6200	FAD	C5'-O5'-P-O3P
2	G	7200	FAD	C5B-O5B-PA-O2A
2	G	7200	FAD	C5B-O5B-PA-O3P
2	G	7200	FAD	C5'-O5'-P-O2P
2	G	7200	FAD	C5'-O5'-P-O3P
2	H	8200	FAD	C5B-O5B-PA-O3P
2	H	8200	FAD	C5'-O5'-P-O1P
2	H	8200	FAD	C5'-O5'-P-O2P
2	H	8200	FAD	C5'-O5'-P-O3P
3	A	1201	NAD	C5B-O5B-PA-O1A
3	A	1201	NAD	C5B-O5B-PA-O2A
3	A	1201	NAD	C5B-O5B-PA-O3
3	B	2201	NAD	C5B-O5B-PA-O1A
3	B	2201	NAD	C5B-O5B-PA-O2A
3	B	2201	NAD	C5B-O5B-PA-O3
3	C	3201	NAD	C5B-O5B-PA-O1A
3	C	3201	NAD	C5B-O5B-PA-O2A
3	C	3201	NAD	C5B-O5B-PA-O3
3	D	4201	NAD	C5B-O5B-PA-O1A
3	D	4201	NAD	C5B-O5B-PA-O2A
3	D	4201	NAD	C5B-O5B-PA-O3
3	E	5201	NAD	C5B-O5B-PA-O1A
3	E	5201	NAD	C5B-O5B-PA-O2A
3	E	5201	NAD	C5B-O5B-PA-O3
3	F	6201	NAD	C5B-O5B-PA-O1A
3	F	6201	NAD	C5B-O5B-PA-O2A
3	F	6201	NAD	C5B-O5B-PA-O3
3	G	7201	NAD	C5B-O5B-PA-O1A
3	G	7201	NAD	C5B-O5B-PA-O2A
3	G	7201	NAD	C5B-O5B-PA-O3
3	H	8201	NAD	C5B-O5B-PA-O1A
3	H	8201	NAD	C5B-O5B-PA-O2A
3	H	8201	NAD	C5B-O5B-PA-O3
2	B	2200	FAD	C2'-C3'-C4'-O4'
2	G	7200	FAD	C2'-C3'-C4'-O4'
2	H	8200	FAD	C2'-C3'-C4'-O4'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1200	FAD	C2'-C3'-C4'-C5'
2	B	2200	FAD	C2'-C3'-C4'-C5'
2	D	4200	FAD	C2'-C3'-C4'-C5'
2	F	6200	FAD	C2'-C3'-C4'-C5'
2	G	7200	FAD	C2'-C3'-C4'-C5'
2	H	8200	FAD	C2'-C3'-C4'-C5'
2	A	1200	FAD	C2'-C3'-C4'-O4'
2	D	4200	FAD	C2'-C3'-C4'-O4'
2	F	6200	FAD	C2'-C3'-C4'-O4'
2	H	8200	FAD	O3'-C3'-C4'-O4'
2	A	1200	FAD	PA-O3P-P-O5'
2	B	2200	FAD	PA-O3P-P-O5'
2	C	3200	FAD	PA-O3P-P-O5'
2	D	4200	FAD	PA-O3P-P-O5'
2	E	5200	FAD	PA-O3P-P-O5'
2	F	6200	FAD	PA-O3P-P-O5'
2	G	7200	FAD	PA-O3P-P-O5'
2	H	8200	FAD	PA-O3P-P-O5'
2	C	3200	FAD	C2'-C3'-C4'-C5'
2	E	5200	FAD	C2'-C3'-C4'-C5'
2	G	7200	FAD	O3'-C3'-C4'-O4'
2	E	5200	FAD	C2'-C3'-C4'-O4'
3	A	1201	NAD	PA-O3-PN-O2N
3	B	2201	NAD	PA-O3-PN-O1N
3	C	3201	NAD	PA-O3-PN-O2N
3	D	4201	NAD	PA-O3-PN-O2N
3	F	6201	NAD	PA-O3-PN-O2N
3	G	7201	NAD	PA-O3-PN-O2N
3	H	8201	NAD	PA-O3-PN-O2N
2	B	2200	FAD	O3'-C3'-C4'-O4'
2	F	6200	FAD	O3'-C3'-C4'-O4'
2	H	8200	FAD	O3'-C3'-C4'-C5'
2	A	1200	FAD	C5B-O5B-PA-O1A
2	B	2200	FAD	C5B-O5B-PA-O1A
2	B	2200	FAD	C5B-O5B-PA-O2A
2	C	3200	FAD	C5B-O5B-PA-O1A
2	D	4200	FAD	C5B-O5B-PA-O1A
2	D	4200	FAD	C5'-O5'-P-O1P
2	E	5200	FAD	C5B-O5B-PA-O1A
2	F	6200	FAD	C5B-O5B-PA-O1A
2	G	7200	FAD	C5B-O5B-PA-O1A
2	G	7200	FAD	C5'-O5'-P-O1P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	H	8200	FAD	C5B-O5B-PA-O1A
3	A	1201	NAD	C5D-O5D-PN-O1N
3	B	2201	NAD	C5D-O5D-PN-O1N
3	C	3201	NAD	C5D-O5D-PN-O1N
3	D	4201	NAD	C5D-O5D-PN-O1N
3	E	5201	NAD	C5D-O5D-PN-O1N
3	F	6201	NAD	C5D-O5D-PN-O1N
3	G	7201	NAD	C5D-O5D-PN-O1N
3	H	8201	NAD	C5D-O5D-PN-O1N
3	A	1201	NAD	PA-O3-PN-O1N
3	B	2201	NAD	PA-O3-PN-O2N
3	C	3201	NAD	PA-O3-PN-O1N
3	D	4201	NAD	PA-O3-PN-O1N
3	E	5201	NAD	PA-O3-PN-O1N
3	E	5201	NAD	PA-O3-PN-O2N
3	F	6201	NAD	PA-O3-PN-O1N
3	G	7201	NAD	PA-O3-PN-O1N
3	H	8201	NAD	PA-O3-PN-O1N
2	A	1200	FAD	O3'-C3'-C4'-C5'
2	B	2200	FAD	O3'-C3'-C4'-C5'
2	F	6200	FAD	O3'-C3'-C4'-C5'
2	G	7200	FAD	O3'-C3'-C4'-C5'
2	A	1200	FAD	O3'-C3'-C4'-O4'
2	D	4200	FAD	O3'-C3'-C4'-O4'
2	E	5200	FAD	O3'-C3'-C4'-O4'
2	C	3200	FAD	C2'-C3'-C4'-O4'
2	C	3200	FAD	C4B-C5B-O5B-PA
2	E	5200	FAD	O3'-C3'-C4'-C5'


There are no ring outliers.


8 monomers are involved in 31 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	6200	FAD	4	0
2	E	5200	FAD	4	0
2	B	2200	FAD	4	0
2	G	7200	FAD	5	0
2	D	4200	FAD	4	0
2	H	8200	FAD	3	0
2	C	3200	FAD	4	0
2	A	1200	FAD	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	147/161 (91%)	-1.44	0 100 100	18, 33, 48, 70	0
1	B	147/161 (91%)	-1.48	0 100 100	18, 33, 47, 71	0
1	C	147/161 (91%)	-1.42	0 100 100	18, 33, 47, 70	0
1	D	147/161 (91%)	-1.44	0 100 100	18, 33, 47, 71	0
1	E	147/161 (91%)	-1.42	0 100 100	18, 33, 48, 70	0
1	F	147/161 (91%)	-1.44	0 100 100	18, 33, 48, 71	0
1	G	147/161 (91%)	-1.48	0 100 100	18, 33, 48, 70	0
1	H	147/161 (91%)	-1.48	0 100 100	18, 33, 48, 72	0
All	All	1176/1288 (91%)	-1.45	0 100 100	18, 33, 48, 72	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FAD	B	2200	53/53	0.98	0.04	30,39,48,50	0
2	FAD	A	1200	53/53	0.99	0.03	30,39,48,50	0
2	FAD	C	3200	53/53	0.99	0.03	30,39,48,50	0
2	FAD	D	4200	53/53	0.99	0.04	31,39,48,50	0
2	FAD	E	5200	53/53	0.99	0.04	30,39,48,50	0
2	FAD	F	6200	53/53	0.99	0.03	30,39,48,50	0
2	FAD	G	7200	53/53	0.99	0.03	30,39,48,50	0
2	FAD	H	8200	53/53	0.99	0.04	31,39,48,50	0
3	NAD	A	1201	44/44	0.99	0.03	37,41,48,49	0
3	NAD	B	2201	44/44	0.99	0.03	37,42,48,49	0
3	NAD	C	3201	44/44	0.99	0.03	37,42,48,48	0
3	NAD	D	4201	44/44	0.99	0.03	38,42,48,49	0
3	NAD	E	5201	44/44	0.99	0.03	37,42,48,48	0
3	NAD	F	6201	44/44	0.99	0.03	37,42,48,49	0
3	NAD	G	7201	44/44	0.99	0.03	37,42,48,49	0
3	NAD	H	8201	44/44	0.99	0.03	37,42,48,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FAD B 2200:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 1200:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD C 3200:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD D 4200:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD E 5200:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD F 6200:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD G 7200:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD H 8200:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD B 2201:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 3201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 4201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD E 5201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD F 6201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD G 7201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD H 8201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.