



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 11:15 AM UTC

PDB ID : 1RZM / pdb_00001rzm
Title : Crystal structure of 3-deoxy-D-arabino-heptulosonate-7-phosphate synthase (DAHPS) from *Thermotoga maritima* complexed with Cd²⁺, PEP and E4P
Authors : Shumilin, I.A.; Bauerle, R.; Wu, J.; Woodard, R.W.; Kretsinger, R.H.
Deposited on : 2003-12-24
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	338	0% 71% 26% .
1	B	338	2% 71% 24% 5%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phospho-2-dehydro-3-deoxyheptonate aldolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	338	Total	C	N	O	S	0	0	0
			2629	1672	451	496	10			
1	B	338	Total	C	N	O	S	0	0	0
			2629	1672	451	496	10			

- Molecule 2 is CADMIUM ION (CCD ID: CD) (formula: Cd).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cd	0	0
			1	1		
2	B	2	Total	Cd	0	0
			2	2		

- Molecule 3 is PHOSPHOENOLPYRUVATE (CCD ID: PEP) (formula: C₃H₅O₆P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			10	3	6	1		
3	B	1	Total	C	O	P	0	0
			10	3	6	1		

- Molecule 4 is ERYTHROSE-4-PHOSPHATE (CCD ID: E4P) (formula: $C_4H_9O_7P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			12	4	7	1		
4	B	1	Total	C	O	P	0	0
			12	4	7	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	86	Total	O	0	0
			86	86		
5	B	73	Total	O	0	0
			73	73		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phospho-2-dehydro-3-deoxyheptonate aldolase



- Molecule 1: Phospho-2-dehydro-3-deoxyheptonate aldolase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	71.58Å 144.22Å 141.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.20) 99.8 (20.00-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 2.19Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.219 , 0.251 0.219 , 0.252	Depositor DCC
R_{free} test set	1870 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	35.6	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5464	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.7469e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: E4P, CD, PEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	3/2672 (0.1%)	1.02	16/3602 (0.4%)
1	B	0.51	2/2672 (0.1%)	1.04	19/3602 (0.5%)
All	All	0.51	5/5344 (0.1%)	1.03	35/7204 (0.5%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	210	PHE	C-O	-6.86	1.14	1.24
1	A	212	ASN	N-CA	-6.01	1.38	1.45
1	A	211	MET	CG-SD	5.91	1.95	1.80
1	A	212	ASN	CA-C	-5.58	1.46	1.52
1	B	211	MET	SD-CE	5.26	1.92	1.79

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	11	GLU	N-CA-C	-10.87	99.58	113.72
1	A	6	LYS	CA-C-N	9.09	131.20	119.84
1	A	6	LYS	C-N-CA	9.09	131.20	119.84
1	B	6	LYS	CA-C-N	8.30	130.22	119.84
1	B	6	LYS	C-N-CA	8.30	130.22	119.84
1	B	20	LEU	N-CA-C	-8.16	102.33	111.14
1	B	17	VAL	N-CA-C	-8.09	100.94	112.35
1	B	209	GLY	N-CA-C	-7.50	102.58	111.36
1	B	208	ARG	CA-C-N	7.39	127.02	119.92
1	B	208	ARG	C-N-CA	7.39	127.02	119.92
1	B	161	VAL	N-CA-C	7.14	118.17	107.75
1	B	164	GLU	N-CA-C	6.68	120.75	110.20
1	A	164	GLU	N-CA-C	6.62	121.09	109.96
1	A	187	ASN	N-CA-C	-6.01	104.60	112.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	129	ALA	N-CA-C	-6.00	105.62	113.12
1	A	77	HIS	CA-C-N	5.96	126.12	119.32
1	A	77	HIS	C-N-CA	5.96	126.12	119.32
1	B	210	PHE	N-CA-C	-5.90	106.06	113.20
1	B	280	VAL	N-CA-C	5.88	116.62	110.62
1	A	102	CYS	N-CA-C	-5.77	104.68	110.97
1	B	50	ALA	N-CA-C	-5.72	105.40	112.38
1	A	34	GLN	N-CA-C	-5.70	105.50	113.37
1	B	77	HIS	CA-C-N	5.66	125.34	119.05
1	B	77	HIS	C-N-CA	5.66	125.34	119.05
1	B	297	VAL	N-CA-C	5.62	116.68	108.53
1	A	297	VAL	N-CA-C	5.51	115.89	108.17
1	A	191	PHE	N-CA-C	5.51	117.28	111.28
1	A	211	MET	O-C-N	5.45	129.19	121.83
1	B	213	THR	N-CA-C	-5.38	103.58	110.53
1	B	184	GLY	N-CA-C	5.32	120.16	112.82
1	B	220	SER	N-CA-C	-5.27	105.71	111.82
1	A	280	VAL	N-CA-C	5.15	115.77	110.36
1	A	178	ALA	N-CA-C	5.11	118.02	110.46
1	B	38	VAL	N-CA-C	5.08	115.90	108.53
1	A	57	ASP	N-CA-C	5.05	117.17	111.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2629	0	2697	74	0
1	B	2629	0	2697	71	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
3	A	10	0	2	1	0
3	B	10	0	2	0	0
4	A	12	0	7	3	0
4	B	12	0	7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	86	0	0	8	0
5	B	73	0	0	8	0
All	All	5464	0	5412	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:ASN:CG	1:A:93:GLY:H	1.48	1.18
1:A:92:ASN:CG	1:A:93:GLY:N	2.19	0.93
1:A:266:ILE:H	1:A:293:HIS:HD2	1.20	0.89
1:B:92:ASN:CG	1:B:93:GLY:H	1.87	0.80
1:A:92:ASN:OD1	1:A:93:GLY:N	2.16	0.79
1:A:175:ALA:O	1:A:202:LYS:HE3	1.86	0.76
1:B:162:VAL:HG13	1:B:180:ILE:HB	1.67	0.76
1:B:13:ASP:HB3	1:B:58:CYS:SG	2.29	0.72
1:A:205:LEU:HG	5:A:8080:HOH:O	1.90	0.72
1:B:77:HIS:HB3	1:B:263:HIS:CD2	2.24	0.71
1:A:192:ARG:HG3	1:B:167:GLY:HA3	1.72	0.71
1:B:66:LEU:O	1:B:67:LYS:HG3	1.93	0.68
1:B:114:ALA:HB1	1:B:159:MET:HE2	1.74	0.68
1:B:102:CYS:SG	1:B:308:SER:HB3	2.34	0.66
1:A:30:ILE:HD12	1:A:30:ILE:N	2.11	0.66
1:B:15:ARG:HA	1:B:18:VAL:HB	1.79	0.65
1:B:50:ALA:O	1:B:54:GLU:HG3	1.97	0.65
1:A:224:ILE:HG21	1:A:232:ILE:HD11	1.77	0.64
1:A:47:TYR:CE2	1:A:64:ARG:HG3	2.33	0.64
1:A:213:THR:OG1	1:A:216:GLU:HG3	1.98	0.64
1:B:1:MET:N	5:B:9081:HOH:O	2.31	0.63
1:B:51:ASP:OD1	1:B:51:ASP:N	2.30	0.63
1:A:83:ILE:HD12	1:A:233:ILE:HG12	1.79	0.63
1:B:196:LYS:HA	1:B:196:LYS:NZ	2.14	0.63
1:A:190:ASN:ND2	1:B:190:ASN:ND2	2.47	0.62
1:A:1:MET:N	5:A:8088:HOH:O	2.33	0.62
1:A:14:ILE:O	1:A:18:VAL:HG23	2.00	0.61
1:B:92:ASN:CG	1:B:93:GLY:N	2.55	0.61
1:A:240:ARG:NH2	1:B:216:GLU:OE1	2.34	0.60
1:A:317:GLU:HG3	5:A:8058:HOH:O	2.02	0.59
1:B:110:LEU:HD21	1:B:150:LEU:HD23	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224:ILE:CG2	1:A:232:ILE:HD11	2.32	0.59
1:B:286:ALA:O	1:B:290:VAL:HG22	2.03	0.58
1:A:131:LYS:HE3	4:A:8003:E4P:O1	2.04	0.58
1:A:240:ARG:HH22	1:B:216:GLU:CD	2.11	0.58
1:B:114:ALA:HB1	1:B:159:MET:CE	2.32	0.58
1:A:5:LEU:HD21	1:A:17:VAL:HG21	1.86	0.58
1:A:67:LYS:HE3	1:A:69:TYR:CE1	2.39	0.58
1:A:281:ILE:HB	1:A:282:PRO:HD3	1.85	0.58
1:A:133:ARG:HD2	4:A:8003:E4P:H1	1.86	0.57
1:A:33:GLY:C	1:A:35:GLU:H	2.12	0.57
1:A:134:THR:HG22	1:B:219:LEU:HD13	1.85	0.57
1:A:115:HIS:O	1:A:119:GLU:HG3	2.05	0.57
1:A:92:ASN:ND2	1:A:93:GLY:H	1.99	0.56
1:A:67:LYS:HE3	1:A:69:TYR:HE1	1.70	0.56
1:A:266:ILE:H	1:A:293:HIS:CD2	2.11	0.55
1:B:92:ASN:OD1	1:B:93:GLY:N	2.27	0.55
1:A:134:THR:HG22	1:B:219:LEU:CD1	2.37	0.55
1:A:167:GLY:HA3	1:B:192:ARG:HG3	1.89	0.55
1:B:111:MET:SD	1:B:153:ALA:HA	2.48	0.55
1:A:207:LYS:HD3	3:A:8002:PEP:O3P	2.07	0.54
1:B:213:THR:OG1	1:B:216:GLU:HG3	2.07	0.54
1:B:16:LYS:HE2	5:B:9079:HOH:O	2.07	0.54
1:A:107:ARG:NE	1:A:152:GLU:OE2	2.41	0.54
1:A:30:ILE:HD12	1:A:30:ILE:H	1.73	0.54
1:B:24:TYR:CD2	1:B:49:VAL:HG21	2.42	0.54
1:B:2:ILE:HB	1:B:38:VAL:CG1	2.38	0.53
1:B:311:LYS:HD3	1:B:311:LYS:H	1.72	0.53
1:A:224:ILE:HG21	1:A:232:ILE:CD1	2.38	0.53
1:B:61:SER:HB3	5:B:9066:HOH:O	2.09	0.52
1:A:46:ARG:HG2	1:A:46:ARG:HH11	1.75	0.52
1:B:171:LEU:N	1:B:172:PRO:HD2	2.25	0.51
1:B:311:LYS:HD3	1:B:311:LYS:N	2.25	0.51
1:A:265:PRO:HA	1:A:293:HIS:CD2	2.45	0.51
1:A:77:HIS:HB3	1:A:263:HIS:CD2	2.46	0.51
1:B:148:GLU:O	1:B:152:GLU:HG3	2.10	0.51
1:A:219:LEU:HD13	1:B:134:THR:HG22	1.92	0.51
1:A:67:LYS:HE2	1:A:75:GLU:OE1	2.11	0.50
1:B:317:GLU:O	1:B:320:LYS:HB2	2.12	0.50
1:A:40:GLY:HA3	1:A:76:PHE:CE2	2.46	0.50
1:B:46:ARG:HG2	1:B:46:ARG:HH11	1.77	0.50
1:B:196:LYS:HA	1:B:196:LYS:HZ1	1.74	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:8003:E4P:H3	5:A:8055:HOH:O	2.11	0.50
1:A:232:ILE:HB	1:A:264:LEU:HD13	1.94	0.49
1:B:40:GLY:HA3	1:B:76:PHE:CE2	2.48	0.49
1:A:51:ASP:OD1	1:A:52:LYS:HG3	2.13	0.49
1:A:320:LYS:O	1:A:324:GLN:HG3	2.13	0.49
1:A:266:ILE:N	1:A:293:HIS:HD2	2.00	0.48
1:A:216:GLU:OE1	1:B:240:ARG:NH2	2.45	0.48
1:B:19:LYS:O	1:B:23:SER:HB2	2.14	0.48
1:B:6:LYS:O	1:B:8:GLY:N	2.45	0.47
1:A:192:ARG:HH21	1:B:170:ASP:CG	2.23	0.47
1:B:296:ILE:HG23	1:B:296:ILE:O	2.15	0.47
1:A:145:LYS:NZ	1:A:149:TYR:OH	2.36	0.46
1:A:173:LYS:HG3	5:A:8033:HOH:O	2.14	0.46
1:A:92:ASN:OD1	1:A:94:TYR:CD2	2.69	0.46
1:A:268:VAL:O	1:A:295:ILE:HA	2.16	0.46
1:B:171:LEU:HD21	1:B:197:ALA:HA	1.97	0.46
1:B:129:ALA:HB1	1:B:143:GLY:O	2.16	0.45
1:A:185:ALA:O	1:A:188:ALA:HB2	2.16	0.45
1:B:311:LYS:H	1:B:311:LYS:CD	2.25	0.45
1:A:162:VAL:HG13	1:A:162:VAL:O	2.15	0.45
1:A:114:ALA:HB1	1:A:159:MET:CE	2.47	0.45
1:A:56:LEU:HB2	1:A:59:VAL:CG2	2.46	0.45
1:B:49:VAL:HG22	1:B:49:VAL:O	2.17	0.45
1:B:212:ASN:HA	1:B:216:GLU:OE1	2.17	0.45
1:B:247:ARG:HG2	1:B:248:ASN:ND2	2.32	0.45
1:B:281:ILE:HB	1:B:282:PRO:HD3	1.98	0.45
1:A:171:LEU:HB3	1:A:200:TYR:CE2	2.51	0.44
1:A:45:ASP:OD1	1:A:45:ASP:N	2.42	0.44
1:B:99:ALA:HA	1:B:297:VAL:O	2.17	0.44
5:A:8030:HOH:O	1:B:169:ASP:HB2	2.16	0.44
1:B:9:SER:OG	1:B:58:CYS:HB2	2.19	0.43
1:A:233:ILE:HG22	5:A:8080:HOH:O	2.19	0.43
1:B:225:ALA:HA	1:B:229:ASN:O	2.19	0.43
1:A:216:GLU:CD	1:B:240:ARG:HH22	2.26	0.43
1:A:169:ASP:HB2	5:B:9013:HOH:O	2.17	0.43
1:A:205:LEU:C	1:A:205:LEU:HD23	2.44	0.42
1:B:171:LEU:HG	1:B:200:TYR:CE2	2.53	0.42
1:A:33:GLY:C	1:A:35:GLU:N	2.74	0.42
1:A:56:LEU:HB2	1:A:59:VAL:HG23	2.01	0.42
1:B:139:PHE:HE2	5:B:9047:HOH:O	2.02	0.42
1:A:35:GLU:HG3	1:A:36:ARG:H	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:ILE:HG23	1:A:124:VAL:HG12	2.01	0.42
1:B:29:HIS:CD2	1:B:71:LEU:HD21	2.54	0.42
1:B:15:ARG:O	1:B:15:ARG:HG2	2.19	0.42
1:A:132:PRO:HB3	1:A:166:LEU:CD1	2.50	0.42
1:A:190:ASN:HD21	1:B:190:ASN:HD21	1.67	0.42
1:A:67:LYS:NZ	1:A:261:GLU:OE1	2.51	0.42
1:B:6:LYS:HD2	1:B:58:CYS:HA	2.00	0.41
1:B:129:ALA:HA	5:B:9020:HOH:O	2.19	0.41
1:B:131:LYS:NZ	5:B:9036:HOH:O	2.52	0.41
1:B:319:PHE:O	1:B:323:VAL:HG23	2.20	0.41
1:A:237:ARG:HD3	1:A:237:ARG:C	2.45	0.41
1:B:20:LEU:O	1:B:23:SER:HB3	2.20	0.41
1:B:28:CYS:HB2	5:B:9056:HOH:O	2.20	0.41
1:B:6:LYS:C	1:B:8:GLY:H	2.28	0.41
1:A:46:ARG:HG2	1:A:46:ARG:NH1	2.35	0.41
1:A:125:LEU:HD22	1:A:159:MET:CE	2.50	0.41
1:A:1:MET:N	5:A:8089:HOH:O	2.45	0.40
1:B:173:LYS:O	1:B:176:GLU:HB3	2.21	0.40
1:B:49:VAL:C	1:B:51:ASP:N	2.77	0.40
1:A:190:ASN:ND2	1:B:190:ASN:HD21	2.16	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	336/338 (99%)	321 (96%)	13 (4%)	2 (1%)	21	23
1	B	336/338 (99%)	324 (96%)	10 (3%)	2 (1%)	21	23
All	All	672/676 (99%)	645 (96%)	23 (3%)	4 (1%)	21	23

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	PRO
1	B	7	PRO
1	A	66	LEU
1	B	8	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/286 (100%)	276 (96%)	10 (4%)	32	43
1	B	286/286 (100%)	273 (96%)	13 (4%)	24	33
All	All	572/572 (100%)	549 (96%)	23 (4%)	28	38

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	PRO
1	A	12	GLU
1	A	30	ILE
1	A	64	ARG
1	A	67	LYS
1	A	81	THR
1	A	92	ASN
1	A	211	MET
1	A	237	ARG
1	A	304	GLU
1	B	51	ASP
1	B	162	VAL
1	B	166	LEU
1	B	173	LYS
1	B	196	LYS
1	B	211	MET
1	B	231	LYS
1	B	237	ARG
1	B	240	ARG
1	B	304	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	308	SER
1	B	311	LYS
1	B	317	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	182	GLN
1	A	189	GLN
1	A	293	HIS
1	B	189	GLN
1	B	190	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PEP	B	9002	-	9,9,9	2.08	4 (44%)	11,13,13	2.74	5 (45%)
4	E4P	B	9003	2	9,11,11	0.85	0	10,15,15	1.45	1 (10%)
3	PEP	A	8002	-	9,9,9	2.25	3 (33%)	11,13,13	2.87	5 (45%)
4	E4P	A	8003	-	9,11,11	0.91	0	10,15,15	1.31	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEP	B	9002	-	-	0/9/9/9	-
4	E4P	B	9003	2	-	6/11/12/12	-
3	PEP	A	8002	-	-	0/9/9/9	-
4	E4P	A	8003	-	-	8/11/12/12	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	8002	PEP	C2-C1	3.78	1.53	1.49
3	B	9002	PEP	O2'-C1	-3.53	1.21	1.30
3	A	8002	PEP	O2'-C1	-3.25	1.21	1.30
3	B	9002	PEP	C2-C1	3.01	1.52	1.49
3	A	8002	PEP	O1-C1	2.86	1.29	1.22
3	B	9002	PEP	O1-C1	2.69	1.29	1.22
3	B	9002	PEP	C3-C2	2.12	1.37	1.31

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	8002	PEP	O2'-C1-C2	5.50	123.30	113.91
3	B	9002	PEP	O2'-C1-C2	5.11	122.62	113.91
3	A	8002	PEP	O1-C1-C2	-5.03	114.20	121.79
3	B	9002	PEP	O1-C1-C2	-4.67	114.75	121.79
3	A	8002	PEP	O2-C2-C3	-3.91	117.38	124.85
4	B	9003	E4P	C3-C2-C1	-3.85	99.72	110.53
3	B	9002	PEP	O2-C2-C3	-3.71	117.76	124.85
3	B	9002	PEP	C3-C2-C1	3.54	129.28	122.73
3	A	8002	PEP	C3-C2-C1	3.24	128.71	122.73
4	A	8003	E4P	C3-C2-C1	-3.20	101.55	110.53
3	A	8002	PEP	O3P-P-O2P	2.28	116.34	107.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	9002	PEP	O3P-P-O2P	2.19	116.03	107.80

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	8003	E4P	C1-C2-C3-O3
4	A	8003	E4P	C1-C2-C3-C4
4	A	8003	E4P	O2-C2-C3-O3
4	A	8003	E4P	O2-C2-C3-C4
4	A	8003	E4P	O3-C3-C4-O4
4	A	8003	E4P	C4-O4-P-O1P
4	A	8003	E4P	C4-O4-P-O2P
4	A	8003	E4P	C4-O4-P-O3P
4	B	9003	E4P	O1-C1-C2-C3
4	B	9003	E4P	C2-C3-C4-O4
4	B	9003	E4P	O3-C3-C4-O4
4	B	9003	E4P	C4-O4-P-O2P
4	B	9003	E4P	C4-O4-P-O3P
4	B	9003	E4P	C4-O4-P-O1P

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	8002	PEP	1	0
4	A	8003	E4P	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	338/338 (100%)	0.03	3 (0%) 81 79	19, 36, 64, 88	1 (0%)
1	B	338/338 (100%)	0.18	7 (2%) 63 60	21, 39, 73, 87	1 (0%)
All	All	676/676 (100%)	0.11	10 (1%) 72 69	19, 37, 69, 88	2 (0%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	51	ASP	3.3
1	B	36	ARG	3.1
1	B	55	SER	2.9
1	A	10	THR	2.8
1	A	34	GLN	2.6
1	B	59	VAL	2.4
1	B	57	ASP	2.3
1	A	33	GLY	2.3
1	B	35	GLU	2.2
1	B	15	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	E4P	B	9003	12/12	0.88	0.16	52,64,76,81	0
4	E4P	A	8003	12/12	0.90	0.17	56,68,79,82	0
3	PEP	B	9002	10/10	0.96	0.07	26,31,33,34	0
3	PEP	A	8002	10/10	0.98	0.05	25,30,32,32	0
2	CD	B	9009	1/1	0.98	0.03	35,35,35,35	0
2	CD	B	9001	1/1	0.99	0.04	43,43,43,43	0
2	CD	A	8001	1/1	0.99	0.03	46,46,46,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.