



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 01:02 AM UTC

PDB ID : 4S0T / pdb_00004s0t
Title : STRUCTURE OF HUMAN PREGNANE X RECEPTOR LIGAND BINDING DOMAIN BOUND WITH ADNECTIN-1 AND COMPOUND-1
Authors : Khan, J.A.; Camac, D.M.
Deposited on : 2015-01-05
Resolution : 3.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2351 (3.18-3.10)
Clashscore	190562	2452 (3.18-3.10)
Ramachandran outliers	187476	2324 (3.18-3.10)
Sidechain outliers	187428	2324 (3.18-3.10)
RSRZ outliers	180081	2351 (3.18-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	
1	B	315	
2	D	120	
2	E	120	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5793 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear receptor subfamily 1 group I member 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	S	0	0	0
			2163	1392	362	391	18			
1	B	283	Total	C	N	O	S	0	0	0
			2197	1412	366	401	18			


There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	120	MET	-	expression tag	UNP O75469
A	121	LYS	-	expression tag	UNP O75469
A	122	LYS	-	expression tag	UNP O75469
A	123	HIS	-	expression tag	UNP O75469
A	124	HIS	-	expression tag	UNP O75469
A	125	HIS	-	expression tag	UNP O75469
A	126	HIS	-	expression tag	UNP O75469
A	127	HIS	-	expression tag	UNP O75469
A	128	HIS	-	expression tag	UNP O75469
A	129	GLY	-	expression tag	UNP O75469
B	120	MET	-	expression tag	UNP O75469
B	121	LYS	-	expression tag	UNP O75469
B	122	LYS	-	expression tag	UNP O75469
B	123	HIS	-	expression tag	UNP O75469
B	124	HIS	-	expression tag	UNP O75469
B	125	HIS	-	expression tag	UNP O75469
B	126	HIS	-	expression tag	UNP O75469
B	127	HIS	-	expression tag	UNP O75469
B	128	HIS	-	expression tag	UNP O75469
B	129	GLY	-	expression tag	UNP O75469

- Molecule 2 is a protein called Adnectin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	91	Total	C	N	O	S	0	0	0
			682	446	99	135	2			
2	E	91	Total	C	N	O	S	0	1	0
			693	452	100	139	2			

- Molecule 3 is N-{(2R)-1-[(4S)-4-(4-chlorophenyl)-4-hydroxy-3,3-dimethylpiperidin-1-yl]-3-methyl-1-oxobutan-2-yl}-2-cyclopropylacetamide (CCD ID: 40U) (formula: C₂₃H₃₃ClN₂O₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			29	23	1	2	3		
3	B	1	Total	C	Cl	N	O	0	0
			29	23	1	2	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nuclear receptor subfamily 1 group I member 2



- Molecule 1: Nuclear receptor subfamily 1 group I member 2




- Molecule 2: Adnectin-1



- Molecule 2: Adnectin-1

Chain E: 41% 23% 8% • 24%



4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α , β , γ	119.87Å 119.87Å 84.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.38 – 3.14 42.38 – 3.14	Depositor EDS
% Data completeness (in resolution range)	98.6 (42.38-3.14) 98.9 (42.38-3.14)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 3.12Å)	Xtriage
Refinement program	BUSTER-TNT BUSTER 2.11.6, BUSTER 2.11.6	Depositor
R, R_{free}	0.214 , 0.247 0.229 , 0.252	Depositor DCC
R_{free} test set	1068 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	91.4	Xtriage
Anisotropy	0.372	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 98.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.468 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5793	wwPDB-VP
Average B, all atoms (Å ²)	92.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 40U

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	1/2213 (0.0%)	1.47	23/3000 (0.8%)
1	B	0.87	3/2246 (0.1%)	1.47	26/3040 (0.9%)
2	D	0.94	2/704 (0.3%)	1.34	11/975 (1.1%)
2	E	0.88	2/715 (0.3%)	1.43	12/990 (1.2%)
All	All	0.87	8/5878 (0.1%)	1.45	72/8005 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	6
2	D	0	10
2	E	0	7
All	All	0	25

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	86	GLN	C-N	7.12	1.41	1.33
2	D	86	GLN	C-N	7.03	1.41	1.33
1	B	312	ALA	CA-C	6.46	1.61	1.53
2	D	65	GLY	C-N	6.35	1.41	1.33
1	B	198	LYS	C-N	5.90	1.42	1.33
1	B	234	LYS	C-N	-5.64	1.25	1.33
2	E	25	PRO	N-CD	-5.35	1.40	1.47
1	A	312	ALA	CA-C	5.24	1.60	1.53

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	229	ALA	O-C-N	-13.74	105.74	122.65
2	E	7[A]	ASP	CA-C-N	11.10	141.69	121.70
2	E	7[A]	ASP	C-N-CA	11.10	141.69	121.70
2	E	7[B]	ASP	CA-C-N	11.10	141.69	121.70
2	E	7[B]	ASP	C-N-CA	11.10	141.69	121.70
2	D	86	GLN	O-C-N	-8.73	115.68	121.88
2	E	86	GLN	O-C-N	-8.70	115.70	121.88
2	D	77	TYR	O-C-N	-8.67	111.99	121.53
2	D	76	MET	O-C-N	8.48	133.01	123.01
1	A	196	ALA	CA-C-N	7.39	135.01	121.70
1	A	196	ALA	C-N-CA	7.39	135.01	121.70
2	E	23	PRO	CA-C-N	-7.39	112.77	120.38
2	E	23	PRO	C-N-CA	-7.39	112.77	120.38
2	D	23	PRO	CA-C-N	-6.91	113.27	120.38
2	D	23	PRO	C-N-CA	-6.91	113.27	120.38
2	D	27	VAL	N-CA-C	6.88	117.78	107.80
1	B	234	LYS	CA-C-N	6.85	134.62	121.54
1	B	234	LYS	C-N-CA	6.85	134.62	121.54
2	D	65	GLY	CA-C-N	-6.76	112.70	122.84
2	D	65	GLY	C-N-CA	-6.76	112.70	122.84
2	D	76	MET	CA-C-N	-6.20	111.26	120.68
2	D	76	MET	C-N-CA	-6.20	111.26	120.68
1	A	283	LEU	CA-C-N	6.11	128.46	120.28
1	A	283	LEU	C-N-CA	6.11	128.46	120.28
2	E	27	VAL	N-CA-C	-6.10	99.69	108.53
1	A	314	GLY	CA-C-N	6.06	132.61	121.70
1	A	314	GLY	C-N-CA	6.06	132.61	121.70
1	B	283	LEU	CA-C-N	6.01	128.34	120.28
1	B	283	LEU	C-N-CA	6.01	128.34	120.28
1	B	403	ILE	N-CA-C	-5.99	104.67	110.72
1	B	202	VAL	CA-C-N	5.96	128.19	120.44
1	B	202	VAL	C-N-CA	5.96	128.19	120.44
1	B	272	GLN	N-CA-C	-5.87	104.80	111.14
2	E	24	PRO	CA-C-N	-5.85	112.53	119.84
2	E	24	PRO	C-N-CA	-5.85	112.53	119.84
1	A	272	GLN	N-CA-C	-5.80	104.88	111.14
1	B	191	PRO	CA-C-N	5.70	131.96	121.70
1	B	191	PRO	C-N-CA	5.70	131.96	121.70
1	A	403	ILE	N-CA-C	-5.67	104.99	110.72
2	E	8	LEU	N-CA-C	5.61	126.70	111.00
1	A	293	ASN	CA-CB-CG	5.45	118.05	112.60
1	B	351	PRO	CA-C-N	5.29	128.10	120.38
1	B	351	PRO	C-N-CA	5.29	128.10	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	351	PRO	CA-C-N	5.27	128.07	120.38
1	A	351	PRO	C-N-CA	5.27	128.07	120.38
1	A	190	ALA	CA-C-N	-5.25	113.28	119.84
1	A	190	ALA	C-N-CA	-5.25	113.28	119.84
1	A	358	GLN	CA-C-N	5.21	127.57	120.54
1	A	358	GLN	C-N-CA	5.21	127.57	120.54
1	B	253	GLY	CA-C-N	5.21	127.08	120.72
1	B	253	GLY	C-N-CA	5.21	127.08	120.72
1	A	320	LEU	CA-C-N	5.21	128.61	121.74
1	A	320	LEU	C-N-CA	5.21	128.61	121.74
1	B	312	ALA	CA-C-N	5.19	131.04	121.70
1	B	312	ALA	C-N-CA	5.19	131.04	121.70
1	B	320	LEU	CA-C-N	5.17	128.57	121.74
1	B	320	LEU	C-N-CA	5.17	128.57	121.74
1	B	358	GLN	CA-C-N	5.17	127.52	120.54
1	B	358	GLN	C-N-CA	5.17	127.52	120.54
1	B	162	PHE	CA-CB-CG	5.16	118.96	113.80
1	A	198	LYS	CA-C-N	5.12	127.14	120.28
1	A	198	LYS	C-N-CA	5.12	127.14	120.28
1	A	337	GLU	CA-C-N	5.10	127.11	120.28
1	A	337	GLU	C-N-CA	5.10	127.11	120.28
1	A	231	SER	CB-CA-C	-5.09	110.72	116.63
2	E	79(A)	SER	C-N-CD	5.09	139.10	128.40
2	D	79(A)	SER	C-N-CD	5.08	139.08	128.40
1	B	405	ALA	CA-C-N	5.07	127.07	120.28
1	B	405	ALA	C-N-CA	5.07	127.07	120.28
1	B	337	GLU	CA-C-N	5.01	127.00	120.28
1	B	337	GLU	C-N-CA	5.01	127.00	120.28
1	A	162	PHE	CA-CB-CG	5.01	118.81	113.80

There are no chirality outliers.

All (25) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	192	SER	Peptide
1	A	229	ALA	Peptide
1	B	196	ALA	Peptide
1	B	197	ALA	Peptide
1	B	229	ALA	Mainchain,Peptide
1	B	232	GLY	Peptide
1	B	233	GLY	Peptide
2	D	25	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	D	26(A)	TYR	Peptide
2	D	26(B)	VAL	Peptide
2	D	26(C)	GLU	Peptide
2	D	38	GLU	Peptide
2	D	40	GLY	Peptide
2	D	41	GLY	Peptide
2	D	79	GLY	Peptide
2	D	84	ASP	Peptide
2	D	85	ILE	Peptide
2	E	24	PRO	Peptide
2	E	25	PRO	Peptide
2	E	38	GLU	Peptide
2	E	40	GLY	Peptide
2	E	41	GLY	Peptide
2	E	79	GLY	Peptide
2	E	85	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2163	0	2058	36	0
1	B	2197	0	2099	61	0
2	D	682	0	631	73	0
2	E	693	0	641	39	0
3	A	29	0	32	1	0
3	B	29	0	32	2	0
All	All	5793	0	5493	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:26(B):VAL:CG1	2:D:27:VAL:HG12	1.29	1.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:79(B):PRO:CG	2:D:83:MET:N	1.91	1.33
2:D:25:PRO:CB	2:D:26(A):TYR:CD1	2.17	1.28
2:D:79(B):PRO:HG2	2:D:83:MET:N	0.94	1.25
2:E:79(B):PRO:HG2	2:E:83:MET:N	1.51	1.22
1:B:197:ALA:CB	1:B:200:SER:H	1.55	1.18
1:B:233:GLY:O	1:B:236:ILE:HG12	1.40	1.18
2:D:26(B):VAL:CG1	2:D:27:VAL:CG1	2.23	1.15
1:B:197:ALA:HB1	1:B:200:SER:H	1.11	1.14
1:B:231:SER:HB3	1:B:235:GLU:OE1	1.49	1.11
2:D:25:PRO:CG	2:D:26(A):TYR:CE1	2.33	1.11
1:B:199:TRP:CZ3	1:B:233:GLY:HA3	1.85	1.10
2:D:26(B):VAL:HG11	2:D:27:VAL:HG12	1.29	1.08
2:D:26(B):VAL:HG13	2:D:27:VAL:HG12	1.20	1.06
2:D:25:PRO:HB2	2:D:26(A):TYR:HD1	1.17	1.05
2:D:26(B):VAL:HG12	2:D:27:VAL:H	1.16	1.03
2:D:25:PRO:CG	2:D:26(A):TYR:HE1	1.71	1.01
2:D:25:PRO:HB3	2:D:26(A):TYR:CD1	1.92	0.99
2:D:25:PRO:CB	2:D:26(A):TYR:H	1.76	0.98
2:D:25:PRO:CB	2:D:26(A):TYR:HD1	1.62	0.98
2:D:25:PRO:HB2	2:D:26(A):TYR:O	1.63	0.96
1:B:197:ALA:HB1	1:B:200:SER:N	1.82	0.95
2:D:26(B):VAL:CG1	2:D:27:VAL:H	1.79	0.95
1:B:199:TRP:HZ3	1:B:233:GLY:HA3	1.26	0.92
2:D:25:PRO:HG2	2:D:26(A):TYR:CE1	2.03	0.92
1:A:196:ALA:HA	1:A:198:LYS:H	1.36	0.91
2:D:27:VAL:O	2:D:52:TYR:HB3	1.72	0.90
2:D:25:PRO:CG	2:D:26(A):TYR:CD1	2.52	0.89
2:E:26(B):VAL:O	2:E:26(D):GLY:HA2	1.73	0.88
2:D:26(B):VAL:HG11	2:D:27:VAL:CG1	1.94	0.88
2:D:25:PRO:HG3	2:D:26(A):TYR:HE1	1.38	0.88
2:D:25:PRO:CB	2:D:26(A):TYR:CE1	2.55	0.87
2:D:26(B):VAL:HG12	2:D:27:VAL:HG12	1.51	0.87
2:D:25:PRO:HB2	2:D:26(A):TYR:CD1	1.98	0.86
2:D:26(B):VAL:HG12	2:D:27:VAL:N	1.90	0.85
1:B:197:ALA:CB	1:B:200:SER:N	2.38	0.85
1:B:197:ALA:CB	1:B:200:SER:HB2	2.06	0.84
2:D:25:PRO:HB2	2:D:26(A):TYR:H	1.41	0.84
2:E:79(B):PRO:CG	2:E:83:MET:N	2.39	0.84
2:E:25:PRO:HB2	2:E:26(A):TYR:CE1	2.13	0.83
2:D:25:PRO:HB3	2:D:26:TYR:HB3	1.61	0.80
2:D:25:PRO:HB3	2:D:26(A):TYR:CE1	2.17	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:23:PRO:O	2:E:25:PRO:HD3	1.82	0.79
2:E:26(B):VAL:HA	2:E:27:VAL:HG12	1.64	0.79
2:D:26(B):VAL:HB	2:D:26(C):GLU:C	2.09	0.78
2:D:25:PRO:HG2	2:D:26(A):TYR:CD1	2.17	0.78
1:B:197:ALA:HB2	1:B:200:SER:HB2	1.65	0.78
2:E:38:GLU:O	2:E:40:GLY:O	2.02	0.77
1:B:425:MET:O	1:B:429:PHE:HB2	1.85	0.76
2:E:26(A):TYR:HB3	2:E:79(C):TRP:HA	1.67	0.75
2:D:25:PRO:HB3	2:D:26(A):TYR:H	1.52	0.74
2:D:26(B):VAL:HG13	2:D:27:VAL:CG1	2.06	0.74
1:B:197:ALA:HA	1:B:199:TRP:N	2.03	0.73
2:D:25:PRO:HB2	2:D:26(A):TYR:N	2.05	0.71
1:B:197:ALA:CB	1:B:200:SER:CB	2.67	0.71
1:B:187:SER:O	1:B:234:LYS:HG3	1.89	0.71
1:A:187:SER:HB3	1:A:418:HIS:HB2	1.73	0.70
2:D:79(A):SER:OG	2:D:79(B):PRO:O	2.10	0.70
1:B:187:SER:HB3	1:B:418:HIS:HB2	1.73	0.69
1:B:147:GLN:HA	1:B:150:MET:HE3	1.74	0.69
1:A:256:SER:OG	2:D:28:THR:HG21	1.93	0.69
1:A:259:LYS:HE3	2:D:26(C):GLU:O	1.92	0.69
1:B:197:ALA:HB2	1:B:200:SER:H	1.53	0.68
1:A:147:GLN:HA	1:A:150:MET:HE3	1.76	0.68
1:B:233:GLY:O	1:B:236:ILE:CG1	2.32	0.67
2:E:79(A):SER:OG	2:E:79(B):PRO:O	2.10	0.67
2:D:42:ASN:HB3	2:E:42:ASN:OD1	1.93	0.67
2:D:26(B):VAL:HA	2:D:26(D):GLY:H	1.61	0.66
2:E:26(D):GLY:HA3	2:E:77:TYR:CE2	2.32	0.65
2:D:25:PRO:CB	2:D:26(A):TYR:N	2.56	0.64
2:E:84:ASP:N	2:E:84:ASP:OD1	2.28	0.64
2:D:27:VAL:O	2:D:52:TYR:CB	2.45	0.61
2:E:35:THR:HG22	2:E:47:GLU:HB3	1.82	0.61
2:D:24:PRO:O	2:D:25:PRO:O	2.18	0.61
2:D:35:THR:HG22	2:D:47:GLU:HB3	1.82	0.60
1:B:230:ASP:O	1:B:232:GLY:N	2.31	0.60
2:D:25:PRO:CB	2:D:26:TYR:HB3	2.30	0.60
2:E:23:PRO:O	2:E:25:PRO:CD	2.50	0.59
2:D:59:ILE:HG22	2:D:62:LEU:HD21	1.83	0.59
2:D:84:ASP:OD1	2:D:84:ASP:N	2.34	0.59
1:B:199:TRP:CE3	1:B:233:GLY:HA3	2.36	0.58
2:E:26(D):GLY:HA3	2:E:77:TYR:CD2	2.38	0.58
2:E:34:ILE:HG12	2:E:72:VAL:HG22	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:24:PRO:O	2:D:25:PRO:C	2.46	0.58
2:D:34:ILE:HG12	2:D:72:VAL:HG22	1.86	0.58
2:D:42:ASN:HB3	2:E:42:ASN:CG	2.30	0.57
2:E:26(A):TYR:O	2:E:26(C):GLU:N	2.37	0.57
1:A:259:LYS:CE	2:D:26(C):GLU:O	2.53	0.57
2:E:26(A):TYR:CD1	2:E:26(A):TYR:N	2.72	0.57
2:D:26(A):TYR:CD1	2:D:26(A):TYR:N	2.73	0.56
2:E:83:MET:C	2:E:84:ASP:OD1	2.48	0.56
1:A:144:THR:H	1:A:147:GLN:HE21	1.54	0.56
2:E:26(A):TYR:O	2:E:26(B):VAL:C	2.47	0.56
1:B:199:TRP:HZ3	1:B:233:GLY:CA	2.09	0.55
1:B:144:THR:H	1:B:147:GLN:HE21	1.55	0.55
2:E:77:TYR:C	2:E:77:TYR:CD1	2.86	0.54
1:B:280:ALA:CB	1:B:428:LEU:HD22	2.38	0.54
1:A:425:MET:O	1:A:429:PHE:HD1	1.90	0.54
2:D:25:PRO:HG3	2:D:26(A):TYR:CE1	2.21	0.54
2:D:77:TYR:C	2:D:77:TYR:CD1	2.86	0.54
1:B:230:ASP:C	1:B:232:GLY:H	2.13	0.53
2:E:15:PRO:HA	2:E:94:THR:HB	1.91	0.52
1:A:259:LYS:NZ	2:D:26(C):GLU:O	2.43	0.52
2:E:26(B):VAL:C	2:E:26(D):GLY:HA2	2.34	0.51
2:E:18:LEU:HD13	2:E:62:LEU:HD12	1.93	0.51
2:D:25:PRO:HB2	2:D:26(A):TYR:C	2.35	0.51
1:A:228:PRO:HD3	1:B:221:SER:HB3	1.92	0.51
1:B:231:SER:CB	1:B:235:GLU:OE1	2.41	0.51
2:D:25:PRO:CG	2:D:26(A):TYR:HD1	2.11	0.51
1:B:342:LEU:HD13	1:B:373:LEU:HA	1.92	0.50
1:A:258:ALA:HA	1:A:261:ILE:HD12	1.93	0.50
1:B:280:ALA:CB	1:B:428:LEU:CD2	2.90	0.50
1:A:381:ARG:HB3	1:A:386:HIS:HD2	1.76	0.50
1:B:197:ALA:HB1	1:B:200:SER:CB	2.42	0.50
2:E:24:PRO:HB3	2:E:55:GLU:HG2	1.93	0.50
1:A:342:LEU:HD13	1:A:373:LEU:HA	1.92	0.50
1:B:232:GLY:O	1:B:235:GLU:OE1	2.30	0.50
1:A:213:LEU:HD11	1:A:304:LEU:HD23	1.94	0.49
1:A:196:ALA:HA	1:A:198:LYS:N	2.17	0.49
1:B:258:ALA:HA	1:B:261:ILE:HD12	1.93	0.49
1:B:213:LEU:HD11	1:B:304:LEU:HD23	1.95	0.49
2:E:8:LEU:HD21	2:E:70:ILE:HG22	1.94	0.48
2:E:28:THR:HG23	2:E:77:TYR:HB3	1.94	0.48
2:D:26(A):TYR:HD1	2:D:26(A):TYR:O	1.97	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:ILE:O	1:B:257:PHE:HB3	2.14	0.48
1:B:280:ALA:HB2	1:B:428:LEU:CD2	2.44	0.48
1:B:250:MET:O	1:B:254:ILE:HG12	2.14	0.48
1:B:270:GLU:H	1:B:270:GLU:CD	2.22	0.48
1:A:270:GLU:H	1:A:270:GLU:CD	2.22	0.48
2:D:27:VAL:O	2:D:27:VAL:HG13	2.13	0.48
1:A:221:SER:HB3	1:B:228:PRO:HD3	1.96	0.47
2:D:42:ASN:ND2	2:E:42:ASN:HB3	2.29	0.47
1:A:187:SER:HB3	1:A:418:HIS:CB	2.44	0.47
1:A:254:ILE:O	1:A:257:PHE:HB3	2.14	0.47
1:B:203:ARG:HH21	1:B:233:GLY:HA2	1.79	0.47
1:B:197:ALA:HB1	1:B:200:SER:CA	2.44	0.47
1:B:187:SER:HB3	1:B:418:HIS:CB	2.44	0.47
2:D:65:GLY:HA2	2:D:94:THR:C	2.40	0.47
1:A:250:MET:O	1:A:254:ILE:HG12	2.16	0.46
1:A:147:GLN:HB3	1:A:372:THR:HG23	1.98	0.46
1:B:323:MET:HE1	3:B:501:40U:H28	1.98	0.46
2:D:26(B):VAL:HG11	2:D:27:VAL:HG13	1.93	0.46
1:A:330:LEU:HD13	1:A:396:MET:HG2	1.97	0.46
1:B:189:GLN:CG	1:B:234:LYS:HB2	2.45	0.46
1:B:197:ALA:HB2	1:B:200:SER:N	2.20	0.46
1:B:147:GLN:HB3	1:B:372:THR:HG23	1.97	0.46
1:A:282:GLU:HG2	1:A:400:LEU:HG	1.98	0.45
2:E:26(A):TYR:C	2:E:26(C):GLU:N	2.74	0.45
2:E:7[A]:ASP:HB2	2:E:8:LEU:O	2.17	0.45
1:B:330:LEU:HD13	1:B:396:MET:HG2	1.98	0.45
2:E:7[B]:ASP:HB2	2:E:8:LEU:O	2.17	0.45
2:D:39:THR:HG23	2:D:40:GLY:N	2.31	0.45
1:B:343:MET:HG2	1:B:397:LEU:HD21	1.99	0.45
1:A:343:MET:HG2	1:A:397:LEU:HD21	1.99	0.45
1:A:373:LEU:HD21	1:A:393:ILE:HG21	1.99	0.45
2:D:25:PRO:CA	2:D:26:TYR:HB3	2.46	0.45
2:E:39:THR:HA	2:E:69:THR:OG1	2.17	0.45
2:E:27:VAL:HG13	2:E:52:TYR:HB2	1.99	0.45
1:B:282:GLU:HG2	1:B:400:LEU:HG	1.98	0.45
1:A:191:PRO:HD2	1:A:192:SER:H	1.83	0.44
1:B:373:LEU:HD21	1:B:393:ILE:HG21	1.99	0.44
1:A:159:MET:HE2	1:A:159:MET:HB3	1.92	0.44
1:B:254:ILE:HD12	1:B:283:LEU:HB3	2.00	0.44
2:E:36:TYR:HA	2:E:69:THR:O	2.18	0.44
1:B:197:ALA:HA	1:B:199:TRP:H	1.77	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:196:ALA:HA	1:B:198:LYS:H	1.83	0.44
1:A:196:ALA:HB1	1:A:199:TRP:HD1	1.83	0.44
1:B:233:GLY:C	1:B:236:ILE:HG12	2.29	0.43
1:B:304:LEU:HD22	1:B:306:TYR:OH	2.18	0.43
2:D:26(B):VAL:CB	2:D:26(C):GLU:C	2.85	0.43
2:D:77:TYR:CD1	2:D:77:TYR:O	2.70	0.43
1:A:304:LEU:HD22	1:A:306:TYR:OH	2.18	0.43
3:A:501:40U:H5	3:A:501:40U:H31	1.84	0.43
2:D:42:ASN:CG	2:E:42:ASN:HB3	2.44	0.43
2:D:25:PRO:CA	2:D:26:TYR:CB	2.96	0.43
2:D:27:VAL:HG13	2:D:52:TYR:HB2	2.00	0.43
1:A:254:ILE:HD12	1:A:283:LEU:HB3	2.00	0.43
2:E:26(D):GLY:HA3	2:E:77:TYR:HE2	1.83	0.42
1:A:221:SER:HB2	1:B:225:TYR:CE1	2.54	0.42
1:A:189:GLN:H	1:A:189:GLN:CD	2.26	0.42
2:D:25:PRO:HA	2:D:26:TYR:CB	2.49	0.42
1:A:225:TYR:CE1	1:B:221:SER:HB2	2.54	0.42
1:A:427:GLU:HG3	2:D:54:THR:HG21	2.01	0.42
1:B:196:ALA:HA	1:B:198:LYS:N	2.34	0.42
1:B:154:LEU:HB3	1:B:341:VAL:HG22	2.01	0.41
2:D:26(B):VAL:HB	2:D:26(C):GLU:O	2.21	0.41
1:B:429:PHE:HD1	1:B:429:PHE:HA	1.76	0.41
2:E:83:MET:SD	2:E:83:MET:O	2.79	0.41
1:B:306:TYR:CD1	3:B:501:40U:H5	2.56	0.41
1:B:339:GLU:O	1:B:343:MET:HB2	2.21	0.41
2:D:65:GLY:HA2	2:D:94:THR:O	2.21	0.41
1:A:154:LEU:HB3	1:A:341:VAL:HG22	2.02	0.40
1:A:350:SER:HA	1:A:366:GLN:OE1	2.21	0.40
1:B:235:GLU:CD	1:B:235:GLU:H	2.28	0.40
2:D:38:GLU:HG2	2:D:68:TYR:CE1	2.56	0.40
2:E:38:GLU:O	2:E:39:THR:C	2.65	0.40
2:D:39:THR:CG2	2:D:40:GLY:N	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/315 (87%)	260 (94%)	11 (4%)	4 (2%)	8	29
1	B	279/315 (89%)	264 (95%)	14 (5%)	1 (0%)	30	59
2	D	87/120 (72%)	78 (90%)	6 (7%)	3 (3%)	3	14
2	E	88/120 (73%)	78 (89%)	7 (8%)	3 (3%)	3	14
All	All	729/870 (84%)	680 (93%)	38 (5%)	11 (2%)	8	29

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	191	PRO
2	E	8	LEU
1	A	234	LYS
2	D	25	PRO
2	D	26	TYR
1	A	191	PRO
1	A	235	GLU
2	E	26(B)	VAL
2	D	24	PRO
1	A	382	PRO
2	E	24	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/279 (79%)	199 (90%)	22 (10%)	7	25
1	B	225/279 (81%)	202 (90%)	23 (10%)	7	25
2	D	72/102 (71%)	63 (88%)	9 (12%)	4	17
2	E	74/102 (72%)	64 (86%)	10 (14%)	4	14
All	All	592/762 (78%)	528 (89%)	64 (11%)	6	22

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	LEU
1	A	144	THR
1	A	152	ARG
1	A	192	SER
1	A	200	SER
1	A	211	VAL
1	A	215	LEU
1	A	246	MET
1	A	256	SER
1	A	270	GLU
1	A	283	LEU
1	A	293	ASN
1	A	300	GLU
1	A	305	SER
1	A	319	LEU
1	A	320	LEU
1	A	331	LYS
1	A	343	MET
1	A	352	ASP
1	A	367	GLU
1	A	411	LEU
1	A	416	ASP
1	B	144	THR
1	B	145	GLU
1	B	200	SER
1	B	211	VAL
1	B	215	LEU
1	B	231	SER
1	B	246	MET
1	B	256	SER
1	B	270	GLU
1	B	283	LEU
1	B	293	ASN
1	B	300	GLU
1	B	305	SER
1	B	318	LEU
1	B	320	LEU
1	B	331	LYS
1	B	343	MET
1	B	352	ASP
1	B	367	GLU
1	B	411	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	416	ASP
1	B	427	GLU
1	B	428	LEU
2	D	8	LEU
2	D	18	LEU
2	D	38	GLU
2	D	67	ASP
2	D	70	ILE
2	D	71	THR
2	D	76	MET
2	D	83	MET
2	D	84	ASP
2	E	7[A]	ASP
2	E	7[B]	ASP
2	E	18	LEU
2	E	29	VAL
2	E	67	ASP
2	E	69	THR
2	E	70	ILE
2	E	71	THR
2	E	84	ASP
2	E	91	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	147	GLN
1	A	214	GLN
1	A	224	ASN
1	A	272	GLN
1	A	289	ASN
1	A	293	ASN
1	A	334	GLN
1	A	344	GLN
1	A	368	GLN
1	A	380	ASN
1	A	407	HIS
1	B	147	GLN
1	B	214	GLN
1	B	224	ASN
1	B	272	GLN
1	B	289	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	293	ASN
1	B	344	GLN
1	B	368	GLN
1	B	380	ASN
1	B	415	GLN
2	D	91	ASN
2	E	42	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	40U	A	501	-	30,31,31	3.09	9 (30%)	39,47,47	2.97	19 (48%)
3	40U	B	501	-	30,31,31	3.49	9 (30%)	39,47,47	2.74	13 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	40U	A	501	-	-	4/26/48/48	0/3/3/3
3	40U	B	501	-	-	2/26/48/48	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	501	40U	C10-C6	10.64	1.60	1.53
3	A	501	40U	C10-C6	9.84	1.60	1.53
3	B	501	40U	C6-C3	8.86	1.60	1.52
3	A	501	40U	C6-C3	7.95	1.59	1.52
3	B	501	40U	C8-N	7.18	1.54	1.46
3	A	501	40U	C8-N	6.19	1.53	1.46
3	B	501	40U	C11-N	6.08	1.43	1.35
3	B	501	40U	C8-C7	5.94	1.65	1.53
3	A	501	40U	C8-C7	5.56	1.64	1.53
3	A	501	40U	C11-N	4.77	1.41	1.35
3	B	501	40U	C13-N1	3.41	1.41	1.34
3	A	501	40U	C2-C3	3.22	1.44	1.39
3	B	501	40U	C2-C3	3.20	1.44	1.39
3	B	501	40U	C22-C7	2.78	1.59	1.53
3	B	501	40U	C-CL	-2.53	1.68	1.74
3	A	501	40U	C-CL	-2.46	1.68	1.74
3	A	501	40U	C22-C7	2.25	1.58	1.53
3	A	501	40U	C13-N1	2.04	1.38	1.34

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	501	40U	C8-N-C11	7.50	143.77	122.07
3	A	501	40U	C8-N-C11	7.15	142.73	122.07
3	A	501	40U	C22-C7-C21	6.70	117.11	107.37
3	B	501	40U	C22-C7-C21	6.63	117.01	107.37
3	A	501	40U	C2-C3-C6	6.40	129.62	121.05
3	A	501	40U	C4-C3-C6	-5.81	113.27	121.05
3	B	501	40U	C9-C10-C6	5.70	119.35	111.74
3	A	501	40U	C15-C14-C13	5.58	121.14	113.22
3	B	501	40U	C2-C3-C6	5.52	128.44	121.05
3	B	501	40U	C4-C3-C6	-4.97	114.38	121.05
3	B	501	40U	C9-N-C8	-4.08	107.20	114.44
3	A	501	40U	O2-C6-C10	-3.96	99.58	108.12
3	B	501	40U	C9-N-C11	-3.82	109.00	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	40U	C9-N-C11	-3.79	109.12	123.30
3	A	501	40U	C9-N-C8	-3.55	108.15	114.44
3	A	501	40U	C18-C12-N1	3.41	119.68	111.44
3	B	501	40U	O2-C6-C10	-3.24	101.14	108.12
3	A	501	40U	C10-C6-C3	3.16	117.35	111.11
3	A	501	40U	C14-C13-N1	3.11	120.50	116.25
3	B	501	40U	C12-N1-C13	3.07	127.86	121.80
3	B	501	40U	C18-C12-N1	2.96	118.60	111.44
3	A	501	40U	C12-N1-C13	2.81	127.35	121.80
3	A	501	40U	C9-C10-C6	2.60	115.22	111.74
3	A	501	40U	O1-C13-N1	-2.49	118.74	122.95
3	B	501	40U	C19-C18-C12	-2.46	104.41	111.16
3	A	501	40U	C10-C9-N	-2.32	106.48	110.82
3	A	501	40U	O-C11-C12	2.21	124.12	119.96
3	A	501	40U	C19-C18-C12	-2.14	105.29	111.16
3	B	501	40U	C20-C18-C12	2.12	116.98	111.16
3	A	501	40U	C12-C11-N	-2.06	113.66	118.65
3	A	501	40U	C20-C18-C12	2.06	116.81	111.16
3	B	501	40U	C7-C8-N	2.02	114.73	111.78

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	40U	N1-C13-C14-C15
3	A	501	40U	O1-C13-C14-C15
3	A	501	40U	C13-C14-C15-C17
3	A	501	40U	C13-C14-C15-C16
3	B	501	40U	N1-C13-C14-C15
3	B	501	40U	O1-C13-C14-C15


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	40U	1	0
3	B	501	40U	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/315 (88%)	-1.05	0 100 100	55, 83, 125, 149	0
1	B	283/315 (89%)	-1.02	0 100 100	57, 85, 125, 150	0
2	D	91/120 (75%)	-0.91	0 100 100	59, 110, 143, 153	0
2	E	91/120 (75%)	-0.86	0 100 100	23, 107, 143, 158	1 (1%)
All	All	744/870 (85%)	-1.00	0 100 100	23, 89, 136, 158	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	40U	A	501	29/29	0.99	0.07	67,70,83,94	0
3	40U	B	501	29/29	0.99	0.06	58,71,83,92	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 40U A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 40U B 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.