



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:23 PM UTC

PDB ID : 4S1S / pdb_00004s1s
Title : Crystal structure of a VRC01-lineage antibody, 45-VRC01.H5.F-185917, in complex with clade A/E HIV-1 gp120 core
Authors : Kwon, Y.D.; Yang, Y.; Zhang, B.; Kwong, P.D.
Deposited on : 2015-01-14
Resolution : 3.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1001 (3.44-3.36)
Clashscore	190562	1022 (3.44-3.36)
Ramachandran outliers	187476	1012 (3.44-3.36)
Sidechain outliers	187428	1012 (3.44-3.36)
RSRZ outliers	180081	1001 (3.44-3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	353	 2% 77% 20% .
2	H	228	 3% 75% 22% .
3	L	210	 2% 80% 20% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6187 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called clade A/E 93TH057 HIV-1 gp120 core.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	G	342	Total	C	N	O	S	0	0	0
			2677	1680	466	509	22			


- Molecule 2 is a protein called Fab of VRC01-lineage antibody,45-VRC01.H5.F-185917 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	228	Total	C	N	O	S	0	0	0
			1746	1108	303	327	8			

- Molecule 3 is a protein called Fab of VRC01 light chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	208	Total	C	N	O	S	0	0	0
			1609	1008	273	323	5			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
5	G	1	15	8	2	4	1	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.39Å 67.66Å 266.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.50 – 3.39 47.50 – 3.39	Depositor EDS
% Data completeness (in resolution range)	96.8 (47.50-3.39) 92.3 (47.50-3.39)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 3.40Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1839)	Depositor
R, R_{free}	0.262 , 0.300 0.265 , 0.296	Depositor DCC
R_{free} test set	698 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	83.8	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 60.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6187	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	G	0.32	0/2733	0.88	1/3709 (0.0%)
2	H	0.30	0/1797	0.74	0/2449
3	L	0.25	0/1646	0.66	0/2235
All	All	0.30	0/6176	0.79	1/8393 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	230	ASP	N-CA-C	5.89	118.74	109.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	2677	0	2611	39	0
2	H	1746	0	1709	52	0
3	L	1609	0	1547	22	0
4	G	140	0	130	3	0
5	G	15	0	17	0	0
All	All	6187	0	6014	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:138:LEU:HD11	2:H:211:VAL:CG1	1.13	1.54
2:H:138:LEU:CD1	2:H:211:VAL:CG1	2.06	1.32
2:H:138:LEU:CD1	2:H:211:VAL:HG11	1.63	1.22
2:H:138:LEU:HD11	2:H:211:VAL:HG12	1.11	1.06
2:H:138:LEU:HD11	2:H:211:VAL:HG11	1.05	1.05
2:H:97:ASP:HB3	2:H:98:CYS:HA	1.39	1.02
2:H:138:LEU:HD11	2:H:211:VAL:HG13	1.50	0.88
2:H:138:LEU:CD1	2:H:211:VAL:HG12	1.89	0.79
2:H:126:PRO:HD3	2:H:138:LEU:HD13	1.67	0.76
2:H:138:LEU:CG	2:H:211:VAL:HG11	2.17	0.74
1:G:298:ARG:NH2	1:G:439:ILE:O	2.25	0.69
2:H:82:VAL:HG12	2:H:82(C):LEU:CD2	2.24	0.68
1:G:101:VAL:HG21	1:G:480:ARG:HG2	1.78	0.65
1:G:277:LEU:O	1:G:456:ARG:NH2	2.29	0.65
2:H:97:ASP:HB3	2:H:98:CYS:CA	2.24	0.65
2:H:138:LEU:CG	2:H:211:VAL:CG1	2.74	0.65
2:H:197:ASN:ND2	2:H:208:ASP:OD1	2.30	0.65
2:H:67:PHE:CE1	2:H:82:VAL:HG22	2.34	0.63
3:L:79:GLU:O	3:L:81:GLY:N	2.34	0.61
1:G:280:ASN:ND2	3:L:96:GLU:OE1	2.34	0.61
2:H:126:PRO:HB2	2:H:127:SER:HA	1.82	0.60
1:G:233:PHE:O	1:G:273:ARG:NH2	2.30	0.59
2:H:12:LYS:HE3	2:H:18:VAL:HG22	1.84	0.59
2:H:115:SER:HB3	2:H:116:THR:HA	1.84	0.59
3:L:63:SER:OG	3:L:74:THR:OG1	2.20	0.58
2:H:82:VAL:HG12	2:H:82(C):LEU:HD21	1.85	0.57
2:H:82:VAL:CG1	2:H:82(C):LEU:HD21	2.34	0.57
2:H:138:LEU:HD21	2:H:211:VAL:HG12	1.87	0.56
1:G:343:LYS:O	1:G:346:THR:OG1	2.24	0.56
1:G:298:ARG:NH1	1:G:326:ILE:O	2.35	0.56
1:G:461:ASN:OD1	1:G:462:ASN:N	2.37	0.56
2:H:159:LEU:HD21	2:H:182:VAL:HG11	1.88	0.56
1:G:361:PHE:HB3	1:G:391:PHE:HB3	1.88	0.55
2:H:82:VAL:HG12	2:H:82(C):LEU:HD23	1.87	0.55
2:H:67:PHE:CD1	2:H:80:LEU:HD11	2.42	0.55
3:L:191:HIS:O	3:L:213:ARG:NH1	2.39	0.55
1:G:260:LEU:HD12	1:G:451:GLY:HA3	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:82:VAL:CG1	2:H:82(C):LEU:CD2	2.85	0.54
1:G:121:LYS:N	1:G:201:ILE:O	2.38	0.53
2:H:67:PHE:HD1	2:H:80:LEU:HD11	1.73	0.53
2:H:100(A):ASP:HB3	2:H:100(B):PRO:HD3	1.89	0.53
1:G:291:SER:OG	4:G:510:NAG:O6	2.28	0.52
2:H:47:TRP:CZ2	2:H:49:GLY:HA2	2.46	0.51
3:L:47:VAL:HG12	3:L:48:ILE:HG12	1.93	0.50
1:G:120:VAL:HB	1:G:434:MET:HE3	1.94	0.50
1:G:454:LEU:HD23	1:G:470:PRO:HA	1.93	0.50
2:H:138:LEU:CD2	2:H:211:VAL:HG12	2.42	0.49
2:H:68:THR:OG1	2:H:81:ASP:HB2	2.13	0.49
2:H:200:HIS:CD2	2:H:202:PRO:HD2	2.47	0.49
1:G:119:CYS:N	1:G:205:CYS:HB3	2.27	0.49
1:G:455:THR:HG23	1:G:471:GLY:HA3	1.93	0.49
1:G:241:ASN:HB3	4:G:502:NAG:O5	2.12	0.49
3:L:120:PHE:HB2	3:L:135:VAL:HB	1.95	0.49
3:L:47:VAL:HA	3:L:58:ILE:HG13	1.96	0.48
3:L:130:GLY:HA2	3:L:185:LYS:HB2	1.94	0.48
1:G:52:LEU:HD11	1:G:100:MET:HG2	1.95	0.47
2:H:18:VAL:HG23	2:H:82(C):LEU:HD11	1.96	0.47
3:L:24:ARG:HG2	3:L:70:ASP:OD2	2.15	0.47
1:G:64:GLU:HA	1:G:209:SER:HB3	1.96	0.47
1:G:266:ALA:HB3	1:G:289:ASN:HB3	1.96	0.47
3:L:115:PRO:HD3	3:L:200:HIS:HD2	1.79	0.46
1:G:279:ASN:HD21	2:H:100(F):TRP:CD1	2.34	0.46
1:G:476:LYS:HA	1:G:479:TRP:CD1	2.50	0.46
2:H:136:ALA:N	2:H:184:VAL:O	2.49	0.46
3:L:78:LEU:HD23	3:L:83:PHE:CE1	2.52	0.45
2:H:193:THR:HG23	2:H:210:LYS:HE3	1.99	0.45
3:L:157:GLN:HE21	3:L:160:ASN:HD21	1.64	0.45
1:G:104:MET:HE2	1:G:217:TYR:CE1	2.52	0.44
1:G:119:CYS:N	1:G:434:MET:O	2.47	0.44
2:H:96:ALA:HB2	2:H:101:PRO:HG3	2.00	0.44
1:G:277:LEU:HD13	1:G:352:HIS:HB3	1.99	0.44
2:H:18:VAL:O	2:H:81:ASP:HA	2.18	0.44
2:H:89:VAL:HG12	2:H:108:LEU:HD23	1.99	0.44
1:G:54:CYS:O	1:G:75:VAL:HG22	2.18	0.43
1:G:396:ILE:O	1:G:396:ILE:HG22	2.18	0.43
1:G:474:ASN:OD1	2:H:100(B):PRO:HG3	2.17	0.43
2:H:68:THR:O	2:H:80:LEU:HD12	2.18	0.43
3:L:142:TYR:CG	3:L:143:PRO:HA	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:110:ARG:HD2	3:L:173:SER:HB2	2.00	0.43
1:G:348:LYS:HD3	1:G:348:LYS:HA	1.90	0.43
2:H:123:PRO:HD3	2:H:209:LYS:HE2	2.00	0.43
3:L:30:SER:HB2	3:L:50:SER:HA	2.00	0.43
3:L:192:LYS:HD3	3:L:213:ARG:HH12	1.83	0.43
3:L:60:ASP:OD1	3:L:60:ASP:N	2.52	0.43
2:H:27:TYR:CZ	2:H:94:ARG:HD2	2.54	0.42
2:H:38:ARG:HB3	2:H:48:ILE:HD11	2.00	0.42
1:G:49:ASP:OD2	1:G:99:ASN:ND2	2.52	0.42
1:G:429:GLY:HA3	2:H:53:ARG:HH11	1.84	0.42
1:G:475:ILE:O	1:G:478:ASN:HB2	2.19	0.42
2:H:148:GLU:HA	2:H:149:PRO:HA	1.83	0.42
1:G:390:LEU:HD23	1:G:390:LEU:HA	1.89	0.42
3:L:5:THR:HB	3:L:24:ARG:HB2	2.01	0.41
2:H:2:VAL:HB	2:H:102:HIS:CD2	2.55	0.41
2:H:138:LEU:HD21	2:H:211:VAL:CG1	2.49	0.41
3:L:121:PRO:HA	3:L:122:PRO:HD3	1.97	0.41
2:H:152:VAL:HG22	2:H:198:VAL:HG22	2.03	0.41
3:L:115:PRO:HD3	3:L:200:HIS:CD2	2.56	0.41
1:G:121:LYS:HE3	1:G:426:MET:HE1	2.02	0.41
1:G:346:THR:O	1:G:350:LYS:HG3	2.20	0.41
2:H:97:ASP:CB	2:H:98:CYS:HA	2.23	0.41
1:G:78:ASP:HA	1:G:79:PRO:HD3	1.86	0.41
3:L:34:ALA:HA	3:L:49:TYR:HA	2.03	0.41
1:G:420:ILE:HG21	1:G:438:PRO:HG3	2.03	0.41
2:H:146:PHE:HA	2:H:147:PRO:HA	1.87	0.41
2:H:67:PHE:HE1	2:H:82:VAL:HG22	1.84	0.41
2:H:49:GLY:HA3	2:H:69:MET:HE1	2.03	0.40
1:G:207:LYS:HE2	1:G:436:ALA:HB3	2.04	0.40
1:G:389:GLN:HG2	4:G:509:NAG:C8	2.52	0.40
3:L:203:LEU:HD13	3:L:207:VAL:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	336/353 (95%)	315 (94%)	18 (5%)	3 (1%)	14	42
2	H	226/228 (99%)	194 (86%)	24 (11%)	8 (4%)	3	16
3	L	206/210 (98%)	189 (92%)	15 (7%)	2 (1%)	12	40
All	All	768/791 (97%)	698 (91%)	57 (7%)	13 (2%)	7	28

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	L	80	SER
1	G	232	ASN
2	H	96	ALA
2	H	100(E)	GLY
2	H	135	THR
1	G	204	ALA
2	H	53	ARG
2	H	129	LYS
2	H	149	PRO
1	G	411	ASN
2	H	14	PRO
2	H	100(B)	PRO
3	L	206	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	305/311 (98%)	301 (99%)	4 (1%)	61	71
2	H	194/194 (100%)	192 (99%)	2 (1%)	68	75
3	L	180/182 (99%)	178 (99%)	2 (1%)	65	74
All	All	679/687 (99%)	671 (99%)	8 (1%)	63	72

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	65	VAL
1	G	231	LYS
1	G	371	ILE
1	G	410	CYS
2	H	93	VAL
2	H	98	CYS
3	L	165	VAL
3	L	216	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	61	HIS
1	G	99	ASN
1	G	389	GLN
1	G	444	ASN
3	L	27	GLN
3	L	157	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	G	504	1	14,14,15	0.29	0	17,19,21	0.40	0
4	NAG	G	506	1	14,14,15	0.18	0	17,19,21	0.39	0
5	EPE	G	511	-	15,15,15	0.79	1 (6%)	19,20,20	1.76	4 (21%)
4	NAG	G	505	1	14,14,15	0.16	0	17,19,21	0.72	1 (5%)
4	NAG	G	503	1	14,14,15	0.25	0	17,19,21	0.51	0
4	NAG	G	509	1	14,14,15	0.22	0	17,19,21	0.46	0
4	NAG	G	502	1	14,14,15	0.22	0	17,19,21	0.50	0
4	NAG	G	510	1	14,14,15	0.16	0	17,19,21	0.59	0
4	NAG	G	508	1	14,14,15	0.29	0	17,19,21	0.54	0
4	NAG	G	507	1	14,14,15	0.25	0	17,19,21	0.37	0
4	NAG	G	501	1	14,14,15	0.32	0	17,19,21	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	504	1	-	2/6/23/26	0/1/1/1
4	NAG	G	506	1	-	2/6/23/26	0/1/1/1
5	EPE	G	511	-	-	4/9/19/19	0/1/1/1
4	NAG	G	505	1	-	4/6/23/26	0/1/1/1
4	NAG	G	503	1	-	2/6/23/26	0/1/1/1
4	NAG	G	509	1	-	2/6/23/26	0/1/1/1
4	NAG	G	502	1	-	2/6/23/26	0/1/1/1
4	NAG	G	510	1	-	4/6/23/26	0/1/1/1
4	NAG	G	508	1	-	2/6/23/26	0/1/1/1
4	NAG	G	507	1	-	2/6/23/26	0/1/1/1
4	NAG	G	501	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	511	EPE	C10-S	2.73	1.81	1.77

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	511	EPE	C5-N4-C3	5.04	119.69	108.84
4	G	505	NAG	C1-O5-C5	2.52	115.57	112.19
5	G	511	EPE	C7-N4-C5	2.27	117.28	111.24
5	G	511	EPE	O1S-S-C10	2.19	110.04	106.73
5	G	511	EPE	C2-C3-N4	2.16	115.01	110.65

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	G	511	EPE	C10-C9-N1-C2
4	G	502	NAG	C4-C5-C6-O6
4	G	506	NAG	O5-C5-C6-O6
4	G	502	NAG	O5-C5-C6-O6
4	G	510	NAG	O5-C5-C6-O6
4	G	506	NAG	C4-C5-C6-O6
4	G	505	NAG	O5-C5-C6-O6
4	G	507	NAG	C4-C5-C6-O6
4	G	507	NAG	O5-C5-C6-O6
4	G	505	NAG	C4-C5-C6-O6
4	G	503	NAG	O5-C5-C6-O6
4	G	508	NAG	C4-C5-C6-O6
4	G	510	NAG	C4-C5-C6-O6
4	G	505	NAG	C8-C7-N2-C2
4	G	505	NAG	O7-C7-N2-C2
4	G	509	NAG	C8-C7-N2-C2
4	G	509	NAG	O7-C7-N2-C2
4	G	510	NAG	C8-C7-N2-C2
4	G	510	NAG	O7-C7-N2-C2
4	G	504	NAG	O5-C5-C6-O6
4	G	508	NAG	O5-C5-C6-O6
4	G	503	NAG	C4-C5-C6-O6
4	G	504	NAG	C4-C5-C6-O6
5	G	511	EPE	C10-C9-N1-C6
5	G	511	EPE	C9-C10-S-O3S
5	G	511	EPE	N4-C7-C8-O8

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	509	NAG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	502	NAG	1	0
4	G	510	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	G	342/353 (96%)	0.23	7 (2%) 65 49	48, 109, 156, 179	0
2	H	228/228 (100%)	0.19	7 (3%) 51 38	42, 96, 160, 204	0
3	L	208/210 (99%)	0.15	4 (1%) 66 51	69, 126, 181, 198	0
All	All	778/791 (98%)	0.19	18 (2%) 61 46	42, 112, 169, 204	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	124	GLY	4.6
1	G	123	THR	3.5
2	H	134	GLY	3.4
2	H	211	VAL	3.2
3	L	137	LEU	2.8
1	G	122	LEU	2.8
2	H	131	THR	2.8
1	G	397	GLY	2.8
2	H	130	SER	2.7
2	H	132	SER	2.6
3	L	132	ALA	2.6
2	H	141	LEU	2.5
1	G	120	VAL	2.4
2	H	133	GLY	2.4
3	L	67	TRP	2.3
1	G	460	ALA	2.2
1	G	201	ILE	2.1
3	L	27	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	G	502	14/15	0.46	0.13	138,149,176,180	0
4	NAG	G	510	14/15	0.47	0.12	119,132,149,152	0
4	NAG	G	504	14/15	0.49	0.14	115,122,130,130	0
4	NAG	G	509	14/15	0.53	0.09	164,167,170,170	0
4	NAG	G	507	14/15	0.70	0.13	143,154,161,163	0
4	NAG	G	505	14/15	0.73	0.11	114,127,138,145	0
4	NAG	G	506	14/15	0.80	0.10	125,149,158,159	0
4	NAG	G	508	14/15	0.86	0.09	80,94,105,106	0
4	NAG	G	503	14/15	0.88	0.11	98,117,125,127	0
4	NAG	G	501	14/15	0.89	0.08	91,101,115,118	0
5	EPE	G	511	15/15	0.91	0.12	67,79,88,94	0

6.5 Other polymers [i](#)

There are no such residues in this entry.