



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:44 PM UTC

PDB ID : 3S3S / pdb_00003s3s
Title : Transglutaminase 2 in complex with a novel inhibitor
Authors : Lindemann, I.; Heine, A.; Klebe, G.
Deposited on : 2011-05-18
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	694	
2	B	5	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5013 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein-glutamine gamma-glutamyltransferase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	620	Total	C	N	O	S	0	0	0
			4784	3040	817	901	26			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP P21980
A	-5	ALA	-	expression tag	UNP P21980
A	-4	HIS	-	expression tag	UNP P21980
A	-3	HIS	-	expression tag	UNP P21980
A	-2	HIS	-	expression tag	UNP P21980
A	-1	HIS	-	expression tag	UNP P21980
A	0	HIS	-	expression tag	UNP P21980
A	1	HIS	-	expression tag	UNP P21980

- Molecule 2 is a protein called peptide inhibitor.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	5	Total	C	N	O	0	0	0
			46	33	4	9			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	153	Total	O	0	0
			153	153		

4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	71.44Å 71.44Å 310.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.03 – 2.30 48.03 – 2.30	Depositor EDS
% Data completeness (in resolution range)	89.0 (48.03-2.30) 87.5 (48.03-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.29Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7_650)	Depositor
R, R_{free}	0.227 , 0.296 0.216 , 0.283	Depositor DCC
R_{free} test set	1732 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.629	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5013	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, XW1, PHQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/4885	0.83	6/6651 (0.1%)
2	B	3.87	3/23 (13.0%)	2.46	2/30 (6.7%)
All	All	0.56	3/4908 (0.1%)	0.85	8/6681 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3	VAL	C-N	12.12	1.49	1.33
2	B	4	PRO	C-N	10.60	1.48	1.33
2	B	5	LEU	C-O	6.19	1.35	1.23

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3	VAL	CA-C-N	6.12	126.07	119.76
2	B	3	VAL	C-N-CA	6.12	126.07	119.76
1	A	521	GLY	CA-C-N	6.00	125.91	119.85
1	A	521	GLY	C-N-CA	6.00	125.91	119.85
1	A	655	LEU	CA-C-N	5.18	126.31	119.84
1	A	655	LEU	C-N-CA	5.18	126.31	119.84
1	A	358	ASP	CA-C-N	5.17	126.11	120.83
1	A	358	ASP	C-N-CA	5.17	126.11	120.83

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4784	0	4599	99	0
2	B	46	0	48	6	0
3	A	30	0	0	0	0
4	A	153	0	0	2	0
All	All	5013	0	4647	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:TRP:HZ3	1:A:263:ARG:HH21	1.20	0.90
1:A:621:THR:HG22	1:A:637:GLU:HA	1.56	0.87
1:A:587:PRO:HG3	1:A:612:PRO:HG3	1.54	0.87
1:A:124:GLY:O	1:A:125:TYR:HB2	1.85	0.77
1:A:57:LEU:HD22	1:A:119:LEU:HD11	1.67	0.77
1:A:401:VAL:HG12	1:A:417:ASN:HB3	1.67	0.75
1:A:569:GLU:OE1	1:A:571:VAL:HG22	1.87	0.75
1:A:593:ILE:HD11	1:A:680:ARG:HG2	1.70	0.74
1:A:476:ARG:HG3	1:A:478:ARG:HD3	1.69	0.74
1:A:94:ASP:HB3	1:A:101:SER:HB2	1.71	0.73
1:A:602:LYS:O	1:A:603:LEU:HD22	1.90	0.72
1:A:57:LEU:HD23	1:A:121:ALA:HA	1.74	0.70
1:A:51:GLU:HA	4:A:814:HOH:O	1.92	0.69
1:A:628:GLY:HA3	1:A:662:HIS:ND1	2.08	0.68
1:A:629:LEU:HD21	1:A:682:VAL:HG21	1.74	0.68
1:A:667:ASN:HD21	1:A:669:GLU:HG2	1.59	0.65
1:A:531:ASN:H	1:A:531:ASN:HD22	1.43	0.64
1:A:569:GLU:CD	1:A:571:VAL:HG22	2.24	0.63
1:A:661:LEU:HD12	1:A:662:HIS:N	2.13	0.63
1:A:670:SER:HB3	1:A:673:LEU:O	1.99	0.62
1:A:531:ASN:HD22	1:A:531:ASN:N	1.97	0.61
1:A:517:ASN:OD1	1:A:519:ILE:HG12	2.01	0.61
1:A:154:GLU:HG2	4:A:841:HOH:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:597:PRO:HB2	1:A:683:ILE:HG12	1.84	0.59
1:A:481:GLN:HG2	1:A:482:SER:N	2.18	0.59
1:A:598:LYS:C	1:A:600:LYS:N	2.59	0.59
1:A:54:VAL:CG1	1:A:123:THR:HG23	2.33	0.59
1:A:671:ASP:OD1	1:A:672:LYS:HE3	2.03	0.59
1:A:486:GLY:HA2	1:A:548:TYR:CD1	2.38	0.58
1:A:312:LEU:O	1:A:315:TYR:HB3	2.03	0.58
1:A:552:ARG:HG3	1:A:553:ASP:N	2.17	0.58
1:A:300:ASN:OD1	1:A:423:GLY:HA2	2.05	0.56
1:A:48:ARG:NH1	1:A:51:GLU:HG3	2.20	0.55
1:A:169:GLN:HB2	2:B:1:PHQ:H71	1.88	0.55
1:A:177:ASN:O	1:A:177:ASN:ND2	2.37	0.54
1:A:513:THR:HG21	1:A:554:CYS:O	2.06	0.54
1:A:548:TYR:HA	1:A:551:TYR:CE2	2.43	0.54
1:A:598:LYS:C	1:A:600:LYS:H	2.15	0.53
2:B:1:PHQ:C1	2:B:1:PHQ:H81	2.39	0.52
1:A:603:LEU:HD23	1:A:656:PRO:HG2	1.93	0.51
1:A:418:ARG:HH12	1:A:447:GLU:CD	2.18	0.51
1:A:477:ILE:O	1:A:478:ARG:HD2	2.11	0.51
1:A:434:ASP:C	1:A:435:GLU:HG2	2.36	0.51
1:A:638:ILE:HG23	1:A:639:PRO:HD2	1.92	0.50
1:A:254:TRP:CD1	1:A:254:TRP:H	2.27	0.50
1:A:609:LEU:C	1:A:609:LEU:HD23	2.37	0.50
1:A:169:GLN:CG	2:B:1:PHQ:H71	2.42	0.49
1:A:229:ASN:OD1	1:A:361:PRO:HG3	2.12	0.49
1:A:593:ILE:HD12	1:A:593:ILE:N	2.27	0.49
1:A:661:LEU:HD12	1:A:662:HIS:H	1.77	0.49
1:A:473:MET:SD	1:A:534:LEU:HD13	2.53	0.49
1:A:552:ARG:NH1	1:A:553:ASP:HB3	2.26	0.49
1:A:124:GLY:O	1:A:125:TYR:CB	2.56	0.49
1:A:659:MET:O	1:A:683:ILE:HG21	2.13	0.49
1:A:506:ARG:NH2	1:A:570:PRO:HG3	2.27	0.48
1:A:512:ARG:HG2	1:A:523:GLU:HA	1.95	0.48
1:A:316:PHE:O	1:A:330:MET:HE1	2.14	0.48
1:A:310:ASN:OD1	1:A:312:LEU:HB2	2.14	0.47
1:A:513:THR:OG1	1:A:521:GLY:HA3	2.14	0.47
1:A:167:ILE:HG21	1:A:278:TRP:HB2	1.97	0.47
1:A:392:PHE:CD2	1:A:392:PHE:C	2.93	0.46
1:A:236:VAL:HA	1:A:264:TRP:CD1	2.51	0.46
1:A:358:ASP:OD1	1:A:360:THR:HB	2.16	0.46
1:A:313:ILE:HD12	1:A:313:ILE:N	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:629:LEU:HD13	1:A:664:LEU:HD13	1.97	0.45
1:A:311:LEU:HD23	1:A:311:LEU:HA	1.78	0.45
1:A:169:GLN:HE21	2:B:1:PHQ:C6	2.29	0.45
1:A:483:MET:HE3	1:A:483:MET:HB2	1.81	0.45
1:A:531:ASN:N	1:A:531:ASN:ND2	2.59	0.45
1:A:313:ILE:HD12	1:A:313:ILE:H	1.81	0.44
1:A:528:TYR:OH	1:A:530:LEU:HD22	2.18	0.44
1:A:658:HIS:HB3	1:A:659:MET:H	1.53	0.44
1:A:398:ASN:C	1:A:422:VAL:HG21	2.41	0.44
1:A:560:LEU:HA	1:A:582:LEU:O	2.17	0.44
1:A:633:GLN:HG2	1:A:634:LYS:N	2.33	0.44
1:A:598:LYS:O	1:A:600:LYS:N	2.51	0.43
1:A:404:TRP:O	1:A:578:ALA:HA	2.17	0.43
1:A:599:GLN:HG2	1:A:659:MET:HA	1.99	0.43
1:A:54:VAL:HG12	1:A:123:THR:HG23	1.99	0.43
1:A:639:PRO:HG2	1:A:640:ASP:H	1.84	0.43
1:A:126:GLN:HE21	1:A:126:GLN:HA	1.84	0.43
1:A:169:GLN:HG3	2:B:1:PHQ:H71	1.99	0.43
1:A:513:THR:HG22	1:A:555:LEU:HD13	2.00	0.43
1:A:330:MET:SD	2:B:4:PRO:HB3	2.59	0.42
1:A:548:TYR:HA	1:A:551:TYR:CZ	2.53	0.42
1:A:397:VAL:HG23	1:A:398:ASN:ND2	2.34	0.42
1:A:597:PRO:CB	1:A:683:ILE:HG12	2.49	0.42
1:A:186:GLU:OE1	1:A:258:VAL:HG21	2.19	0.42
1:A:88:TRP:CZ3	1:A:106:THR:HG22	2.55	0.41
1:A:596:GLU:O	1:A:603:LEU:HD21	2.20	0.41
1:A:109:ASN:O	1:A:215:SER:HB2	2.21	0.41
1:A:339:GLU:HA	1:A:355:GLN:O	2.21	0.41
1:A:380:LYS:HE2	1:A:445:TYR:CE2	2.56	0.41
1:A:220:VAL:O	1:A:224:VAL:HG23	2.22	0.40
1:A:329:GLU:OE2	1:A:506:ARG:NH2	2.54	0.40
1:A:606:GLU:CD	1:A:649:LYS:HD3	2.45	0.40
1:A:682:VAL:O	1:A:683:ILE:HB	2.22	0.40
1:A:189:ILE:HD13	1:A:189:ILE:HA	1.88	0.40
1:A:611:ASN:OD1	1:A:612:PRO:HD2	2.21	0.40
1:A:555:LEU:HD12	1:A:556:THR:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	602/694 (87%)	565 (94%)	29 (5%)	8 (1%)	9	10
2	B	2/5 (40%)	2 (100%)	0	0	100	100
All	All	604/699 (86%)	567 (94%)	29 (5%)	8 (1%)	9	10

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	124	GLY
1	A	600	LYS
1	A	573	ASN
1	A	599	GLN
1	A	656	PRO
1	A	657	LEU
1	A	206	ASN
1	A	597	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	510/603 (85%)	488 (96%)	22 (4%)	26	39
2	B	3/3 (100%)	2 (67%)	1 (33%)	0	0
All	All	513/606 (85%)	490 (96%)	23 (4%)	24	37

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	91	THR
1	A	105	THR
1	A	177	ASN
1	A	254	TRP
1	A	298	VAL
1	A	311	LEU
1	A	360	THR
1	A	406	GLN
1	A	435	GLU
1	A	444	LYS
1	A	450	SER
1	A	454	GLU
1	A	476	ARG
1	A	482	SER
1	A	530	LEU
1	A	531	ASN
1	A	555	LEU
1	A	577	LEU
1	A	603	LEU
1	A	607	VAL
1	A	658	HIS
1	A	676	VAL
2	B	3	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	A	126	GLN
1	A	134	HIS
1	A	169	GLN
1	A	266	ASN
1	A	441	HIS
1	A	484	ASN
1	A	531	ASN
1	A	533	ASN
1	A	559	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	XW1	B	2	1,2	11,12,13	1.39	2 (18%)	8,13,15	1.54	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XW1	B	2	1,2	-	6/11/12/14	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	XW1	O92-C93	-2.78	1.38	1.46
2	B	2	XW1	O92-C1	2.30	1.40	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	XW1	O92-C93-C94	2.71	118.14	108.40
2	B	2	XW1	O92-C1-C17	2.25	118.68	111.83

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2	XW1	O91-C1-O92-C93
2	B	2	XW1	C14-C15-C17-C1
2	B	2	XW1	C17-C1-O92-C93
2	B	2	XW1	C14-C13-CA-C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	2	XW1	C14-C13-CA-N
2	B	2	XW1	C94-C93-O92-C1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	692	-	4,4,4	0.26	0	6,6,6	0.12	0
3	SO4	A	693	-	4,4,4	0.22	0	6,6,6	0.16	0
3	SO4	A	690	-	4,4,4	0.27	0	6,6,6	0.18	0
3	SO4	A	691	-	4,4,4	0.24	0	6,6,6	0.33	0
3	SO4	A	689	-	4,4,4	0.27	0	6,6,6	0.17	0
3	SO4	A	688	-	4,4,4	0.31	0	6,6,6	0.45	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	620/694 (89%)	0.56	56 (9%) 15 16	27, 44, 77, 102	0
2	B	3/5 (60%)	0.32	0 100 100	46, 46, 50, 52	0
All	All	623/699 (89%)	0.56	56 (8%) 15 16	27, 44, 76, 102	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	683	ILE	5.2
1	A	125	TYR	4.6
1	A	655	LEU	4.4
1	A	633	GLN	3.6
1	A	629	LEU	3.3
1	A	642	VAL	3.2
1	A	253	SER	3.1
1	A	639	PRO	3.1
1	A	404	TRP	3.0
1	A	659	MET	3.0
1	A	648	VAL	2.9
1	A	317	ARG	2.8
1	A	664	LEU	2.8
1	A	519	ILE	2.8
1	A	238	LEU	2.8
1	A	597	PRO	2.7
1	A	596	GLU	2.7
1	A	480	GLY	2.7
1	A	593	ILE	2.7
1	A	660	GLY	2.7
1	A	328	SER	2.6
1	A	453	ARG	2.6
1	A	127	GLY	2.6
1	A	656	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	598	LYS	2.6
1	A	605	ALA	2.5
1	A	482	SER	2.5
1	A	459	ALA	2.5
1	A	626	GLY	2.5
1	A	641	PRO	2.5
1	A	657	LEU	2.4
1	A	661	LEU	2.4
1	A	628	GLY	2.4
1	A	97	ASP	2.4
1	A	479	VAL	2.4
1	A	196	LEU	2.4
1	A	523	GLU	2.4
1	A	234	GLN	2.4
1	A	254	TRP	2.3
1	A	654	LEU	2.3
1	A	604	VAL	2.3
1	A	1	HIS	2.2
1	A	601	ARG	2.2
1	A	603	LEU	2.2
1	A	539	GLU	2.2
1	A	554	CYS	2.2
1	A	650	VAL	2.1
1	A	595	GLY	2.1
1	A	29	GLU	2.1
1	A	231	ASN	2.1
1	A	233	ASP	2.1
1	A	406	GLN	2.1
1	A	638	ILE	2.0
1	A	361	PRO	2.0
1	A	516	TYR	2.0
1	A	402	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	XW1	B	2	13/14	0.90	0.12	40,46,54,54	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	690	5/5	0.82	0.11	56,61,74,75	5
3	SO4	A	693	5/5	0.83	0.14	45,48,58,66	5
3	SO4	A	692	5/5	0.85	0.14	61,66,75,80	0
3	SO4	A	688	5/5	0.92	0.14	44,46,48,50	0
3	SO4	A	689	5/5	0.96	0.09	47,48,53,55	0
3	SO4	A	691	5/5	0.97	0.06	49,49,50,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.