



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 07:43 AM EDT

PDB ID : 7S4E / pdb_00007s4e
Title : Crystal Structure of ligand ACBi1 in complex with bromodomain of human Smarca2 and pVHL:ElonginC:ElonginB complex
Authors : MacPherson, D.J.; Sherman, W.
Deposited on : 2021-09-08
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	125	
1	E	125	
2	B	162	
2	F	162	
3	C	96	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	96	5% 79% 10% 10%
4	D	104	% 92% 8%
4	H	104	6% 93% 7%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform Short of Probable global transcription activator SNF2L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	115	Total	C	N	O	S	14	0	0
			944	601	166	174	3			
1	E	115	Total	C	N	O	S	11	1	0
			954	607	169	175	3			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1369	GLY	-	expression tag	UNP P51531-2
A	1370	SER	-	expression tag	UNP P51531-2
A	1371	GLY	-	expression tag	UNP P51531-2
A	1372	GLY	-	expression tag	UNP P51531-2
E	1369	GLY	-	expression tag	UNP P51531-2
E	1370	SER	-	expression tag	UNP P51531-2
E	1371	GLY	-	expression tag	UNP P51531-2
E	1372	GLY	-	expression tag	UNP P51531-2

- Molecule 2 is a protein called von Hippel-Lindau disease tumor suppressor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	149	Total	C	N	O	S	14	0	0
			1223	776	227	218	2			
2	F	149	Total	C	N	O	S	7	0	0
			1223	776	227	218	2			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	52	GLY	-	expression tag	UNP P40337
B	53	SER	-	expression tag	UNP P40337
F	52	GLY	-	expression tag	UNP P40337

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	53	SER	-	expression tag	UNP P40337


- Molecule 3 is a protein called Elongin-C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	86	Total	C	N	O	S	0	0	0
			688	444	110	128	6			
3	G	86	Total	C	N	O	S	0	0	0
			688	444	110	128	6			

- Molecule 4 is a protein called Elongin-B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	104	Total	C	N	O	S	8	0	0
			823	520	138	160	5			
4	H	104	Total	C	N	O	S	3	0	0
			823	520	138	160	5			

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0
5	G	1	Total C O 4 2 2	0	0

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Na 1 1	0	0
6	B	3	Total Na 3 3	0	0
6	F	1	Total Na 1 1	0	0

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		
7	F	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is N-(1-fluorocyclopropane-1-carbonyl)-3-methyl-L-valyl-(4R)-N-{[2-{2-[4-({4-[3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl]piperazin-1-yl}methyl)phenoxy]ethoxy}-4-(4-methyl-1,3-thiazol-5-yl)phenyl]methyl}-4-hydroxy-L-prolinamide (CCD ID: 87A) (formula: C₄₉H₅₈FN₉O₇S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
8	B	1	Total	C	F	N	O	S	0	0
			67	49	1	9	7	1		
8	F	1	Total	C	F	N	O	S	0	0
			67	49	1	9	7	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	6	Total	O	0	0
			6	6		
9	B	17	Total	O	0	0
			17	17		
9	C	9	Total	O	0	0
			9	9		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	D	25	Total 25	O 25	0	0
9	E	4	Total 4	O 4	0	0
9	F	11	Total 11	O 11	0	0
9	G	11	Total 11	O 11	0	0
9	H	7	Total 7	O 7	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isoform Short of Probable global transcription activator SNF2L2




- Molecule 1: Isoform Short of Probable global transcription activator SNF2L2




- Molecule 2: von Hippel-Lindau disease tumor suppressor





- Molecule 2: von Hippel-Lindau disease tumor suppressor




- Molecule 3: Elongin-C





- Molecule 3: Elongin-C



• Molecule 4: Elongin-B



• Molecule 4: Elongin-B



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	80.14Å 116.57Å 122.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.92 – 2.25 37.92 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.9 (37.92-2.25) 99.9 (37.92-2.25)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.27 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.219 , 0.259 0.222 , 0.260	Depositor DCC
R_{free} test set	2828 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	50.9	Xtriage
Anisotropy	0.416	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7652	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, NA, EDO, 87A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	2.38	2/960 (0.2%)	1.83	7/1289 (0.5%)
1	E	1.04	0/971	1.53	0/1304
2	B	1.39	2/1255 (0.2%)	1.39	1/1712 (0.1%)
2	F	1.16	2/1255 (0.2%)	1.40	1/1712 (0.1%)
3	C	1.08	0/702	1.43	0/947
3	G	1.08	1/702 (0.1%)	1.42	0/947
4	D	1.21	2/839 (0.2%)	1.87	4/1132 (0.4%)
4	H	1.06	1/839 (0.1%)	1.41	2/1132 (0.2%)
All	All	1.39	10/7523 (0.1%)	1.54	15/10175 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	F	0	1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1486	GLN	CG-CD	65.22	3.15	1.52
2	B	206	ILE	CA-CB	-25.74	1.23	1.54
4	D	65	GLN	CG-CD	-16.56	1.10	1.52
2	B	171	LYS	CB-CG	-15.13	1.07	1.52
2	F	182	ARG	CA-CB	11.39	1.71	1.53
1	A	1382	LYS	CB-CG	-8.97	1.25	1.52
4	H	104	LYS	CG-CD	-8.12	1.28	1.52
4	D	104	LYS	CA-CB	6.35	1.66	1.53
2	F	97	PRO	C-O	-5.32	1.18	1.23
3	G	65	ILE	N-CA	5.29	1.50	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1486	GLN	CB-CG-CD	-32.72	56.97	112.60
4	D	65	GLN	CG-CD-NE2	28.11	158.56	116.40
4	D	65	GLN	CB-CG-CD	24.09	153.55	112.60
4	D	65	GLN	CG-CD-OE1	-20.92	78.95	120.80
4	H	104	LYS	CB-CG-CD	14.15	143.85	111.30
1	A	1472	GLU	CG-CD-OE2	-9.97	95.46	118.40
1	A	1472	GLU	CG-CD-OE1	9.73	140.78	118.40
1	A	1472	GLU	CB-CG-CD	-9.71	96.10	112.60
2	B	206	ILE	CB-CA-C	8.72	123.46	112.04
2	F	182	ARG	CB-CA-C	-6.86	99.40	110.79
4	H	83	ASP	CA-CB-CG	5.97	118.57	112.60
1	A	1426	ARG	CG-CD-NE	-5.66	99.55	112.00
4	D	104	LYS	CB-CA-C	-5.47	99.71	110.10
1	A	1446	LEU	CA-C-N	5.23	125.90	119.99
1	A	1446	LEU	C-N-CA	5.23	125.90	119.99

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	F	138	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	944	0	979	2	0
1	E	954	0	985	4	0
2	B	1223	0	1224	7	0
2	F	1223	0	1224	14	0
3	C	688	0	690	5	0
3	G	688	0	690	5	0
4	D	823	0	824	4	0
4	H	823	0	824	3	0
5	A	12	0	18	0	0
5	B	8	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	8	0	12	0	0
5	F	4	0	6	0	0
5	G	4	0	6	0	0
6	A	1	0	0	0	0
6	B	3	0	0	0	0
6	F	1	0	0	0	0
7	B	14	0	20	0	0
7	F	7	0	10	0	0
8	B	67	0	0	1	0
8	F	67	0	0	2	0
9	A	6	0	0	0	0
9	B	17	0	0	0	0
9	C	9	0	0	1	0
9	D	25	0	0	0	0
9	E	4	0	0	0	0
9	F	11	0	0	0	0
9	G	11	0	0	0	0
9	H	7	0	0	0	0
All	All	7652	0	7524	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:132:GLN:NE2	3:C:86:SER:O	2.11	0.84
3:C:87:SER:HA	9:C:202:HOH:O	1.94	0.67
2:F:116:LEU:HD12	2:F:137:VAL:HG22	1.78	0.66
2:B:185:TYR:O	2:B:189:GLU:HG3	2.03	0.58
2:F:116:LEU:CD1	2:F:137:VAL:HG22	2.35	0.57
2:F:132:GLN:HE21	3:G:87:SER:HA	1.73	0.53
2:F:174:ASN:OD1	2:F:177:ARG:NH2	2.42	0.51
1:E:1456:LEU:C	1:E:1456:LEU:HD23	2.37	0.49
2:F:132:GLN:NE2	3:G:86:SER:O	2.45	0.49
1:A:1456:LEU:C	1:A:1456:LEU:HD23	2.37	0.49
2:F:107:ARG:NH1	8:F:304:87A:N1	2.60	0.49
2:F:116:LEU:CD1	2:F:137:VAL:CG2	2.91	0.49
2:F:109:ILE:C	2:F:109:ILE:HD12	2.38	0.48
2:B:60:ARG:NH1	2:B:92:ASP:OD1	2.47	0.48
2:F:116:LEU:HD12	2:F:137:VAL:CG2	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:118:LEU:C	2:B:118:LEU:HD12	2.39	0.47
2:B:109:ILE:C	2:B:109:ILE:HD12	2.40	0.47
2:F:89:LEU:HD12	2:F:116:LEU:HD23	1.97	0.47
2:B:128:LEU:HA	2:B:154:PRO:HD3	1.97	0.47
2:B:61:PRO:O	2:B:64:ARG:HD3	2.16	0.46
4:H:47:ASP:O	4:H:48:ASP:HB2	2.16	0.46
8:F:304:87A:N7	8:F:304:87A:O7	2.48	0.46
3:C:45:MET:HE1	3:C:62:PHE:CE1	2.52	0.45
3:C:68:HIS:HB3	4:D:94:SER:O	2.16	0.45
8:B:308:87A:O7	8:B:308:87A:N7	2.49	0.45
4:D:47:ASP:O	4:D:48:ASP:HB2	2.17	0.44
1:E:1399:ASP:HB3	1:E:1405:LEU:HD11	1.98	0.44
1:E:1458[B]:HIS:CE1	1:E:1478:GLN:HE22	2.36	0.44
1:E:1454:MET:CE	1:E:1482:LYS:HE3	2.48	0.43
2:F:128:LEU:HA	2:F:154:PRO:HD3	2.00	0.43
1:A:1420:GLU:HA	1:A:1423:GLU:HG2	1.99	0.43
4:H:52:ASP:HB3	4:H:55:LYS:HD3	1.99	0.43
3:C:39:SER:HA	3:C:112:CYS:HB3	1.99	0.43
4:D:49:GLN:HA	4:D:49:GLN:OE1	2.19	0.43
3:G:45:MET:HE1	3:G:62:PHE:CE1	2.54	0.42
2:F:61:PRO:O	2:F:64:ARG:HD3	2.19	0.42
2:F:116:LEU:HD12	2:F:116:LEU:HA	1.87	0.41
4:D:1:MET:HB3	4:D:2:ASP:H	1.76	0.41
3:G:39:SER:HA	3:G:112:CYS:HB3	2.02	0.41
3:G:68:HIS:HB3	4:H:94:SER:O	2.20	0.41
2:F:70:GLU:HB3	2:F:140:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	113/125 (90%)	110 (97%)	3 (3%)	0	100	100
1	E	114/125 (91%)	111 (97%)	3 (3%)	0	100	100
2	B	147/162 (91%)	141 (96%)	6 (4%)	0	100	100
2	F	147/162 (91%)	142 (97%)	5 (3%)	0	100	100
3	C	82/96 (85%)	81 (99%)	1 (1%)	0	100	100
3	G	82/96 (85%)	79 (96%)	3 (4%)	0	100	100
4	D	102/104 (98%)	99 (97%)	3 (3%)	0	100	100
4	H	102/104 (98%)	97 (95%)	5 (5%)	0	100	100
All	All	889/974 (91%)	860 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	108/114 (95%)	103 (95%)	5 (5%)	24	28
1	E	109/114 (96%)	107 (98%)	2 (2%)	51	63
2	B	139/148 (94%)	137 (99%)	2 (1%)	59	70
2	F	139/148 (94%)	138 (99%)	1 (1%)	76	82
3	C	78/85 (92%)	77 (99%)	1 (1%)	61	72
3	G	78/85 (92%)	76 (97%)	2 (3%)	40	50
4	D	92/92 (100%)	92 (100%)	0	100	100
4	H	92/92 (100%)	92 (100%)	0	100	100
All	All	835/878 (95%)	822 (98%)	13 (2%)	55	66

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1385	LYS
1	A	1391	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1407	GLU
1	A	1451	LYS
1	A	1487	LYS
2	B	130	VAL
2	B	173	GLU
3	C	98	GLU
1	E	1376	LEU
1	E	1435	LYS
2	F	60	ARG
3	G	22	ILE
3	G	98	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1386	GLN
1	A	1441	HIS
1	A	1458	HIS
1	A	1464	ASN
2	B	193	ASN
2	B	208	HIS
1	E	1386	GLN
1	E	1404	GLN
1	E	1441	HIS
1	E	1461	GLN
2	F	132	GLN
2	F	193	ASN
3	G	61	ASN
3	G	85	ASN
3	G	108	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 5 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	F	302	-	3,3,3	0.11	0	2,2,2	0.04	0
5	EDO	A	1501	-	3,3,3	0.49	0	2,2,2	0.51	0
5	EDO	D	201	-	3,3,3	0.23	0	2,2,2	0.13	0
7	PEG	F	301	-	6,6,6	0.39	0	5,5,5	0.16	0
8	87A	F	304	-	72,74,74	0.62	2 (2%)	98,108,108	0.90	5 (5%)
5	EDO	A	1502	-	3,3,3	0.18	0	2,2,2	0.08	0
5	EDO	A	1503	-	3,3,3	0.22	0	2,2,2	0.27	0
8	87A	B	308	6	72,74,74	0.65	2 (2%)	98,108,108	0.82	3 (3%)
5	EDO	B	301	-	3,3,3	0.15	0	2,2,2	0.37	0
5	EDO	G	201	-	3,3,3	0.28	0	2,2,2	0.44	0
7	PEG	B	302	-	6,6,6	0.55	0	5,5,5	0.36	0
5	EDO	D	202	-	3,3,3	0.15	0	2,2,2	0.21	0
5	EDO	B	303	-	3,3,3	0.41	0	2,2,2	0.73	0
7	PEG	B	304	-	6,6,6	0.35	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	F	302	-	-	0/1/1/1	-
5	EDO	A	1501	-	-	0/1/1/1	-
5	EDO	D	201	-	-	0/1/1/1	-
7	PEG	F	301	-	-	3/4/4/4	-
8	87A	F	304	-	-	5/54/82/82	0/8/8/8

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1502	-	-	1/1/1/1	-
5	EDO	A	1503	-	-	1/1/1/1	-
8	87A	B	308	6	-	3/54/82/82	0/8/8/8
5	EDO	B	301	-	-	1/1/1/1	-
5	EDO	G	201	-	-	1/1/1/1	-
7	PEG	B	302	-	-	3/4/4/4	-
5	EDO	D	202	-	-	1/1/1/1	-
5	EDO	B	303	-	-	1/1/1/1	-
7	PEG	B	304	-	-	3/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	308	87A	F1-C18	-3.37	1.36	1.42
8	F	304	87A	F1-C18	-2.75	1.37	1.42
8	F	304	87A	C35-C44	2.30	1.43	1.41
8	B	308	87A	C35-C44	2.05	1.43	1.41

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	F	304	87A	C21-C16-C15	3.19	117.47	113.23
8	F	304	87A	C34-N6-C35	2.83	122.91	116.19
8	F	304	87A	C45-N6-C35	2.55	122.25	116.19
8	B	308	87A	C34-N6-C35	2.43	121.96	116.19
8	F	304	87A	C46-C45-N6	2.31	115.65	110.78
8	B	308	87A	C45-N6-C35	2.23	121.48	116.19
8	F	304	87A	C45-C46-N5	2.06	114.81	110.65
8	B	308	87A	C19-C18-C17	2.01	120.30	116.20

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	F	301	PEG	O1-C1-C2-O2
7	B	304	PEG	O2-C3-C4-O4
7	B	302	PEG	O1-C1-C2-O2
5	A	1502	EDO	O1-C1-C2-O2
5	A	1503	EDO	O1-C1-C2-O2
5	B	303	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	F	301	PEG	O2-C3-C4-O4
7	B	302	PEG	C1-C2-O2-C3
5	D	202	EDO	O1-C1-C2-O2
8	F	304	87A	C29-C28-O6-C27
8	F	304	87A	C36-C35-N6-C45
8	F	304	87A	C48-C28-O6-C27
5	B	301	EDO	O1-C1-C2-O2
8	F	304	87A	C27-C26-O5-C25
7	B	304	PEG	C4-C3-O2-C2
7	B	304	PEG	O1-C1-C2-O2
7	F	301	PEG	C4-C3-O2-C2
7	B	302	PEG	C4-C3-O2-C2
8	B	308	87A	C27-C26-O5-C25
5	G	201	EDO	O1-C1-C2-O2
8	B	308	87A	C44-C35-N6-C34
8	F	304	87A	C44-C35-N6-C45
8	B	308	87A	C36-C35-N6-C45

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	F	304	87A	2	0
8	B	308	87A	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	115/125 (92%)	0.41	2 (1%)	69	70	35, 65, 102, 113	4 (3%)
1	E	115/125 (92%)	0.56	3 (2%)	57	58	29, 75, 106, 130	4 (3%)
2	B	149/162 (91%)	0.06	2 (1%)	75	76	38, 53, 91, 131	3 (2%)
2	F	149/162 (91%)	0.30	4 (2%)	56	57	34, 59, 104, 125	1 (0%)
3	C	86/96 (89%)	0.28	4 (4%)	36	35	43, 60, 87, 100	0
3	G	86/96 (89%)	0.21	5 (5%)	29	27	44, 61, 94, 106	0
4	D	104/104 (100%)	-0.06	1 (0%)	79	81	41, 52, 89, 107	2 (1%)
4	H	104/104 (100%)	0.32	6 (5%)	29	27	49, 70, 101, 122	1 (0%)
All	All	908/974 (93%)	0.26	27 (2%)	52	53	29, 62, 100, 131	15 (1%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	88	THR	4.5
1	E	1376	LEU	4.2
1	A	1376	LEU	4.1
2	B	208	HIS	3.9
2	F	139	SER	3.8
3	G	88	THR	3.7
4	H	85	PHE	3.6
2	F	140	LEU	3.6
3	C	112	CYS	3.2
1	A	1443	TYR	3.2
3	C	57	THR	3.0
2	F	208	HIS	2.9
3	G	87	SER	2.8
4	H	84	THR	2.7
4	D	102	VAL	2.6
2	F	206	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	G	17	MET	2.5
3	C	46	LEU	2.5
2	B	207	ALA	2.5
4	H	1	MET	2.5
3	G	57	THR	2.4
4	H	82	ASP	2.2
4	H	103	MET	2.2
3	G	46	LEU	2.2
1	E	1490	LYS	2.2
4	H	83	ASP	2.1
1	E	1488	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	B	303	4/4	0.74	0.25	62,70,70,75	0
7	PEG	B	304	7/7	0.76	0.26	81,92,95,95	0
5	EDO	D	201	4/4	0.78	0.18	75,77,77,78	0
5	EDO	A	1502	4/4	0.78	0.17	77,80,81,82	0
5	EDO	A	1501	4/4	0.82	0.22	72,80,82,83	0
5	EDO	G	201	4/4	0.84	0.19	84,87,88,91	0
7	PEG	B	302	7/7	0.85	0.16	63,72,80,80	0
5	EDO	D	202	4/4	0.86	0.17	77,78,79,79	0
7	PEG	F	301	7/7	0.86	0.14	74,78,80,81	0
5	EDO	B	301	4/4	0.88	0.15	63,66,67,69	0
5	EDO	F	302	4/4	0.88	0.14	71,75,76,76	0
6	NA	B	306	1/1	0.90	0.14	63,63,63,63	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NA	F	303	1/1	0.91	0.12	56,56,56,56	0
6	NA	B	305	1/1	0.91	0.13	54,54,54,54	0
5	EDO	A	1503	4/4	0.93	0.15	62,64,67,68	0
6	NA	B	307	1/1	0.95	0.09	58,58,58,58	0
8	87A	F	304	67/67	0.95	0.08	44,54,69,71	0
8	87A	B	308	67/67	0.96	0.07	34,41,47,49	0
6	NA	A	1504	1/1	0.97	0.24	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 87A F 304:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 87A B 308:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.