



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 07:24 PM UTC

PDB ID : 8S4D / pdb_00008s4d
Title : Crystal structure of a peptidergic GPCR in complex with a small synthetic G protein-biased agonist
Authors : Verdon, G.; Currinn, H.; Solcan, N.; Schlenker, O.; Brown, A.J.H.
Deposited on : 2024-02-21
Resolution : 2.58 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	497	7% 60% 15% • 23%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3136 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Apelin receptor, Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total	C	N	O	S	0	1	0
			3029	1990	487	528	24			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	MET	-	initiating methionine	UNP P35414
A	-16	LYS	-	expression tag	UNP P35414
A	-15	THR	-	expression tag	UNP P35414
A	-14	ILE	-	expression tag	UNP P35414
A	-13	ILE	-	expression tag	UNP P35414
A	-12	ALA	-	expression tag	UNP P35414
A	-11	LEU	-	expression tag	UNP P35414
A	-10	SER	-	expression tag	UNP P35414
A	-9	TYR	-	expression tag	UNP P35414
A	-8	ILE	-	expression tag	UNP P35414
A	-7	PHE	-	expression tag	UNP P35414
A	-6	CYS	-	expression tag	UNP P35414
A	-5	LEU	-	expression tag	UNP P35414
A	-4	VAL	-	expression tag	UNP P35414
A	-3	PHE	-	expression tag	UNP P35414
A	-2	ALA	-	expression tag	UNP P35414
A	-1	ASP	-	expression tag	UNP P35414
A	0	TYR	-	expression tag	UNP P35414
A	1	LYS	-	expression tag	UNP P35414
A	2	ASP	-	expression tag	UNP P35414
A	3	ASP	-	expression tag	UNP P35414
A	4	ASP	-	expression tag	UNP P35414
A	5	ASP	-	expression tag	UNP P35414
A	6	LYS	-	expression tag	UNP P35414
A	87	VAL	THR	engineered mutation	UNP P35414
A	112	ALA	ASN	engineered mutation	UNP P35414
A	177	ASN	THR	engineered mutation	UNP P35414

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	207	MET	THR	engineered mutation	UNP P35414
A	214	LEU	PHE	engineered mutation	UNP P35414
A	224	ALA	ILE	engineered mutation	UNP P35414
A	1007	TRP	MET	conflict	UNP A7ZVB5
A	1102	ILE	-	linker	UNP A7ZVB5
A	1103	GLN	-	linker	UNP A7ZVB5
A	1104	LYS	-	linker	UNP A7ZVB5
A	1105	TYR	-	linker	UNP A7ZVB5
A	1106	LEU	-	linker	UNP A7ZVB5
A	298	ALA	SER	engineered mutation	UNP P35414
A	325	LEU	-	expression tag	UNP P35414
A	326	MET	-	expression tag	UNP P35414
A	327	GLY	-	expression tag	UNP P35414
A	328	GLN	-	expression tag	UNP P35414
A	329	SER	-	expression tag	UNP P35414
A	330	ARG	-	expression tag	UNP P35414
A	331	LEU	-	expression tag	UNP P35414
A	332	GLU	-	expression tag	UNP P35414
A	333	VAL	-	expression tag	UNP P35414
A	334	LEU	-	expression tag	UNP P35414
A	335	PHE	-	expression tag	UNP P35414
A	336	GLN	-	expression tag	UNP P35414
A	337	GLY	-	expression tag	UNP P35414
A	338	PRO	-	expression tag	UNP P35414
A	339	ALA	-	expression tag	UNP P35414
A	340	SER	-	expression tag	UNP P35414
A	341	ALA	-	expression tag	UNP P35414
A	342	TRP	-	expression tag	UNP P35414
A	343	SER	-	expression tag	UNP P35414
A	344	HIS	-	expression tag	UNP P35414
A	345	PRO	-	expression tag	UNP P35414
A	346	GLN	-	expression tag	UNP P35414
A	347	PHE	-	expression tag	UNP P35414
A	348	GLU	-	expression tag	UNP P35414
A	349	LYS	-	expression tag	UNP P35414
A	350	GLY	-	expression tag	UNP P35414
A	351	SER	-	expression tag	UNP P35414
A	352	ALA	-	expression tag	UNP P35414
A	353	GLY	-	expression tag	UNP P35414
A	354	SER	-	expression tag	UNP P35414
A	355	ALA	-	expression tag	UNP P35414
A	356	ALA	-	expression tag	UNP P35414

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	357	GLY	-	expression tag	UNP P35414
A	358	SER	-	expression tag	UNP P35414
A	359	ALA	-	expression tag	UNP P35414
A	360	SER	-	expression tag	UNP P35414
A	361	ALA	-	expression tag	UNP P35414
A	362	TRP	-	expression tag	UNP P35414
A	363	SER	-	expression tag	UNP P35414
A	364	HIS	-	expression tag	UNP P35414
A	365	PRO	-	expression tag	UNP P35414
A	366	GLN	-	expression tag	UNP P35414
A	367	PHE	-	expression tag	UNP P35414
A	368	GLU	-	expression tag	UNP P35414
A	369	LYS	-	expression tag	UNP P35414
A	370	HIS	-	expression tag	UNP P35414
A	371	HIS	-	expression tag	UNP P35414
A	372	HIS	-	expression tag	UNP P35414
A	373	HIS	-	expression tag	UNP P35414
A	374	HIS	-	expression tag	UNP P35414
A	375	HIS	-	expression tag	UNP P35414
A	376	HIS	-	expression tag	UNP P35414
A	377	HIS	-	expression tag	UNP P35414
A	378	HIS	-	expression tag	UNP P35414
A	379	HIS	-	expression tag	UNP P35414

- Molecule 2 is (3 {S})-5-methyl-3-[[1-pentan-3-yl-2-(thiophen-2-ylmethyl)benzimidazol-5-yl]carbonylamino]hexanoic acid (CCD ID: A1D5N) (formula: C₂₅H₃₃N₃O₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			32	25	3	3	1		

- Molecule 3 is OLEIC ACID (CCD ID: OLA) (formula: $C_{18}H_{34}O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			20 18 2			
3	A	1	Total	C O	0	0
			16 14 2			
3	A	1	Total	C	0	0
			8 8			
3	A	1	Total	C	0	0
			8 8			
3	A	1	Total	C	0	0
			8 8			
3	A	1	Total	C	0	0
			7 7			

- Molecule 4 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	4	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	O	0	0
			2	2		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Apelin receptor,Soluble cytochrome b562



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	65.82Å 153.95Å 111.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	76.97 – 2.58 76.97 – 2.58	Depositor EDS
% Data completeness (in resolution range)	53.4 (76.97-2.58) 51.4 (76.97-2.58)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.58Å)	Xtriage
Refinement program	BUSTER 2.11.8	Depositor
R, R_{free}	0.232 , 0.275 (Not available) , 0.278	Depositor DCC
R_{free} test set	509 reflections (2.80%)	wwPDB-VP
Wilson B-factor (Å ²)	61.0	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 45.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	3136	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLA, A1D5N, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/3104	1.15	12/4224 (0.3%)

There are no bond length outliers.

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	PHE	CA-CB-CG	-8.62	105.19	113.80
1	A	174	GLU	CA-C-N	6.92	132.64	122.82
1	A	174	GLU	C-N-CA	6.92	132.64	122.82
1	A	75	ASP	CA-CB-CG	6.37	118.97	112.60
1	A	30	LEU	CA-C-N	6.25	125.33	120.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3029	0	3082	49	0
2	A	32	0	0	2	0
3	A	67	0	104	2	0
4	A	6	0	7	1	0
5	A	2	0	0	0	0
All	All	3136	0	3193	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 49 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:314:PRO:HA	1:A:317:ARG:HG3	1.27	1.16
1:A:263:PRO:HG2	1:A:297:ILE:HD13	1.54	0.87
1:A:51:TRP:CD1	1:A:323:MET:HE1	2.18	0.79
1:A:118:PHE:HB3	1:A:153[B]:LEU:HD13	1.67	0.75
1:A:314:PRO:HA	1:A:317:ARG:CG	2.16	0.65

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	362/497 (73%)	350 (97%)	11 (3%)	1 (0%)	36 56

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	276	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	229/422 (54%)	202 (88%)	27 (12%)	5 10

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1031	THR
1	A	262	MET
1	A	290	ILE
1	A	248	SER
1	A	269	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	265	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OLA	A	1202	-	19,19,19	0.51	0	19,19,19	0.78	0
3	OLA	A	1205	-	7,7,19	0.38	0	6,6,19	0.36	0
4	1PE	A	1208	-	5,5,15	0.35	0	4,4,14	0.22	0
3	OLA	A	1207	-	6,6,19	0.48	0	5,5,19	0.15	0
3	OLA	A	1204	-	7,7,19	0.35	0	6,6,19	0.34	0
3	OLA	A	1206	-	7,7,19	0.32	0	6,6,19	0.38	0
3	OLA	A	1203	-	15,15,19	0.62	0	15,15,19	0.79	0
2	A1D5N	A	1201	-	34,34,34	1.74	5 (14%)	43,47,47	1.63	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OLA	A	1202	-	-	8/17/17/17	-
3	OLA	A	1205	-	-	3/5/5/17	-
4	1PE	A	1208	-	-	0/3/3/13	-
3	OLA	A	1207	-	-	1/4/4/17	-
3	OLA	A	1204	-	-	1/5/5/17	-
3	OLA	A	1206	-	-	0/5/5/17	-
3	OLA	A	1203	-	-	7/13/13/17	-
2	A1D5N	A	1201	-	-	4/28/28/28	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	A1D5N	C25-N07	5.76	1.47	1.34
2	A	1201	A1D5N	C17-C12	4.26	1.55	1.50
2	A	1201	A1D5N	C20-C25	3.70	1.58	1.50
2	A	1201	A1D5N	C16-N06	-2.41	1.35	1.39
2	A	1201	A1D5N	C08-N05	2.28	1.52	1.48

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	A1D5N	C17-C12-N05	4.56	128.90	123.31
2	A	1201	A1D5N	C31-C32-S01	-3.64	104.13	113.02
2	A	1201	A1D5N	C17-C12-N06	-3.25	120.58	124.27
2	A	1201	A1D5N	C28-C17-C12	-3.24	108.78	113.61
2	A	1201	A1D5N	C32-S01-C28	2.62	99.71	92.92

There are no chirality outliers.

5 of 24 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1202	OLA	C1-C2-C3-C4
3	A	1202	OLA	C14-C15-C16-C17
3	A	1202	OLA	C3-C4-C5-C6
3	A	1205	OLA	C10-C11-C12-C13
3	A	1202	OLA	C15-C16-C17-C18


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1202	OLA	1	0
4	A	1208	1PE	1	0
3	A	1204	OLA	1	0
2	A	1201	A1D5N	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	381/497 (76%)	0.79	35 (9%) 14 12	26, 64, 98, 121	1 (0%)

The worst 5 of 35 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1043	ALA	6.0
1	A	1044	THR	4.9
1	A	1016	VAL	4.3
1	A	323	MET	4.1
1	A	1042	LYS	4.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	OLA	A	1205	8/20	0.82	0.12	33,34,36,36	0
4	1PE	A	1208	6/16	0.82	0.18	47,47,48,48	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OLA	A	1207	7/20	0.88	0.08	23,24,25,26	0
3	OLA	A	1204	8/20	0.89	0.10	45,45,45,45	0
3	OLA	A	1202	20/20	0.89	0.11	42,44,47,48	0
3	OLA	A	1203	16/20	0.90	0.12	40,45,51,52	0
2	A1D5N	A	1201	32/32	0.91	0.12	40,44,49,50	0
3	OLA	A	1206	8/20	0.92	0.07	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OLA A 1207:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OLA A 1204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 1202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1D5N A 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.