



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 07:42 PM EDT

PDB ID : 3S55 / pdb_00003s55
Title : Crystal structure of a putative short-chain dehydrogenase/reductase from Mycobacterium abscessus bound to NAD
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2011-05-20
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	281	2% 90% 6% .
1	B	281	3% 85% 11% .
1	C	281	3% 86% 9% ..
1	D	281	5% 88% 9% ..
1	E	281	3% 89% 6% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	281	 89% 9%
1	G	281	 88% 7%
1	H	281	 89% 7%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 17342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative short-chain dehydrogenase/reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	2	0
			1957	1229	333	386	9			
1	B	270	Total	C	N	O	S	0	3	0
			1972	1240	334	389	9			
1	C	269	Total	C	N	O	S	0	2	0
			1955	1228	330	388	9			
1	D	275	Total	C	N	O	S	0	1	0
			1987	1249	335	393	10			
1	E	266	Total	C	N	O	S	0	2	0
			1922	1207	327	379	9			
1	F	275	Total	C	N	O	S	0	1	0
			2011	1260	343	398	10			
1	G	269	Total	C	N	O	S	0	3	0
			1955	1229	333	384	9			
1	H	271	Total	C	N	O	S	0	3	0
			1969	1242	332	385	10			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP B1MLR7
A	-1	PRO	-	expression tag	UNP B1MLR7
A	0	GLY	-	expression tag	UNP B1MLR7
A	1	SER	-	expression tag	UNP B1MLR7
B	-2	GLY	-	expression tag	UNP B1MLR7
B	-1	PRO	-	expression tag	UNP B1MLR7
B	0	GLY	-	expression tag	UNP B1MLR7
B	1	SER	-	expression tag	UNP B1MLR7
C	-2	GLY	-	expression tag	UNP B1MLR7
C	-1	PRO	-	expression tag	UNP B1MLR7
C	0	GLY	-	expression tag	UNP B1MLR7
C	1	SER	-	expression tag	UNP B1MLR7
D	-2	GLY	-	expression tag	UNP B1MLR7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	PRO	-	expression tag	UNP B1MLR7
D	0	GLY	-	expression tag	UNP B1MLR7
D	1	SER	-	expression tag	UNP B1MLR7
E	-2	GLY	-	expression tag	UNP B1MLR7
E	-1	PRO	-	expression tag	UNP B1MLR7
E	0	GLY	-	expression tag	UNP B1MLR7
E	1	SER	-	expression tag	UNP B1MLR7
F	-2	GLY	-	expression tag	UNP B1MLR7
F	-1	PRO	-	expression tag	UNP B1MLR7
F	0	GLY	-	expression tag	UNP B1MLR7
F	1	SER	-	expression tag	UNP B1MLR7
G	-2	GLY	-	expression tag	UNP B1MLR7
G	-1	PRO	-	expression tag	UNP B1MLR7
G	0	GLY	-	expression tag	UNP B1MLR7
G	1	SER	-	expression tag	UNP B1MLR7
H	-2	GLY	-	expression tag	UNP B1MLR7
H	-1	PRO	-	expression tag	UNP B1MLR7
H	0	GLY	-	expression tag	UNP B1MLR7
H	1	SER	-	expression tag	UNP B1MLR7

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	2	Total	Ca	0	0
			2	2		
3	D	1	Total	Ca	0	0
			1	1		
3	E	1	Total	Ca	0	0
			1	1		
3	F	2	Total	Ca	0	0
			2	2		
3	H	1	Total	Ca	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	145	Total	O	0	0
			145	145		
4	B	153	Total	O	0	0
			153	153		
4	C	151	Total	O	0	0
			151	151		
4	D	145	Total	O	0	0
			145	145		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	148	Total 148	O 148	0	0
4	F	185	Total 185	O 185	0	0
4	G	167	Total 167	O 167	0	0
4	H	160	Total 160	O 160	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Putative short-chain dehydrogenase/reductase




- Molecule 1: Putative short-chain dehydrogenase/reductase



- Molecule 1: Putative short-chain dehydrogenase/reductase





- Molecule 1: Putative short-chain dehydrogenase/reductase








- Molecule 1: Putative short-chain dehydrogenase/reductase





- Molecule 1: Putative short-chain dehydrogenase/reductase



- Molecule 1: Putative short-chain dehydrogenase/reductase



- Molecule 1: Putative short-chain dehydrogenase/reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	69.36Å 84.97Å 100.89Å 81.77° 76.78° 74.23°	Depositor
Resolution (Å)	50.00 – 2.10 50.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.0 (50.00-2.10) 94.9 (50.00-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.38 (at 2.10Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.189 , 0.237 0.194 , 0.198	Depositor DCC
R_{free} test set	5997 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	11.6	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	17342	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.86	0/1993	0.95	0/2715
1	B	0.85	0/2011	0.97	3/2739 (0.1%)
1	C	0.86	1/1991 (0.1%)	0.93	3/2712 (0.1%)
1	D	0.84	0/2022	0.95	0/2759
1	E	0.86	0/1957	0.96	1/2665 (0.0%)
1	F	0.86	0/2046	0.96	5/2787 (0.2%)
1	G	0.90	0/1994	0.95	0/2714
1	H	0.87	0/2009	0.96	3/2738 (0.1%)
All	All	0.86	1/16023 (0.0%)	0.95	15/21829 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	154	SER	CA-C	-5.12	1.50	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	203	THR	CA-C-N	-6.71	113.00	120.45
1	H	203	THR	C-N-CA	-6.71	113.00	120.45
1	C	154	SER	N-CA-C	-5.84	103.99	108.78
1	C	221	LYS	CA-C-N	5.70	126.97	119.84
1	C	221	LYS	C-N-CA	5.70	126.97	119.84
1	F	182	ALA	N-CA-C	-5.69	105.16	111.36
1	E	154	SER	N-CA-C	-5.47	104.30	108.78
1	B	187	VAL	N-CA-C	5.39	116.77	110.62
1	F	16	ALA	N-CA-C	5.28	117.78	111.71
1	H	214	THR	N-CA-C	-5.12	107.69	114.04
1	F	48	TYR	CA-C-N	-5.06	114.70	119.76
1	F	48	TYR	C-N-CA	-5.06	114.70	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	197	ALA	CA-C-N	-5.03	115.38	120.31
1	B	197	ALA	C-N-CA	-5.03	115.38	120.31
1	F	228	GLU	N-CA-C	5.02	116.75	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1957	0	1935	12	0
1	B	1972	0	1951	18	0
1	C	1955	0	1933	12	0
1	D	1987	0	1950	15	0
1	E	1922	0	1887	9	0
1	F	2011	0	1986	20	0
1	G	1955	0	1942	14	0
1	H	1969	0	1953	11	0
2	A	44	0	26	1	0
2	B	44	0	26	1	0
2	C	44	0	26	2	0
2	D	44	0	26	0	0
2	E	44	0	26	1	0
2	F	44	0	26	3	0
2	G	44	0	26	3	0
2	H	44	0	26	0	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	2	0	0	0	0
3	H	1	0	0	0	0
4	A	145	0	0	2	0
4	B	153	0	0	1	0
4	C	151	0	0	1	0
4	D	145	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	148	0	0	0	0
4	F	185	0	0	2	0
4	G	167	0	0	1	0
4	H	160	0	0	2	0
All	All	17342	0	15745	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:205:MET:HE1	2:G:279:NAD:H2D	1.62	0.80
1:G:27:LEU:HD11	1:G:101:ILE:HD11	1.69	0.72
1:A:270:ASP:OD2	1:A:274[A]:THR:HG23	1.91	0.70
1:C:227:VAL:O	1:C:230:VAL:HG12	1.92	0.70
1:F:205:MET:HE1	2:F:279:NAD:H2D	1.75	0.69
1:C:39:ARG:HG2	4:C:299:HOH:O	1.93	0.68
1:D:39:ARG:HB3	4:D:1050:HOH:O	1.92	0.68
1:F:69:ARG:NH2	4:F:1124:HOH:O	2.27	0.68
1:D:216:ARG:N	1:D:217:PRO:HD3	2.09	0.67
1:F:227:VAL:O	1:F:230:VAL:HG12	1.98	0.64
1:A:159:HIS:HE1	1:A:274[A]:THR:HG22	1.65	0.61
1:C:27:LEU:HD11	1:C:101:ILE:HD11	1.82	0.61
1:C:205:MET:HE1	2:C:279:NAD:H2D	1.83	0.60
1:H:159:HIS:CE1	1:H:277:MET:HE3	2.37	0.59
1:E:25:VAL:O	1:E:29[A]:GLU:HG3	2.03	0.58
1:A:39:ARG:HE	1:A:41:GLU:HG3	1.68	0.58
1:E:243:LYS:HE2	1:E:244:PRO:HD2	1.86	0.57
1:B:71:ILE:CD1	1:B:90:ALA:HA	2.35	0.57
1:H:276:ARG:HD2	4:H:580:HOH:O	2.05	0.56
1:F:71:ILE:HD11	1:F:90:ALA:CB	2.36	0.56
1:E:87:VAL:O	1:E:91:GLU:HG3	2.06	0.55
1:F:276:ARG:HD2	4:F:813:HOH:O	2.05	0.55
1:H:96:GLY:HA3	1:H:145:ARG:CZ	2.36	0.55
1:B:106:ILE:CD1	1:B:122:GLU:HG3	2.39	0.53
1:F:151:VAL:HA	1:F:194:ASN:O	2.09	0.52
1:D:216:ARG:H	1:D:217:PRO:HD3	1.72	0.52
1:B:202:GLU:HG3	1:B:207:HIS:CE1	2.46	0.51
1:G:205:MET:HE1	2:G:279:NAD:C2D	2.35	0.50
1:B:69:ARG:NH2	4:B:314:HOH:O	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:LEU:HB3	1:B:169:VAL:HG22	1.94	0.50
1:F:106:ILE:CD1	1:F:122:GLU:HG3	2.42	0.50
1:A:159:HIS:CE1	1:A:274[A]:THR:HG22	2.47	0.50
1:A:242:LEU:HD21	1:A:271:ALA:HB2	1.93	0.50
1:B:5:PHE:HD2	1:B:30:ALA:HB1	1.77	0.49
1:D:87:VAL:O	1:D:91:GLU:HG2	2.12	0.49
1:A:205:MET:HE1	2:A:279:NAD:H2D	1.94	0.49
1:G:205:MET:CE	2:G:279:NAD:H2D	2.37	0.49
1:G:39:ARG:HD3	1:G:41:GLU:HG3	1.94	0.49
1:D:218:ASP:O	1:D:219:LEU:HB2	2.11	0.49
1:B:61:ALA:O	1:B:65:LYS:HG2	2.13	0.48
1:F:215:MET:HB2	1:F:227:VAL:HG22	1.93	0.48
1:F:227:VAL:O	1:F:230:VAL:CG1	2.61	0.48
1:B:102:THR:OG1	1:B:152:THR:HA	2.13	0.48
1:B:27:LEU:HD11	1:B:101[A]:ILE:HD11	1.95	0.48
1:B:116[A]:GLU:HG2	1:B:119:GLN:HB2	1.95	0.48
1:E:200:ASN:OD1	1:E:234:LEU:HD12	2.13	0.47
1:G:181:CYS:SG	1:H:169:VAL:HB	2.54	0.47
1:A:44:ASP:HB2	4:A:415:HOH:O	2.14	0.47
1:F:242:LEU:HD21	1:F:271:ALA:HB2	1.96	0.47
1:C:157:LEU:HB3	1:C:169:VAL:HG22	1.94	0.47
1:C:169:VAL:HB	1:D:181:CYS:SG	2.54	0.47
1:F:71:ILE:HD13	1:F:90:ALA:HA	1.95	0.47
1:A:39:ARG:NH2	4:A:583:HOH:O	2.46	0.47
1:F:157:LEU:HB3	1:F:169:VAL:HG22	1.96	0.47
1:F:71:ILE:HD11	1:F:90:ALA:HB2	1.97	0.47
1:B:106:ILE:HD11	1:B:122:GLU:HG3	1.97	0.47
1:F:71:ILE:CD1	1:F:90:ALA:HA	2.44	0.47
1:B:151:VAL:HA	1:B:194:ASN:O	2.14	0.46
1:B:71:ILE:HD13	1:B:90:ALA:HA	1.97	0.46
1:D:236:LEU:HB3	1:D:272:GLY:HA3	1.96	0.46
1:D:157:LEU:HB3	1:D:169:VAL:HG22	1.97	0.46
1:H:74:LYS:HE2	4:H:555:HOH:O	2.15	0.46
1:B:179:THR:HG23	1:B:193:VAL:HG12	1.96	0.46
1:E:36:ILE:O	1:E:72:SER:HA	2.15	0.46
1:E:264:GLY:HA3	1:H:275:ALA:HB2	1.97	0.46
1:G:21:ARG:HG3	1:G:59:THR:HG23	1.97	0.46
1:G:189:TYR:HB2	1:G:191:ILE:HD12	1.98	0.45
1:D:179:THR:HG23	1:D:193:VAL:HG12	1.99	0.45
1:G:179:THR:HG23	1:G:193:VAL:HG12	1.98	0.45
1:A:71:ILE:HD11	1:A:90:ALA:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:159:HIS:CE1	1:D:277:MET:HE3	2.52	0.45
1:C:181:CYS:SG	1:D:169:VAL:HB	2.57	0.44
1:A:111:LEU:HG	1:A:164:ALA:HB2	1.98	0.44
1:B:5:PHE:HD2	1:B:30:ALA:CB	2.31	0.44
1:H:87:VAL:O	1:H:91:GLU:HG2	2.17	0.44
1:C:36:ILE:O	1:C:72:SER:HA	2.18	0.43
1:G:157:LEU:HB3	1:G:169:VAL:HG22	2.00	0.43
1:E:205:MET:HE1	2:E:279:NAD:H2D	2.01	0.43
1:C:189:TYR:HB2	1:C:191:ILE:HD12	1.99	0.43
1:E:34:ILE:CG2	1:E:36:ILE:HG23	2.48	0.43
1:G:27:LEU:HD11	1:G:101:ILE:CD1	2.43	0.43
1:H:179:THR:HG23	1:H:193:VAL:HG12	2.00	0.43
1:H:36:ILE:O	1:H:72:SER:HA	2.19	0.42
1:F:205:MET:HE1	2:F:279:NAD:C2D	2.46	0.42
1:B:36:ILE:O	1:B:72:SER:HA	2.19	0.42
1:B:242:LEU:HD21	1:B:271:ALA:HB2	2.02	0.42
1:C:179:THR:HG23	1:C:193:VAL:HG12	2.00	0.42
1:F:205:MET:CE	2:F:279:NAD:H2D	2.45	0.42
1:A:159:HIS:HE1	1:A:274[A]:THR:CG2	2.31	0.42
1:F:36:ILE:O	1:F:72:SER:HA	2.19	0.42
1:F:106:ILE:HD11	1:F:122:GLU:HG3	2.01	0.42
1:C:199:GLY:O	2:C:279:NAD:H4N	2.20	0.41
1:E:242:LEU:HD21	1:E:271:ALA:HB2	2.02	0.41
1:G:202:GLU:HG3	1:G:207:HIS:NE2	2.35	0.41
1:D:228:GLU:HG2	1:D:240:PRO:HG3	2.03	0.41
1:B:205:MET:HE1	2:B:279:NAD:H2D	2.02	0.41
1:F:165[A]:GLN:HB3	1:F:169:VAL:HG23	2.01	0.41
1:A:38:ASP:O	1:A:74:LYS:HA	2.21	0.41
1:G:21:ARG:NH2	1:G:58:GLU:OE2	2.45	0.41
1:C:159:HIS:CE1	1:C:277:MET:HE3	2.56	0.41
1:D:219:LEU:HD21	1:D:226:ASP:HB3	2.04	0.40
1:F:211:VAL:O	1:F:215:MET:HG3	2.21	0.40
1:H:101[A]:ILE:HD13	1:H:251:VAL:HG11	2.02	0.40
1:D:13:THR:O	1:D:103:ASN:HB3	2.21	0.40
1:H:164:ALA:O	1:H:165:GLN:HG2	2.22	0.40
1:D:27:LEU:HD11	1:D:101:ILE:HD11	2.02	0.40
1:G:144:LYS:NZ	4:G:1227:HOH:O	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/281 (95%)	256 (96%)	11 (4%)	0	100	100
1	B	269/281 (96%)	263 (98%)	6 (2%)	0	100	100
1	C	267/281 (95%)	258 (97%)	8 (3%)	1 (0%)	30	28
1	D	274/281 (98%)	261 (95%)	9 (3%)	4 (2%)	8	4
1	E	264/281 (94%)	255 (97%)	9 (3%)	0	100	100
1	F	274/281 (98%)	267 (97%)	7 (3%)	0	100	100
1	G	268/281 (95%)	261 (97%)	7 (3%)	0	100	100
1	H	270/281 (96%)	259 (96%)	11 (4%)	0	100	100
All	All	2153/2248 (96%)	2080 (97%)	68 (3%)	5 (0%)	43	44

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	222	PRO
1	D	219	LEU
1	D	215	MET
1	D	218	ASP
1	D	216	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/216 (94%)	199 (98%)	3 (2%)	57	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	204/216 (94%)	203 (100%)	1 (0%)	81	88
1	C	203/216 (94%)	196 (97%)	7 (3%)	32	35
1	D	204/216 (94%)	200 (98%)	4 (2%)	48	56
1	E	195/216 (90%)	194 (100%)	1 (0%)	81	88
1	F	209/216 (97%)	206 (99%)	3 (1%)	59	67
1	G	202/216 (94%)	197 (98%)	5 (2%)	42	48
1	H	203/216 (94%)	202 (100%)	1 (0%)	81	88
All	All	1622/1728 (94%)	1597 (98%)	25 (2%)	55	65

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	146	ASN
1	A	159	HIS
1	A	214	THR
1	B	224	LEU
1	C	4	ASP
1	C	36	ILE
1	C	39	ARG
1	C	44	ASP
1	C	114	GLU
1	C	165	GLN
1	C	224	LEU
1	D	36	ILE
1	D	229	SER
1	D	252	LEU
1	D	267	LEU
1	E	267	LEU
1	F	156	MET
1	F	227	VAL
1	F	252	LEU
1	G	39	ARG
1	G	43	SER
1	G	146	ASN
1	G	165	GLN
1	G	267	LEU
1	H	114	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	200	ASN
1	C	119	GLN
1	C	165	GLN
1	H	165	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	F	279	-	46,48,48	0.94	3 (6%)	64,73,73	1.59	14 (21%)
2	NAD	D	279	-	46,48,48	1.01	4 (8%)	64,73,73	1.72	13 (20%)
2	NAD	B	279	-	46,48,48	0.95	3 (6%)	64,73,73	1.45	10 (15%)
2	NAD	H	279	-	46,48,48	0.91	2 (4%)	64,73,73	1.94	15 (23%)
2	NAD	C	279	-	46,48,48	0.97	3 (6%)	64,73,73	1.90	12 (18%)
2	NAD	E	279	-	46,48,48	0.94	3 (6%)	64,73,73	1.57	10 (15%)
2	NAD	A	279	-	46,48,48	0.99	4 (8%)	64,73,73	1.48	14 (21%)
2	NAD	G	279	-	46,48,48	0.86	2 (4%)	64,73,73	1.80	13 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	F	279	-	-	8/30/62/62	0/5/5/5
2	NAD	D	279	-	-	9/30/62/62	0/5/5/5
2	NAD	B	279	-	-	4/30/62/62	0/5/5/5
2	NAD	H	279	-	-	9/30/62/62	0/5/5/5
2	NAD	C	279	-	-	8/30/62/62	0/5/5/5
2	NAD	E	279	-	-	8/30/62/62	0/5/5/5
2	NAD	A	279	-	-	9/30/62/62	0/5/5/5
2	NAD	G	279	-	-	8/30/62/62	0/5/5/5

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	279	NAD	PA-O3	3.53	1.63	1.59
2	F	279	NAD	C8A-N7A	2.80	1.37	1.31
2	H	279	NAD	O4D-C1D	2.80	1.44	1.40
2	E	279	NAD	PA-O3	2.72	1.62	1.59
2	G	279	NAD	PN-O3	2.68	1.62	1.59
2	C	279	NAD	C8A-N7A	2.56	1.36	1.31
2	B	279	NAD	C5A-N7A	-2.54	1.34	1.39
2	B	279	NAD	C8A-N7A	2.35	1.36	1.31
2	A	279	NAD	C5A-N7A	-2.33	1.34	1.39
2	F	279	NAD	PN-O3	2.32	1.62	1.59
2	D	279	NAD	O4D-C1D	2.28	1.43	1.40
2	B	279	NAD	C4A-N9A	-2.27	1.33	1.37
2	H	279	NAD	C4A-N3A	2.26	1.38	1.34
2	G	279	NAD	C8A-N7A	2.22	1.36	1.31
2	C	279	NAD	C4A-N9A	-2.21	1.33	1.37
2	D	279	NAD	C4A-N9A	-2.18	1.33	1.37
2	E	279	NAD	C5A-N7A	-2.16	1.35	1.39
2	A	279	NAD	C8A-N7A	2.14	1.35	1.31
2	A	279	NAD	C4A-N9A	-2.12	1.33	1.37
2	F	279	NAD	C5A-N7A	-2.08	1.35	1.39
2	A	279	NAD	PN-O3	2.07	1.61	1.59
2	C	279	NAD	PA-O3	2.06	1.61	1.59
2	E	279	NAD	O4D-C1D	2.01	1.43	1.40
2	D	279	NAD	C2N-N1N	2.00	1.37	1.35

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	279	NAD	N3A-C2A-N1A	-6.76	118.34	128.58
2	C	279	NAD	N3A-C2A-N1A	-5.90	119.65	128.58
2	D	279	NAD	N3A-C2A-N1A	-5.80	119.80	128.58
2	G	279	NAD	C5A-C4A-N3A	-5.80	118.73	126.72
2	H	279	NAD	N9A-C8A-N7A	-5.23	106.52	113.94
2	G	279	NAD	N3A-C2A-N1A	-5.02	120.99	128.58
2	C	279	NAD	C4A-C5A-N7A	-4.94	104.93	110.58
2	H	279	NAD	C5A-C4A-N3A	-4.82	120.08	126.72
2	F	279	NAD	N3A-C2A-N1A	-4.80	121.31	128.58
2	C	279	NAD	C5A-C4A-N3A	-4.72	120.21	126.72
2	E	279	NAD	C5A-C4A-N3A	-4.70	120.24	126.72
2	A	279	NAD	N3A-C2A-N1A	-4.57	121.67	128.58
2	H	279	NAD	C4A-N9A-C8A	4.55	110.52	105.74
2	C	279	NAD	N9A-C8A-N7A	-4.55	107.48	113.94
2	E	279	NAD	N3A-C2A-N1A	-4.52	121.74	128.58
2	D	279	NAD	C5A-C4A-N3A	-4.27	120.84	126.72
2	H	279	NAD	C2A-N3A-C4A	4.25	122.20	111.83
2	G	279	NAD	N9A-C8A-N7A	-4.24	107.91	113.94
2	C	279	NAD	C5A-C4A-N9A	4.14	110.33	105.81
2	D	279	NAD	N9A-C8A-N7A	-4.10	108.12	113.94
2	C	279	NAD	C2A-N3A-C4A	4.04	121.69	111.83
2	A	279	NAD	C5A-C4A-N3A	-4.03	121.17	126.72
2	G	279	NAD	C4A-C5A-N7A	-4.02	105.98	110.58
2	G	279	NAD	C2A-N3A-C4A	4.01	121.62	111.83
2	B	279	NAD	N3A-C2A-N1A	-3.98	122.55	128.58
2	B	279	NAD	C5A-C4A-N3A	-3.96	121.27	126.72
2	C	279	NAD	C5A-N7A-C8A	3.89	109.57	103.45
2	E	279	NAD	N9A-C8A-N7A	-3.85	108.47	113.94
2	F	279	NAD	N9A-C8A-N7A	-3.80	108.54	113.94
2	F	279	NAD	C5A-C4A-N3A	-3.79	121.50	126.72
2	H	279	NAD	N3A-C4A-N9A	3.77	133.58	127.17
2	B	279	NAD	N9A-C8A-N7A	-3.74	108.63	113.94
2	D	279	NAD	C2A-N3A-C4A	3.71	120.89	111.83
2	G	279	NAD	C5A-N7A-C8A	3.48	108.92	103.45
2	D	279	NAD	C4A-N9A-C8A	3.31	109.21	105.74
2	D	279	NAD	O2N-PN-O3	3.27	116.11	107.27
2	F	279	NAD	C4A-C5A-N7A	-3.23	106.89	110.58
2	H	279	NAD	C5A-N7A-C8A	3.20	108.48	103.45
2	H	279	NAD	O3-PA-O1A	-3.20	101.08	110.70
2	E	279	NAD	N3A-C4A-N9A	3.11	132.46	127.17
2	A	279	NAD	N9A-C8A-N7A	-3.08	109.57	113.94
2	D	279	NAD	N3A-C4A-N9A	3.03	132.32	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	279	NAD	C5A-N7A-C8A	3.03	108.20	103.45
2	E	279	NAD	C2A-N3A-C4A	2.99	119.14	111.83
2	E	279	NAD	C4A-C5A-N7A	-2.99	107.17	110.58
2	G	279	NAD	N3A-C4A-N9A	2.98	132.24	127.17
2	F	279	NAD	C2A-N3A-C4A	2.95	119.04	111.83
2	E	279	NAD	C4A-N9A-C8A	2.95	108.84	105.74
2	G	279	NAD	C5A-C4A-N9A	2.94	109.02	105.81
2	B	279	NAD	C4A-C5A-N7A	-2.89	107.28	110.58
2	F	279	NAD	O2N-PN-O3	2.88	115.07	107.27
2	D	279	NAD	C5A-N7A-C8A	2.86	107.94	103.45
2	F	279	NAD	C5A-N7A-C8A	2.83	107.90	103.45
2	B	279	NAD	C5A-N7A-C8A	2.75	107.77	103.45
2	E	279	NAD	O2N-PN-O3	2.74	114.67	107.27
2	D	279	NAD	O3-PA-O1A	-2.67	102.68	110.70
2	A	279	NAD	C2A-N3A-C4A	2.62	118.23	111.83
2	B	279	NAD	C4A-N9A-C8A	2.61	108.48	105.74
2	B	279	NAD	C2A-N3A-C4A	2.60	118.19	111.83
2	H	279	NAD	C4D-O4D-C1D	-2.59	107.56	109.92
2	G	279	NAD	O2N-PN-O3	2.56	114.19	107.27
2	C	279	NAD	C6A-C5A-N7A	2.55	137.00	132.09
2	F	279	NAD	C5A-C4A-N9A	2.53	108.57	105.81
2	C	279	NAD	O3-PN-O1N	-2.53	103.11	110.70
2	F	279	NAD	O7N-C7N-N7N	-2.44	119.09	122.62
2	C	279	NAD	C3N-C7N-N7N	2.44	120.74	117.74
2	G	279	NAD	C3N-C7N-N7N	2.44	120.74	117.74
2	D	279	NAD	C4D-O4D-C1D	-2.42	107.71	109.92
2	A	279	NAD	N3A-C4A-N9A	2.40	131.26	127.17
2	C	279	NAD	C2A-N1A-C6A	2.38	122.64	118.73
2	A	279	NAD	C4A-C5A-N7A	-2.37	107.88	110.58
2	D	279	NAD	C4A-C5A-N7A	-2.36	107.88	110.58
2	H	279	NAD	O2N-PN-O3	2.36	113.65	107.27
2	A	279	NAD	C3N-C7N-N7N	2.34	120.62	117.74
2	G	279	NAD	O3-PA-O1A	-2.33	103.69	110.70
2	G	279	NAD	C4A-N9A-C8A	2.32	108.17	105.74
2	C	279	NAD	C4A-N9A-C1B	-2.29	121.27	126.63
2	B	279	NAD	C5N-C4N-C3N	-2.26	118.14	120.36
2	D	279	NAD	O3-PN-O1N	-2.26	103.91	110.70
2	H	279	NAD	C2A-N1A-C6A	2.25	122.43	118.73
2	F	279	NAD	C4A-N9A-C8A	2.24	108.09	105.74
2	H	279	NAD	O2N-PN-O1N	2.23	122.81	112.44
2	A	279	NAD	C2A-N1A-C6A	2.22	122.39	118.73
2	A	279	NAD	C5A-N7A-C8A	2.22	106.95	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	279	NAD	C4A-N9A-C1B	-2.22	121.45	126.63
2	B	279	NAD	O2N-PN-O3	2.20	113.23	107.27
2	A	279	NAD	O3-PN-O1N	-2.20	104.08	110.70
2	B	279	NAD	N3A-C4A-N9A	2.19	130.89	127.17
2	A	279	NAD	C4A-N9A-C8A	2.19	108.03	105.74
2	H	279	NAD	C4A-C5A-N7A	-2.18	108.09	110.58
2	A	279	NAD	O4B-C1B-N9A	2.16	112.24	108.09
2	G	279	NAD	O3-PN-O1N	-2.11	104.35	110.70
2	F	279	NAD	C2A-N1A-C6A	2.09	122.17	118.73
2	H	279	NAD	C3N-C7N-N7N	2.09	120.32	117.74
2	A	279	NAD	C4D-O4D-C1D	-2.09	108.01	109.92
2	F	279	NAD	O3-PN-O1N	-2.08	104.45	110.70
2	E	279	NAD	C6N-N1N-C1D	-2.05	115.70	119.73
2	F	279	NAD	C3N-C7N-N7N	2.05	120.27	117.74
2	D	279	NAD	O2N-PN-O1N	2.04	121.95	112.44
2	H	279	NAD	O3-PN-O1N	-2.03	104.61	110.70
2	A	279	NAD	O2N-PN-O3	2.02	112.73	107.27

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	279	NAD	PN-O3-PA-O5B
2	A	279	NAD	C5D-O5D-PN-O3
2	A	279	NAD	C5D-O5D-PN-O1N
2	A	279	NAD	C5D-O5D-PN-O2N
2	B	279	NAD	C5D-O5D-PN-O3
2	C	279	NAD	PN-O3-PA-O5B
2	C	279	NAD	C5D-O5D-PN-O3
2	C	279	NAD	O4D-C1D-N1N-C2N
2	D	279	NAD	PN-O3-PA-O5B
2	D	279	NAD	C5D-O5D-PN-O3
2	D	279	NAD	C5D-O5D-PN-O1N
2	D	279	NAD	C5D-O5D-PN-O2N
2	D	279	NAD	O4D-C1D-N1N-C2N
2	E	279	NAD	C5D-O5D-PN-O3
2	E	279	NAD	O4D-C1D-N1N-C2N
2	F	279	NAD	C5D-O5D-PN-O3
2	F	279	NAD	C5D-O5D-PN-O1N
2	G	279	NAD	PN-O3-PA-O5B
2	G	279	NAD	C5D-O5D-PN-O3
2	G	279	NAD	C5D-O5D-PN-O1N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	G	279	NAD	C5D-O5D-PN-O2N
2	G	279	NAD	O4D-C1D-N1N-C2N
2	H	279	NAD	C5D-O5D-PN-O3
2	H	279	NAD	C5D-O5D-PN-O1N
2	H	279	NAD	C5D-O5D-PN-O2N
2	H	279	NAD	O4D-C1D-N1N-C2N
2	A	279	NAD	PA-O3-PN-O1N
2	C	279	NAD	PA-O3-PN-O1N
2	D	279	NAD	PA-O3-PN-O1N
2	G	279	NAD	PA-O3-PN-O1N
2	B	279	NAD	PN-O3-PA-O5B
2	E	279	NAD	PN-O3-PA-O5B
2	F	279	NAD	PN-O3-PA-O5B
2	H	279	NAD	PN-O3-PA-O5B
2	H	279	NAD	PA-O3-PN-O2N
2	B	279	NAD	C5D-O5D-PN-O1N
2	C	279	NAD	C5D-O5D-PN-O1N
2	E	279	NAD	C5D-O5D-PN-O1N
2	F	279	NAD	C5D-O5D-PN-O2N
2	A	279	NAD	PA-O3-PN-O2N
2	C	279	NAD	PA-O3-PN-O2N
2	D	279	NAD	PA-O3-PN-O2N
2	F	279	NAD	PA-O3-PN-O1N
2	G	279	NAD	PA-O3-PN-O2N
2	A	279	NAD	O4D-C1D-N1N-C2N
2	A	279	NAD	O4D-C1D-N1N-C6N
2	B	279	NAD	O4D-C1D-N1N-C6N
2	C	279	NAD	O4D-C1D-N1N-C6N
2	D	279	NAD	O4D-C1D-N1N-C6N
2	E	279	NAD	O4D-C1D-N1N-C6N
2	F	279	NAD	O4D-C1D-N1N-C2N
2	F	279	NAD	O4D-C1D-N1N-C6N
2	G	279	NAD	O4D-C1D-N1N-C6N
2	H	279	NAD	O4D-C1D-N1N-C6N
2	E	279	NAD	PA-O3-PN-O1N
2	E	279	NAD	O4B-C4B-C5B-O5B
2	E	279	NAD	PA-O3-PN-O2N
2	F	279	NAD	PA-O3-PN-O2N
2	C	279	NAD	O4B-C4B-C5B-O5B
2	H	279	NAD	O4B-C4B-C5B-O5B
2	D	279	NAD	O4B-C4B-C5B-O5B
2	H	279	NAD	PA-O3-PN-O1N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	279	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


6 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	279	NAD	3	0
2	B	279	NAD	1	0
2	C	279	NAD	2	0
2	E	279	NAD	1	0
2	A	279	NAD	1	0
2	G	279	NAD	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/281 (95%)	-0.00	7 (2%) 57 60	4, 11, 29, 43	2 (0%)
1	B	270/281 (96%)	-0.11	8 (2%) 52 55	3, 9, 28, 42	3 (1%)
1	C	269/281 (95%)	-0.06	8 (2%) 52 55	3, 9, 29, 44	2 (0%)
1	D	275/281 (97%)	-0.00	15 (5%) 30 32	4, 10, 36, 52	1 (0%)
1	E	266/281 (94%)	-0.02	8 (3%) 52 55	3, 10, 29, 46	2 (0%)
1	F	275/281 (97%)	-0.09	4 (1%) 72 74	3, 9, 27, 35	1 (0%)
1	G	269/281 (95%)	-0.07	12 (4%) 38 40	3, 9, 27, 41	3 (1%)
1	H	271/281 (96%)	0.05	11 (4%) 41 43	3, 10, 30, 45	3 (1%)
All	All	2164/2248 (96%)	-0.04	73 (3%) 48 50	3, 10, 30, 52	17 (0%)

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	217	PRO	4.5
1	A	222	PRO	4.2
1	E	214	THR	3.9
1	G	214	THR	3.9
1	D	216	ARG	3.9
1	C	222	PRO	3.7
1	G	222	PRO	3.7
1	E	3	ALA	3.7
1	D	218	ASP	3.7
1	H	216	ARG	3.6
1	E	238	TYR	3.5
1	B	216	ARG	3.5
1	D	214	THR	3.4
1	D	215	MET	3.3
1	G	225	LYS	3.3
1	C	221	LYS	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	3	ALA	3.2
1	C	224	LEU	3.0
1	H	223	THR	3.0
1	A	238	TYR	3.0
1	D	221	LYS	3.0
1	G	213	GLY	2.9
1	H	227	VAL	2.9
1	A	214	THR	2.9
1	B	4	ASP	2.9
1	H	4	ASP	2.9
1	C	3	ALA	2.9
1	B	213	GLY	2.8
1	C	211	VAL	2.8
1	C	223	THR	2.8
1	D	217	PRO	2.8
1	E	225	LYS	2.8
1	H	229	SER	2.7
1	F	238	TYR	2.7
1	E	230	VAL	2.7
1	C	213	GLY	2.7
1	H	214	THR	2.7
1	G	211	VAL	2.7
1	F	215	MET	2.6
1	H	224	LEU	2.6
1	B	222	PRO	2.6
1	H	215	MET	2.6
1	A	223	THR	2.6
1	G	210	PHE	2.5
1	G	224	LEU	2.5
1	C	212	PHE	2.5
1	D	213	GLY	2.5
1	G	3	ALA	2.5
1	D	224	LEU	2.5
1	E	212	PHE	2.5
1	D	219	LEU	2.4
1	B	238	TYR	2.4
1	B	214	THR	2.4
1	E	227	VAL	2.4
1	F	227	VAL	2.4
1	A	92	ASP	2.3
1	D	227	VAL	2.3
1	G	238	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	224	LEU	2.3
1	D	222	PRO	2.3
1	E	93	THR	2.3
1	G	226	ASP	2.3
1	B	230	VAL	2.2
1	D	223	THR	2.2
1	D	92	ASP	2.2
1	B	223	THR	2.2
1	F	217	PRO	2.1
1	D	238	TYR	2.1
1	H	238	TYR	2.1
1	G	95	GLY	2.1
1	G	223	THR	2.1
1	D	211	VAL	2.1
1	H	234	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CA	D	280	1/1	0.95	0.05	36,36,36,36	0
3	CA	F	280	1/1	0.96	0.05	25,25,25,25	0
3	CA	H	280	1/1	0.96	0.05	35,35,35,35	0
2	NAD	D	279	44/44	0.97	0.05	3,6,8,11	0
2	NAD	E	279	44/44	0.97	0.06	6,9,11,11	0
2	NAD	F	279	44/44	0.97	0.05	3,7,10,10	0
2	NAD	G	279	44/44	0.97	0.05	3,6,9,10	0
2	NAD	H	279	44/44	0.97	0.05	3,7,9,11	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CA	B	281	1/1	0.97	0.05	30,30,30,30	0
2	NAD	A	279	44/44	0.97	0.05	6,10,13,14	0
3	CA	E	280	1/1	0.97	0.07	29,29,29,29	0
2	NAD	B	279	44/44	0.97	0.05	4,7,9,10	0
2	NAD	C	279	44/44	0.97	0.05	3,7,10,11	0
3	CA	B	280	1/1	0.98	0.06	25,25,25,25	0
3	CA	F	281	1/1	0.99	0.08	25,25,25,25	0
3	CA	A	280	1/1	0.99	0.05	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAD E 279:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD F 279:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD G 279:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD H 279:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAD A 279:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 279:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.