



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 07:50 PM EDT

PDB ID : 3S6T / pdb_00003s6t
Title : Crystal Structure of insect beta-N-acetyl-D-hexosaminidase OfHex1 V327G complexed with PUGNAc
Authors : Zhang, H.; Liu, T.; Yang, Q.; Shen, X.
Deposited on : 2011-05-26
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	575	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5020 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called N-acetylglucosaminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	575	4629	2952	779	873	25	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	327	GLY	VAL	engineered mutation	UNP Q06GJ0

- Molecule 2 is O-(2-ACETAMIDO-2-DEOXY D-GLUCOPYRANOSYLIDENE) AMINO-N-PHENYLCARBAMATE (CCD ID: OAN) (formula: C₁₅H₁₉N₃O₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	25	15	3	7	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	366	Total 366	O 366	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: N-acetylglucosaminidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	108.79Å 108.79Å 175.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.79 – 2.30 39.79 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.8 (39.79-2.30) 96.8 (39.79-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.210 , 0.227 0.220 , 0.220	Depositor DCC
R_{free} test set	2738 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtriage
Anisotropy	(Not available)	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 36.3	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5020	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.08	80/4751 (1.7%)	1.20	32/6451 (0.5%)

All (80) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	551	GLU	C-O	-12.83	1.17	1.23
1	A	419	LEU	C-O	-7.46	1.17	1.24
1	A	581	GLN	C-O	-7.21	1.17	1.24
1	A	531	SER	C-O	-6.55	1.16	1.24
1	A	277	LYS	C-O	-6.50	1.16	1.24
1	A	296	PRO	C-O	-6.49	1.17	1.23
1	A	247	ILE	C-O	-6.48	1.16	1.24
1	A	529	ASP	C-O	-6.44	1.19	1.24
1	A	250	SER	C-O	-6.39	1.16	1.24
1	A	535	GLY	C-O	-6.24	1.16	1.23
1	A	229	LYS	C-O	-6.21	1.16	1.24
1	A	249	ASP	C-O	-6.13	1.18	1.24
1	A	586	TYR	C-O	-6.12	1.17	1.24
1	A	268	ALA	CA-CB	-6.05	1.43	1.53
1	A	234	ALA	C-O	-5.99	1.17	1.24
1	A	227	SER	C-O	-5.99	1.17	1.24
1	A	231	THR	C-O	-5.88	1.17	1.24
1	A	282	GLU	C-O	-5.87	1.17	1.24
1	A	476	PHE	C-O	-5.82	1.16	1.24
1	A	504	SER	C-O	-5.80	1.18	1.24
1	A	223	TYR	C-O	-5.76	1.17	1.24
1	A	328	GLU	C-O	-5.75	1.18	1.24
1	A	447	VAL	C-O	-5.75	1.17	1.24
1	A	251	GLN	C-O	-5.74	1.16	1.24
1	A	361	ILE	C-O	-5.70	1.18	1.24
1	A	163	VAL	C-O	-5.68	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	472	ASP	C-O	-5.67	1.16	1.24
1	A	445	ILE	C-O	-5.66	1.18	1.24
1	A	220	ARG	C-O	-5.62	1.17	1.24
1	A	444	ILE	C-O	-5.61	1.17	1.24
1	A	242	THR	C-O	-5.60	1.17	1.24
1	A	516	VAL	C-O	-5.60	1.18	1.24
1	A	265	LYS	C-O	-5.58	1.17	1.24
1	A	545	ALA	C-O	-5.54	1.17	1.24
1	A	315	VAL	C-O	-5.51	1.18	1.24
1	A	345	LEU	C-O	-5.50	1.17	1.24
1	A	292	VAL	C-O	-5.47	1.18	1.24
1	A	267	GLY	C-O	-5.40	1.17	1.23
1	A	482	ALA	C-O	-5.40	1.17	1.23
1	A	216	LEU	C-O	-5.39	1.17	1.24
1	A	263	LEU	C-O	-5.38	1.18	1.24
1	A	253	PHE	C-O	-5.33	1.18	1.24
1	A	243	PHE	C-O	-5.31	1.17	1.24
1	A	187	VAL	C-O	-5.29	1.18	1.24
1	A	167	ILE	C-O	-5.27	1.18	1.24
1	A	563	MET	C-O	-5.26	1.18	1.24
1	A	270	SER	C-O	-5.26	1.17	1.24
1	A	59	CYS	C-O	-5.25	1.17	1.24
1	A	369	VAL	CA-CB	-5.24	1.48	1.54
1	A	549	TRP	C-O	-5.24	1.18	1.24
1	A	495	ILE	C-O	-5.21	1.17	1.23
1	A	287	GLY	C-O	-5.21	1.17	1.23
1	A	291	GLY	C-O	-5.21	1.17	1.24
1	A	347	ASP	C-O	-5.20	1.18	1.24
1	A	199	ARG	C-O	-5.19	1.18	1.24
1	A	475	TYR	C-O	-5.18	1.17	1.23
1	A	510	LEU	C-O	-5.18	1.19	1.24
1	A	191	ILE	C-O	-5.17	1.18	1.24
1	A	571	VAL	C-O	-5.17	1.18	1.24
1	A	547	ARG	C-O	-5.16	1.18	1.24
1	A	52	LEU	C-O	-5.13	1.18	1.24
1	A	299	ASP	C-O	-5.13	1.17	1.23
1	A	233	GLU	C-O	-5.13	1.18	1.24
1	A	73	ALA	CA-CB	-5.12	1.46	1.53
1	A	536	ARG	C-O	-5.11	1.18	1.24
1	A	211	TYR	C-O	-5.05	1.18	1.24
1	A	354	GLU	C-O	-5.05	1.18	1.24
1	A	538	TRP	C-O	-5.05	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	57	MET	C-O	-5.04	1.17	1.24
1	A	257	THR	C-O	-5.04	1.18	1.24
1	A	155	VAL	C-O	-5.04	1.18	1.24
1	A	409	ASP	C-O	-5.03	1.18	1.24
1	A	302	ALA	CA-CB	-5.03	1.45	1.53
1	A	82	ILE	C-O	-5.03	1.19	1.24
1	A	197	MET	C-O	-5.03	1.18	1.23
1	A	180	GLU	C-O	-5.02	1.18	1.24
1	A	206	LYS	C-O	-5.02	1.18	1.24
1	A	341	LEU	C-O	-5.02	1.18	1.24
1	A	110	GLU	C-O	-5.01	1.18	1.24
1	A	351	ASP	C-O	-5.00	1.18	1.24

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	533	LEU	N-CA-C	10.37	122.67	111.36
1	A	213	GLY	N-CA-C	10.21	126.04	111.14
1	A	199	ARG	N-CA-C	8.78	120.62	111.14
1	A	267	GLY	N-CA-C	8.18	123.23	112.77
1	A	247	ILE	N-CA-C	8.00	118.80	110.72
1	A	479	GLY	N-CA-C	7.98	125.29	114.92
1	A	490	TRP	N-CA-C	7.92	119.91	111.28
1	A	21	ALA	N-CA-C	-7.38	96.38	108.41
1	A	92	LEU	N-CA-C	7.38	119.40	111.36
1	A	537	LEU	N-CA-C	7.17	119.17	111.36
1	A	525	SER	N-CA-C	7.13	121.67	112.26
1	A	560	GLU	N-CA-C	6.65	118.19	111.07
1	A	241	ASN	N-CA-C	6.63	122.18	113.30
1	A	266	PHE	CA-C-N	6.57	127.23	120.00
1	A	266	PHE	C-N-CA	6.57	127.23	120.00
1	A	78	PHE	N-CA-C	6.26	119.23	109.52
1	A	137	ASN	CA-C-N	5.72	125.40	119.56
1	A	137	ASN	C-N-CA	5.72	125.40	119.56
1	A	368	GLU	N-CA-C	5.68	118.82	110.30
1	A	379	SER	N-CA-C	-5.60	105.17	111.28
1	A	355	VAL	N-CA-C	5.57	117.48	111.58
1	A	471	TYR	N-CA-C	5.51	118.05	111.71
1	A	209	TYR	CA-C-N	5.45	124.97	119.19
1	A	209	TYR	C-N-CA	5.45	124.97	119.19
1	A	437	TYR	N-CA-C	5.38	119.83	112.68
1	A	259	LYS	N-CA-C	5.26	117.01	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	591	TYR	N-CA-C	5.26	117.92	111.82
1	A	136	GLU	N-CA-C	5.23	118.92	112.54
1	A	550	ALA	N-CA-C	5.22	120.66	113.97
1	A	162	ARG	N-CA-C	5.11	116.75	109.14
1	A	251	GLN	N-CA-C	5.07	117.70	111.82
1	A	531	SER	N-CA-C	5.07	116.89	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4629	0	4468	76	0
2	A	25	0	19	3	0
3	A	366	0	0	4	0
All	All	5020	0	4487	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1:OAN:NAY	2:A:1:OAN:OAQ	1.57	1.35
1:A:478:CYS:SG	1:A:491:CYS:SG	1.18	1.13
1:A:371:GLU:OE1	1:A:393:LYS:HG2	1.52	1.09
1:A:478:CYS:SG	1:A:491:CYS:CB	2.46	1.04
1:A:333:GLN:HE22	1:A:370:SER:H	0.93	0.90
1:A:316:CYS:HG	1:A:373:CYS:HG	1.18	0.84
1:A:333:GLN:NE2	1:A:370:SER:H	1.76	0.80
1:A:215:LEU:C	1:A:215:LEU:HD23	2.07	0.80
1:A:83:ASN:HD22	1:A:84:LEU:N	1.81	0.78
1:A:83:ASN:HD22	1:A:83:ASN:C	1.90	0.78
2:A:1:OAN:NAY	2:A:1:OAN:CAP	2.47	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:GLU:CD	1:A:393:LYS:HG2	2.11	0.75
1:A:333:GLN:HE22	1:A:370:SER:N	1.79	0.72
1:A:316:CYS:CB	1:A:373:CYS:HG	2.02	0.72
1:A:452:VAL:CG1	1:A:452:VAL:O	2.40	0.69
1:A:212:ARG:NH1	1:A:239:LYS:O	2.29	0.65
1:A:149:GLU:OE1	1:A:212:ARG:NH2	2.29	0.64
2:A:1:OAN:OAQ	2:A:1:OAN:CAA	2.44	0.62
1:A:309:GLN:HE21	1:A:309:GLN:H	1.48	0.61
1:A:371:GLU:OE1	1:A:393:LYS:CG	2.41	0.59
1:A:452:VAL:O	1:A:452:VAL:HG13	2.02	0.59
1:A:225:ILE:HG23	3:A:604:HOH:O	2.03	0.58
1:A:83:ASN:ND2	1:A:85:ASN:H	2.01	0.58
1:A:56:LYS:NZ	1:A:589:GLU:OE1	2.37	0.57
1:A:95:GLY:HA3	1:A:138:PRO:HB2	1.87	0.56
1:A:244:HIS:HD2	1:A:520:GLU:OE1	1.90	0.55
1:A:567:ARG:HD3	1:A:567:ARG:C	2.30	0.55
1:A:107:ARG:NH1	3:A:807:HOH:O	2.39	0.54
1:A:387:ASN:O	1:A:388:ARG:HG3	2.07	0.54
1:A:147:MET:HE3	1:A:173:PHE:CD2	2.42	0.54
1:A:307:GLY:H	1:A:309:GLN:HE22	1.56	0.54
1:A:311:THR:O	1:A:312:ASP:HB3	2.07	0.54
1:A:311:THR:O	1:A:312:ASP:CB	2.57	0.52
1:A:215:LEU:C	1:A:215:LEU:CD2	2.79	0.52
1:A:565:HIS:HD2	1:A:586:TYR:OH	1.94	0.51
1:A:81:LYS:O	1:A:82:ILE:HD13	2.11	0.50
1:A:52:LEU:HD22	1:A:56:LYS:HE2	1.94	0.50
1:A:212:ARG:HB3	1:A:240:LEU:HD23	1.94	0.50
1:A:309:GLN:O	1:A:310:ASP:HB2	2.12	0.50
1:A:229:LYS:NZ	1:A:282:GLU:OE2	2.29	0.49
1:A:207:PRO:HB3	1:A:549:TRP:CE3	2.47	0.48
1:A:500:VAL:HG22	1:A:543:ALA:HB3	1.95	0.48
1:A:298:PHE:HB2	1:A:352:MET:HE1	1.96	0.47
1:A:215:LEU:HD23	1:A:216:LEU:N	2.29	0.47
1:A:36:CYS:SG	1:A:55:CYS:SG	3.10	0.47
1:A:346:GLU:OE2	1:A:413:LYS:HE2	2.15	0.47
1:A:315:VAL:O	1:A:316:CYS:HB2	2.15	0.47
1:A:510:LEU:O	1:A:513:ARG:HG3	2.15	0.47
1:A:187:VAL:HG23	1:A:196:LEU:HB2	1.98	0.46
1:A:465:ARG:HD3	3:A:624:HOH:O	2.15	0.46
1:A:149:GLU:CD	1:A:212:ARG:HH22	2.21	0.46
1:A:316:CYS:HB2	1:A:373:CYS:HG	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:GLN:H	1:A:309:GLN:NE2	2.14	0.45
1:A:114:LEU:O	1:A:572:ARG:HG2	2.16	0.45
1:A:213:GLY:C	1:A:520:GLU:HG3	2.42	0.45
1:A:52:LEU:CD2	1:A:56:LYS:HE2	2.46	0.45
1:A:151:TYR:CE2	1:A:205:ASP:HB3	2.51	0.45
1:A:263:LEU:HD23	1:A:307:GLY:O	2.17	0.45
1:A:387:ASN:O	1:A:388:ARG:CG	2.65	0.44
1:A:469:SER:HA	1:A:474:LEU:HD23	2.01	0.43
1:A:164:ASN:C	1:A:164:ASN:OD1	2.61	0.43
1:A:398:LYS:HE3	1:A:398:LYS:HB3	1.90	0.42
1:A:82:ILE:HD13	1:A:82:ILE:HA	1.72	0.42
1:A:26:VAL:O	1:A:26:VAL:HG13	2.20	0.42
1:A:369:VAL:HG12	1:A:370:SER:N	2.34	0.42
1:A:499:LYS:NZ	3:A:783:HOH:O	2.51	0.42
1:A:109:LYS:H	1:A:109:LYS:HG2	1.66	0.42
1:A:439:ASN:ND2	1:A:442:ASP:H	2.18	0.42
1:A:66:TRP:HA	1:A:67:PRO:HA	1.92	0.41
1:A:285:ARG:O	1:A:289:GLU:HG3	2.21	0.41
1:A:26:VAL:O	1:A:26:VAL:CG1	2.65	0.41
1:A:316:CYS:HB2	1:A:373:CYS:SG	2.61	0.41
1:A:346:GLU:HB2	1:A:410:LYS:HD2	2.03	0.41
1:A:93:LYS:HE2	1:A:93:LYS:HB3	1.93	0.41
1:A:212:ARG:HG2	1:A:548:LEU:CB	2.52	0.40
1:A:225:ILE:CD1	1:A:229:LYS:HE3	2.51	0.40
1:A:67:PRO:HB3	1:A:546:GLU:HA	2.03	0.40
1:A:36:CYS:HG	1:A:55:CYS:HG	1.56	0.40
1:A:452:VAL:O	1:A:452:VAL:HG12	2.17	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	573/575 (100%)	565 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	495/495 (100%)	463 (94%)	32 (6%)	15	22

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	VAL
1	A	26	VAL
1	A	37	VAL
1	A	52	LEU
1	A	82	ILE
1	A	83	ASN
1	A	84	LEU
1	A	90	LYS
1	A	109	LYS
1	A	124	LEU
1	A	153	LEU
1	A	176	ARG
1	A	225	ILE
1	A	244	HIS
1	A	257	THR
1	A	274	VAL
1	A	309	GLN
1	A	345	LEU
1	A	379	SER
1	A	388	ARG
1	A	394	GLU
1	A	423	LEU
1	A	425	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	428	LEU
1	A	438	LEU
1	A	452	VAL
1	A	465	ARG
1	A	474	LEU
1	A	500	VAL
1	A	533	LEU
1	A	557	GLN
1	A	580	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	ASN
1	A	83	ASN
1	A	170	ASN
1	A	244	HIS
1	A	309	GLN
1	A	333	GLN
1	A	439	ASN
1	A	512	HIS
1	A	515	GLN
1	A	527	GLN
1	A	557	GLN
1	A	565	HIS
1	A	588	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	OAN	A	1	-	23,26,26	1.64	4 (17%)	24,35,35	1.34	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OAN	A	1	-	-	5/12/35/35	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	OAN	OAQ-NAY	5.26	1.57	1.44
2	A	1	OAN	CAS-NAO	-3.27	1.35	1.41
2	A	1	OAN	CAC-CAB	2.58	1.56	1.52
2	A	1	OAN	CAA-NAY	2.40	1.33	1.27

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	OAN	CAC-CAB-NAI	-2.80	107.76	112.26
2	A	1	OAN	CAS-NAO-CAP	-2.51	122.43	126.39
2	A	1	OAN	OAL-CAE-CAF	2.12	108.18	106.05
2	A	1	OAN	OAR-CAP-NAO	-2.08	121.70	126.12
2	A	1	OAN	CAB-NAI-CAG	2.08	125.39	121.82

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1	OAN	OAR-CAP-OAQ-NAY
2	A	1	OAN	CAX-CAS-NAO-CAP
2	A	1	OAN	CAT-CAS-NAO-CAP
2	A	1	OAN	CAA-CAB-NAI-CAG
2	A	1	OAN	NAO-CAP-OAQ-NAY

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	OAN	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	575/575 (100%)	0.20	23 (4%)	42 44	23, 34, 54, 76	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	20	VAL	6.4
1	A	385	MET	5.7
1	A	388	ARG	4.7
1	A	391	LEU	3.3
1	A	22	ALA	3.3
1	A	21	ALA	3.2
1	A	394	GLU	2.6
1	A	389	TRP	2.6
1	A	378	ASP	2.6
1	A	383	PHE	2.5
1	A	312	ASP	2.5
1	A	161	ASP	2.5
1	A	478	CYS	2.4
1	A	393	LYS	2.4
1	A	119	GLY	2.3
1	A	386	GLN	2.3
1	A	92	LEU	2.2
1	A	118	ARG	2.2
1	A	392	ASP	2.2
1	A	160	ALA	2.2
1	A	555	SER	2.2
1	A	111	GLN	2.1
1	A	387	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	OAN	A	1	25/25	0.89	0.15	33,37,61,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.