



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:00 AM UTC

PDB ID : 8S65 / pdb_00008s65
Title : 1-deoxy-D-xylulose 5-phosphate reductoisomerase (DXR) as target for anti Toxoplasma gondii compounds: crystal structure, biochemical characterization and biological evaluation of inhibitors
Authors : Mazzone, F.; Hoepfner, A.; Reiners, J.; Applegate, V.; Abdullaziz, M.; Gottstein, J.; Wesemann, M.; Kurz, T.; Smits, S.H.; Pfeffer, K.
Deposited on : 2024-02-26
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION, SOLUTION SCATTERING

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1853 (2.58-2.54)
Clashscore	190562	1897 (2.58-2.54)
Ramachandran outliers	187476	1875 (2.58-2.54)
Sidechain outliers	187428	1875 (2.58-2.54)
RSRZ outliers	180081	1853 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	% 64% 21% • 13%
1	B	472	7% 57% 26% • • 13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FOM	A	502	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12821 atoms, of which 6405 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1-deoxy-D-xylulose-5-phosphate reductoisomerase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	410	Total	C	H	N	O	S	0	0	0
			6292	1989	3159	554	579	11			
1	B	411	Total	C	H	N	O	S	0	1	0
			6330	1999	3180	559	581	11			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP S8ESX0
A	2	GLY	-	expression tag	UNP S8ESX0
A	3	HIS	-	expression tag	UNP S8ESX0
A	4	HIS	-	expression tag	UNP S8ESX0
A	5	HIS	-	expression tag	UNP S8ESX0
A	6	HIS	-	expression tag	UNP S8ESX0
A	7	HIS	-	expression tag	UNP S8ESX0
A	8	HIS	-	expression tag	UNP S8ESX0
A	9	HIS	-	expression tag	UNP S8ESX0
A	10	HIS	-	expression tag	UNP S8ESX0
A	11	HIS	-	expression tag	UNP S8ESX0
A	12	HIS	-	expression tag	UNP S8ESX0
A	13	SER	-	expression tag	UNP S8ESX0
A	14	SER	-	expression tag	UNP S8ESX0
A	15	GLY	-	expression tag	UNP S8ESX0
A	16	HIS	-	expression tag	UNP S8ESX0
A	17	ILE	-	expression tag	UNP S8ESX0
A	18	GLU	-	expression tag	UNP S8ESX0
A	19	GLY	-	expression tag	UNP S8ESX0
A	20	ARG	-	expression tag	UNP S8ESX0
A	21	HIS	-	expression tag	UNP S8ESX0
A	22	MET	-	expression tag	UNP S8ESX0
B	1	MET	-	initiating methionine	UNP S8ESX0
B	2	GLY	-	expression tag	UNP S8ESX0
B	3	HIS	-	expression tag	UNP S8ESX0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	4	HIS	-	expression tag	UNP S8ESX0
B	5	HIS	-	expression tag	UNP S8ESX0
B	6	HIS	-	expression tag	UNP S8ESX0
B	7	HIS	-	expression tag	UNP S8ESX0
B	8	HIS	-	expression tag	UNP S8ESX0
B	9	HIS	-	expression tag	UNP S8ESX0
B	10	HIS	-	expression tag	UNP S8ESX0
B	11	HIS	-	expression tag	UNP S8ESX0
B	12	HIS	-	expression tag	UNP S8ESX0
B	13	SER	-	expression tag	UNP S8ESX0
B	14	SER	-	expression tag	UNP S8ESX0
B	15	GLY	-	expression tag	UNP S8ESX0
B	16	HIS	-	expression tag	UNP S8ESX0
B	17	ILE	-	expression tag	UNP S8ESX0
B	18	GLU	-	expression tag	UNP S8ESX0
B	19	GLY	-	expression tag	UNP S8ESX0
B	20	ARG	-	expression tag	UNP S8ESX0
B	21	HIS	-	expression tag	UNP S8ESX0
B	22	MET	-	expression tag	UNP S8ESX0

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	B	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		

- Molecule 3 is 3-[FORMYL(HYDROXY)AMINO]PROPYLPHOSPHONIC ACID (CCD ID: FOM) (formula: $C_4H_{10}NO_5P$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			19	4	8	1	5	1		
3	B	1	Total	C	H	N	O	P	0	0
			19	4	8	1	5	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		
4	B	1	Total	Cl	0	0
			1	1		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Mg	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Mg	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	5	Total	O	0	0
			5	5		
6	B	4	Total	O	0	0
			4	4		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 1-deoxy-D-xylulose-5-phosphate reductoisomerase



- Molecule 1: 1-deoxy-D-xylulose-5-phosphate reductoisomerase





4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	159.52Å 159.52Å 75.87Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	66.50 – 2.56 66.50 – 2.56	Depositor EDS
% Data completeness (in resolution range)	99.0 (66.50-2.56) 99.0 (66.50-2.56)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.55Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660, PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.194 , 0.225 0.198 , 0.227	Depositor DCC
R_{free} test set	2006 reflections (5.60%)	wwPDB-VP
Wilson B-factor (Å ²)	65.8	Xtriage
Anisotropy	0.568	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.026 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12821	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FOM, CL, NAP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	6/3195 (0.2%)	0.90	6/4333 (0.1%)
1	B	1.12	25/3215 (0.8%)	1.26	42/4359 (1.0%)
All	All	0.95	31/6410 (0.5%)	1.09	48/8692 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	5
All	All	0	6

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	169	LEU	CG-CD2	17.88	2.11	1.52
1	B	78	GLN	CG-CD	15.33	1.90	1.52
1	B	25	ARG	CG-CD	12.71	1.90	1.52
1	B	373	ARG	CZ-NH1	12.71	1.50	1.32
1	B	25	ARG	CB-CG	11.55	1.87	1.52
1	B	175	LEU	CG-CD2	11.30	1.89	1.52
1	B	349	LEU	N-CA	-11.15	1.39	1.46
1	B	421	LYS	CB-CG	10.63	1.84	1.52
1	A	76	ARG	CA-CB	10.57	1.60	1.52
1	B	78	GLN	CD-OE1	-10.42	1.03	1.23
1	A	381	LYS	CE-NZ	10.02	1.79	1.49
1	A	76	ARG	C-O	-9.65	1.19	1.23
1	A	381	LYS	CD-CE	-9.47	1.24	1.52
1	B	421	LYS	C-O	-9.35	1.12	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	373	ARG	CG-CD	9.17	1.79	1.52
1	B	108	ARG	CZ-NH2	9.02	1.45	1.33
1	B	373	ARG	CZ-NH2	8.87	1.45	1.33
1	B	78	GLN	CD-NE2	8.58	1.51	1.33
1	B	25	ARG	NE-CZ	7.87	1.41	1.33
1	B	78	GLN	CB-CG	7.42	1.74	1.52
1	B	25	ARG	CD-NE	7.32	1.56	1.46
1	B	108	ARG	CG-CD	-6.90	1.31	1.52
1	B	289	ILE	CB-CG2	6.81	1.75	1.52
1	B	469	LYS	CG-CD	6.57	1.72	1.52
1	B	469	LYS	CD-CE	6.56	1.72	1.52
1	B	349	LEU	CA-C	6.08	1.59	1.52
1	B	108	ARG	CZ-NH1	6.02	1.41	1.32
1	B	25	ARG	CZ-NH2	5.57	1.40	1.33
1	B	420	ASN	C-N	5.57	1.41	1.33
1	A	436	MET	CG-SD	-5.25	1.67	1.80
1	A	76	ARG	N-CA	-5.15	1.42	1.46

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	108	ARG	NH1-CZ-NH2	15.30	139.19	119.30
1	B	175	LEU	CB-CG-CD2	-13.78	69.35	110.70
1	B	25	ARG	CD-NE-CZ	13.31	143.03	124.40
1	B	108	ARG	NE-CZ-NH1	-12.44	109.06	121.50
1	B	373	ARG	NE-CZ-NH1	-12.25	109.25	121.50
1	A	47	ARG	CG-CD-NE	11.11	136.44	112.00
1	B	169	LEU	CB-CG-CD1	10.38	141.84	110.70
1	B	78	GLN	CG-CD-OE1	-10.08	100.64	120.80
1	B	77	PRO	CA-C-N	9.50	133.01	120.28
1	B	77	PRO	C-N-CA	9.50	133.01	120.28
1	B	25	ARG	N-CA-C	-9.38	84.74	111.00
1	B	421	LYS	CA-CB-CG	9.35	132.81	114.10
1	B	169	LEU	CB-CG-CD2	-9.14	83.26	110.70
1	B	25	ARG	CB-CG-CD	8.63	131.15	111.30
1	B	175	LEU	CB-CG-CD1	8.62	136.56	110.70
1	B	395	GLU	CB-CG-CD	-8.49	98.17	112.60
1	B	108	ARG	NE-CZ-NH2	-8.38	111.66	119.20
1	B	373	ARG	CD-NE-CZ	8.35	136.10	124.40
1	B	373	ARG	CB-CG-CD	8.16	130.07	111.30
1	B	462	ARG	NE-CZ-NH2	7.98	126.39	119.20
1	B	78	GLN	N-CA-CB	-7.84	98.59	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	433	ARG	CA-CB-CG	-7.66	98.78	114.10
1	B	108	ARG	CG-CD-NE	-7.41	95.70	112.00
1	B	78	GLN	CG-CD-NE2	6.93	126.79	116.40
1	B	462	ARG	CG-CD-NE	6.73	126.81	112.00
1	B	169	LEU	CD1-CG-CD2	-6.60	96.27	110.80
1	B	78	GLN	CB-CG-CD	6.56	123.75	112.60
1	B	25	ARG	NH1-CZ-NH2	-6.49	110.86	119.30
1	B	373	ARG	NE-CZ-NH2	6.42	124.98	119.20
1	B	289	ILE	CA-CB-CG1	6.37	121.22	110.40
1	B	469	LYS	CG-CD-CE	-6.33	96.74	111.30
1	B	25	ARG	NE-CZ-NH1	6.25	127.75	121.50
1	B	349	LEU	O-C-N	6.19	124.54	120.27
1	B	78	GLN	OE1-CD-NE2	-6.08	116.52	122.60
1	B	462	ARG	NE-CZ-NH1	-6.07	115.43	121.50
1	A	76	ARG	CG-CD-NE	6.04	125.28	112.00
1	B	421	LYS	CA-C-O	-6.00	111.92	120.51
1	B	462	ARG	N-CA-CB	5.95	118.97	110.16
1	B	469	LYS	CA-CB-CG	-5.93	102.24	114.10
1	A	436	MET	CA-CB-CG	-5.90	102.31	114.10
1	B	67	LEU	CB-CG-CD1	5.65	127.66	110.70
1	B	25	ARG	CA-CB-CG	5.56	125.21	114.10
1	A	76	ARG	CA-C-O	5.49	124.71	120.48
1	B	77	PRO	N-CA-C	-5.45	102.63	111.14
1	B	395	GLU	CA-CB-CG	5.42	124.94	114.10
1	A	381	LYS	CB-CG-CD	5.29	123.47	111.30
1	B	180	GLN	N-CA-C	5.25	121.98	110.80
1	A	381	LYS	CG-CD-CE	5.17	123.19	111.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	47	ARG	Sidechain
1	B	146	GLU	Sidechain
1	B	25	ARG	Sidechain
1	B	420	ASN	Peptide
1	B	447	SER	Peptide
1	B	78	GLN	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3133	3159	3159	87	1
1	B	3150	3180	3179	160	1
2	A	48	25	24	1	0
2	B	48	25	24	4	0
3	A	11	8	8	2	0
3	B	11	8	8	1	0
4	A	1	0	0	1	0
4	B	1	0	0	0	0
5	A	3	0	0	0	0
5	B	1	0	0	0	0
6	A	5	0	0	2	0
6	B	4	0	0	0	0
All	All	6416	6405	6402	245	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (245) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:373:ARG:CG	1:B:373:ARG:CD	1.80	1.59
1:B:78:GLN:CB	1:B:78:GLN:CG	1.74	1.57
1:B:289:ILE:CG2	1:B:289:ILE:CB	1.75	1.57
1:B:421:LYS:CG	1:B:421:LYS:CB	1.84	1.55
1:B:25:ARG:CG	1:B:25:ARG:CB	1.87	1.53
1:B:25:ARG:CG	1:B:25:ARG:CD	1.90	1.48
1:B:175:LEU:CG	1:B:175:LEU:CD2	1.89	1.48
1:B:78:GLN:CG	1:B:78:GLN:CD	1.90	1.45
1:A:381:LYS:CE	1:A:381:LYS:NZ	1.79	1.44
1:B:175:LEU:CD2	1:B:175:LEU:CB	1.97	1.40
1:B:169:LEU:CG	1:B:169:LEU:CD2	2.11	1.28
2:A:501:NAP:O4D	2:A:501:NAP:C1D	1.64	1.27
2:B:501:NAP:O4B	2:B:501:NAP:C1B	1.64	1.22
1:B:172:THR:OG1	1:B:181:GLU:OE1	1.56	1.16
1:B:175:LEU:CD2	1:B:175:LEU:HB3	1.72	1.08

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:LEU:HB3	1:B:175:LEU:HD22	1.40	0.98
1:B:56:VAL:HG12	1:B:78:GLN:NE2	1.78	0.96
1:A:381:LYS:NZ	1:A:381:LYS:CD	2.30	0.94
1:B:169:LEU:CD2	1:B:169:LEU:CB	2.46	0.93
1:B:175:LEU:CA	1:B:175:LEU:HD23	2.01	0.90
1:A:172:THR:HG22	1:A:174:GLY:H	1.36	0.89
1:A:356:THR:HG21	1:A:361:LEU:HD13	1.55	0.88
1:B:139:LEU:H	1:B:139:LEU:HD23	1.39	0.87
1:B:175:LEU:HD23	1:B:175:LEU:C	1.99	0.87
1:B:289:ILE:CG2	1:B:289:ILE:CG1	2.52	0.86
1:B:175:LEU:CD2	1:B:175:LEU:CA	2.55	0.84
1:B:169:LEU:CD2	1:B:169:LEU:CA	2.54	0.84
1:B:169:LEU:CD2	1:B:169:LEU:HA	2.06	0.84
1:B:289:ILE:HG21	1:B:289:ILE:HD13	1.62	0.81
1:B:296:LEU:HD12	1:B:387:PHE:CG	2.19	0.77
1:B:291:ILE:O	1:B:295:THR:HG23	1.85	0.77
1:B:78:GLN:CG	1:B:78:GLN:CA	2.63	0.77
1:A:288:LYS:NZ	6:A:601:HOH:O	2.18	0.75
1:A:256:ALA:HB2	1:A:299:LYS:HG3	1.67	0.75
1:B:56:VAL:HG12	1:B:78:GLN:HE21	1.50	0.75
1:B:175:LEU:HG	1:B:247:TYR:OH	1.88	0.74
1:B:229:ASP:OD1	2:B:501:NAP:H6N	1.86	0.74
1:B:139:LEU:HG	1:B:140:PRO:HD3	1.67	0.74
1:B:56:VAL:CG1	1:B:78:GLN:HE21	2.01	0.72
1:B:296:LEU:HD12	1:B:387:PHE:CB	2.19	0.72
1:B:289:ILE:CG2	1:B:289:ILE:CA	2.67	0.72
1:B:256:ALA:HB2	1:B:299:LYS:HG3	1.72	0.71
1:B:56:VAL:CB	1:B:78:GLN:HE21	2.04	0.71
1:A:172:THR:HG21	4:A:503:CL:CL	2.28	0.70
1:B:373:ARG:CG	1:B:373:ARG:NE	2.54	0.69
1:B:433:ARG:HG2	1:B:433:ARG:HH11	1.55	0.69
1:B:78:GLN:CG	1:B:78:GLN:OE1	2.32	0.69
1:B:175:LEU:CD2	1:B:175:LEU:CD1	2.70	0.69
1:A:106:ARG:NH2	6:A:602:HOH:O	2.27	0.68
1:B:169:LEU:HA	1:B:169:LEU:HD23	1.76	0.68
1:B:164:PRO:CB	1:B:449:VAL:HG21	2.24	0.67
1:B:25:ARG:HH12	1:B:52:ILE:HG12	1.59	0.67
1:A:179:ASP:OD1	1:A:180:GLN:NE2	2.28	0.67
1:B:153:LEU:HD21	1:B:159:LEU:HD23	1.77	0.66
1:B:282:LYS:HE3	1:B:282:LYS:HA	1.78	0.65
1:B:296:LEU:HD12	1:B:387:PHE:HB2	1.77	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:LYS:HD3	1:B:222:CYS:H	1.61	0.65
1:B:264:ARG:HA	1:B:264:ARG:NE	2.11	0.65
1:B:56:VAL:HG12	1:B:78:GLN:HE22	1.61	0.65
1:B:100:ARG:HA	1:B:100:ARG:HE	1.62	0.64
1:B:56:VAL:CG1	1:B:78:GLN:NE2	2.56	0.64
1:B:220:GLN:CD	1:B:221:LYS:H	2.05	0.64
1:B:272:VAL:HG11	1:B:425:PHE:HB2	1.79	0.64
1:B:169:LEU:CD2	1:B:169:LEU:CD1	2.76	0.63
1:B:169:LEU:CA	1:B:169:LEU:HD22	2.28	0.62
1:A:146:GLU:HG3	1:A:169:LEU:HD11	1.80	0.62
1:B:438:LEU:O	1:B:442:GLU:HB2	1.99	0.62
1:B:139:LEU:HG	1:B:140:PRO:CD	2.29	0.62
1:A:283:TRP:HB2	1:A:285:MET:HE2	1.82	0.62
1:A:344:LEU:HG	1:A:369:VAL:HG22	1.81	0.62
1:B:172:THR:CG2	1:B:181:GLU:OE1	2.48	0.62
1:B:32:LEU:HG	1:B:128:LEU:HD11	1.81	0.61
1:B:170:LEU:HD12	1:B:176:LEU:HD22	1.83	0.60
1:B:58:LEU:HD12	1:B:77:PRO:HG3	1.82	0.60
1:B:56:VAL:HB	1:B:78:GLN:HE21	1.66	0.60
1:B:27:LYS:HE3	1:B:355:LEU:O	2.02	0.59
1:B:274:LEU:HD13	1:B:419:ARG:HA	1.84	0.59
1:A:349:LEU:HB3	1:A:350:PRO:HD3	1.84	0.59
1:B:175:LEU:HG	1:B:247:TYR:CZ	2.38	0.59
1:B:175:LEU:HD23	1:B:176:LEU:N	2.18	0.59
1:A:341:GLN:NE2	1:A:342:LEU:O	2.36	0.58
1:B:179:ASP:OD1	1:B:180:GLN:N	2.35	0.58
1:A:349:LEU:HB3	1:A:350:PRO:CD	2.32	0.58
1:A:58:LEU:HD12	1:A:77:PRO:HG3	1.85	0.58
1:B:141:THR:HG23	1:B:151:VAL:HG11	1.86	0.58
1:B:100:ARG:HA	1:B:100:ARG:NE	2.18	0.58
1:B:289:ILE:HG21	1:B:289:ILE:CD1	2.34	0.58
1:B:25:ARG:NH1	1:B:52:ILE:HG12	2.18	0.57
1:A:169:LEU:O	1:A:169:LEU:HD23	2.03	0.56
1:A:321:VAL:HB	1:A:380:GLU:HG2	1.87	0.56
1:A:356:THR:HG21	1:A:361:LEU:CD1	2.31	0.56
1:B:169:LEU:HA	1:B:169:LEU:HD22	1.85	0.56
1:B:420:ASN:O	1:B:422:GLU:HG3	2.05	0.56
1:B:289:ILE:CG2	1:B:289:ILE:CD1	2.83	0.56
1:B:411:ASN:O	1:B:415:VAL:HG23	2.07	0.55
1:B:282:LYS:HE3	1:B:282:LYS:CA	2.36	0.55
1:B:229:ASP:OD1	2:B:501:NAP:C6N	2.53	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:326:VAL:HG21	1:B:374:GLU:HG2	1.88	0.55
1:A:341:GLN:HE21	1:A:342:LEU:N	2.03	0.55
1:A:326:VAL:HG21	1:A:374:GLU:HG2	1.90	0.54
1:B:79:TYR:CE1	1:B:108:ARG:CZ	2.90	0.54
1:A:138:VAL:HG22	1:A:158:ALA:HA	1.89	0.54
1:B:437:ALA:O	1:B:440:GLU:HB2	2.08	0.54
1:A:412:GLU:CD	1:A:462:ARG:HH22	2.16	0.54
1:B:297:MET:HE2	1:B:389:CYS:HB3	1.90	0.54
1:A:328:HIS:O	1:A:329:SER:OG	2.27	0.53
1:B:164:PRO:CB	1:B:449:VAL:CG2	2.86	0.53
1:A:307:HIS:HD2	1:A:312:CYS:O	1.91	0.53
1:B:172:THR:HG22	1:B:174:GLY:H	1.73	0.53
1:B:65:LEU:HD11	1:B:87:LYS:HB3	1.91	0.53
1:B:417:ARG:HG2	1:B:422:GLU:OE2	2.09	0.53
1:B:433:ARG:HH11	1:B:433:ARG:CG	2.22	0.53
1:B:172:THR:CB	1:B:181:GLU:OE1	2.54	0.53
1:B:261:PHE:HZ	1:B:276:SER:HB2	1.74	0.53
1:B:274:LEU:HD12	1:B:418:PHE:CE1	2.44	0.53
1:B:279:LYS:HD3	1:B:279:LYS:O	2.09	0.53
1:B:433:ARG:HG2	1:B:433:ARG:NH1	2.23	0.53
1:B:156:LYS:HE3	1:B:302:GLU:OE1	2.09	0.52
1:B:421:LYS:CB	1:B:421:LYS:CD	2.82	0.52
1:A:49:PHE:HB3	1:A:52:ILE:HD12	1.92	0.52
1:B:256:ALA:HB2	1:B:299:LYS:CG	2.40	0.52
1:B:229:ASP:HA	2:B:501:NAP:H5N	1.92	0.52
1:B:175:LEU:HD11	1:B:239:LEU:HD13	1.92	0.52
1:A:167:ARG:HD2	1:A:173:ARG:HA	1.92	0.52
1:B:433:ARG:CG	1:B:433:ARG:NH1	2.72	0.52
1:A:376:ASN:HD22	1:B:376:ASN:ND2	2.08	0.51
1:A:169:LEU:CD2	1:A:222:CYS:SG	2.98	0.51
1:B:431:THR:O	1:B:435:VAL:HG23	2.10	0.51
1:A:172:THR:HG22	1:A:174:GLY:N	2.16	0.51
1:B:160:VAL:HG21	1:B:301:LEU:HD22	1.93	0.51
1:A:328:HIS:O	1:A:329:SER:CB	2.59	0.51
1:B:169:LEU:HD13	1:B:222:CYS:SG	2.51	0.51
1:A:177:TYR:HA	1:A:225:LEU:O	2.10	0.51
1:B:326:VAL:HG13	1:B:369:VAL:HG21	1.91	0.51
1:B:297:MET:SD	1:B:407:LEU:HD21	2.51	0.50
1:A:135:PHE:HE2	1:A:455:PHE:CE1	2.29	0.50
1:A:447:SER:OG	1:A:448:ASP:N	2.44	0.50
1:A:269:LEU:HA	1:A:272:VAL:CG1	2.41	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:LEU:HD21	1:A:82:LEU:HD11	1.94	0.50
1:A:113:ASP:OD1	1:A:113:ASP:N	2.44	0.50
1:A:407:LEU:HD12	1:A:436:MET:HE1	1.93	0.49
1:A:256:ALA:HB2	1:A:299:LYS:CG	2.41	0.49
1:B:172:THR:HG23	1:B:181:GLU:OE1	2.12	0.49
1:B:178:GLY:O	1:B:224:LEU:HD22	2.12	0.49
1:A:407:LEU:HD12	1:A:436:MET:CE	2.42	0.49
1:B:270:GLU:CD	1:B:426:VAL:HG21	2.37	0.49
1:B:291:ILE:HG23	1:B:425:PHE:HE1	1.77	0.49
1:B:273:THR:OG1	1:B:276:SER:N	2.44	0.48
1:B:403:ALA:O	1:B:436:MET:HE1	2.13	0.48
1:A:313:PRO:HD2	1:A:316:SER:OG	2.13	0.48
1:A:280:HIS:HB2	1:A:290:THR:HG23	1.95	0.48
1:A:283:TRP:CD1	3:A:502:FOM:H32	2.48	0.48
1:B:62:GLY:HA2	1:B:65:LEU:HD21	1.94	0.48
1:B:448:ASP:OD1	1:B:448:ASP:O	2.32	0.48
1:B:139:LEU:H	1:B:139:LEU:CD2	2.14	0.47
1:B:452:GLN:HA	1:B:455:PHE:HB2	1.96	0.47
1:A:265:THR:HG23	1:A:268:GLU:OE1	2.15	0.47
1:B:450:SER:O	1:B:454:VAL:HG23	2.15	0.47
1:B:279:LYS:HD3	1:B:279:LYS:C	2.39	0.46
1:A:230:SER:HB3	3:A:502:FOM:C1	2.46	0.46
1:A:451:LEU:HG	1:A:455:PHE:HE2	1.81	0.46
1:A:275:GLU:H	1:A:275:GLU:CD	2.24	0.46
1:A:396:ALA:CB	1:A:407:LEU:HD13	2.46	0.46
1:B:172:THR:CG2	1:B:174:GLY:H	2.29	0.46
1:A:265:THR:O	1:A:269:LEU:HG	2.15	0.46
1:B:88:VAL:HG13	1:B:89:ALA:N	2.31	0.46
1:A:265:THR:HG23	1:A:268:GLU:CD	2.41	0.45
1:A:269:LEU:HA	1:A:272:VAL:HG13	1.99	0.45
1:A:341:GLN:NE2	1:A:342:LEU:C	2.74	0.45
1:A:376:ASN:HB3	1:B:378:THR:HG22	1.97	0.45
1:B:423:ILE:HG22	1:B:470:PRO:HG3	1.99	0.45
1:A:407:LEU:HD12	1:A:436:MET:SD	2.57	0.45
1:B:62:GLY:HA2	1:B:65:LEU:CD2	2.47	0.45
1:B:164:PRO:HB2	1:B:449:VAL:CG2	2.46	0.45
1:B:295:THR:OG1	1:B:297:MET:HB3	2.17	0.45
1:A:169:LEU:CD2	1:A:169:LEU:C	2.90	0.45
1:B:274:LEU:CD1	1:B:419:ARG:HA	2.46	0.45
1:A:434:HIS:O	1:A:438:LEU:HG	2.17	0.45
1:B:231:GLU:OE2	3:B:502:FOM:H22	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:LEU:HA	1:A:70:GLU:HG2	1.99	0.44
1:A:399:ARG:HD2	1:A:440:GLU:OE1	2.18	0.44
1:B:399:ARG:CZ	1:B:440:GLU:OE1	2.66	0.44
1:B:177:TYR:CE2	1:B:309:ALA:HB1	2.52	0.44
1:A:274:LEU:HD13	1:A:419:ARG:HA	1.98	0.44
1:B:79:TYR:CE1	1:B:108:ARG:NH2	2.85	0.44
1:B:138:VAL:HG22	1:B:158:ALA:HA	1.98	0.44
1:B:438:LEU:O	1:B:442:GLU:CB	2.64	0.44
1:A:48:GLU:HG3	1:A:365:TRP:CZ3	2.53	0.44
1:B:169:LEU:HD22	1:B:169:LEU:C	2.43	0.44
1:A:157:GLU:OE1	1:A:157:GLU:N	2.41	0.43
1:A:321:VAL:HB	1:A:380:GLU:CG	2.47	0.43
1:B:137:GLY:C	1:B:140:PRO:HD2	2.43	0.43
1:A:450:SER:O	1:A:454:VAL:HG23	2.19	0.43
1:B:157:GLU:HG2	1:B:412:GLU:OE1	2.17	0.43
1:B:172:THR:HG22	1:B:174:GLY:N	2.33	0.43
1:A:180:GLN:C	1:A:182:ARG:H	2.26	0.43
1:A:444:ASP:OD1	1:A:446:PHE:CE2	2.72	0.43
1:B:328:HIS:O	1:B:329:SER:CB	2.66	0.43
1:A:170:LEU:HD13	1:A:176:LEU:HD22	2.00	0.43
1:A:396:ALA:HB2	1:A:407:LEU:HD13	1.99	0.43
1:B:347:MET:HE3	1:B:347:MET:HB3	1.81	0.43
1:A:253:LEU:HD22	1:A:320:LEU:HD11	2.00	0.43
1:B:388:GLY:O	1:B:392:LEU:HG	2.19	0.43
1:A:139:LEU:N	1:A:140:PRO:HD2	2.34	0.43
1:A:338:THR:HB	1:B:342:LEU:HB2	2.01	0.43
1:B:164:PRO:HB3	1:B:449:VAL:HG21	1.99	0.43
1:B:446:PHE:HB3	1:B:448:ASP:OD1	2.19	0.43
1:A:182:ARG:HB2	1:A:182:ARG:CZ	2.49	0.43
1:A:288:LYS:HE3	1:A:292:ASP:OD2	2.19	0.43
1:B:420:ASN:O	1:B:422:GLU:CG	2.67	0.42
1:B:451:LEU:HG	1:B:455:PHE:CE2	2.54	0.42
1:B:270:GLU:HB2	1:B:271:GLN:NE2	2.34	0.42
1:A:271:GLN:O	1:A:271:GLN:NE2	2.53	0.42
1:B:48:GLU:OE2	1:B:48:GLU:O	2.37	0.42
1:B:81:TYR:CD2	1:B:116:LEU:HD13	2.55	0.42
1:A:169:LEU:HD23	1:A:169:LEU:C	2.44	0.42
1:A:341:GLN:HE21	1:A:342:LEU:C	2.27	0.42
1:A:162:ALA:O	1:A:166:PHE:HD1	2.03	0.42
1:B:270:GLU:OE2	1:B:426:VAL:HG21	2.20	0.42
1:A:141:THR:HG23	1:A:151:VAL:HG11	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:LYS:NZ	1:A:381:LYS:HD3	2.28	0.41
1:B:156:LYS:HE2	1:B:298:ASN:ND2	2.34	0.41
1:B:376:ASN:O	1:B:377:LEU:HD23	2.19	0.41
1:B:459:HIS:O	1:B:463:THR:HG23	2.20	0.41
1:A:179:ASP:C	1:A:181:GLU:H	2.28	0.41
1:A:451:LEU:HG	1:A:455:PHE:CE2	2.54	0.41
1:B:428:ILE:O	1:B:432:VAL:HG23	2.19	0.41
1:A:171:SER:O	1:A:171:SER:OG	2.39	0.41
1:B:321:VAL:HB	1:B:380:GLU:HG3	2.02	0.41
1:B:451:LEU:HG	1:B:455:PHE:HE2	1.86	0.41
1:A:280:HIS:ND1	1:A:281:PRO:HD2	2.35	0.41
1:B:65:LEU:HD11	1:B:87:LYS:CB	2.51	0.41
1:B:163:GLY:N	1:B:164:PRO:CD	2.83	0.41
1:B:221:LYS:CE	1:B:221:LYS:HA	2.51	0.41
1:A:417:ARG:HG2	1:A:422:GLU:OE2	2.20	0.41
1:B:269:LEU:O	1:B:272:VAL:HG12	2.21	0.41
1:A:381:LYS:NZ	1:A:381:LYS:HD2	2.28	0.40
1:A:431:THR:O	1:A:435:VAL:HG23	2.22	0.40
1:B:261:PHE:CZ	1:B:276:SER:HB2	2.55	0.40
1:B:359:HIS:CG	1:B:360:ARG:N	2.90	0.40
1:A:335:ASP:OD2	1:B:349:LEU:CD1	2.69	0.40
1:B:175:LEU:HD23	1:B:175:LEU:HA	1.96	0.40
1:B:164:PRO:HB2	1:B:449:VAL:HG23	2.03	0.40
1:A:264:ARG:NH2	1:A:268:GLU:OE2	2.54	0.40
1:B:119:LEU:O	1:B:122:VAL:HG22	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:ARG:HH22	1:B:447:SER:H[3_565]	1.12	0.48

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	406/472 (86%)	393 (97%)	11 (3%)	2 (0%)	24	33
1	B	408/472 (86%)	392 (96%)	13 (3%)	3 (1%)	18	25
All	All	814/944 (86%)	785 (96%)	24 (3%)	5 (1%)	21	28

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	180	GLN
1	A	329	SER
1	B	448	ASP
1	A	181	GLU
1	B	329	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	326/379 (86%)	325 (100%)	1 (0%)	86	91
1	B	328/379 (86%)	328 (100%)	0	100	100
All	All	654/758 (86%)	653 (100%)	1 (0%)	87	93

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	229	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	155	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	240	GLN
1	A	271	GLN
1	A	307	HIS
1	A	341	GLN
1	A	385	ASN
1	B	78	GLN
1	B	98	HIS
1	B	240	GLN
1	B	376	ASN
1	B	420	ASN
1	B	452	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FOM	A	502	-	10,10,10	3.60	4 (40%)	11,13,13	2.10	6 (54%)
2	NAP	A	501	5	50,52,52	3.92	19 (38%)	71,80,80	1.99	23 (32%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	B	501	-	50,52,52	3.92	16 (32%)	71,80,80	2.16	21 (29%)
3	FOM	B	502	-	10,10,10	3.86	2 (20%)	11,13,13	1.74	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FOM	A	502	-	-	5/7/9/9	-
2	NAP	A	501	5	-	7/35/67/67	0/5/5/5
2	NAP	B	501	-	-	7/35/67/67	0/5/5/5
3	FOM	B	502	-	-	5/7/9/9	-

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NAP	O4D-C1D	18.26	1.64	1.40
2	B	501	NAP	O4D-C1D	16.38	1.62	1.40
2	B	501	NAP	O4B-C1B	9.90	1.64	1.42
2	B	501	NAP	C2B-C1B	-8.78	1.31	1.53
3	B	502	FOM	PA1-C4	8.71	1.88	1.78
2	A	501	NAP	C2B-C1B	-8.41	1.32	1.53
3	B	502	FOM	C1-N1	8.16	1.46	1.34
2	A	501	NAP	O4B-C1B	8.01	1.60	1.42
3	A	502	FOM	PA1-C4	7.89	1.87	1.78
2	B	501	NAP	C7N-N7N	7.56	1.46	1.33
3	A	502	FOM	C1-N1	7.35	1.45	1.34
2	A	501	NAP	C7N-N7N	6.96	1.45	1.33
2	B	501	NAP	PN-O3	6.26	1.66	1.59
2	A	501	NAP	PN-O3	6.11	1.66	1.59
2	A	501	NAP	O4D-C4D	-6.03	1.31	1.45
2	B	501	NAP	O4D-C4D	-5.95	1.31	1.45
2	B	501	NAP	O4B-C4B	-5.86	1.32	1.45
2	A	501	NAP	O4B-C4B	-5.55	1.32	1.45
2	B	501	NAP	PA-O3	5.24	1.65	1.59
2	B	501	NAP	C6A-N6A	4.37	1.45	1.34
2	A	501	NAP	P2B-O2B	4.11	1.66	1.59
2	B	501	NAP	O2D-C2D	4.05	1.53	1.43
2	A	501	NAP	PA-O3	3.91	1.63	1.59
2	A	501	NAP	C6A-N6A	3.51	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	NAP	P2B-O2B	3.43	1.65	1.59
2	B	501	NAP	O7N-C7N	-3.14	1.18	1.24
2	A	501	NAP	O2D-C2D	2.99	1.50	1.43
2	B	501	NAP	C5A-N7A	-2.84	1.33	1.39
2	A	501	NAP	C5A-N7A	-2.84	1.33	1.39
2	B	501	NAP	O3D-C3D	-2.76	1.36	1.43
2	A	501	NAP	O7N-C7N	-2.72	1.19	1.24
2	A	501	NAP	O3B-C3B	-2.71	1.36	1.43
2	B	501	NAP	C5A-C4A	-2.71	1.34	1.39
2	A	501	NAP	C3N-C7N	2.70	1.54	1.50
2	A	501	NAP	C2N-N1N	2.59	1.37	1.35
3	A	502	FOM	O2-N1	2.45	1.42	1.39
2	A	501	NAP	O3D-C3D	-2.19	1.37	1.43
2	A	501	NAP	C5A-C4A	-2.16	1.35	1.39
3	A	502	FOM	PA1-OP3	-2.16	1.50	1.55
2	A	501	NAP	PA-O5B	2.07	1.67	1.59
2	B	501	NAP	C8A-N9A	-2.03	1.34	1.37

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	NAP	C4D-O4D-C1D	-7.44	103.11	109.92
2	A	501	NAP	C5A-C4A-N3A	-5.23	119.52	126.72
2	B	501	NAP	N3A-C2A-N1A	-4.93	121.12	128.58
2	B	501	NAP	C5A-C4A-N3A	-4.70	120.24	126.72
2	A	501	NAP	N3A-C2A-N1A	-4.35	122.00	128.58
2	B	501	NAP	N6A-C6A-N1A	-4.21	109.00	118.38
2	B	501	NAP	C2B-C1B-N9A	-4.20	106.84	113.75
2	B	501	NAP	C4A-N9A-C1B	-4.17	116.88	126.63
2	A	501	NAP	N6A-C6A-N1A	-4.15	109.12	118.38
2	A	501	NAP	N9A-C8A-N7A	-4.08	108.14	113.94
2	A	501	NAP	C6N-N1N-C2N	-4.08	118.41	121.88
2	B	501	NAP	N9A-C8A-N7A	-3.99	108.27	113.94
2	A	501	NAP	C4A-N9A-C1B	-3.78	117.79	126.63
3	A	502	FOM	C3-C2-N1	3.74	118.77	111.12
2	A	501	NAP	O7N-C7N-N7N	-3.71	117.25	122.62
2	B	501	NAP	C1B-N9A-C8A	3.66	135.22	127.09
2	A	501	NAP	N3A-C4A-N9A	3.54	133.18	127.17
2	B	501	NAP	P2B-O2B-C2B	-3.40	114.34	123.43
2	B	501	NAP	C5A-C6A-N6A	3.31	131.48	123.29
2	A	501	NAP	C3N-C7N-N7N	3.23	121.72	117.74
2	A	501	NAP	C1B-N9A-C8A	3.14	134.06	127.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	NAP	O4D-C4D-C3D	3.14	111.38	105.15
2	A	501	NAP	C6A-C5A-C4A	2.96	121.23	117.18
2	A	501	NAP	C5A-C6A-N6A	2.93	130.53	123.29
2	B	501	NAP	O3B-C3B-C4B	-2.88	102.82	111.08
2	B	501	NAP	O5B-C5B-C4B	-2.88	99.20	108.99
2	A	501	NAP	C5A-N7A-C8A	2.87	107.95	103.45
2	B	501	NAP	N3A-C4A-N9A	2.84	131.99	127.17
2	B	501	NAP	C5A-N7A-C8A	2.82	107.89	103.45
2	B	501	NAP	C2A-N3A-C4A	2.82	118.72	111.83
3	B	502	FOM	PA1-C4-C3	-2.79	111.51	114.94
3	B	502	FOM	OP2-PA1-OP1	-2.72	105.36	112.39
3	B	502	FOM	O1-C1-N1	-2.65	118.72	125.49
3	A	502	FOM	O1-C1-N1	-2.64	118.73	125.49
3	A	502	FOM	O2-N1-C2	2.61	119.84	113.81
2	A	501	NAP	C2A-N3A-C4A	2.60	118.19	111.83
2	B	501	NAP	C6A-C5A-C4A	2.56	120.67	117.18
2	A	501	NAP	O2X-P2B-O2B	2.51	115.62	105.85
2	A	501	NAP	C2B-C1B-N9A	-2.50	109.63	113.75
3	A	502	FOM	C4-C3-C2	-2.41	105.77	111.33
2	A	501	NAP	C2D-C3D-C4D	2.39	107.23	102.61
2	A	501	NAP	C2N-N1N-C1D	2.35	124.31	119.13
2	A	501	NAP	O2D-C2D-C3D	-2.33	104.34	111.82
2	B	501	NAP	O4D-C4D-C5D	-2.30	101.98	109.33
2	A	501	NAP	O2A-PA-O3	2.25	113.35	107.27
2	A	501	NAP	C4A-N9A-C8A	2.22	108.07	105.74
3	B	502	FOM	O2-N1-C2	2.16	118.81	113.81
2	B	501	NAP	C3N-C7N-N7N	2.15	120.39	117.74
2	A	501	NAP	P2B-O2B-C2B	-2.12	117.77	123.43
2	B	501	NAP	C4A-C5A-N7A	-2.10	108.18	110.58
3	A	502	FOM	OP3-PA1-OP1	-2.10	106.95	112.39
2	A	501	NAP	O2N-PN-O3	2.08	112.91	107.27
2	B	501	NAP	C4A-N9A-C8A	2.06	107.90	105.74
3	A	502	FOM	OP2-PA1-C4	2.05	111.82	106.91

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAP	O4D-C1D-N1N-C2N
2	B	501	NAP	O4D-C1D-N1N-C2N
3	A	502	FOM	C3-C2-N1-O2
3	A	502	FOM	N1-C2-C3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	502	FOM	C3-C4-PA1-OP1
3	A	502	FOM	C3-C4-PA1-OP2
3	A	502	FOM	C3-C4-PA1-OP3
3	B	502	FOM	C3-C2-N1-O2
3	B	502	FOM	N1-C2-C3-C4
3	B	502	FOM	C3-C4-PA1-OP1
3	B	502	FOM	C3-C4-PA1-OP2
3	B	502	FOM	C3-C4-PA1-OP3
2	B	501	NAP	O4B-C4B-C5B-O5B
2	B	501	NAP	C3B-C4B-C5B-O5B
2	A	501	NAP	C3B-C4B-C5B-O5B
2	A	501	NAP	O4B-C4B-C5B-O5B
2	A	501	NAP	O4D-C1D-N1N-C6N
2	B	501	NAP	O4D-C1D-N1N-C6N
2	A	501	NAP	C2B-O2B-P2B-O1X
2	A	501	NAP	C3D-C4D-C5D-O5D
2	B	501	NAP	C3B-C2B-O2B-P2B
2	B	501	NAP	C1B-C2B-O2B-P2B
2	A	501	NAP	PN-O3-PA-O2A
2	B	501	NAP	PN-O3-PA-O2A


There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	FOM	2	0
2	A	501	NAP	1	0
2	B	501	NAP	4	0
3	B	502	FOM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	410/472 (86%)	0.11	5 (1%) 76 78	53, 74, 121, 188	0
1	B	411/472 (87%)	0.53	32 (7%) 19 19	54, 89, 144, 198	1 (0%)
All	All	821/944 (86%)	0.32	37 (4%) 38 39	53, 80, 136, 198	1 (0%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	425	PHE	4.7
1	B	277	ALA	4.7
1	B	373	ARG	3.7
1	B	281	PRO	3.4
1	B	431	THR	3.4
1	B	229	ASP	3.2
1	A	229	ASP	3.1
1	B	409	ALA	3.1
1	B	406	CYS	2.9
1	B	449	VAL	2.8
1	B	466[A]	ARG	2.8
1	B	139	LEU	2.8
1	B	108	ARG	2.8
1	A	446	PHE	2.8
1	B	274	LEU	2.7
1	B	432	VAL	2.7
1	B	25	ARG	2.6
1	B	393	ALA	2.6
1	B	278	LEU	2.6
1	B	447	SER	2.6
1	B	289	ILE	2.5
1	A	444	ASP	2.5
1	B	434	HIS	2.4
1	B	294	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	78	GLN	2.3
1	B	180	GLN	2.3
1	B	435	VAL	2.3
1	B	261	PHE	2.2
1	A	222	CYS	2.2
1	B	276	SER	2.2
1	B	426	VAL	2.1
1	B	446	PHE	2.1
1	B	438	LEU	2.1
1	B	265	THR	2.0
1	B	421	LYS	2.0
1	B	293	SER	2.0
1	A	449	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FOM	B	502	11/11	0.77	0.12	92,109,130,130	0
4	CL	A	503	1/1	0.84	0.13	113,113,113,113	0
2	NAP	B	501	48/48	0.86	0.13	71,105,138,146	0
4	CL	B	503	1/1	0.86	0.17	116,116,116,116	0
5	MG	B	504	1/1	0.86	0.28	69,69,69,69	0
5	MG	A	505	1/1	0.88	0.24	91,91,91,91	0
3	FOM	A	502	11/11	0.93	0.12	80,96,117,117	0
2	NAP	A	501	48/48	0.94	0.10	55,81,106,111	0
5	MG	A	504	1/1	0.96	0.09	54,54,54,54	0
5	MG	A	506	1/1	0.97	0.11	77,77,77,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around NAP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.