



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:59 PM UTC

PDB ID : 6S7Z / pdb_00006s7z
Title : Fumarate hydratase of Mycobacterium tuberculosis in complex with formate and allosteric modulator N-(5-((3,4-Dihydroisoquinolin-2(1H)-yl)sulfonyl)-2-methoxyphenyl)-2-(4-oxo-3,4-dihydrophthalazin-1-yl)acetamide
Authors : Whitehouse, A.J.; Libardo, M.D.; Kasbekar, M.; Brear, P.; Fischer, G.; Thomas, C.J.; Barry, C.E.; Boshoff, H.I.; Coyne, A.G.; Abell, C.
Deposited on : 2019-07-07
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	5% 89% 6% 5%
1	B	474	9% 90% 6% ••
1	C	474	8% 85% 9% 5%
1	D	474	8% 86% 8% 5%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 15083 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fumarate hydratase class II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	11	0
			3445	2145	628	661	11			
1	B	458	Total	C	N	O	S	0	10	0
			3491	2171	635	672	13			
1	C	449	Total	C	N	O	S	0	14	0
			3469	2159	631	667	12			
1	D	448	Total	C	N	O	S	0	5	0
			3377	2103	614	649	11			

- Molecule 2 is {N}-[5-(3,4-dihydro-1 {H}-isoquinolin-2-ylsulfonyl)-2-methoxy-phenyl]-2-(4-oxidanylidene-3 {H}-phthalazin-1-yl)ethanamide (CCD ID: KZN) (formula: C₂₆H₂₄N₄O₅S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			36	26	4	5	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	S	0	0
			36	26	4	5	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			3	1	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	343	Total	O	0	0
			343	343		
5	B	306	Total	O	0	0
			306	306		
5	C	291	Total	O	0	0
			291	291		
5	D	285	Total	O	0	0
			285	285		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fumarate hydratase class II



• Molecule 1: Fumarate hydratase class II



• Molecule 1: Fumarate hydratase class II



• Molecule 1: Fumarate hydratase class II


Chain D:

8%

86%

8%

5%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	175.47Å 97.13Å 124.78Å 90.00° 102.74° 90.00°	Depositor
Resolution (Å)	52.20 – 1.85 52.20 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.3 (52.20-1.85) 99.3 (52.20-1.85)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.27 (at 1.84Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.195 , 0.229 0.196 , 0.229	Depositor DCC
R_{free} test set	8619 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	20.3	Xtriage
Anisotropy	0.099	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 29.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15083	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, MG, KZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.21	6/3490 (0.2%)	1.39	3/4741 (0.1%)
1	B	1.21	4/3540 (0.1%)	1.42	9/4810 (0.2%)
1	C	1.18	4/3515 (0.1%)	1.42	6/4774 (0.1%)
1	D	1.19	3/3423 (0.1%)	1.43	3/4651 (0.1%)
All	All	1.20	17/13968 (0.1%)	1.42	21/18976 (0.1%)

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	302	PRO	N-CA	12.93	1.69	1.47
1	C	143	PHE	C-N	11.32	1.49	1.34
1	B	321	MET	C-N	11.27	1.50	1.33
1	D	129	PRO	C-O	-6.75	1.15	1.24
1	B	39	PHE	C-N	6.64	1.49	1.33
1	A	96	PRO	C-O	-6.38	1.16	1.24
1	A	39	PHE	C-N	6.31	1.48	1.33
1	B	37	GLU	C-O	-6.26	1.16	1.24
1	C	96	PRO	C-O	-5.41	1.17	1.24
1	C	140	ASN	C-O	-5.35	1.17	1.24
1	A	290	LYS	C-O	-5.26	1.18	1.24
1	C	330	PRO	C-O	-5.25	1.17	1.24
1	B	377	THR	C-O	5.23	1.30	1.24
1	A	346	ALA	C-O	5.15	1.30	1.24
1	D	301	GLY	C-N	5.13	1.44	1.34
1	A	103	GLY	C-O	5.02	1.29	1.24
1	A	238	PRO	C-O	-5.02	1.17	1.23

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	321	MET	CA-C-N	10.73	131.91	119.47
1	B	321	MET	C-N-CA	10.73	131.91	119.47
1	B	39	PHE	O-C-N	-9.42	112.41	121.17
1	A	39	PHE	O-C-N	-8.78	112.62	121.31
1	C	143	PHE	O-C-N	-7.68	113.49	120.71
1	C	143	PHE	CA-C-N	7.38	127.25	119.05
1	C	143	PHE	C-N-CA	7.38	127.25	119.05
1	B	362	ILE	N-CA-CB	6.09	115.20	110.45
1	D	302	PRO	CA-N-CD	-5.97	103.15	111.50
1	C	140	ASN	CA-C-O	-5.78	113.57	120.10
1	A	275	VAL	N-CA-C	-5.43	105.23	110.72
1	B	38	ASN	CA-C-N	-5.37	116.88	122.89
1	B	38	ASN	C-N-CA	-5.37	116.88	122.89
1	A	176	ASP	CA-CB-CG	5.31	117.91	112.60
1	B	126	THR	CA-CB-OG1	-5.28	101.67	109.60
1	D	111	ASN	CA-CB-CG	5.23	117.83	112.60
1	D	452	GLU	CB-CG-CD	5.10	121.28	112.60
1	B	353	ASN	CA-CB-CG	-5.07	107.53	112.60
1	B	452	GLU	CB-CA-C	5.03	119.77	109.67
1	C	58	LYS	CA-C-N	5.01	125.51	119.94
1	C	58	LYS	C-N-CA	5.01	125.51	119.94

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3445	0	3483	17	0
1	B	3491	0	3524	20	0
1	C	3469	0	3500	36	0
1	D	3377	0	3412	28	0
2	A	36	0	0	0	0
2	C	36	0	0	0	0
3	B	1	0	0	0	0
4	B	3	0	1	1	0
5	A	343	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	306	0	0	3	0
5	C	291	0	0	6	0
5	D	285	0	0	7	0
All	All	15083	0	13920	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:302:PRO:N	1:D:302:PRO:CA	1.69	1.35
1:A:215[C]:ARG:HD2	5:A:602:HOH:O	1.79	0.81
1:D:360:VAL:HG22	5:D:671:HOH:O	1.82	0.78
1:D:295:ILE:HA	1:D:298:MET:HE3	1.76	0.66
1:B:319:SER:CB	1:C:130:ASN:OD1	2.43	0.66
1:D:408:ILE:HG12	1:D:463:MET:HE1	1.82	0.62
1:B:381:ARG:HD3	5:B:822:HOH:O	1.99	0.61
1:C:13:GLU:HG3	1:C:22:VAL:HG21	1.83	0.61
1:B:360:VAL:HG22	5:B:790:HOH:O	2.00	0.60
1:D:295:ILE:HA	1:D:298:MET:CE	2.33	0.59
4:B:502:FMT:H	5:C:656:HOH:O	2.03	0.58
1:B:349:TRP:CH2	1:C:341:ILE:HD13	2.39	0.57
1:A:15:ASP:HB3	1:A:34:ARG:HH21	1.69	0.57
1:C:194[B]:VAL:HG13	1:C:198:GLN:OE1	2.05	0.57
1:D:74[B]:GLU:H	1:D:74[B]:GLU:CD	2.12	0.56
1:C:466:ALA:HA	5:C:838:HOH:O	2.06	0.54
1:A:50[B]:GLN:NE2	1:A:143:PHE:CZ	2.75	0.54
1:A:436:ARG:NH2	1:A:451:ILE:HD11	2.23	0.53
1:D:158:HIS:HD2	5:D:586:HOH:O	1.90	0.53
1:B:319:SER:HB2	1:C:130:ASN:OD1	2.09	0.53
1:C:215[C]:ARG:NH2	5:C:608:HOH:O	2.39	0.51
1:C:165:GLN:OE1	1:C:381:ARG:NH1	2.40	0.51
1:C:194[B]:VAL:HG12	1:C:195:THR:N	2.26	0.51
1:D:381:ARG:HD3	5:D:707:HOH:O	2.10	0.51
1:A:50[C]:GLN:HG2	1:A:370:LEU:CD1	2.40	0.51
1:B:20:VAL:HG22	1:B:34:ARG:CZ	2.40	0.51
1:C:408:ILE:O	1:C:411:PRO:HD2	2.11	0.50
1:A:341[B]:ILE:HD13	1:D:349:TRP:CH2	2.47	0.49
1:A:30:ALA:O	1:A:34:ARG:HG2	2.13	0.49
1:B:319:SER:HB2	1:C:130:ASN:CG	2.37	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:62:ALA:HB2	1:C:79:ILE:HG21	1.94	0.49
1:C:360:VAL:HG22	5:C:802:HOH:O	2.11	0.49
1:B:313:ASP:OD1	1:B:325:VAL:HG21	2.12	0.49
1:B:341[A]:ILE:HD13	1:C:349:TRP:CZ3	2.48	0.49
1:D:165:GLN:NE2	1:D:385:GLN:OE1	2.44	0.48
1:B:456:ARG:HH21	1:B:456:ARG:HB3	1.79	0.48
1:D:445:ILE:HG13	1:D:451:ILE:HD11	1.96	0.48
1:D:110:MET:O	1:D:114:GLU:HG3	2.14	0.47
1:D:302:PRO:C	5:D:507:HOH:O	2.58	0.47
1:B:33:GLN:O	1:B:37:GLU:HG3	2.15	0.47
1:C:361:TYR:O	1:C:365:MET:HG3	2.14	0.47
1:B:341[A]:ILE:HD13	1:C:349:TRP:CH2	2.51	0.46
1:C:406:PRO:HB3	1:C:425:ALA:HB1	1.97	0.46
1:B:48:ARG:HG2	1:B:92:ASP:OD2	2.15	0.46
1:D:277:ALA:HB3	1:D:369[A]:ILE:HD11	1.97	0.45
1:D:396:GLU:HG3	5:D:746:HOH:O	2.15	0.45
1:C:293[A]:ASN:ND2	5:C:605:HOH:O	2.39	0.45
1:A:406:PRO:HD2	5:A:763:HOH:O	2.16	0.45
1:D:158:HIS:CD2	5:D:586:HOH:O	2.69	0.45
1:A:231:VAL:HG23	1:A:233:THR:HG23	1.99	0.45
1:A:50[B]:GLN:NE2	1:A:143:PHE:CE1	2.85	0.45
1:C:106[A]:THR:HA	1:C:139:SER:HB3	1.98	0.45
1:D:218:LEU:N	1:D:219:PRO:CD	2.80	0.45
1:C:329:LEU:HD11	1:C:386:ARG:HB2	1.99	0.44
1:D:385:GLN:NE2	5:D:514:HOH:O	2.50	0.44
1:C:277:ALA:HB3	1:C:369[A]:ILE:HD11	1.99	0.44
1:D:302:PRO:N	1:D:302:PRO:C	2.65	0.44
1:C:406:PRO:HD2	5:C:669:HOH:O	2.17	0.44
1:D:10:TYR:N	1:D:24:ALA:HB2	2.33	0.44
1:B:349:TRP:CZ3	1:C:341:ILE:HD13	2.51	0.44
1:B:106[B]:THR:HG22	1:B:110:MET:HE2	1.99	0.43
1:D:308:GLU:HB3	1:D:398:LEU:HD21	2.00	0.43
1:C:218:LEU:N	1:C:219:PRO:CD	2.81	0.43
1:C:10:TYR:N	1:C:24:ALA:HB2	2.33	0.43
1:D:143:PHE:N	1:D:144:PRO:HD2	2.33	0.43
1:A:143:PHE:N	1:A:144:PRO:HD2	2.34	0.43
1:B:143:PHE:N	1:B:144:PRO:HD2	2.34	0.43
1:A:103:GLY:HA3	1:A:360:VAL:O	2.19	0.43
1:C:410:THR:N	1:C:411:PRO:CD	2.82	0.42
1:A:301:GLY:HA3	1:A:302:PRO:HA	1.84	0.42
1:C:449:LEU:HD23	1:C:449:LEU:N	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341[B]:ILE:HD13	1:D:349:TRP:CZ3	2.55	0.42
1:C:165:GLN:HE22	1:C:385:GLN:CG	2.32	0.42
1:C:445:ILE:HD11	1:C:454:LEU:HD22	2.01	0.42
1:C:165:GLN:NE2	1:C:385:GLN:HG3	2.35	0.42
1:A:224:LEU:HD12	1:A:246:VAL:HG22	2.01	0.42
1:D:187:HIS:O	1:D:188:LEU:HB2	2.20	0.41
1:A:173:LYS:HA	1:A:173:LYS:HD3	1.90	0.41
1:D:66:SER:HB2	1:D:76:ALA:CB	2.51	0.41
1:B:362:ILE:N	1:B:363:PRO:CD	2.84	0.41
1:D:329:LEU:HD23	1:D:329:LEU:HA	1.94	0.41
1:C:103:GLY:HA3	1:C:360:VAL:O	2.20	0.41
1:C:13:GLU:HG3	1:C:22:VAL:CG2	2.50	0.41
1:D:445:ILE:HG13	1:D:451:ILE:CD1	2.51	0.41
1:A:15:ASP:HB3	1:A:34:ARG:NH2	2.34	0.41
1:B:39:PHE:CE1	1:C:328:VAL:HG13	2.55	0.40
1:B:354:GLY:HA2	5:B:790:HOH:O	2.22	0.40
1:B:102:THR:OG1	1:C:328:VAL:HG22	2.21	0.40
1:D:307:ALA:O	1:D:397:HIS:HD2	2.04	0.40
1:C:369[B]:ILE:HD12	1:C:369[B]:ILE:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	456/474 (96%)	446 (98%)	10 (2%)	0	100	100
1	B	467/474 (98%)	455 (97%)	12 (3%)	0	100	100
1	C	460/474 (97%)	452 (98%)	8 (2%)	0	100	100
1	D	449/474 (95%)	440 (98%)	9 (2%)	0	100	100
All	All	1832/1896 (97%)	1793 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	356/364 (98%)	355 (100%)	1 (0%)	86	85
1	B	362/364 (100%)	359 (99%)	3 (1%)	73	67
1	C	359/364 (99%)	358 (100%)	1 (0%)	86	85
1	D	348/364 (96%)	346 (99%)	2 (1%)	78	73
All	All	1425/1456 (98%)	1418 (100%)	7 (0%)	81	77

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	VAL
1	B	320	ILE
1	B	329	LEU
1	B	456	ARG
1	C	328	VAL
1	D	379	VAL
1	D	456	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	164	GLN
1	A	165	GLN
1	A	178	HIS
1	A	236	ASN
1	A	252	GLN
1	A	339	GLN
1	A	385	GLN
1	B	206	GLN
1	B	268	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	368	ASN
1	C	164	GLN
1	C	252	GLN
1	C	339	GLN
1	C	343	ASN
1	D	14	HIS
1	D	31	GLN
1	D	158	HIS
1	D	164	GLN
1	D	165	GLN
1	D	368	ASN
1	D	385	GLN
1	D	437	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	FMT	B	502	-	2,2,2	0.19	0	1,1,1	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	KZN	A	501	-	40,40,40	0.38	0	53,58,58	0.60	1 (1%)
2	KZN	C	501	-	40,40,40	0.61	2 (5%)	53,58,58	0.67	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	KZN	A	501	-	-	6/22/31/31	0/5/5/5
2	KZN	C	501	-	-	7/22/31/31	0/5/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	KZN	C17-N3	2.18	1.50	1.47
2	C	501	KZN	N2-N1	2.02	1.43	1.38

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	KZN	C17-N3-S	2.89	122.14	116.84
2	A	501	KZN	C17-N3-S	2.16	120.80	116.84

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	501	KZN	C17-N3-S-O
2	A	501	KZN	C17-N3-S-O
2	C	501	KZN	C17-N3-S-C
2	A	501	KZN	C17-N3-S-C
2	A	501	KZN	C1-C-S-N3
2	A	501	KZN	C1-C-S-O4
2	A	501	KZN	C16-C-S-O4
2	A	501	KZN	C16-C-S-N3
2	C	501	KZN	C16-C-S-O4
2	C	501	KZN	C1-C-S-O4
2	C	501	KZN	C16-C-S-N3
2	C	501	KZN	C1-C-S-N3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	501	KZN	C17-N3-S-O4


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	502	FMT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	449/474 (94%)	0.22	26 (5%)	29	31	7, 20, 47, 127	11 (2%)
1	B	458/474 (96%)	0.36	43 (9%)	14	14	5, 20, 63, 109	10 (2%)
1	C	449/474 (94%)	0.32	39 (8%)	16	16	6, 21, 56, 108	14 (3%)
1	D	448/474 (94%)	0.29	39 (8%)	16	16	7, 21, 56, 115	5 (1%)
All	All	1804/1896 (95%)	0.30	147 (8%)	18	19	5, 20, 57, 127	40 (2%)

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	215[B]	ARG	10.5
1	A	10	TYR	7.9
1	B	10	TYR	7.0
1	B	317	GLY	6.9
1	C	10	TYR	6.9
1	A	17	MET	6.5
1	A	12	ILE	6.3
1	A	16	THR	6.1
1	C	139	SER	6.1
1	D	418	TYR	5.8
1	D	17	MET	5.7
1	B	17	MET	5.6
1	A	314[A]	LEU	5.5
1	B	15	ASP	5.5
1	B	320	ILE	5.5
1	B	325	VAL	5.2
1	B	12	ILE	5.2
1	B	451	ILE	5.1
1	A	14	HIS	5.1
1	C	215[A]	ARG	5.1
1	D	10	TYR	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	14	HIS	5.0
1	A	15	ASP	4.9
1	D	12	ILE	4.9
1	B	445	ILE	4.8
1	B	444	LEU	4.8
1	C	447	ASP	4.7
1	D	16	THR	4.5
1	B	467	GLU	4.5
1	C	130	ASN	4.5
1	C	12	ILE	4.4
1	C	25	LYS	4.3
1	B	430	LYS	4.3
1	A	467	GLU	4.2
1	C	14	HIS	4.1
1	B	16	THR	4.1
1	A	19	GLU	4.0
1	A	24	ALA	4.0
1	B	432	ARG	3.9
1	B	314	LEU	3.8
1	B	466	ALA	3.8
1	B	18	GLY	3.8
1	D	123	GLY	3.8
1	B	24	ALA	3.8
1	C	467	GLU	3.8
1	C	16	THR	3.7
1	C	314	LEU	3.6
1	A	215[A]	ARG	3.6
1	B	319	SER	3.6
1	B	418	TYR	3.6
1	D	14	HIS	3.5
1	D	15	ASP	3.5
1	A	324	LYS	3.5
1	C	22	VAL	3.5
1	C	24	ALA	3.4
1	B	44	ARG	3.4
1	C	15	ASP	3.3
1	D	448	ARG	3.3
1	A	25	LYS	3.3
1	A	418	TYR	3.3
1	D	18	GLY	3.2
1	C	20	VAL	3.1
1	B	322	PRO	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	448	ARG	3.1
1	B	321	MET	3.1
1	C	93	ASP	3.1
1	C	23	PRO	3.1
1	C	122	LYS	3.0
1	C	21	ARG	3.0
1	C	418	TYR	3.0
1	A	18	GLY	3.0
1	B	318	SER	2.9
1	A	20	VAL	2.9
1	B	316	PRO	2.9
1	B	429	LEU	2.9
1	B	447	ASP	2.8
1	D	450	SER	2.8
1	D	416	ILE	2.8
1	C	324	LYS	2.8
1	D	452	GLU	2.8
1	D	466	ALA	2.8
1	A	50[B]	GLN	2.8
1	D	314	LEU	2.8
1	C	125	VAL	2.8
1	C	123	GLY	2.8
1	A	13	GLU	2.8
1	A	448	ARG	2.7
1	B	11	ARG	2.7
1	A	11	ARG	2.7
1	D	432	ARG	2.7
1	B	439	VAL	2.7
1	C	18	GLY	2.6
1	D	445	ILE	2.6
1	D	447	ASP	2.6
1	A	21	ARG	2.6
1	B	452	GLU	2.6
1	C	92	ASP	2.6
1	D	20	VAL	2.6
1	D	429	LEU	2.5
1	A	466	ALA	2.5
1	D	121	ALA	2.5
1	B	450	SER	2.5
1	B	448	ARG	2.5
1	D	451	ILE	2.5
1	D	449	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	456	ARG	2.5
1	B	26	ALA	2.5
1	D	23	PRO	2.5
1	C	87	ALA	2.4
1	D	122	LYS	2.4
1	D	415	ALA	2.4
1	D	125	VAL	2.4
1	B	440	ILE	2.4
1	C	26	ALA	2.4
1	D	446	GLY	2.4
1	C	449	LEU	2.4
1	B	21	ARG	2.4
1	B	20	VAL	2.4
1	C	124	GLY	2.4
1	D	324	LYS	2.4
1	A	313	ASP	2.3
1	D	24	ALA	2.3
1	D	443	GLY	2.3
1	C	19	GLU	2.3
1	C	121	ALA	2.3
1	C	466	ALA	2.3
1	D	89	GLY	2.3
1	B	48	ARG	2.3
1	C	445	ILE	2.3
1	D	25	LYS	2.3
1	D	26	ALA	2.2
1	C	88	ASP	2.2
1	B	431	GLU	2.2
1	D	453	ASP	2.2
1	B	446	GLY	2.1
1	D	48	ARG	2.1
1	C	17	MET	2.1
1	A	447	ASP	2.1
1	A	48	ARG	2.1
1	B	22	VAL	2.1
1	C	417	GLY	2.1
1	C	446	GLY	2.1
1	D	124	GLY	2.1
1	A	22	VAL	2.1
1	D	19	GLU	2.0
1	B	423	ALA	2.0
1	C	74[A]	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FMT	B	502	3/3	0.93	0.22	20,20,20,20	0
3	MG	B	501	1/1	0.95	0.17	30,30,30,30	0
2	KZN	C	501	36/36	0.96	0.07	17,21,30,32	0
2	KZN	A	501	36/36	0.97	0.06	14,22,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around KZN C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around KZN A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.