



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:48 PM UTC

PDB ID : 6S88 / pdb_00006s88
Title : Fumarate hydratase of Mycobacterium tuberculosis in complex with formate and allosteric modulator N-(2-Methoxy-5-((1,2,4,5-tetrahydro-3H-benzo[d]azepin-3-yl)sulfonyl)phenyl)-2-(4-oxo-3,4-dihydrophthalazin-1-yl)acetamide
Authors : Whitehouse, A.J.; Libardo, M.D.; Kasbekar, M.; Brear, P.; Fischer, G.; Thomas, C.J.; Barry, C.E.; Boshoff, H.I.; Coyne, A.G.; Abell, C.
Deposited on : 2019-07-08
Resolution : 1.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	7% 90% 5% 5%
1	B	474	11% 90% 6% •
1	C	474	11% 87% 7% 5%
1	D	474	8% 88% 7% 5%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 15219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fumarate hydratase class II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	450	Total	C	N	O	S	0	11	0
			3442	2139	628	663	12			
1	B	458	Total	C	N	O	S	0	14	0
			3521	2190	642	675	14			
1	C	451	Total	C	N	O	S	0	11	0
			3448	2146	627	663	12			
1	D	448	Total	C	N	O	S	0	10	0
			3418	2127	622	657	12			

- Molecule 2 is {N}-[2-methoxy-5-(1,2,4,5-tetrahydro-3-benzazepin-3-ylsulfonyl)phenyl]-2-(4-oxidanylidene-3 {H}-phthalazin-1-yl)ethanamide (CCD ID: L0K) (formula: C₂₇H₂₆N₄O₅S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			37	27	4	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	S	0	0
			37	27	4	5	1		

- Molecule 3 is FORMIC ACID (CCD ID: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			3	1	2		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	360	Total	O	0	0
			360	360		
5	B	319	Total	O	0	0
			319	319		
5	C	318	Total	O	0	0
			318	318		
5	D	315	Total	O	0	0
			315	315		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fumarate hydratase class II




• Molecule 1: Fumarate hydratase class II







• Molecule 1: Fumarate hydratase class II





● Molecule 1: Fumarate hydratase class II



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	175.71Å 96.78Å 124.80Å 90.00° 102.74° 90.00°	Depositor
Resolution (Å)	84.41 – 1.59 84.41 – 1.59	Depositor EDS
% Data completeness (in resolution range)	89.3 (84.41-1.59) 89.3 (84.41-1.59)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 1.58Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.184 , 0.205 (Not available) , 0.202	Depositor DCC
R_{free} test set	12431 reflections (4.52%)	wwPDB-VP
Wilson B-factor (Å ²)	18.8	Xtriage
Anisotropy	0.078	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15219	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: L0K, FMT, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	2/3491 (0.1%)	1.28	1/4741 (0.0%)
1	B	1.11	2/3570 (0.1%)	1.32	9/4850 (0.2%)
1	C	1.10	2/3498 (0.1%)	1.32	5/4753 (0.1%)
1	D	1.13	3/3464 (0.1%)	1.31	5/4707 (0.1%)
All	All	1.11	9/14023 (0.1%)	1.31	20/19051 (0.1%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	322	PRO	N-CD	-8.26	1.36	1.47
1	B	329	LEU	C-O	-5.99	1.18	1.24
1	A	282	ARG	C-O	5.96	1.31	1.24
1	D	372	SER	C-O	5.62	1.30	1.24
1	C	275	VAL	C-O	5.43	1.30	1.24
1	D	145	THR	C-O	5.37	1.30	1.24
1	B	276	GLU	C-O	5.23	1.30	1.24
1	D	235	LEU	C-O	5.14	1.30	1.23
1	A	109	ASN	C-O	5.11	1.29	1.24

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	142	THR	N-CA-C	8.01	119.79	111.14
1	C	26	ALA	N-CA-C	7.42	120.71	110.24
1	B	230	ALA	N-CA-C	6.96	118.86	111.28
1	C	128	HIS	N-CA-C	-6.83	101.18	109.72
1	B	410	THR	CA-CB-OG1	-6.46	99.90	109.60
1	C	30	ALA	N-CA-C	6.23	118.07	111.28
1	D	111	ASN	CA-CB-CG	5.96	118.56	112.60
1	A	141	ASP	CA-CB-CG	5.76	118.36	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	111	ASN	CA-CB-CG	5.70	118.30	112.60
1	B	317	GLY	N-CA-C	5.39	119.67	112.77
1	C	111	ASN	CA-CB-CG	5.38	117.98	112.60
1	B	362	ILE	N-CA-CB	5.22	114.52	110.45
1	D	417	GLY	CA-C-N	5.14	127.42	120.38
1	D	417	GLY	C-N-CA	5.14	127.42	120.38
1	B	140	ASN	N-CA-C	5.12	120.52	113.97
1	D	445	ILE	CA-C-N	5.08	126.71	120.51
1	D	445	ILE	C-N-CA	5.08	126.71	120.51
1	B	313	ASP	CA-CB-CG	5.04	117.64	112.60
1	B	231	VAL	N-CA-C	5.02	117.05	112.43
1	B	460	VAL	CA-C-O	-5.02	115.53	120.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3442	0	3468	22	0
1	B	3521	0	3560	18	0
1	C	3448	0	3480	26	0
1	D	3418	0	3448	16	0
2	A	37	0	0	0	0
2	C	37	0	0	0	0
3	B	3	0	1	0	0
4	B	1	0	0	0	0
5	A	360	0	0	9	0
5	B	319	0	0	6	0
5	C	318	0	0	6	0
5	D	315	0	0	3	0
All	All	15219	0	13957	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215[B]:ARG:CA	1:A:216:ALA:N	2.43	0.81
1:C:215[B]:ARG:CA	1:C:216:ALA:N	2.47	0.77
1:A:214:VAL:C	1:A:215[B]:ARG:CA	2.65	0.68
1:C:214:VAL:C	1:C:215[B]:ARG:CA	2.68	0.67
1:A:138:SER:HB2	5:A:839:HOH:O	1.95	0.65
1:A:47[A]:GLU:HG3	5:A:637:HOH:O	1.97	0.64
1:D:408:ILE:HG12	1:D:463:MET:HE1	1.79	0.64
1:A:360:VAL:HG22	5:A:857:HOH:O	2.00	0.61
1:A:47[B]:GLU:HG2	1:A:50[B]:GLN:OE1	2.02	0.59
1:B:319:SER:CB	1:C:130:ASN:OD1	2.51	0.59
1:D:360:VAL:HG22	5:D:679:HOH:O	2.03	0.57
1:B:215[B]:ARG:HD2	5:B:602:HOH:O	2.06	0.56
1:B:360:VAL:HG22	5:B:782:HOH:O	2.06	0.56
1:D:302:PRO:C	5:D:504:HOH:O	2.49	0.55
1:C:314:LEU:HD21	1:C:329[A]:LEU:HD22	1.88	0.55
1:D:165:GLN:NE2	1:D:385:GLN:OE1	2.39	0.55
1:D:243:VAL:HG22	1:D:260[A]:THR:HG21	1.89	0.55
1:A:47[B]:GLU:CD	5:A:637:HOH:O	2.50	0.54
1:C:25:LYS:HG2	5:C:864:HOH:O	2.09	0.53
1:D:293[B]:ASN:HD22	1:D:296:ARG:HE	1.55	0.53
1:A:20:VAL:HG21	1:A:33:GLN:HB3	1.91	0.52
1:C:215[A]:ARG:HD2	5:C:806:HOH:O	2.08	0.52
1:A:111:ASN:HD22	1:A:111:ASN:C	2.18	0.52
1:C:360:VAL:HG22	5:C:995:HOH:O	2.10	0.51
1:A:20:VAL:HG22	1:A:33:GLN:HG2	1.92	0.50
1:C:406:PRO:HD2	5:C:914:HOH:O	2.11	0.50
1:B:12:ILE:HG22	5:B:743:HOH:O	2.10	0.50
1:D:20:VAL:HG22	1:D:34:ARG:CZ	2.42	0.50
1:B:319:SER:HB2	1:C:130:ASN:OD1	2.12	0.49
1:D:308:GLU:HB3	1:D:398:LEU:HD21	1.95	0.49
1:C:243[B]:VAL:HG23	5:C:1038:HOH:O	2.12	0.49
1:C:10:TYR:C	1:C:10:TYR:CD1	2.90	0.48
1:C:406:PRO:HB3	1:C:425:ALA:HB1	1.95	0.48
1:B:294:ASP:O	1:B:298[B]:MET:HG3	2.13	0.48
1:A:406:PRO:HD2	5:A:729:HOH:O	2.13	0.48
1:C:314:LEU:CD2	1:C:329[A]:LEU:HD22	2.42	0.48
1:A:20:VAL:HG13	1:A:20:VAL:O	2.16	0.46
1:B:408:ILE:O	1:B:411:PRO:HD2	2.16	0.46
1:C:445:ILE:HD11	1:C:454:LEU:HD22	1.96	0.46
1:B:354:GLY:HA2	5:B:782:HOH:O	2.16	0.46
1:B:392[B]:THR:HG23	5:B:676:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:ASP:O	1:A:314:LEU:HD12	2.17	0.45
1:A:392[B]:THR:HG22	5:A:855:HOH:O	2.16	0.45
1:B:433:LYS:HE2	5:B:619:HOH:O	2.16	0.45
1:C:294:ASP:O	1:C:298[A]:MET:HG3	2.17	0.44
1:C:62:ALA:HB2	1:C:79:ILE:HG21	1.99	0.44
1:A:433:LYS:HD2	5:A:818:HOH:O	2.18	0.44
1:A:47[B]:GLU:O	1:A:50[B]:GLN:HB2	2.17	0.44
1:D:143:PHE:N	1:D:144:PRO:HD2	2.32	0.43
1:C:27:LEU:HD12	1:C:94:GLN:HG3	2.00	0.43
1:D:218:LEU:N	1:D:219:PRO:CD	2.82	0.43
1:C:215[A]:ARG:NH1	5:C:806:HOH:O	2.35	0.43
1:B:20:VAL:CG2	1:B:34:ARG:CZ	2.97	0.43
1:C:215[B]:ARG:HG2	1:C:215[B]:ARG:HH11	1.83	0.43
1:B:219:PRO:HA	1:B:259[B]:ARG:CZ	2.49	0.43
1:A:47[B]:GLU:HG2	1:A:47[B]:GLU:H	1.60	0.42
1:B:341[A]:ILE:HD13	1:C:349:TRP:CH2	2.55	0.42
1:B:411:PRO:HG2	1:B:463[B]:MET:HE2	2.00	0.42
1:C:143:PHE:N	1:C:144:PRO:HD2	2.33	0.42
1:C:357:GLU:OE2	1:D:199:GLU:OE2	2.36	0.42
1:A:364:MET:HE3	1:A:364:MET:HB3	1.91	0.42
1:B:310:GLN:HB2	1:B:392[B]:THR:CG2	2.50	0.42
1:A:102:THR:HB	5:A:617:HOH:O	2.19	0.42
1:C:52:ARG:HA	1:C:87:ALA:HA	2.01	0.42
1:A:329:LEU:HD23	1:A:329:LEU:HA	1.77	0.41
1:B:20:VAL:HG11	1:B:33:GLN:HB3	2.02	0.41
1:D:20:VAL:HG22	1:D:34:ARG:NH2	2.35	0.41
1:B:463[A]:MET:HB3	1:B:463[A]:MET:HE2	1.83	0.41
1:A:410:THR:N	1:A:411:PRO:HD2	2.36	0.41
1:A:215[A]:ARG:HD2	5:A:605:HOH:O	2.20	0.41
1:C:451:ILE:HD13	1:C:451:ILE:HA	1.92	0.41
1:C:329[A]:LEU:HD12	1:C:329[A]:LEU:HA	1.71	0.41
1:C:337:ALA:O	1:C:341:ILE:HD13	2.21	0.41
1:B:304:THR:OG1	1:D:190:ASP:OD1	2.36	0.40
1:D:158:HIS:CD2	5:D:530:HOH:O	2.74	0.40
1:D:10:TYR:N	1:D:24:ALA:HB2	2.37	0.40
1:D:329[B]:LEU:HD22	1:D:329[B]:LEU:HA	1.80	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	458/474 (97%)	450 (98%)	8 (2%)	0	100	100
1	B	471/474 (99%)	457 (97%)	14 (3%)	0	100	100
1	C	459/474 (97%)	446 (97%)	12 (3%)	1 (0%)	43	24
1	D	454/474 (96%)	441 (97%)	13 (3%)	0	100	100
All	All	1842/1896 (97%)	1794 (97%)	47 (3%)	1 (0%)	48	27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	447	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	356/364 (98%)	354 (99%)	2 (1%)	78	66
1	B	366/364 (100%)	365 (100%)	1 (0%)	86	78
1	C	357/364 (98%)	354 (99%)	3 (1%)	73	59
1	D	353/364 (97%)	350 (99%)	3 (1%)	73	59
All	All	1432/1456 (98%)	1423 (99%)	9 (1%)	78	66

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	379	VAL
1	A	430	LYS
1	B	329	LEU
1	C	314	LEU
1	C	329[A]	LEU
1	C	329[B]	LEU
1	D	25	LYS
1	D	341	ILE
1	D	379	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	165	GLN
1	A	268	GLN
1	A	310	GLN
1	A	339	GLN
1	A	343	ASN
1	A	385	GLN
1	B	31	GLN
1	B	158	HIS
1	B	164	GLN
1	B	165	GLN
1	B	368	ASN
1	B	385	GLN
1	C	339	GLN
1	C	343	ASN
1	D	158	HIS
1	D	164	GLN
1	D	165	GLN
1	D	368	ASN
1	D	385	GLN
1	D	394	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FMT	B	501	-	2,2,2	0.35	0	1,1,1	0.18	0
2	L0K	C	501	-	41,41,41	0.58	0	54,59,59	0.80	3 (5%)
2	L0K	A	501	-	41,41,41	0.50	0	54,59,59	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	L0K	C	501	-	-	6/22/32/32	0/4/5/5
2	L0K	A	501	-	-	6/22/32/32	0/4/5/5

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	L0K	C9-C8-N1	-3.03	120.84	122.76
2	C	501	L0K	C-S-N3	-2.29	104.52	107.28
2	C	501	L0K	O4-S-N3	2.26	108.81	106.69

There are no chirality outliers.


All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	L0K	C26-N3-S-O
2	A	501	L0K	C26-N3-S-C
2	C	501	L0K	C17-N3-S-O
2	C	501	L0K	C17-N3-S-C
2	A	501	L0K	C1-C-S-O4
2	C	501	L0K	C16-C-S-O4
2	C	501	L0K	C1-C-S-O4
2	C	501	L0K	C16-C-S-N3
2	A	501	L0K	C1-C-S-N3
2	A	501	L0K	C16-C-S-O4
2	C	501	L0K	C1-C-S-N3
2	A	501	L0K	C16-C-S-N3

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	450/474 (94%)	0.25	31 (6%)	23	23	6, 19, 46, 125	11 (2%)
1	B	458/474 (96%)	0.49	52 (11%)	10	9	6, 20, 62, 108	14 (3%)
1	C	451/474 (95%)	0.50	50 (11%)	10	10	7, 21, 52, 94	11 (2%)
1	D	448/474 (94%)	0.44	39 (8%)	16	16	7, 20, 54, 110	10 (2%)
All	All	1807/1896 (95%)	0.42	172 (9%)	14	14	6, 20, 56, 125	46 (2%)

All (172) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	215[B]	ARG	8.3
1	A	10	TYR	7.7
1	D	10	TYR	7.3
1	C	322	PRO	7.0
1	C	10	TYR	6.9
1	D	12	ILE	6.8
1	C	314	LEU	6.0
1	D	418	TYR	6.0
1	B	12	ILE	6.0
1	C	323	GLY	5.9
1	B	10	TYR	5.9
1	A	12	ILE	5.8
1	A	314	LEU	5.7
1	C	24	ALA	5.7
1	C	139	SER	5.7
1	C	16	THR	5.2
1	A	20	VAL	5.1
1	B	445	ILE	5.1
1	B	325	VAL	4.9
1	B	20	VAL	4.9
1	B	317	GLY	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	466	ALA	4.6
1	B	451	ILE	4.5
1	C	12	ILE	4.5
1	A	16	THR	4.5
1	B	16	THR	4.5
1	B	320	ILE	4.4
1	A	15	ASP	4.3
1	A	17	MET	4.3
1	B	14	HIS	4.3
1	B	17	MET	4.2
1	A	14	HIS	4.2
1	A	323	GLY	4.2
1	C	14	HIS	4.2
1	D	14	HIS	4.1
1	D	466	ALA	4.1
1	D	24	ALA	4.0
1	B	446	GLY	3.9
1	D	17	MET	3.9
1	D	16	THR	3.9
1	B	418	TYR	3.8
1	C	125	VAL	3.8
1	A	467	GLU	3.8
1	B	24	ALA	3.8
1	B	450	SER	3.8
1	C	22	VAL	3.7
1	B	316	PRO	3.7
1	C	20	VAL	3.6
1	C	25	LYS	3.6
1	B	448	ARG	3.6
1	D	15	ASP	3.6
1	A	418	TYR	3.5
1	B	322	PRO	3.5
1	C	93	ASP	3.5
1	D	314	LEU	3.5
1	D	445	ILE	3.5
1	D	20	VAL	3.5
1	B	467	GLU	3.4
1	C	123	GLY	3.4
1	D	22	VAL	3.4
1	B	430	LYS	3.4
1	C	23	PRO	3.4
1	B	449	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	447	ASP	3.3
1	B	452	GLU	3.2
1	D	416	ILE	3.2
1	B	429	LEU	3.2
1	B	18	GLY	3.2
1	C	26	ALA	3.2
1	C	418	TYR	3.2
1	D	123	GLY	3.2
1	C	215[A]	ARG	3.1
1	C	27	LEU	3.1
1	C	467	GLU	3.1
1	D	448	ARG	3.1
1	B	15	ASP	3.1
1	D	449	LEU	3.0
1	B	440	ILE	3.0
1	B	22	VAL	3.0
1	C	313	ASP	3.0
1	D	18	GLY	3.0
1	B	323	GLY	3.0
1	A	448	ARG	2.9
1	B	321	MET	2.9
1	B	313	ASP	2.9
1	D	451	ILE	2.9
1	B	314	LEU	2.9
1	C	18	GLY	2.9
1	C	119	ILE	2.9
1	A	440	ILE	2.8
1	A	215[A]	ARG	2.8
1	B	139	SER	2.8
1	A	24	ALA	2.8
1	B	422	ALA	2.8
1	D	121	ALA	2.8
1	B	319	SER	2.8
1	C	124	GLY	2.8
1	C	324	LYS	2.8
1	D	19	GLU	2.8
1	B	25	LYS	2.8
1	C	15	ASP	2.7
1	C	89	GLY	2.7
1	D	124	GLY	2.7
1	C	78	ALA	2.7
1	B	318	SER	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	87	ALA	2.6
1	C	448	ARG	2.6
1	D	25	LYS	2.6
1	A	18	GLY	2.6
1	D	415	ALA	2.6
1	A	139	SER	2.6
1	C	88[A]	ASP	2.6
1	A	21	ARG	2.6
1	B	432	ARG	2.6
1	C	21	ARG	2.6
1	B	11	ARG	2.6
1	B	21	ARG	2.6
1	C	13	GLU	2.5
1	A	313	ASP	2.5
1	D	429	LEU	2.5
1	C	81	ALA	2.5
1	C	121	ALA	2.5
1	A	25	LYS	2.5
1	C	92	ASP	2.5
1	C	76	ALA	2.4
1	A	449	LEU	2.4
1	B	302	PRO	2.4
1	A	447	ASP	2.4
1	D	23	PRO	2.4
1	B	19	GLU	2.4
1	C	70	LEU	2.4
1	D	125	VAL	2.4
1	D	452	GLU	2.4
1	A	11	ARG	2.4
1	C	466	ALA	2.3
1	D	453	ASP	2.3
1	D	447	ASP	2.3
1	C	138	SER	2.3
1	A	19	GLU	2.3
1	B	13	GLU	2.3
1	B	443	GLY	2.3
1	C	19	GLU	2.3
1	A	446	GLY	2.2
1	D	27	LEU	2.2
1	C	83	ALA	2.2
1	D	117	ALA	2.2
1	A	74	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	17	MET	2.2
1	D	324	LYS	2.2
1	A	22	VAL	2.2
1	A	451	ILE	2.2
1	A	466	ALA	2.2
1	C	122	LYS	2.2
1	C	175	LEU	2.1
1	D	444	LEU	2.1
1	B	74	GLU	2.1
1	D	455	ASP	2.1
1	B	426	LYS	2.1
1	B	63	GLN	2.1
1	D	414	SER	2.1
1	C	243[A]	VAL	2.1
1	B	447	ASP	2.1
1	C	73	PRO	2.1
1	D	11	ARG	2.1
1	B	31	GLN	2.1
1	A	13	GLU	2.1
1	B	441	ASP	2.1
1	D	73	PRO	2.1
1	B	428	ALA	2.0
1	C	72	ALA	2.0
1	D	26	ALA	2.0
1	A	255	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	FMT	B	501	3/3	0.95	0.13	27,27,31,32	0
2	L0K	C	501	37/37	0.97	0.07	15,19,30,31	0
2	L0K	A	501	37/37	0.97	0.06	15,19,29,30	0
4	MG	B	502	1/1	0.98	0.14	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around L0K C 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around L0K A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.