



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:18 AM UTC

PDB ID : 1S9A / pdb_00001s9a
Title : Crystal Structure of 4-Chlorocatechol 1,2-dioxygenase from *Rhodococcus opacus* 1CP
Authors : Ferraroni, M.; Solyanikova, I.P.; Kolomytseva, M.P.; Scozzafava, A.; Golovleva, L.A.; Briganti, F.
Deposited on : 2004-02-04
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	
1	B	257	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	TAM	A	305	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4431 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Chlorocatechol 1,2-dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	0	0	0
			2028	1299	336	387	6			
1	B	256	Total	C	N	O	S	0	0	0
			2013	1287	332	388	6			

- Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		

- Molecule 3 is (1-HEXADECANOYL-2-TETRADECANOYL-GLYCEROL-3-YL) PHOSPHONYL CHOLINE (CCD ID: HGP) (formula: C₃₈H₇₇NO₈P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			37	33	4		
3	B	1	Total	C	O	P	0
			38	32	5	1	

- Molecule 4 is TRIS(HYDROXYETHYL)AMINOMETHANE (CCD ID: TAM) (formula: $C_7H_{17}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			11	7	1	3		

- Molecule 5 is BENZOIC ACID (CCD ID: BEZ) (formula: $C_7H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			9	7	2		
5	B	1	Total	C	O	0	0
			9	7	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	165	Total	O	0	0
			165	165		
6	B	119	Total	O	0	0
			119	119		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Chlorocatechol 1,2-dioxygenase



• Molecule 1: Chlorocatechol 1,2-dioxygenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	89.33Å 89.33Å 313.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	158.10 – 2.47 156.70 – 2.47	Depositor EDS
% Data completeness (in resolution range)	92.2 (158.10-2.47) 92.2 (156.70-2.47)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 2.46Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.212 , 0.290 0.214 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtriage
Anisotropy	0.291	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4431	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FE, HGP, TAM, BEZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/2089	0.95	0/2851
1	B	0.62	1/2072 (0.0%)	0.95	0/2829
All	All	0.63	1/4161 (0.0%)	0.95	0/5680

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	210	GLN	CD-OE1	5.13	1.33	1.23

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2028	0	1928	45	0
1	B	2013	0	1896	60	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	37	0	61	5	0
3	B	38	0	58	8	0
4	A	11	0	17	6	0
5	A	9	0	5	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	9	0	5	0	0
6	A	165	0	0	3	0
6	B	119	0	0	4	0
All	All	4431	0	3970	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:ASP:OD2	4:A:305:TAM:H52	1.56	1.04
1:A:188:HIS:HD2	1:A:190:TRP:H	1.17	0.88
1:B:78:PHE:O	1:B:148:ARG:NH2	2.09	0.86
3:A:304:HGP:H92	3:B:303:HGP:H261	1.59	0.84
1:B:95:MET:HB2	1:B:99:GLU:HG3	1.59	0.84
1:A:49:LEU:HD12	5:A:306:BEZ:H5	1.61	0.82
1:B:216:ASP:HB3	1:B:219:LEU:HG	1.64	0.76
1:B:99:GLU:OE2	1:B:100:PRO:HD2	1.88	0.74
4:A:305:TAM:H11	1:B:32:GLU:OE2	1.88	0.73
1:A:18:ARG:HG2	1:B:58:THR:OG1	1.91	0.70
1:B:136:PHE:HA	1:B:143:ASP:OD2	1.93	0.69
1:A:123:ILE:HG13	1:A:199:ILE:HG12	1.78	0.66
1:A:52:ASP:OD2	4:A:305:TAM:C5	2.40	0.64
1:B:21:ILE:HA	1:B:26:ILE:HD13	1.81	0.62
1:B:28:THR:HB	1:B:29:PRO:HD3	1.81	0.62
1:B:195:ILE:HG12	1:B:197:ILE:HD11	1.82	0.62
3:A:304:HGP:H92	3:B:303:HGP:C26	2.30	0.61
1:B:6:VAL:HG12	3:B:303:HGP:H332	1.84	0.60
1:A:12:GLU:OE1	1:B:23:ARG:NH2	2.34	0.60
1:B:67:GLY:HA3	1:B:69:TRP:CE3	2.36	0.59
1:B:123:ILE:HB	1:B:199:ILE:HG12	1.83	0.59
1:A:49:LEU:CD1	5:A:306:BEZ:H5	2.31	0.59
1:B:127:HIS:HD2	1:B:128:SER:O	1.86	0.58
1:B:204:TYR:HA	1:B:256:HIS:CA	2.34	0.58
1:A:49:LEU:HD11	1:A:171:ILE:HG12	1.85	0.57
1:A:62:VAL:HG11	1:B:22:VAL:HA	1.87	0.57
1:A:188:HIS:CD2	1:A:190:TRP:H	2.09	0.56
1:B:188:HIS:HD2	1:B:190:TRP:H	1.52	0.55
1:B:201:ALA:HB3	1:B:204:TYR:HB2	1.89	0.55
1:B:2:ALA:O	1:B:3:ASN:C	2.50	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216:ASP:HB3	1:A:219:LEU:HD13	1.89	0.54
1:B:194:HIS:HA	1:B:211:LEU:O	2.08	0.53
1:B:106:PHE:HD2	1:B:248:VAL:HG23	1.74	0.53
1:B:37:TYR:O	1:B:40:SER:HB2	2.10	0.51
1:B:135:SER:O	1:B:136:PHE:HB2	2.10	0.51
1:A:171:ILE:HB	1:A:189:SER:HB2	1.92	0.51
1:B:72:SER:O	1:B:228:LYS:HE3	2.10	0.51
1:A:200:THR:HG22	1:A:206:PRO:HB3	1.93	0.51
1:B:108:GLY:HA3	1:B:250:PHE:O	2.10	0.50
1:A:56:GLU:HA	1:A:59:VAL:HG13	1.92	0.50
4:A:305:TAM:C5	4:A:305:TAM:C6	2.89	0.50
3:A:304:HGP:O31	3:A:304:HGP:C1	2.59	0.50
1:A:106:PHE:O	1:A:160:GLU:HA	2.11	0.50
1:A:63:SER:HB2	6:B:419:HOH:O	2.11	0.50
1:B:195:ILE:HG12	1:B:197:ILE:CD1	2.41	0.49
1:A:174:ALA:HB3	6:A:419:HOH:O	2.12	0.48
1:A:110:VAL:HG12	1:A:252:PHE:HB2	1.96	0.48
1:A:35:MET:HE2	6:A:341:HOH:O	2.12	0.48
1:A:170:GLU:OE1	1:A:173:LYS:HE2	2.12	0.48
1:A:135:SER:O	1:A:136:PHE:HB2	2.14	0.48
1:B:125:VAL:HG23	1:B:195:ILE:HD12	1.94	0.47
1:B:146:LEU:O	1:B:148:ARG:HG3	2.14	0.47
1:A:198:ARG:HA	1:A:207:LEU:O	2.14	0.47
1:B:106:PHE:O	1:B:160:GLU:HA	2.14	0.47
1:B:2:ALA:HB1	6:B:333:HOH:O	2.14	0.46
1:B:135:SER:OG	1:B:148:ARG:HD2	2.16	0.46
1:A:219:LEU:HD21	1:A:232:VAL:HG11	1.96	0.46
1:A:170:GLU:HB3	1:A:190:TRP:CD2	2.50	0.46
1:B:173:LYS:O	1:B:179:GLN:NE2	2.44	0.45
1:B:230:GLU:H	1:B:230:GLU:HG3	1.52	0.45
1:A:233:LEU:HD11	1:A:250:PHE:HD2	1.80	0.45
1:B:211:LEU:HB3	1:B:233:LEU:HD22	1.99	0.45
1:B:98:ASP:O	1:B:99:GLU:C	2.58	0.45
1:A:37:TYR:CD1	3:B:303:HGP:H162	2.52	0.45
1:B:13:PHE:HZ	3:B:303:HGP:H222	1.80	0.45
1:A:46:GLU:HG2	1:A:49:LEU:HD23	1.98	0.45
1:A:96:ARG:HD3	1:A:99:GLU:OE1	2.16	0.45
1:B:108:GLY:O	1:B:158:SER:HA	2.16	0.45
1:A:203:GLY:O	1:A:257:ASN:N	2.42	0.44
1:B:19:ASP:OD2	1:B:23:ARG:HD3	2.18	0.44
1:B:124:ASP:HB2	1:B:198:ARG:HB3	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:ARG:HD3	1:B:115:GLY:O	2.16	0.44
1:A:188:HIS:HE1	1:A:221:SER:OG	2.01	0.43
1:B:195:ILE:HG23	1:B:211:LEU:HB2	2.00	0.43
1:B:42:GLY:O	1:B:44:ALA:O	2.36	0.43
1:B:96:ARG:HG2	1:B:99:GLU:HG2	1.99	0.43
1:B:180:LEU:HA	1:B:184:TYR:CD1	2.54	0.43
1:A:5:ARG:HD2	1:B:30:GLU:OE1	2.19	0.43
1:A:3:ASN:ND2	3:A:304:HGP:O31	2.51	0.43
1:A:171:ILE:O	1:A:172:PRO:C	2.61	0.43
4:A:305:TAM:C6	4:A:305:TAM:H51	2.49	0.43
1:B:109:SER:OG	1:B:251:ASN:OD1	2.36	0.43
1:B:125:VAL:HG23	1:B:195:ILE:CD1	2.48	0.43
1:B:244:THR:O	1:B:244:THR:OG1	2.37	0.42
1:B:45:GLY:HA3	6:B:368:HOH:O	2.19	0.42
1:B:111:ARG:HA	1:B:117:PRO:HA	2.00	0.42
1:A:108:GLY:HA3	1:A:250:PHE:O	2.20	0.42
1:B:116:THR:HA	1:B:117:PRO:HD3	1.93	0.42
1:A:170:GLU:HB3	1:A:190:TRP:CE2	2.55	0.42
1:B:127:HIS:CD2	1:B:128:SER:O	2.70	0.42
1:A:79:PHE:HB2	1:A:126:TRP:CZ2	2.55	0.42
4:A:305:TAM:C5	4:A:305:TAM:H61	2.49	0.42
1:B:13:PHE:CZ	3:B:303:HGP:H222	2.54	0.42
1:A:79:PHE:CG	1:A:80:LYS:N	2.88	0.41
1:A:57:THR:HG21	1:A:225:SER:O	2.20	0.41
1:A:146:LEU:HD12	1:A:146:LEU:HA	1.90	0.41
1:B:129:THR:HB	6:B:390:HOH:O	2.21	0.41
1:A:42:GLY:HA3	6:A:425:HOH:O	2.20	0.41
1:A:240:ILE:O	1:A:241:ASP:C	2.63	0.41
1:A:111:ARG:O	1:A:253:ILE:HA	2.20	0.41
1:B:211:LEU:HB3	1:B:233:LEU:CD2	2.50	0.41
1:A:188:HIS:CD2	1:A:190:TRP:HB2	2.56	0.41
1:A:38:MET:HE3	3:B:303:HGP:H212	2.02	0.41
3:A:304:HGP:H432	3:B:303:HGP:H251	2.03	0.41
1:B:14:THR:O	1:B:18:ARG:HG3	2.21	0.41
1:B:67:GLY:HA3	1:B:69:TRP:HE3	1.81	0.41
1:B:105:ARG:HH12	1:B:247:LEU:HD13	1.85	0.40
1:B:167:VAL:HB	1:B:168:PRO:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/257 (99%)	238 (94%)	13 (5%)	3 (1%)	10	18
1	B	254/257 (99%)	232 (91%)	17 (7%)	5 (2%)	6	9
All	All	508/514 (99%)	470 (92%)	30 (6%)	8 (2%)	7	13

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	89	LYS
1	B	3	ASN
1	A	241	ASP
1	B	241	ASP
1	B	69	TRP
1	B	256	HIS
1	B	91	ALA
1	A	172	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/223 (98%)	185 (84%)	34 (16%)	2	4
1	B	216/223 (97%)	180 (83%)	36 (17%)	2	3
All	All	435/446 (98%)	365 (84%)	70 (16%)	2	4

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ARG
1	A	25	GLU
1	A	40	SER
1	A	59	VAL
1	A	63	SER
1	A	86	LEU
1	A	95	MET
1	A	96	ARG
1	A	102	ASP
1	A	103	ARG
1	A	113	THR
1	A	122	VAL
1	A	124	ASP
1	A	125	VAL
1	A	130	ASN
1	A	131	ASP
1	A	146	LEU
1	A	151	VAL
1	A	164	ILE
1	A	165	ARG
1	A	183	SER
1	A	207	LEU
1	A	211	LEU
1	A	223	SER
1	A	227	VAL
1	A	229	SER
1	A	233	LEU
1	A	235	VAL
1	A	237	LYS
1	A	246	GLN
1	A	247	LEU
1	A	248	VAL
1	A	253	ILE
1	A	254	LEU
1	B	3	ASN
1	B	6	VAL
1	B	12	GLU
1	B	36	GLN
1	B	40	SER
1	B	63	SER
1	B	68	ASN
1	B	74	ILE
1	B	80	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	86	LEU
1	B	96	ARG
1	B	103	ARG
1	B	109	SER
1	B	113	THR
1	B	116	THR
1	B	123	ILE
1	B	125	VAL
1	B	131	ASP
1	B	151	VAL
1	B	155	GLU
1	B	163	SER
1	B	165	ARG
1	B	179	GLN
1	B	189	SER
1	B	195	ILE
1	B	197	ILE
1	B	208	ILE
1	B	214	GLU
1	B	229	SER
1	B	230	GLU
1	B	231	LEU
1	B	232	VAL
1	B	233	LEU
1	B	238	ILE
1	B	244	THR
1	B	253	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	HIS
1	A	246	GLN
1	B	127	HIS
1	B	144	GLN
1	B	188	HIS
1	B	236	ASN
1	B	251	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	BEZ	B	307	2	9,9,9	2.21	1 (11%)	11,11,11	1.03	2 (18%)
3	HGP	A	304	-	36,36,47	1.27	2 (5%)	38,38,55	1.19	4 (10%)
5	BEZ	A	306	2	9,9,9	2.25	1 (11%)	11,11,11	1.10	2 (18%)
3	HGP	B	303	-	35,37,47	1.19	2 (5%)	37,39,55	1.25	4 (10%)
4	TAM	A	305	-	10,10,10	0.64	0	12,12,12	1.29	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BEZ	B	307	2	-	4/4/4/4	0/1/1/1
3	HGP	A	304	-	-	22/37/37/51	-
5	BEZ	A	306	2	-	4/4/4/4	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HGP	B	303	-	-	23/38/39/51	-
4	TAM	A	305	-	-	8/12/12/12	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	306	BEZ	O1-C	6.64	1.41	1.22
5	B	307	BEZ	O1-C	6.42	1.41	1.22
3	A	304	HGP	O3-C11	5.09	1.48	1.33
3	A	304	HGP	O2-C31	4.96	1.48	1.34
3	B	303	HGP	O3-C11	4.58	1.46	1.33
3	B	303	HGP	O2-C31	4.55	1.47	1.34

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	303	HGP	O2-C31-C32	4.72	121.70	111.48
4	A	305	TAM	C5-C2-C	-3.92	111.35	115.97
3	A	304	HGP	O2-C31-C32	3.85	119.81	111.48
3	B	303	HGP	O3-C11-C12	3.14	121.39	111.83
3	A	304	HGP	O2-C2-C1	2.62	113.82	107.96
3	A	304	HGP	O3-C11-C12	2.59	119.72	111.83
5	A	306	BEZ	O2-C-O1	-2.56	117.86	123.35
3	B	303	HGP	O2-C31-O31	-2.39	118.12	123.70
5	A	306	BEZ	O2-C-C1	2.28	120.68	114.84
5	B	307	BEZ	O2-C-C1	2.18	120.44	114.84
5	B	307	BEZ	O2-C-O1	-2.11	118.81	123.35
3	B	303	HGP	O3-C11-O11	-2.08	118.42	123.63
3	A	304	HGP	O2-C2-C3	2.06	110.95	106.21

There are no chirality outliers.

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	304	HGP	C1-C2-C3-O3
3	A	304	HGP	O2-C2-C3-O3
3	A	304	HGP	C1-C2-O2-C31
3	B	303	HGP	C32-C31-O2-C2
4	A	305	TAM	C2-C-C1-C4
4	A	305	TAM	C3-C-C1-C4
4	A	305	TAM	N-C-C1-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	305	TAM	C1-C-C3-C6
4	A	305	TAM	C2-C-C3-C6
4	A	305	TAM	N-C-C3-C6
4	A	305	TAM	C-C3-C6-O6
5	B	307	BEZ	O1-C-C1-C2
3	B	303	HGP	O11-C11-O3-C3
5	B	307	BEZ	O1-C-C1-C6
5	B	307	BEZ	O2-C-C1-C6
3	B	303	HGP	O31-C31-O2-C2
5	B	307	BEZ	O2-C-C1-C2
3	B	303	HGP	C12-C11-O3-C3
3	B	303	HGP	C11-C12-C13-C14
3	A	304	HGP	C11-C12-C13-C14
3	A	304	HGP	C31-C32-C33-C34
3	B	303	HGP	C13-C14-C15-C16
3	B	303	HGP	C15-C16-C17-C18
3	A	304	HGP	C12-C13-C14-C15
3	B	303	HGP	C31-C32-C33-C34
3	B	303	HGP	C20-C21-C22-C23
3	B	303	HGP	C19-C20-C21-C22
3	A	304	HGP	C15-C16-C17-C18
3	A	304	HGP	C40-C42-C43-C44
3	B	303	HGP	C37-C38-C39-C40
3	B	303	HGP	C22-C23-C24-C25
3	A	304	HGP	C36-C37-C38-C39
4	A	305	TAM	C-C2-C5-O5
3	B	303	HGP	C12-C13-C14-C15
3	B	303	HGP	C39-C40-C42-C43
3	B	303	HGP	C21-C22-C23-C24
3	B	303	HGP	C1-C2-C3-O3
3	A	304	HGP	C33-C34-C35-C36
3	B	303	HGP	C18-C19-C20-C21
3	A	304	HGP	C18-C19-C20-C21
3	A	304	HGP	C19-C20-C21-C22
3	B	303	HGP	C40-C42-C43-C44
5	A	306	BEZ	O1-C-C1-C6
3	A	304	HGP	C23-C24-C25-C26
5	A	306	BEZ	O1-C-C1-C2
3	B	303	HGP	C34-C35-C36-C37
3	B	303	HGP	C14-C15-C16-C17
5	A	306	BEZ	O2-C-C1-C6
5	A	306	BEZ	O2-C-C1-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	304	HGP	C38-C39-C40-C42
3	B	303	HGP	O2-C2-C3-O3
3	A	304	HGP	C42-C43-C44-C9
3	A	304	HGP	C39-C40-C42-C43
3	B	303	HGP	C23-C24-C25-C26
3	B	303	HGP	C36-C37-C38-C39
3	A	304	HGP	C35-C36-C37-C38
3	A	304	HGP	C20-C21-C22-C23
3	A	304	HGP	O31-C31-O2-C2
3	A	304	HGP	C21-C22-C23-C24
3	A	304	HGP	C32-C31-O2-C2
3	A	304	HGP	C32-C33-C34-C35

There are no ring outliers.

4 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	304	HGP	5	0
5	A	306	BEZ	2	0
3	B	303	HGP	8	0
4	A	305	TAM	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/257 (99%)	-0.08	1 (0%) 88 87	40, 53, 66, 83	0
1	B	256/257 (99%)	0.17	7 (2%) 56 52	37, 64, 79, 84	0
All	All	512/514 (99%)	0.04	8 (1%) 70 68	37, 58, 76, 84	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	5.5
1	B	241	ASP	3.6
1	B	45	GLY	3.0
1	B	242	GLY	2.5
1	B	91	ALA	2.5
1	B	240	ILE	2.1
1	A	155	GLU	2.1
1	B	61	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	HGP	B	303	38/48	0.84	0.14	54,63,82,87	0
3	HGP	A	304	37/48	0.88	0.12	51,61,76,77	0
4	TAM	A	305	11/11	0.92	0.12	73,73,74,75	0
5	BEZ	A	306	9/9	0.96	0.09	56,56,57,58	0
5	BEZ	B	307	9/9	0.97	0.07	63,63,64,64	0
2	FE	B	301	1/1	0.99	0.02	55,55,55,55	0
2	FE	A	300	1/1	1.00	0.03	45,45,45,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.