



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:07 PM UTC

PDB ID : 1S9I / pdb_00001s9i
Title : X-ray structure of the human mitogen-activated protein kinase kinase 2 (MEK2) in a complex with ligand and MgATP
Authors : Ohren, J.F.; Chen, H.; Pavlovsky, A.; Whitehead, C.; Yan, C.; McConnell, P.; Delaney, A.; Dudley, D.T.; Sebolt-Leopold, J.; Hasemann, C.A.
Deposited on : 2004-02-04
Resolution : 3.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	 2% 50% 25% 10% 14%
1	B	354	 3% 52% 24% 6% 18%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4812 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dual specificity mitogen-activated protein kinase kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	303	Total	C	N	O	S	0	0	0
			2385	1518	416	437	14			
1	B	291	Total	C	N	O	S	0	0	0
			2301	1466	399	422	14			


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	401	LEU	-	cloning artifact	UNP P36507
A	402	GLU	-	cloning artifact	UNP P36507
A	403	HIS	-	expression tag	UNP P36507
A	404	HIS	-	expression tag	UNP P36507
A	405	HIS	-	expression tag	UNP P36507
A	406	HIS	-	expression tag	UNP P36507
A	407	HIS	-	expression tag	UNP P36507
A	408	HIS	-	expression tag	UNP P36507
B	401	LEU	-	cloning artifact	UNP P36507
B	402	GLU	-	cloning artifact	UNP P36507
B	403	HIS	-	expression tag	UNP P36507
B	404	HIS	-	expression tag	UNP P36507
B	405	HIS	-	expression tag	UNP P36507
B	406	HIS	-	expression tag	UNP P36507
B	407	HIS	-	expression tag	UNP P36507
B	408	HIS	-	expression tag	UNP P36507

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 4 is 5-{3,4-DIFLUORO-2-[(2-FLUORO-4-IODOPHENYL)AMINO]PHENYL}-N-(2-MORPHOLIN-4-YLETHYL)-1,3,4-OXADIAZOL-2-AMINE (CCD ID: 5EA) (formula: $C_{20}H_{19}F_3IN_5O_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	F	I	N	O	0	0
			31	20	3	1	5	2		
4	B	1	Total	C	F	I	N	O	0	0
			31	20	3	1	5	2		

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	161.89Å 161.89Å 122.99Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.40 – 3.20 14.40 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (14.40-3.20) 98.5 (14.40-3.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.96 (at 3.18Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.290 , 0.364 (Not available) , 0.290	Depositor DCC
R_{free} test set	802 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	72.8	Xtriage
Anisotropy	0.004	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 33.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4812	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, 5EA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/2432	0.89	1/3282 (0.0%)
1	B	0.43	0/2345	0.85	0/3161
All	All	0.45	0/4777	0.87	1/6443 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	329	PRO	O-C-N	5.32	123.76	121.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2385	0	2418	67	0
1	B	2301	0	2335	44	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	31	0	12	0	0
3	B	31	0	12	0	0
4	A	31	0	19	1	0
4	B	31	0	19	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4812	0	4815	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:ARG:HB3	1:A:314:PRO:CD	1.78	1.11
1:A:313:ARG:HB3	1:A:314:PRO:HD3	1.12	1.06
1:A:313:ARG:CB	1:A:314:PRO:HD3	2.01	0.88
1:A:108:LYS:N	1:A:109:PRO:HD3	2.02	0.75
1:B:92:ARG:HB3	1:B:93:PRO:HD3	1.76	0.66
1:A:366:HIS:HD2	1:A:368:PHE:H	1.44	0.65
1:A:177:VAL:O	1:A:181:LEU:HB2	1.97	0.65
1:A:214:GLY:HA3	1:A:220:ILE:HD11	1.79	0.64
1:B:265:TYR:CE2	1:B:267:ILE:HB	2.33	0.63
1:A:366:HIS:CD2	1:A:368:PHE:H	2.17	0.63
1:A:265:TYR:CE2	1:A:267:ILE:HB	2.36	0.61
1:B:75:ILE:HD11	1:B:90:GLN:HB2	1.83	0.60
1:B:349:CYS:O	1:B:357:ARG:HD2	2.01	0.60
1:A:353:ASN:HD22	1:A:354:PRO:HD2	1.68	0.58
1:A:349:CYS:O	1:A:357:ARG:HD2	2.04	0.58
1:B:100:ARG:HH21	1:B:137:PHE:HZ	1.51	0.58
1:A:281:ARG:N	1:A:282:PRO:CD	2.67	0.58
1:B:317:ALA:HB3	1:B:320:GLU:HB2	1.85	0.58
1:B:111:ILE:HA	1:B:114:GLN:HB2	1.86	0.58
1:B:366:HIS:HD2	1:B:368:PHE:H	1.53	0.55
1:A:63:LYS:N	1:A:63:LYS:HD3	2.22	0.55
1:A:64:VAL:HG11	1:A:91:HIS:CE1	2.44	0.53
1:A:112:ARG:HA	1:A:115:ILE:HD12	1.90	0.52
1:A:105:LEU:HD21	1:A:222:SER:HB3	1.92	0.52
1:A:112:ARG:HE	1:A:113:ASN:HD22	1.57	0.51
1:A:219:LEU:O	1:A:223:MET:HG3	2.11	0.50
1:A:108:LYS:HG2	1:A:112:ARG:HD2	1.93	0.50
1:B:165:ILE:HD12	1:B:260:LEU:HD22	1.94	0.50
1:A:72:PHE:HE2	1:A:98:MET:HE2	1.77	0.50
1:A:245:SER:OG	1:A:247:GLN:HG2	2.11	0.50
1:A:159:LEU:HD11	1:A:263:GLY:HA2	1.94	0.49
1:A:122:LEU:HB3	1:A:133:PHE:CD1	2.47	0.49
1:A:313:ARG:CB	1:A:314:PRO:CD	2.67	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:SER:C	1:A:129:TYR:H	2.19	0.49
1:A:177:VAL:HG11	1:A:253:MET:HG3	1.93	0.49
1:A:281:ARG:N	1:A:282:PRO:HD3	2.26	0.49
1:B:333:LEU:HG	1:B:346:VAL:HG21	1.95	0.49
1:B:353:ASN:C	1:B:353:ASN:HD22	2.21	0.49
1:A:316:MET:HB2	1:A:321:LEU:HD23	1.95	0.48
1:A:351:ILE:O	1:A:357:ARG:NH1	2.45	0.48
1:B:114:GLN:HG2	1:B:117:ARG:HH21	1.77	0.48
1:A:159:LEU:HD22	1:A:260:LEU:HD23	1.94	0.48
1:B:154:SER:HB2	1:B:157:GLN:HG3	1.94	0.48
1:B:152:GLY:HA3	1:B:202:VAL:HG23	1.97	0.47
1:A:193:ARG:HA	1:A:244:TYR:CZ	2.50	0.47
1:B:122:LEU:HD21	4:B:1002:5EA:H21	1.97	0.47
1:B:231:ARG:HE	1:B:265:TYR:HB2	1.80	0.47
1:A:98:MET:HE3	1:A:146:CYS:HB3	1.97	0.47
1:B:267:ILE:O	1:B:269:PRO:HD3	2.15	0.46
1:A:80:ALA:HB2	1:A:85:VAL:HG13	1.97	0.46
1:A:75:ILE:HD11	1:A:90:GLN:HB2	1.97	0.46
1:A:173:VAL:HA	1:A:208:ILE:HD13	1.96	0.46
1:A:72:PHE:CE2	1:A:98:MET:HE2	2.49	0.46
1:A:280:GLY:HA2	1:A:281:ARG:HA	1.58	0.46
1:A:150:MET:HG3	1:A:201:LEU:HD23	1.98	0.46
1:A:214:GLY:CA	1:A:220:ILE:HD11	2.46	0.46
1:A:67:LEU:HD11	1:A:135:GLY:HA3	1.98	0.46
1:A:281:ARG:H	1:A:282:PRO:HD3	1.80	0.46
1:A:366:HIS:HD2	1:A:368:PHE:HB3	1.81	0.46
1:B:339:THR:HG22	1:B:340:PRO:HD2	1.98	0.46
1:A:348:LYS:HA	1:A:351:ILE:HD12	1.98	0.45
1:B:156:ASP:HA	1:B:159:LEU:HB3	1.99	0.45
1:A:108:LYS:N	1:A:109:PRO:CD	2.78	0.45
1:B:216:SER:OG	1:B:219:LEU:HB2	2.16	0.45
1:B:165:ILE:HA	1:B:166:PRO:HD3	1.81	0.45
1:A:255:LEU:HD11	1:A:267:ILE:HD11	1.98	0.45
1:B:366:HIS:CD2	1:B:368:PHE:H	2.35	0.44
1:A:163:LYS:H	1:A:163:LYS:HG2	1.59	0.44
1:A:279:PHE:CD1	1:A:279:PHE:N	2.84	0.44
1:B:86:VAL:HA	1:B:100:ARG:O	2.17	0.44
4:B:1002:5EA:H16	4:B:1002:5EA:C6	2.47	0.44
1:A:265:TYR:HA	1:A:266:PRO:HD3	1.81	0.44
1:B:113:ASN:HD22	1:B:117:ARG:HD3	1.81	0.44
1:A:177:VAL:HG12	1:A:181:LEU:HD22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:VAL:HB	1:A:252:SER:HB3	1.99	0.43
1:B:67:LEU:HD11	1:B:135:GLY:HA3	1.99	0.43
1:B:116:ILE:O	1:B:120:GLN:HG2	2.18	0.43
1:B:193:ARG:H	1:B:193:ARG:HG2	1.55	0.43
1:A:118:GLU:O	1:A:121:VAL:HG22	2.18	0.43
1:B:63:LYS:H	1:B:63:LYS:HG2	1.45	0.43
1:B:318:ILE:H	1:B:318:ILE:HG13	1.52	0.43
1:A:167:GLU:OE1	1:A:339:THR:OG1	2.37	0.43
1:B:351:ILE:HG21	1:B:356:GLU:HB3	1.99	0.43
1:A:383:LEU:O	1:A:387:LEU:HB2	2.19	0.42
1:A:155:LEU:HD23	1:A:155:LEU:HA	1.83	0.42
1:A:318:ILE:HD12	1:A:318:ILE:H	1.84	0.42
1:B:353:ASN:HB3	1:B:356:GLU:HB2	2.00	0.42
1:A:267:ILE:O	1:A:269:PRO:HD3	2.20	0.42
1:B:265:TYR:CZ	1:B:267:ILE:HB	2.54	0.42
1:A:111:ILE:HD13	1:A:111:ILE:HA	1.92	0.42
1:A:215:VAL:HG23	4:A:1001:5EA:F1	2.10	0.42
1:A:86:VAL:HG22	1:A:101:LYS:HE2	2.02	0.42
1:A:319:PHE:CD1	1:B:322:LEU:HB3	2.55	0.42
1:B:97:ILE:H	1:B:97:ILE:HG13	1.47	0.42
1:A:237:GLU:CD	1:A:357:ARG:HH22	2.27	0.42
1:B:107:ILE:HD13	1:B:107:ILE:HA	1.95	0.42
1:B:276:GLU:C	1:B:278:ILE:H	2.28	0.42
1:A:353:ASN:HD22	1:A:354:PRO:CD	2.31	0.41
1:B:122:LEU:HB3	1:B:133:PHE:CD1	2.55	0.41
1:A:284:VAL:HB	1:A:285:ASP:H	1.63	0.41
1:B:217:GLY:HA2	1:B:220:ILE:HD12	2.01	0.41
1:B:265:TYR:HA	1:B:266:PRO:HD3	1.94	0.41
1:A:335:ASN:O	1:A:337:VAL:HG12	2.21	0.41
1:B:154:SER:O	1:B:157:GLN:HB2	2.21	0.41
1:B:114:GLN:HA	1:B:117:ARG:HE	1.85	0.41
1:B:131:VAL:HG21	1:B:201:LEU:HD22	2.02	0.41
1:A:193:ARG:HH12	1:A:243:HIS:CE1	2.39	0.41
1:B:150:MET:HG3	1:B:201:LEU:HB3	2.02	0.40
1:A:136:ALA:HA	1:A:144:SER:O	2.22	0.40
1:A:232:SER:O	1:A:265:TYR:OH	2.28	0.40
1:B:329:PRO:HA	1:B:330:PRO:HD3	1.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/354 (84%)	263 (89%)	28 (9%)	6 (2%)	6	31
1	B	285/354 (80%)	255 (90%)	27 (10%)	3 (1%)	11	43
All	All	582/708 (82%)	518 (89%)	55 (10%)	9 (2%)	8	37

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	163	LYS
1	A	284	VAL
1	A	109	PRO
1	A	106	GLU
1	B	110	ALA
1	B	336	GLY
1	B	140	ASP
1	A	281	ARG
1	A	282	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/305 (86%)	191 (73%)	71 (27%)	0	2
1	B	253/305 (83%)	191 (76%)	62 (24%)	1	3
All	All	515/610 (84%)	382 (74%)	133 (26%)	0	3

All (133) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	61	LYS
1	A	63	LYS
1	A	64	VAL
1	A	67	LEU
1	A	82	ASN
1	A	85	VAL
1	A	87	THR
1	A	90	GLN
1	A	96	LEU
1	A	97	ILE
1	A	98	MET
1	A	100	ARG
1	A	101	LYS
1	A	105	LEU
1	A	106	GLU
1	A	107	ILE
1	A	111	ILE
1	A	112	ARG
1	A	113	ASN
1	A	116	ILE
1	A	122	LEU
1	A	124	GLU
1	A	140	ASP
1	A	142	GLU
1	A	143	ILE
1	A	154	SER
1	A	157	GLN
1	A	158	VAL
1	A	163	LYS
1	A	164	ARG
1	A	167	GLU
1	A	168	GLU
1	A	172	LYS
1	A	175	ILE
1	A	181	LEU
1	A	185	ARG
1	A	201	LEU
1	A	215	VAL
1	A	219	LEU
1	A	220	ILE
1	A	223	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	228	VAL
1	A	230	THR
1	A	238	ARG
1	A	243	HIS
1	A	246	VAL
1	A	247	GLN
1	A	250	ILE
1	A	255	LEU
1	A	267	ILE
1	A	271	ASP
1	A	279	PHE
1	A	281	ARG
1	A	284	VAL
1	A	313	ARG
1	A	321	LEU
1	A	333	LEU
1	A	335	ASN
1	A	337	VAL
1	A	339	THR
1	A	352	LYS
1	A	356	GLU
1	A	360	LEU
1	A	362	MET
1	A	367	THR
1	A	376	GLU
1	A	383	LEU
1	A	385	LYS
1	A	387	LEU
1	A	388	ARG
1	B	61	LYS
1	B	63	LYS
1	B	67	LEU
1	B	68	LYS
1	B	74	ARG
1	B	85	VAL
1	B	87	THR
1	B	97	ILE
1	B	98	MET
1	B	100	ARG
1	B	104	HIS
1	B	105	LEU
1	B	107	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	113	ASN
1	B	114	GLN
1	B	115	ILE
1	B	116	ILE
1	B	122	LEU
1	B	124	GLU
1	B	139	SER
1	B	140	ASP
1	B	142	GLU
1	B	145	ILE
1	B	160	LYS
1	B	168	GLU
1	B	172	LYS
1	B	181	LEU
1	B	190	ILE
1	B	193	ARG
1	B	196	LYS
1	B	218	GLN
1	B	219	LEU
1	B	222	SER
1	B	230	THR
1	B	231	ARG
1	B	238	ARG
1	B	242	THR
1	B	243	HIS
1	B	255	LEU
1	B	267	ILE
1	B	274	GLU
1	B	275	LEU
1	B	276	GLU
1	B	278	ILE
1	B	316	MET
1	B	318	ILE
1	B	320	GLU
1	B	321	LEU
1	B	328	GLU
1	B	337	VAL
1	B	339	THR
1	B	356	GLU
1	B	360	LEU
1	B	361	LYS
1	B	364	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	367	THR
1	B	376	GLU
1	B	383	LEU
1	B	385	LYS
1	B	386	THR
1	B	387	LEU
1	B	389	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	113	ASN
1	A	114	GLN
1	A	120	GLN
1	A	123	HIS
1	A	199	ASN
1	A	240	GLN
1	A	243	HIS
1	A	247	GLN
1	A	343	GLN
1	A	353	ASN
1	A	366	HIS
1	B	126	ASN
1	B	247	GLN
1	B	353	ASN
1	B	365	ASN
1	B	366	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	5EA	A	1001	-	33,34,34	3.02	9 (27%)	40,47,47	2.54	14 (35%)
4	5EA	B	1002	-	33,34,34	3.06	9 (27%)	40,47,47	2.56	16 (40%)
3	ATP	A	535	2	32,33,33	1.45	4 (12%)	48,52,52	1.73	9 (18%)
3	ATP	B	537	2	32,33,33	1.49	6 (18%)	48,52,52	1.73	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	5EA	A	1001	-	-	2/13/22/22	0/4/4/4
4	5EA	B	1002	-	-	1/13/22/22	0/4/4/4
3	ATP	A	535	2	-	1/22/38/38	0/3/3/3
3	ATP	B	537	2	-	3/22/38/38	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1002	5EA	C10-C15	8.55	1.49	1.39
4	A	1001	5EA	C10-C15	8.47	1.49	1.39
4	B	1002	5EA	O7-C13	6.78	1.45	1.36
4	A	1001	5EA	O7-C13	6.72	1.45	1.36
4	B	1002	5EA	C2-C6	6.40	1.49	1.39
4	B	1002	5EA	C11-C6	6.27	1.49	1.37
4	B	1002	5EA	C1-C2	6.25	1.49	1.41
4	A	1001	5EA	C2-C6	6.19	1.49	1.39
4	A	1001	5EA	C1-C2	6.14	1.49	1.41
4	A	1001	5EA	C11-C6	5.88	1.48	1.37
4	A	1001	5EA	O7-C3	5.36	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1002	5EA	O7-C3	5.31	1.45	1.37
3	B	537	ATP	C5-C4	4.95	1.47	1.39
3	A	535	ATP	C5-C4	4.86	1.47	1.39
4	A	1001	5EA	N8-N14	-4.01	1.31	1.39
4	B	1002	5EA	N8-N14	-3.96	1.31	1.39
4	A	1001	5EA	C3-N8	3.14	1.34	1.29
4	B	1002	5EA	C3-N8	3.08	1.34	1.29
3	B	537	ATP	C5-N7	-2.94	1.33	1.39
3	A	535	ATP	C5-C6	2.85	1.48	1.41
3	A	535	ATP	C5-N7	-2.76	1.34	1.39
3	B	537	ATP	C5-C6	2.75	1.48	1.41
4	A	1001	5EA	C13-N14	2.55	1.33	1.30
4	B	1002	5EA	C13-N14	2.35	1.33	1.30
3	B	537	ATP	C8-N7	2.27	1.36	1.31
3	A	535	ATP	C8-N7	2.27	1.36	1.31
3	B	537	ATP	PB-O3A	2.08	1.61	1.59
3	B	537	ATP	PB-O3B	2.02	1.61	1.59

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1002	5EA	C28-N26-C27	8.20	126.51	108.84
4	A	1001	5EA	C28-N26-C27	8.20	126.50	108.84
4	B	1002	5EA	C13-N14-N8	6.59	109.22	105.37
4	A	1001	5EA	C13-N14-N8	6.56	109.21	105.37
3	B	537	ATP	C5-C4-N3	-5.87	118.64	126.72
3	A	535	ATP	C5-C4-N3	-5.61	118.99	126.72
3	B	537	ATP	N3-C4-N9	4.80	135.33	127.17
3	A	535	ATP	N3-C4-N9	4.59	134.98	127.17
4	B	1002	5EA	C30-O31-C29	4.24	123.58	109.88
4	A	1001	5EA	C30-O31-C29	4.23	123.56	109.88
3	A	535	ATP	C2-N3-C4	3.77	121.04	111.83
3	B	537	ATP	C2-N3-C4	3.77	121.04	111.83
4	A	1001	5EA	O31-C30-C28	3.77	119.89	111.77
4	B	1002	5EA	O31-C29-C27	3.76	119.86	111.77
4	B	1002	5EA	O31-C30-C28	3.72	119.78	111.77
4	A	1001	5EA	O31-C29-C27	3.72	119.78	111.77
4	B	1002	5EA	C19-C15-C10	-3.50	119.85	123.43
4	A	1001	5EA	C19-C15-C10	-3.48	119.87	123.43
4	B	1002	5EA	C3-N8-N14	3.48	109.62	106.33
3	A	535	ATP	N3-C2-N1	-3.41	123.42	128.58
4	A	1001	5EA	C29-C27-N26	3.36	115.22	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1002	5EA	C30-C28-N26	3.30	115.14	110.12
4	B	1002	5EA	C29-C27-N26	3.29	115.12	110.12
4	A	1001	5EA	C3-N8-N14	3.29	109.44	106.33
3	B	537	ATP	N3-C2-N1	-3.28	123.61	128.58
4	A	1001	5EA	C30-C28-N26	3.24	115.05	110.12
3	B	537	ATP	C4-C5-N7	-3.19	106.94	110.58
3	A	535	ATP	C4-C5-N7	-3.09	107.04	110.58
3	B	537	ATP	C5-N7-C8	2.58	107.51	103.45
4	B	1002	5EA	O7-C13-N14	-2.45	111.73	113.12
3	A	535	ATP	C4-N9-C8	2.45	108.31	105.74
3	A	535	ATP	C5-N7-C8	2.44	107.28	103.45
4	A	1001	5EA	C22-C24-N26	-2.41	106.94	112.84
3	B	537	ATP	C3'-C2'-C1'	2.32	105.85	101.46
3	B	537	ATP	C4-N9-C8	2.31	108.16	105.74
4	B	1002	5EA	F20-C15-C10	2.25	120.39	117.59
4	B	1002	5EA	C22-C24-N26	-2.24	107.37	112.84
4	B	1002	5EA	C2-C6-C11	-2.22	118.80	121.78
4	A	1001	5EA	C24-N26-C27	2.19	117.09	111.24
4	A	1001	5EA	O7-C13-N14	-2.16	111.89	113.12
3	A	535	ATP	C6-C5-N7	2.13	136.20	132.09
3	A	535	ATP	C3'-C2'-C1'	2.13	105.50	101.46
4	B	1002	5EA	C24-N26-C28	2.09	116.81	111.24
4	A	1001	5EA	C2-C6-C11	-2.08	118.98	121.78
4	A	1001	5EA	C2-N5-C10	2.05	127.46	123.02
4	B	1002	5EA	C24-N26-C27	2.04	116.68	111.24
4	B	1002	5EA	C4-C9-C11	2.03	121.54	119.04

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	1001	5EA	N14-C13-N18-C22
4	A	1001	5EA	C22-C24-N26-C28
4	B	1002	5EA	N14-C13-N18-C22
3	B	537	ATP	PB-O3A-PA-O5'
3	A	535	ATP	C5'-O5'-PA-O1A
3	B	537	ATP	O4'-C4'-C5'-O5'
3	B	537	ATP	C3'-C4'-C5'-O5'



There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1001	5EA	1	0
4	B	1002	5EA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	303/354 (85%)	0.03	8 (2%) 57 37	13, 34, 63, 68	2 (0%)
1	B	291/354 (82%)	0.20	9 (3%) 51 32	24, 46, 66, 68	2 (0%)
All	All	594/708 (83%)	0.11	17 (2%) 53 35	13, 40, 65, 68	4 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	282	PRO	3.7
1	B	221	ASP	3.4
1	B	75	ILE	3.1
1	A	138	TYR	3.1
1	B	243	HIS	2.7
1	B	279	PHE	2.6
1	A	141	GLY	2.3
1	A	140	ASP	2.3
1	A	284	VAL	2.3
1	A	90	GLN	2.2
1	B	272	ALA	2.2
1	A	392	PRO	2.2
1	B	278	ILE	2.1
1	A	344	GLU	2.1
1	B	109	PRO	2.1
1	B	376	GLU	2.1
1	B	140	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MG	B	538	1/1	0.85	0.07	32,32,32,32	0
3	ATP	B	537	31/31	0.93	0.10	50,51,52,52	0
2	MG	A	536	1/1	0.94	0.09	18,18,18,18	0
3	ATP	A	535	31/31	0.95	0.10	46,47,48,49	0
4	5EA	A	1001	31/31	0.96	0.10	28,31,34,38	0
4	5EA	B	1002	31/31	0.96	0.10	33,33,40,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ATP B 537:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ATP A 535:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 5EA A 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.