



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:55 AM UTC

PDB ID : 3SAG / pdb_00003sag
Title : Crystal structure of the human RRP6 catalytic domain with D313N mutation in the active site
Authors : Januszyk, K.; Liu, Q.; Lima, C.D.
Deposited on : 2011-06-02
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	428	
1	B	428	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6537 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exosome component 10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total	C	N	O	S	0	0	0
			3168	2029	548	573	18			
1	B	380	Total	C	N	O	S	0	0	0
			3137	2010	537	572	18			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	179	SER	-	expression tag	UNP Q01780
A	313	ASN	ASP	engineered mutation	UNP Q01780
B	179	SER	-	expression tag	UNP Q01780
B	313	ASN	ASP	engineered mutation	UNP Q01780

- Molecule 2 is YTTRIUM (III) ION (CCD ID: YT3) (formula: Y).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Y	0	0
			2	2		
2	B	1	Total	Y	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	114	Total	O	0	0
			114	114		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	114	Total 114	O 114	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Exosome component 10



• Molecule 1: Exosome component 10



4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α , β , γ	138.80Å 138.80Å 60.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.70 – 2.70 34.70 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.70-2.70) 99.8 (34.70-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.42 (at 2.68Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, R_{free}	0.208 , 0.262 0.198 , 0.252	Depositor DCC
R_{free} test set	1590 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	53.4	Xtriage
Anisotropy	0.580	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 39.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.033 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6537	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, YT3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3245	0.87	6/4394 (0.1%)
1	B	0.43	0/3213	0.89	10/4355 (0.2%)
All	All	0.42	0/6458	0.88	16/8749 (0.2%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	209	GLN	N-CA-C	-7.00	105.36	114.04
1	B	209	GLN	N-CA-C	-6.92	105.12	113.97
1	A	343	LEU	N-CA-C	-6.48	102.71	112.04
1	B	343	LEU	N-CA-C	-6.09	104.72	111.36
1	A	333	THR	N-CA-C	-6.05	101.23	109.95
1	B	333	THR	N-CA-C	-6.00	101.10	110.17
1	B	319	TYR	N-CA-C	5.78	117.38	111.14
1	B	308	GLN	N-CA-C	-5.61	106.27	113.23
1	A	308	GLN	N-CA-C	-5.58	105.20	112.23
1	B	442	HIS	N-CA-C	5.50	117.27	111.28
1	B	574	GLN	N-CA-C	-5.42	105.27	111.07
1	A	559	PRO	CA-C-N	5.29	125.34	119.32
1	A	559	PRO	C-N-CA	5.29	125.34	119.32
1	B	464	VAL	N-CA-C	-5.19	105.96	113.07
1	B	559	PRO	CA-C-N	5.04	125.06	119.32
1	B	559	PRO	C-N-CA	5.04	125.06	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3168	0	3162	102	0
1	B	3137	0	3110	90	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
3	B	1	0	0	0	0
4	A	114	0	0	4	0
4	B	114	0	0	2	0
All	All	6537	0	6272	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:416:ASN:HB2	1:B:418:GLN:HE21	1.36	0.88
1:B:394:ARG:HH22	1:B:472:ARG:HE	1.18	0.88
1:B:571:LEU:HA	1:B:574:GLN:HE21	1.43	0.83
1:A:494:LEU:HG	1:A:498:GLN:HE21	1.44	0.81
1:B:394:ARG:NH2	1:B:472:ARG:HE	1.82	0.78
1:B:396:LEU:HD21	1:B:455:MET:HG2	1.66	0.78
1:A:258:TYR:HD1	1:A:261:GLU:HG3	1.50	0.76
1:B:416:ASN:HB2	1:B:418:GLN:NE2	2.02	0.74
1:A:362:VAL:HG22	1:A:385:ASN:HD21	1.52	0.74
1:B:297:LEU:HD22	1:B:345:LEU:HD13	1.70	0.73
1:A:485:ILE:O	1:A:485:ILE:HD12	1.88	0.73
1:B:258:TYR:HD1	1:B:261:GLU:HG3	1.53	0.73
1:A:536:MET:HE1	1:A:559:PRO:HD3	1.71	0.72
1:A:294:LEU:HD13	1:A:348:ASP:HB3	1.71	0.72
1:B:205:LYS:HG2	1:B:208:ALA:HB2	1.72	0.71
1:A:533:PRO:HG2	1:A:536:MET:HG3	1.72	0.71
1:B:533:PRO:HD2	1:B:536:MET:HE2	1.72	0.71
1:B:505:GLN:HE21	1:B:581:LEU:HG	1.57	0.69
1:A:556:ASN:HA	4:A:127:HOH:O	1.93	0.68
1:B:417:LYS:HD2	1:B:417:LYS:H	1.58	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:552:ILE:HG23	1:A:558:VAL:HG21	1.75	0.68
1:A:182:ARG:NH1	1:A:182:ARG:HB3	2.10	0.67
1:A:362:VAL:CG2	1:A:385:ASN:HD21	2.07	0.67
1:B:491:TYR:H	1:B:491:TYR:HD1	1.45	0.64
1:B:191:ILE:HD12	1:B:191:ILE:N	2.12	0.64
1:A:538:LEU:HD22	1:A:538:LEU:O	1.97	0.64
1:B:187:PHE:HD2	1:B:191:ILE:HD11	1.62	0.63
1:A:259:GLN:HE21	1:A:263:ASN:HD21	1.45	0.63
1:A:398:LEU:C	1:A:400:ARG:H	2.07	0.62
1:A:448:TYR:CE1	1:A:452:ARG:HD2	2.34	0.62
1:A:269:ASP:O	1:A:273:GLN:HG3	2.00	0.61
1:A:532:LEU:HD13	1:A:537:MET:HB2	1.81	0.61
1:A:536:MET:HE1	1:A:559:PRO:CD	2.31	0.60
1:B:536:MET:HE1	1:B:559:PRO:HD3	1.83	0.60
1:A:184:GLN:HA	1:A:187:PHE:CD2	2.37	0.59
1:B:296:GLU:HA	1:B:296:GLU:OE1	2.01	0.59
1:B:294:LEU:HD13	1:B:348:ASP:HB3	1.85	0.59
1:B:474:ARG:HD2	1:B:474:ARG:C	2.27	0.59
1:A:213:PRO:HG2	1:A:216:LEU:HD12	1.83	0.59
1:A:533:PRO:HD2	1:A:536:MET:HE2	1.85	0.59
1:B:573:ILE:O	1:B:577:ARG:HG3	2.02	0.59
1:A:362:VAL:HG22	1:A:385:ASN:ND2	2.16	0.59
1:B:495:TYR:HB3	1:B:500:LYS:CB	2.33	0.59
1:B:279:LEU:HD13	1:B:280:TYR:O	2.03	0.59
1:B:340:ILE:HG23	1:B:345:LEU:HD12	1.85	0.58
1:A:314:LEU:HD21	1:A:329:MET:HE3	1.86	0.58
1:A:353:ASN:ND2	1:A:381:LEU:HD23	2.19	0.58
1:A:557:PRO:HA	4:A:127:HOH:O	2.04	0.57
1:A:398:LEU:C	1:A:400:ARG:N	2.61	0.57
1:B:559:PRO:HG2	1:B:562:VAL:CG2	2.34	0.57
1:A:552:ILE:HD13	1:A:563:ARG:NH2	2.21	0.56
1:B:294:LEU:O	1:B:298:VAL:HG23	2.06	0.56
1:A:182:ARG:HB3	1:A:182:ARG:HH11	1.70	0.56
1:B:532:LEU:HD21	1:B:536:MET:HB3	1.88	0.56
1:A:184:GLN:HE21	1:A:184:GLN:H	1.53	0.55
1:A:268:ALA:O	1:A:271:VAL:HG22	2.06	0.55
1:B:394:ARG:HH22	1:B:472:ARG:NE	1.96	0.55
1:A:351:ILE:O	1:A:354:GLU:HG3	2.06	0.54
1:A:495:TYR:O	1:A:500:LYS:HB2	2.07	0.54
1:A:491:TYR:H	1:A:491:TYR:HD1	1.55	0.54
1:B:258:TYR:CD1	1:B:261:GLU:HG3	2.39	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:LEU:O	1:A:457:GLU:HG3	2.08	0.54
1:B:420:GLN:O	1:B:421:LEU:HB2	2.07	0.53
1:A:398:LEU:HD22	1:A:401:HIS:NE2	2.24	0.53
1:B:188:ARG:HG3	1:B:347:SER:HB3	1.91	0.53
1:B:559:PRO:HG2	1:B:562:VAL:HB	1.91	0.53
1:A:409:LEU:HD12	1:A:409:LEU:O	2.09	0.52
1:A:540:ILE:HD13	1:A:551:ILE:HG23	1.91	0.52
1:A:212:LEU:HD12	1:A:213:PRO:HD2	1.92	0.52
1:A:311:ALA:O	1:A:331:ILE:HA	2.09	0.52
1:B:313:ASN:C	1:B:314:LEU:HD12	2.35	0.52
1:B:472:ARG:O	1:B:475:ASP:HB2	2.10	0.52
1:B:505:GLN:HE21	1:B:581:LEU:CG	2.22	0.52
1:B:317:HIS:CD2	1:B:425:ARG:HD3	2.45	0.52
1:B:445:LEU:O	1:B:448:TYR:HB3	2.10	0.51
1:B:484:PRO:HB2	1:B:486:PHE:CZ	2.45	0.51
1:A:182:ARG:HH11	1:A:182:ARG:CB	2.23	0.51
1:B:455:MET:SD	1:B:466:LEU:HD12	2.51	0.51
1:B:489:GLU:O	1:B:493:GLU:HG3	2.10	0.51
1:B:517:ARG:NE	1:B:528:TYR:HD2	2.08	0.51
1:B:369:ASP:HB2	4:B:162:HOH:O	2.10	0.51
1:A:494:LEU:HG	1:A:498:GLN:NE2	2.21	0.50
1:A:193:ASN:O	1:A:522:ARG:HD3	2.11	0.50
1:B:491:TYR:CD1	1:B:491:TYR:N	2.75	0.50
1:A:555:CYS:HB2	1:A:558:VAL:HG22	1.93	0.50
1:B:532:LEU:CD2	1:B:536:MET:HB3	2.41	0.50
1:B:536:MET:CE	1:B:559:PRO:HD3	2.41	0.50
1:B:495:TYR:HA	1:B:498:GLN:HB3	1.93	0.50
1:A:260:TYR:CE1	1:A:264:HIS:CE1	3.00	0.49
1:A:377:LYS:HG3	1:A:481:PHE:CE2	2.48	0.49
1:A:182:ARG:NH2	1:A:525:ASP:O	2.46	0.49
1:A:310:PHE:HD1	1:A:331:ILE:HG23	1.77	0.49
1:B:454:GLU:O	1:B:458:ARG:HG2	2.12	0.49
1:A:447:ILE:CG2	1:A:451:MET:HE3	2.42	0.49
1:B:265:PHE:CZ	1:B:385:ASN:HA	2.48	0.48
1:B:191:ILE:N	1:B:191:ILE:CD1	2.76	0.48
1:A:339:ILE:HD12	1:A:434:LEU:HD22	1.95	0.48
1:A:398:LEU:O	1:A:400:ARG:N	2.46	0.48
1:A:536:MET:HE3	1:A:555:CYS:SG	2.54	0.48
1:B:485:ILE:O	1:B:485:ILE:HG23	2.14	0.48
1:B:511:GLN:HG3	1:B:512:LEU:N	2.28	0.48
1:A:259:GLN:HE21	1:A:263:ASN:ND2	2.11	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:395:LEU:HD12	1:B:469:VAL:HG22	1.96	0.47
1:A:362:VAL:HA	1:A:385:ASN:ND2	2.29	0.47
1:A:408:LYS:HE2	1:A:412:ASN:OD1	2.15	0.47
1:A:445:LEU:O	1:A:448:TYR:HB3	2.14	0.47
1:B:555:CYS:HB2	1:B:558:VAL:HG22	1.95	0.47
1:B:448:TYR:CE1	1:B:452:ARG:HD2	2.49	0.47
1:A:491:TYR:N	1:A:491:TYR:CD1	2.82	0.47
1:B:409:LEU:HD12	1:B:409:LEU:O	2.13	0.47
1:A:582:LEU:O	1:A:586:VAL:HG23	2.15	0.47
1:A:559:PRO:HG2	1:A:562:VAL:CG2	2.44	0.47
1:B:349:MET:HB2	1:B:379:PHE:HB3	1.97	0.46
1:B:334:ARG:HD3	1:B:445:LEU:HD12	1.97	0.46
1:B:536:MET:O	1:B:540:ILE:HG13	2.15	0.46
1:B:261:GLU:CD	1:B:261:GLU:H	2.23	0.46
1:B:341:ASP:CG	1:B:427:ARG:NH1	2.74	0.46
1:B:190:LYS:HG2	1:B:191:ILE:N	2.29	0.46
1:A:219:GLU:C	1:A:221:ARG:H	2.24	0.46
1:A:411:CYS:HB2	1:A:413:VAL:HG23	1.98	0.46
1:A:329:MET:HE3	1:A:375:LEU:HD21	1.97	0.46
1:A:404:ASP:OD1	1:A:415:SER:HB3	2.16	0.45
1:B:384:VAL:O	1:B:385:ASN:HB3	2.16	0.45
1:A:546:LYS:HG3	1:A:577:ARG:NH1	2.32	0.45
1:B:408:LYS:HE3	1:B:414:ASP:OD1	2.16	0.45
1:B:341:ASP:OD1	1:B:427:ARG:NH1	2.49	0.45
1:B:291:ILE:HD12	1:B:300:LEU:HD22	1.98	0.45
1:A:353:ASN:HD21	1:A:381:LEU:HA	1.82	0.45
1:A:543:GLU:O	1:A:544:LEU:C	2.60	0.45
1:B:423:ASP:O	1:B:426:ILE:HG22	2.17	0.45
1:A:205:LYS:HZ1	1:A:261:GLU:CD	2.25	0.45
1:B:199:LEU:O	1:B:200:PRO:C	2.60	0.45
1:B:342:THR:HG22	1:B:349:MET:SD	2.57	0.45
1:A:182:ARG:HH12	1:A:184:GLN:HB2	1.82	0.44
1:A:384:VAL:O	1:A:385:ASN:HB3	2.17	0.44
1:B:187:PHE:CD2	1:B:191:ILE:HD11	2.49	0.44
1:B:532:LEU:CD2	1:B:532:LEU:C	2.90	0.44
1:B:268:ALA:O	1:B:271:VAL:HG22	2.18	0.44
1:A:458:ARG:C	1:A:460:ASN:H	2.26	0.44
1:B:253:MET:HE2	1:B:254:PHE:CE1	2.53	0.44
1:B:406:LEU:HD22	1:B:410:TYR:HE1	1.82	0.44
1:B:451:MET:O	1:B:455:MET:HG3	2.18	0.44
1:B:536:MET:HG2	1:B:555:CYS:SG	2.58	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:416:ASN:O	1:B:418:GLN:HG2	2.18	0.44
1:B:486:PHE:CD1	1:B:486:PHE:N	2.85	0.44
1:A:196:THR:O	1:A:483:LYS:HD2	2.18	0.43
1:A:261:GLU:CD	1:A:261:GLU:H	2.25	0.43
1:B:505:GLN:NE2	1:B:581:LEU:HG	2.30	0.43
1:A:377:LYS:O	1:A:377:LYS:HG2	2.17	0.43
1:B:465:GLN:O	1:B:469:VAL:HG23	2.18	0.43
1:A:297:LEU:HD22	1:A:345:LEU:HD13	2.00	0.43
1:A:290:PHE:C	1:A:291:ILE:HD12	2.43	0.43
1:A:316:HIS:HB2	1:A:374:TRP:CZ3	2.53	0.43
1:A:350:TYR:CD1	1:A:351:ILE:N	2.87	0.43
1:A:406:LEU:O	1:A:410:TYR:HB2	2.18	0.43
1:A:342:THR:HB	1:A:379:PHE:CZ	2.54	0.43
1:A:492:LEU:O	1:A:496:ARG:HB2	2.18	0.43
1:A:562:VAL:HG13	1:A:569:MET:SD	2.59	0.43
1:A:445:LEU:HG	4:A:31:HOH:O	2.17	0.42
1:A:454:GLU:O	1:A:458:ARG:HG3	2.19	0.42
1:A:204:ILE:HG23	1:A:204:ILE:O	2.19	0.42
1:A:411:CYS:O	1:A:412:ASN:C	2.62	0.42
1:A:318:SER:HB2	4:A:172:HOH:O	2.18	0.42
1:A:406:LEU:HD13	1:A:451:MET:HE1	2.00	0.42
1:B:297:LEU:HG	1:B:351:ILE:HD11	2.01	0.42
1:B:423:ASP:OD1	1:B:425:ARG:HB2	2.19	0.42
1:B:311:ALA:O	1:B:331:ILE:HA	2.19	0.42
1:B:340:ILE:HD12	1:B:340:ILE:N	2.35	0.42
1:B:429:LEU:HA	1:B:430:PRO:HD2	1.91	0.42
1:A:584:SER:O	1:A:588:ALA:HB3	2.20	0.42
1:A:566:ILE:HG23	1:A:567:ASN:N	2.35	0.42
1:B:538:LEU:O	1:B:538:LEU:HD23	2.19	0.42
1:B:559:PRO:HG2	1:B:562:VAL:CB	2.49	0.42
1:B:198:PHE:HB2	1:B:483:LYS:HG2	2.02	0.41
1:B:532:LEU:C	1:B:532:LEU:HD23	2.45	0.41
1:A:293:SER:C	1:A:345:LEU:HD21	2.45	0.41
1:A:539:LYS:HE3	1:A:539:LYS:HB2	1.81	0.41
1:A:546:LYS:HG3	1:A:577:ARG:HH12	1.85	0.41
1:A:573:ILE:O	1:A:577:ARG:HG3	2.20	0.41
1:A:196:THR:HG23	1:A:197:PRO:HD2	2.01	0.41
1:A:199:LEU:O	1:A:200:PRO:C	2.62	0.41
1:A:531:VAL:HG22	1:A:561:LEU:CD1	2.51	0.41
1:B:566:ILE:HG23	1:B:567:ASN:N	2.35	0.41
1:A:219:GLU:CD	1:A:219:GLU:N	2.79	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:532:LEU:HD22	1:B:537:MET:HB2	2.03	0.41
1:A:497:LYS:C	1:A:499:LYS:H	2.28	0.41
1:A:258:TYR:CD1	1:A:261:GLU:HG3	2.41	0.40
1:A:315:GLU:OE1	1:A:315:GLU:HA	2.21	0.40
1:A:417:LYS:HG2	1:A:420:GLN:HE22	1.85	0.40
1:A:356:LEU:O	1:A:383:VAL:HA	2.21	0.40
1:A:396:LEU:O	1:A:398:LEU:HG	2.21	0.40
1:B:334:ARG:HG2	4:B:19:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/428 (88%)	344 (91%)	32 (8%)	1 (0%)	36	60
1	B	376/428 (88%)	352 (94%)	22 (6%)	2 (0%)	24	48
All	All	753/856 (88%)	696 (92%)	54 (7%)	3 (0%)	30	54

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	220	ARG
1	B	385	ASN
1	B	277	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/395 (89%)	337 (96%)	16 (4%)	24	52
1	B	348/395 (88%)	325 (93%)	23 (7%)	15	36
All	All	701/790 (89%)	662 (94%)	39 (6%)	19	44

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	GLN
1	A	261	GLU
1	A	308	GLN
1	A	351	ILE
1	A	401	HIS
1	A	420	GLN
1	A	432	GLU
1	A	470	TRP
1	A	471	GLN
1	A	485	ILE
1	A	491	TYR
1	A	507	LEU
1	A	532	LEU
1	A	538	LEU
1	A	574	GLN
1	A	575	GLN
1	B	180	ILE
1	B	184	GLN
1	B	188	ARG
1	B	189	GLU
1	B	191	ILE
1	B	261	GLU
1	B	279	LEU
1	B	316	HIS
1	B	417	LYS
1	B	444	LEU
1	B	453	LEU
1	B	466	LEU
1	B	471	GLN
1	B	474	ARG
1	B	486	PHE
1	B	491	TYR
1	B	507	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	519	LYS
1	B	532	LEU
1	B	536	MET
1	B	538	LEU
1	B	549	GLN
1	B	586	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	184	GLN
1	A	251	GLN
1	A	259	GLN
1	A	264	HIS
1	A	316	HIS
1	A	353	ASN
1	A	385	ASN
1	A	391	GLN
1	A	418	GLN
1	A	465	GLN
1	A	471	GLN
1	A	498	GLN
1	A	575	GLN
1	B	259	GLN
1	B	278	GLN
1	B	330	GLN
1	B	418	GLN
1	B	420	GLN
1	B	462	GLN
1	B	505	GLN
1	B	556	ASN
1	B	574	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	381/428 (89%)	-0.20	1 (0%) 90 89	42, 65, 97, 111	0
1	B	380/428 (88%)	-0.20	7 (1%) 67 65	40, 61, 96, 125	0
All	All	761/856 (88%)	-0.20	8 (1%) 78 76	40, 63, 97, 125	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	495	TYR	3.3
1	A	588	ALA	3.1
1	B	587	ALA	2.7
1	B	588	ALA	2.6
1	B	494	LEU	2.5
1	B	492	LEU	2.4
1	B	491	TYR	2.1
1	B	220	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	B	1	1/1	0.89	0.09	60,60,60,60	0
2	YT3	A	3	1/1	0.99	0.04	71,71,71,71	0
2	YT3	B	2	1/1	0.99	0.04	65,65,65,65	0
2	YT3	A	1	1/1	0.99	0.02	63,63,63,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.