



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:47 AM UTC

PDB ID : 5SB5 / pdb_00005sb5
Title : Tubulin-todalam-9-complex
Authors : Muehlethaler, T.; Milanos, L.; Ortega, J.A.; Blum, T.B.; Gioia, D.; Prota, A.E.; Cavalli, A.; Steinmetz, M.O.
Deposited on : 2021-07-08
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7754 (2.34-2.30)
Clashscore	190562	8383 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	2% 90% 7% .
1	C	451	2% 90% 8% .
2	B	445	3% 86% 9% 5%
2	D	445	4% 86% 9% .
3	E	143	5% 82% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	10% 80% 8% 12%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 18255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	0	0
			3424	2167	582	653	22			
1	C	440	Total	C	N	O	S	0	1	0
			3443	2178	585	657	23			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	423	Total	C	N	O	S	0	1	0
			3345	2102	572	644	27			
2	D	426	Total	C	N	O	S	1	0	0
			3343	2098	570	648	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	0	0
			1014	625	183	201	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043


- Molecule 4 is a protein called Tubulin-Tyrosine Ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	337	Total	C	N	O	S	0	0	0
			2747	1767	464	502	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	B	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		
7	E	1	Total	Ca	0	0
			1	1		

- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
8	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 9 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 10 is N-{4-[2-(3-fluoroanilino)-1,3-thiazol-4-yl]phenyl}acetamide (CCD ID: 4CJ) (formula: $C_{17}H_{14}FN_3OS$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	C	1	Total	C	F	N	O	S	0
			23	17	1	3	1	1	

- Molecule 11 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	135	Total	O	0	0
			135	135		
12	B	164	Total	O	0	0
			164	164		
12	C	260	Total	O	0	0
			260	260		
12	D	100	Total	O	0	0
			100	100		
12	E	35	Total	O	0	0
			35	35		
12	F	50	Total	O	0	0
			50	50		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tubulin alpha-1B chain




• Molecule 1: Tubulin alpha-1B chain




• Molecule 2: Tubulin beta-2B chain





• Molecule 2: Tubulin beta-2B chain









● Molecule 3: Stathmin-4



● Molecule 4: Tubulin-Tyrosine Ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.81Å 157.71Å 180.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.55 – 2.31 49.55 – 2.31	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.55-2.31) 100.0 (49.55-2.31)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.32Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.188 , 0.220 0.188 , 0.219	Depositor DCC
R_{free} test set	6596 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	42.5	Xtriage
Anisotropy	0.185	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	18255	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4CJ, MG, GDP, MES, ACP, CA, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.11	0/3502	0.29	0/4754
1	C	0.13	0/3521	0.31	0/4780
2	B	0.12	0/3419	0.29	0/4629
2	D	0.10	0/3416	0.26	0/4626
3	E	0.10	0/1022	0.19	0/1356
4	F	0.08	0/2807	0.25	0/3791
All	All	0.11	0/17687	0.28	0/23936

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3424	0	3334	17	0
1	C	3443	0	3352	20	0
2	B	3345	0	3227	23	0
2	D	3343	0	3222	26	0
3	E	1014	0	1029	4	0
4	F	2747	0	2719	19	0
5	A	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	B	28	0	12	0	0
8	D	28	0	12	1	0
9	B	12	0	12	2	0
10	C	23	0	0	0	0
11	F	31	0	14	3	0
12	A	135	0	0	1	0
12	B	164	0	0	4	0
12	C	260	0	0	1	0
12	D	100	0	0	3	0
12	E	35	0	0	2	0
12	F	50	0	0	0	0
All	All	18255	0	16957	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:102:PRO:HG2	4:F:105:LEU:HD13	1.76	0.68
3:E:44:ASP:N	12:E:303:HOH:O	2.32	0.62
4:F:236:LYS:HB3	4:F:240:LEU:HD13	1.83	0.61
2:D:1:MET:HE2	2:D:50:ASN:HB2	1.83	0.60
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.84	0.59
1:A:71:GLU:OE2	1:A:73:THR:OG1	2.15	0.59
1:C:2:ARG:HH11	1:C:133:GLN:HG3	1.67	0.59
2:D:217:LEU:HA	2:D:277:SER:HB3	1.85	0.59
2:D:2:ARG:NH1	12:D:606:HOH:O	2.31	0.58
4:F:331:GLU:OE2	11:F:401:ACP:O3G	2.22	0.58
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.87	0.57
2:B:167:ASN:HD22	2:B:200:GLU:HB2	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:10:ASN:HB2	4:F:44:ARG:HH22	1.71	0.55
4:F:16:GLU:OE2	4:F:19:ARG:NH2	2.38	0.55
3:E:81:GLU:OE1	12:E:301:HOH:O	2.17	0.55
2:B:1:MET:HA	2:B:50:ASN:HD21	1.72	0.55
2:B:96:GLN:HB3	1:C:1:MET:HE2	1.88	0.55
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.87	0.55
2:D:334:ASN:HD21	2:D:338:LYS:HE3	1.73	0.54
1:A:381:THR:HG22	1:A:383:ALA:H	1.73	0.54
2:B:16:ILE:HD13	2:B:231:VAL:HG11	1.89	0.54
2:B:270:PRO:HG2	2:B:302:MET:HB2	1.89	0.54
2:D:2:ARG:HB3	2:D:133:GLN:HG2	1.90	0.54
2:B:147:SER:HG	2:B:190:SER:HG	1.56	0.53
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.91	0.52
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.91	0.52
2:B:23:VAL:HG21	2:B:232:SER:HB3	1.92	0.52
2:B:176:LYS:HD2	2:B:207:GLU:HG3	1.91	0.51
1:C:335:ILE:HG23	1:C:339:ARG:HG3	1.91	0.51
1:C:209:ILE:HG23	1:C:230:LEU:HD23	1.91	0.51
2:B:282:GLN:NE2	12:B:612:HOH:O	2.43	0.50
1:C:112:LYS:NZ	1:C:113:GLU:OE2	2.44	0.50
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.30	0.50
2:B:304:ALA:N	12:B:613:HOH:O	2.44	0.49
9:B:504:MES:O1S	12:B:601:HOH:O	2.18	0.49
2:B:136:GLN:HA	2:B:167:ASN:O	2.13	0.49
2:D:12:CYS:HB2	8:D:501:GDP:C8	2.47	0.49
9:B:504:MES:O2S	12:B:601:HOH:O	2.18	0.48
2:B:203:CYS:SG	2:B:267:PHE:HB3	2.54	0.48
2:D:295:MET:HE2	2:D:377:PHE:HB2	1.95	0.48
1:C:256:GLN:NE2	12:C:613:HOH:O	2.47	0.48
1:A:226:ASN:ND2	1:A:367:ASP:OD2	2.44	0.48
2:D:164:ARG:NH2	12:D:611:HOH:O	2.46	0.48
2:D:347:ILE:HG22	2:D:350:ASN:HB3	1.96	0.48
2:B:46:LEU:HA	2:B:49:ILE:HB	1.96	0.47
2:B:295:MET:HG2	2:B:377:PHE:HB2	1.96	0.47
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.32	0.47
4:F:241:THR:HG1	11:F:401:ACP:HO3'	1.52	0.47
1:C:275:VAL:HG13	1:C:368:LEU:HD21	1.97	0.47
4:F:14:TYR:HB3	4:F:41:LEU:HD13	1.95	0.47
1:C:210:TYR:CZ	1:C:222:PRO:HD2	2.50	0.47
1:A:274:PRO:HB3	1:A:286:LEU:HD12	1.96	0.47
1:C:140:SER:HA	1:C:171:ILE:HB	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:136:GLN:HA	2:D:167:ASN:O	2.15	0.46
2:B:2:ARG:HB2	2:B:133:GLN:HG3	1.97	0.46
4:F:331:GLU:OE2	4:F:333:ASN:ND2	2.48	0.46
1:A:76:ASP:OD1	1:A:79:ARG:NH1	2.43	0.46
1:A:2:ARG:HB3	1:A:133:GLN:HG3	1.97	0.46
1:A:211:ASP:OD2	1:A:304:LYS:NZ	2.40	0.46
4:F:225:SER:OG	4:F:250:SER:OG	2.32	0.46
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.98	0.46
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.51	0.46
1:C:320:ARG:HA	1:C:356:ASN:O	2.16	0.45
1:A:254:GLU:HG2	1:A:258:ASN:ND2	2.31	0.45
1:C:248:LEU:HD13	1:C:355:ILE:HD12	1.98	0.45
1:C:320:ARG:HG3	1:C:360:PRO:HG3	2.00	0.44
4:F:282:SER:HB2	4:F:325:LEU:HD13	1.98	0.44
1:C:71:GLU:HB3	1:C:98:ASP:HB3	1.99	0.44
4:F:14:TYR:HA	4:F:17:VAL:HB	1.99	0.44
2:D:143:GLY:O	2:D:147:SER:OG	2.36	0.44
4:F:185:TYR:OH	4:F:239:HIS:ND1	2.44	0.43
2:B:26:ASP:OD1	2:B:369:ARG:NH2	2.51	0.43
2:B:106:GLY:O	2:B:111:GLY:HA3	2.19	0.43
1:C:172:TYR:HB3	1:C:205:ASP:HA	2.00	0.43
4:F:220:VAL:HG11	4:F:339:ALA:HB2	2.01	0.43
1:A:346:TRP:CD1	1:A:346:TRP:H	2.36	0.43
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.54	0.43
1:C:188:ILE:HG13	1:C:425:MET:HG3	2.00	0.42
1:C:167:LEU:HG	1:C:200:CYS:HB3	2.02	0.42
2:D:172:MET:HB2	2:D:205:ASP:HA	2.02	0.42
2:D:163:ASP:O	2:D:253:ARG:NH2	2.53	0.42
1:C:104:ALA:HB2	1:C:413:MET:SD	2.60	0.42
4:F:217:ARG:HG3	4:F:218:GLU:HG2	2.01	0.42
4:F:200:ASP:OD2	4:F:222:ARG:NH2	2.53	0.41
4:F:246:GLN:O	4:F:250:SER:HB3	2.19	0.41
2:B:295:MET:CG	2:B:377:PHE:HB2	2.49	0.41
2:D:171:VAL:HA	2:D:204:ILE:O	2.20	0.41
3:E:58:GLU:HG2	3:E:62:LYS:HE3	2.01	0.41
2:D:325:MET:HE3	2:D:325:MET:HB2	1.95	0.41
2:D:213:CYS:HA	2:D:217:LEU:HB2	2.01	0.41
4:F:241:THR:OG1	11:F:401:ACP:O3'	2.23	0.41
2:D:316:ALA:HB3	2:D:378:ILE:HB	2.02	0.41
2:D:174:SER:OG	2:D:207:GLU:OE1	2.37	0.41
2:D:248:LEU:HD23	2:D:354:ALA:HB2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:128:ARG:HH12	4:F:170:LEU:HB3	1.86	0.41
2:D:432:TYR:OH	12:D:601:HOH:O	2.16	0.41
1:A:71:GLU:O	12:A:601:HOH:O	2.22	0.40
2:B:69:ASP:O	2:B:94:PHE:HA	2.21	0.40
2:D:154:ILE:HG23	2:D:166:MET:HG2	2.03	0.40
1:C:209:ILE:HG22	1:C:227:LEU:HD22	2.03	0.40
1:A:345:ASP:HB3	3:E:28:SER:HB2	2.03	0.40
2:B:172:MET:HG3	2:B:387:LEU:HD11	2.03	0.40
1:C:298:PRO:HG2	1:C:308:ARG:NH2	2.36	0.40
2:D:21:TRP:CZ3	2:D:63:PRO:HB3	2.56	0.40
1:A:27:GLU:CD	1:A:320:ARG:HH22	2.30	0.40
2:B:114:LEU:HD23	2:B:149:MET:HE1	2.02	0.40
1:A:210:TYR:CZ	1:A:222:PRO:HD2	2.57	0.40
2:D:397:ALA:O	2:D:401:ARG:NH1	2.54	0.40
4:F:201:ILE:HG12	4:F:221:LEU:HG	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/451 (97%)	426 (98%)	10 (2%)	0	100	100
1	C	439/451 (97%)	428 (98%)	11 (2%)	0	100	100
2	B	420/445 (94%)	410 (98%)	10 (2%)	0	100	100
2	D	422/445 (95%)	417 (99%)	5 (1%)	0	100	100
3	E	119/143 (83%)	119 (100%)	0	0	100	100
4	F	323/384 (84%)	313 (97%)	10 (3%)	0	100	100
All	All	2159/2319 (93%)	2113 (98%)	46 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/379 (97%)	367 (100%)	2 (0%)	81	89
1	C	372/379 (98%)	372 (100%)	0	100	100
2	B	368/383 (96%)	368 (100%)	0	100	100
2	D	368/383 (96%)	367 (100%)	1 (0%)	86	92
3	E	110/127 (87%)	109 (99%)	1 (1%)	70	83
4	F	302/342 (88%)	302 (100%)	0	100	100
All	All	1889/1993 (95%)	1885 (100%)	4 (0%)	87	94

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU
1	A	181	VAL
2	D	133	GLN
3	E	138	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	85	GLN
1	A	309	HIS
1	A	393	HIS
2	B	167	ASN
2	B	282	GLN
2	B	349	ASN
2	B	434	GLN
1	C	285	GLN
1	C	393	HIS
2	D	37	HIS
2	D	50	ASN
2	D	167	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	331	GLN
2	D	334	ASN
3	E	12	ASN
3	E	115	HIS
3	E	136	ASN
4	F	180	HIS
4	F	229	ASN
4	F	269	GLN
4	F	379	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 9 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	GTP	C	501	6	33,34,34	0.95	2 (6%)	50,54,54	1.50	9 (18%)
9	MES	B	504	-	12,12,12	2.26	1 (8%)	15,16,16	1.75	4 (26%)
8	GDP	D	501	6	29,30,30	1.17	3 (10%)	45,47,47	1.72	6 (13%)
10	4CJ	C	504	-	25,25,25	1.63	4 (16%)	34,34,34	1.67	6 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	ACP	F	401	6	31,33,33	1.68	9 (29%)	47,52,52	1.84	10 (21%)
5	GTP	A	501	6	33,34,34	0.98	2 (6%)	50,54,54	1.50	8 (16%)
8	GDP	B	501	6	29,30,30	1.16	3 (10%)	45,47,47	1.70	6 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	C	501	6	-	8/22/38/38	0/3/3/3
9	MES	B	504	-	-	4/6/14/14	0/1/1/1
8	GDP	D	501	6	-	4/16/32/32	0/3/3/3
10	4CJ	C	504	-	-	0/12/12/12	0/3/3/3
11	ACP	F	401	6	-	5/19/38/38	0/3/3/3
5	GTP	A	501	6	-	8/22/38/38	0/3/3/3
8	GDP	B	501	6	-	4/16/32/32	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	504	MES	C8-S	-7.59	1.67	1.77
10	C	504	4CJ	C11-N2	4.77	1.38	1.31
11	F	401	ACP	C5-C4	4.75	1.47	1.39
10	C	504	4CJ	C7-N1	3.22	1.42	1.36
10	C	504	4CJ	C11-N3	3.14	1.41	1.36
8	B	501	GDP	C5-C4	3.11	1.47	1.38
8	D	501	GDP	C5-C4	3.11	1.47	1.38
11	F	401	ACP	PG-O2G	2.97	1.61	1.55
11	F	401	ACP	PG-O3G	2.95	1.61	1.55
11	F	401	ACP	PB-O3A	2.74	1.61	1.58
11	F	401	ACP	C5-C6	2.72	1.48	1.41
8	B	501	GDP	C6-N1	-2.48	1.34	1.38
8	D	501	GDP	C6-N1	-2.37	1.34	1.38
11	F	401	ACP	C8-N7	2.33	1.36	1.31
11	F	401	ACP	C5-N7	-2.27	1.34	1.39
5	A	501	GTP	PA-O3A	2.22	1.61	1.59
10	C	504	4CJ	C9-N2	2.21	1.43	1.39
5	A	501	GTP	PB-O3B	2.17	1.61	1.59
11	F	401	ACP	PB-O2B	2.12	1.61	1.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	F	401	ACP	PA-O3A	2.06	1.61	1.59
5	C	501	GTP	PB-O3B	2.06	1.61	1.59
8	D	501	GDP	C5-N7	-2.05	1.35	1.39
5	C	501	GTP	C2-N3	2.02	1.38	1.33
8	B	501	GDP	C5-N7	-2.00	1.35	1.39

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	501	GDP	C5-C4-N3	-6.01	118.83	128.39
8	B	501	GDP	C5-C4-N3	-5.91	118.99	128.39
11	F	401	ACP	C5-C4-N3	-5.85	118.66	126.72
10	C	504	4CJ	C11-N2-C9	5.52	114.42	109.96
8	D	501	GDP	C2-N3-C4	5.00	120.91	112.30
8	B	501	GDP	C2-N3-C4	4.85	120.65	112.30
11	F	401	ACP	N3-C4-N9	4.66	135.10	127.17
5	A	501	GTP	C5-C4-N3	-4.59	121.08	128.39
5	A	501	GTP	C2-N3-C4	4.56	120.16	112.30
5	C	501	GTP	C5-C4-N3	-4.51	121.22	128.39
8	B	501	GDP	N9-C4-N3	4.48	134.92	125.95
8	D	501	GDP	N9-C4-N3	4.39	134.73	125.95
10	C	504	4CJ	C10-C9-N2	-4.35	109.53	114.53
5	C	501	GTP	C2-N3-C4	4.30	119.70	112.30
9	B	504	MES	C5-N4-C3	3.80	117.02	108.84
11	F	401	ACP	C2-N3-C4	3.68	120.83	111.83
10	C	504	4CJ	S1-C11-N2	-3.60	111.90	115.69
11	F	401	ACP	PB-O3A-PA	-3.53	120.86	132.37
11	F	401	ACP	C4-C5-N7	-3.46	106.63	110.58
8	D	501	GDP	C6-C5-N7	3.30	136.30	130.29
8	B	501	GDP	C6-C5-N7	3.26	136.23	130.29
11	F	401	ACP	N3-C2-N1	-3.20	123.74	128.58
5	C	501	GTP	N9-C8-N7	-2.97	107.89	113.40
5	C	501	GTP	N9-C4-N3	2.90	131.75	125.95
10	C	504	4CJ	S1-C11-N3	2.79	129.50	121.37
5	A	501	GTP	N9-C8-N7	-2.77	108.26	113.40
5	A	501	GTP	N9-C4-N3	2.72	131.38	125.95
5	C	501	GTP	C8-N7-C5	2.69	109.06	104.26
5	A	501	GTP	C2-N1-C6	-2.66	120.29	125.11
11	F	401	ACP	C4-N9-C8	2.64	108.51	105.74
8	D	501	GDP	C4-C5-N7	-2.60	106.54	110.67
5	C	501	GTP	C2-N1-C6	-2.57	120.46	125.11
5	A	501	GTP	C8-N7-C5	2.53	108.77	104.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	504	4CJ	C9-C10-S1	2.53	114.22	111.16
11	F	401	ACP	C5-N7-C8	2.53	107.42	103.45
9	B	504	MES	C6-C5-N4	-2.49	106.34	110.12
8	B	501	GDP	C4-C5-N7	-2.47	106.76	110.67
5	A	501	GTP	C5-C6-N1	2.39	119.34	113.25
9	B	504	MES	O1S-S-C8	2.38	110.33	106.73
11	F	401	ACP	C3'-C2'-C1'	2.36	105.92	101.46
9	B	504	MES	C7-N4-C5	2.32	117.43	111.24
5	C	501	GTP	C5-C6-N1	2.31	119.14	113.25
10	C	504	4CJ	C3-C9-C10	2.30	129.27	126.54
5	A	501	GTP	O6-C6-C5	-2.23	120.65	126.53
8	B	501	GDP	O6-C6-C5	-2.17	120.80	126.53
5	C	501	GTP	O6-C6-C5	-2.16	120.83	126.53
8	D	501	GDP	O6-C6-C5	-2.05	121.12	126.53
5	C	501	GTP	O2A-PA-O3A	2.03	112.76	107.27
11	F	401	ACP	C6-C5-N7	2.02	135.98	132.09

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	B	501	GDP	C5'-O5'-PA-O3A
8	B	501	GDP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O2A
8	D	501	GDP	PA-O3A-PB-O3B
8	D	501	GDP	C5'-O5'-PA-O3A
8	D	501	GDP	C5'-O5'-PA-O1A
8	D	501	GDP	C5'-O5'-PA-O2A
9	B	504	MES	C8-C7-N4-C5
11	F	401	ACP	PB-C3B-PG-O1G
11	F	401	ACP	PB-C3B-PG-O2G
11	F	401	ACP	PB-C3B-PG-O3G
11	F	401	ACP	O4'-C4'-C5'-O5'
9	B	504	MES	C7-C8-S-O3S
11	F	401	ACP	C3'-C4'-C5'-O5'
9	B	504	MES	C7-C8-S-O1S
9	B	504	MES	C7-C8-S-O2S

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3A-PA-O2A
5	A	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3B-PG-O3G
5	A	501	GTP	PB-O3A-PA-O1A
5	C	501	GTP	PB-O3A-PA-O1A
8	B	501	GDP	PB-O3A-PA-O2A

There are no ring outliers.


3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	504	MES	2	0
8	D	501	GDP	1	0
11	F	401	ACP	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 4CJ C 504



Ligand ACP F 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/451 (97%)	0.04	9 (2%) 63 66	32, 50, 78, 138	0
1	C	440/451 (97%)	-0.23	9 (2%) 65 67	19, 37, 59, 92	1 (0%)
2	B	423/445 (95%)	0.08	15 (3%) 47 50	20, 45, 79, 119	1 (0%)
2	D	426/445 (95%)	0.21	18 (4%) 40 43	32, 55, 87, 118	2 (0%)
3	E	123/143 (86%)	0.48	7 (5%) 29 32	37, 58, 100, 127	0
4	F	337/384 (87%)	0.76	39 (11%) 9 10	44, 73, 133, 173	0
All	All	2187/2319 (94%)	0.16	97 (4%) 39 41	19, 50, 99, 173	4 (0%)

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	155	ALA	7.7
4	F	159	GLY	5.3
3	E	143	ALA	5.2
1	A	179	THR	4.7
4	F	231	ALA	4.7
1	A	282	TYR	4.1
2	D	279	GLY	4.0
2	B	248	LEU	4.0
4	F	167	SER	3.9
1	C	440	VAL	3.9
2	B	57	THR	3.9
2	B	1	MET	3.8
4	F	105	LEU	3.8
1	A	281	ALA	3.8
2	D	277	SER	3.6
4	F	153	ALA	3.5
2	B	276	THR	3.5
4	F	249	TYR	3.4
1	C	1	MET	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	407	TRP	3.4
4	F	125	THR	3.3
4	F	161	LEU	3.3
4	F	175	GLU	3.3
2	B	277	SER	3.3
3	E	27	PRO	3.3
4	F	130	VAL	3.2
4	F	137	ARG	3.2
4	F	173	ILE	3.2
1	A	262	TYR	3.1
3	E	28	SER	3.1
1	C	340	SER	3.1
3	E	26	PRO	3.1
2	D	278	ARG	3.1
4	F	240	LEU	3.1
2	D	57	THR	3.1
4	F	172	PHE	3.0
4	F	134	ALA	3.0
4	F	179	VAL	3.0
4	F	160	ILE	3.0
2	B	333	LEU	3.0
1	C	80	THR	3.0
4	F	379	HIS	2.9
2	D	1	MET	2.9
1	C	163	LYS	2.8
1	A	178	SER	2.8
4	F	259	GLY	2.8
3	E	139	LEU	2.8
2	B	285	ALA	2.7
1	C	179	THR	2.7
4	F	181	VAL	2.7
2	D	172	MET	2.7
2	B	284	ARG	2.6
2	D	280	SER	2.6
1	A	283	HIS	2.6
4	F	169	LEU	2.6
4	F	85	PRO	2.6
2	D	37	HIS	2.6
2	D	50	ASN	2.6
2	D	82	PRO	2.6
2	D	286	LEU	2.5
4	F	186	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	438	ASP	2.5
4	F	235	ASP	2.5
2	D	276	THR	2.4
2	B	286	LEU	2.4
4	F	154	GLY	2.4
2	D	97	SER	2.4
4	F	131	PHE	2.4
1	A	437	VAL	2.4
3	E	24	LEU	2.4
4	F	170	LEU	2.4
1	A	346	TRP	2.4
1	C	245	ASP	2.3
1	C	357	TYR	2.3
3	E	25	LYS	2.3
4	F	253	TYR	2.3
4	F	166	ALA	2.3
4	F	104	ASN	2.3
2	B	250	ALA	2.3
2	D	248	LEU	2.2
4	F	99	VAL	2.3
4	F	132	LEU	2.2
2	B	59	ASN	2.2
4	F	171	ASP	2.2
2	B	247	GLN	2.2
2	D	441	ASP	2.2
1	C	88	HIS	2.2
2	B	325	MET	2.2
2	D	128	SER	2.1
4	F	90	SER	2.1
4	F	306	HIS	2.1
2	B	241	CYS	2.1
4	F	101	TYR	2.1
2	D	83	PHE	2.1
4	F	241	THR	2.0
4	F	362	ALA	2.0
2	B	275	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MG	D	502	1/1	0.84	0.15	62,62,62,62	0
11	ACP	F	401	31/31	0.86	0.13	81,90,100,103	0
6	MG	F	402	1/1	0.89	0.14	83,83,83,83	0
7	CA	B	503	1/1	0.90	0.09	84,84,84,84	0
7	CA	E	201	1/1	0.91	0.09	83,83,83,83	0
9	MES	B	504	12/12	0.93	0.11	40,45,55,64	0
10	4CJ	C	504	23/23	0.94	0.10	26,38,47,53	0
8	GDP	D	501	28/28	0.94	0.09	48,52,62,65	0
7	CA	A	503	1/1	0.97	0.05	64,64,64,64	0
5	GTP	A	501	32/32	0.98	0.06	27,33,38,42	0
8	GDP	B	501	28/28	0.98	0.05	26,30,35,36	0
6	MG	B	502	1/1	0.98	0.10	24,24,24,24	0
6	MG	A	502	1/1	0.99	0.04	33,33,33,33	0
7	CA	C	503	1/1	0.99	0.03	52,52,52,52	0
5	GTP	C	501	32/32	0.99	0.05	24,27,31,34	0
6	MG	C	502	1/1	0.99	0.04	30,30,30,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ACP F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 4CJ C 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP A 501:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.