



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:01 PM UTC

PDB ID : 5SC9 / pdb_00005sc9
Title : Structure of liver pyruvate kinase in complex with anthraquinone derivative 29
Authors : Lulla, A.; Foller, A.; Nain-Perez, A.; Grotli, M.; Brear, P.; Hyvonen, M.
Deposited on : 2021-12-01
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1054 (1.68-1.68)
Clashscore	190562	1078 (1.68-1.68)
Ramachandran outliers	187476	1068 (1.68-1.68)
Sidechain outliers	187428	1067 (1.68-1.68)
RSRZ outliers	180081	1055 (1.68-1.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	9% 85% 8% 7%
1	B	447	16% 90% 6% .
1	C	447	6% 88% 5% 7%
1	D	447	4% 89% . 6%
1	E	447	11% 88% . 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	602	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	602	-	X	-	-
3	OXL	G	602	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 29743 atoms, of which 119 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	414	Total	C	N	O	S	0	15	0
			3232	2032	581	599	20			
1	B	431	Total	C	N	O	S	3	9	0
			3325	2093	596	616	20			
1	C	417	Total	C	N	O	S	0	9	0
			3215	2020	579	597	19			
1	D	419	Total	C	N	O	S	0	8	0
			3231	2031	585	596	19			
1	E	414	Total	C	N	O	S	0	17	0
			3247	2040	583	604	20			
1	F	431	Total	C	N	O	S	0	9	0
			3325	2093	596	616	20			
1	G	419	Total	C	N	O	S	0	9	0
			3237	2038	581	599	19			
1	H	421	Total	C	N	O	S	0	10	0
			3256	2047	590	600	19			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q16716
A	0	SER	-	expression tag	UNP Q16716
A	12	ASP	SER	conflict	UNP Q16716
A	228	GLY	-	linker	UNP Q16716
A	229	SER	-	linker	UNP Q16716
A	230	GLY	-	linker	UNP Q16716
B	-1	GLY	-	expression tag	UNP Q16716
B	0	SER	-	expression tag	UNP Q16716
B	12	ASP	SER	conflict	UNP Q16716
B	228	GLY	-	linker	UNP Q16716
B	229	SER	-	linker	UNP Q16716
B	230	GLY	-	linker	UNP Q16716
C	-1	GLY	-	expression tag	UNP Q16716

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	SER	-	expression tag	UNP Q16716
C	12	ASP	SER	conflict	UNP Q16716
C	228	GLY	-	linker	UNP Q16716
C	229	SER	-	linker	UNP Q16716
C	230	GLY	-	linker	UNP Q16716
D	-1	GLY	-	expression tag	UNP Q16716
D	0	SER	-	expression tag	UNP Q16716
D	12	ASP	SER	conflict	UNP Q16716
D	228	GLY	-	linker	UNP Q16716
D	229	SER	-	linker	UNP Q16716
D	230	GLY	-	linker	UNP Q16716
E	-1	GLY	-	expression tag	UNP Q16716
E	0	SER	-	expression tag	UNP Q16716
E	12	ASP	SER	conflict	UNP Q16716
E	228	GLY	-	linker	UNP Q16716
E	229	SER	-	linker	UNP Q16716
E	230	GLY	-	linker	UNP Q16716
F	-1	GLY	-	expression tag	UNP Q16716
F	0	SER	-	expression tag	UNP Q16716
F	12	ASP	SER	conflict	UNP Q16716
F	228	GLY	-	linker	UNP Q16716
F	229	SER	-	linker	UNP Q16716
F	230	GLY	-	linker	UNP Q16716
G	-1	GLY	-	expression tag	UNP Q16716
G	0	SER	-	expression tag	UNP Q16716
G	12	ASP	SER	conflict	UNP Q16716
G	228	GLY	-	linker	UNP Q16716
G	229	SER	-	linker	UNP Q16716
G	230	GLY	-	linker	UNP Q16716
H	-1	GLY	-	expression tag	UNP Q16716
H	0	SER	-	expression tag	UNP Q16716
H	12	ASP	SER	conflict	UNP Q16716
H	130	GLY	-	linker	UNP Q16716
H	229	SER	-	linker	UNP Q16716
H	230	GLY	-	linker	UNP Q16716

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		

- Molecule 4 is 1-(3,4-dihydroxy-9,10-dioxo-9,10-dihydroanthracene-2-sulfonyl)piperidine-4-carboxylic acid (CCD ID: I7K) (formula: C₂₀H₁₇NO₈S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0
4	C	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0
4	D	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0
4	E	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0
4	F	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0
4	G	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0
4	H	1	Total 47	C 20	H 17	N 1	O 8	S 1	17	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	C	2	Total	Mg	0	0
			2	2		
5	D	1	Total	Mg	0	0
			1	1		
5	E	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	F	2	Total 2	Mg 2	0	0
5	G	1	Total 1	Mg 1	0	0
5	H	1	Total 1	Mg 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	353	Total 353	O 353	0	0
6	B	295	Total 295	O 295	0	0
6	C	398	Total 398	O 398	0	0
6	D	431	Total 431	O 431	0	0
6	E	338	Total 338	O 338	0	0
6	F	398	Total 398	O 398	0	0
6	G	437	Total 437	O 437	0	0
6	H	478	Total 478	O 478	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase




• Molecule 1: Pyruvate kinase





• Molecule 1: Pyruvate kinase







- Molecule 1: Pyruvate kinase





- Molecule 1: Pyruvate kinase




- Molecule 1: Pyruvate kinase



- Molecule 1: Pyruvate kinase



Chain H: 4% 89% 5% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	208.27 Å 112.68 Å 187.90 Å 90.00° 91.34° 90.00°	Depositor
Resolution (Å)	187.85 – 1.69 187.85 – 1.69	Depositor EDS
% Data completeness (in resolution range)	87.4 (187.85-1.69) 87.5 (187.85-1.69)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 1.69 Å)	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.195 , 0.216 0.189 , 0.210	Depositor DCC
R_{free} test set	21129 reflections (4.33%)	wwPDB-VP
Wilson B-factor (Å ²)	21.8	Xtriage
Anisotropy	0.003	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29743	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.24 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.4315e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: I7K, OXL, FBP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/3327	0.91	3/4493 (0.1%)
1	B	0.69	3/3406 (0.1%)	0.93	1/4604 (0.0%)
1	C	0.74	3/3295 (0.1%)	0.93	1/4454 (0.0%)
1	D	0.74	2/3308 (0.1%)	0.93	0/4469
1	E	0.64	0/3349	0.91	1/4523 (0.0%)
1	F	0.72	1/3406 (0.0%)	0.93	1/4604 (0.0%)
1	G	0.75	2/3319 (0.1%)	0.91	2/4486 (0.0%)
1	H	0.76	2/3340 (0.1%)	0.91	0/4511
All	All	0.72	13/26750 (0.0%)	0.92	9/36144 (0.0%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	537	MET	SD-CE	-8.46	1.58	1.79
1	G	537	MET	SD-CE	-7.19	1.61	1.79
1	H	311	ILE	CG1-CD1	7.04	1.79	1.51
1	H	303	MET	SD-CE	-6.41	1.63	1.79
1	C	303	MET	SD-CE	-6.28	1.63	1.79
1	G	303	MET	SD-CE	-6.02	1.64	1.79
1	F	303	MET	SD-CE	-5.60	1.65	1.79
1	D	374	SER	CA-C	5.49	1.55	1.52
1	B	374[A]	SER	CA-C	5.41	1.55	1.52
1	B	374[B]	SER	CA-C	5.41	1.55	1.52
1	D	303	MET	SD-CE	-5.20	1.66	1.79
1	B	303	MET	SD-CE	-5.05	1.67	1.79
1	C	374	SER	CA-C	5.01	1.54	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	273	GLU	CB-CG-CD	5.59	122.10	112.60
1	A	542	ILE	CA-C-N	5.58	131.74	121.70
1	A	542	ILE	C-N-CA	5.58	131.74	121.70
1	B	46	ASP	CA-CB-CG	5.58	118.18	112.60
1	A	46	ASP	CA-CB-CG	5.51	118.11	112.60
1	E	539	VAL	N-CA-CB	5.51	117.66	111.21
1	C	46	ASP	CA-CB-CG	5.42	118.03	112.60
1	G	46	ASP	CA-CB-CG	5.29	117.89	112.60
1	F	46	ASP	CA-CB-CG	5.23	117.83	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3232	0	3317	20	0
1	B	3325	0	3400	14	0
1	C	3215	0	3283	12	0
1	D	3231	0	3296	12	0
1	E	3247	0	3325	10	0
1	F	3325	0	3400	16	0
1	G	3237	0	3301	13	0
1	H	3256	0	3326	19	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	1	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	30	17	0	3	0
4	C	30	17	0	2	0
4	D	30	17	0	0	0
4	E	30	17	0	0	0
4	F	30	17	0	1	0
4	G	30	17	0	0	0
4	H	30	17	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	2	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	353	0	0	1	0
6	B	295	0	0	0	0
6	C	398	0	0	1	0
6	D	431	0	0	2	0
6	E	338	0	0	0	0
6	F	398	0	0	0	0
6	G	437	0	0	2	0
6	H	478	0	0	1	0
All	All	29624	119	26728	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:311:ILE:CD1	1:H:311:ILE:CG1	1.79	1.55
1:D:110:PHE:C	6:D:715:HOH:O	1.77	1.28
2:G:601:FBP:H5	6:G:712:HOH:O	0.86	1.04
1:A:272:PRO:HA	1:A:275:HIS:NE2	1.92	0.85
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.59	0.84
1:A:500:ARG:HG2	6:A:907:HOH:O	1.75	0.84
1:H:68:ARG:NH2	1:H:95:TYR:O	2.12	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:528:ARG:HD2	1:D:529:PRO:O	1.81	0.81
1:F:115:LEU:HD21	1:F:511:LEU:CB	2.09	0.81
1:F:115:LEU:HD21	1:F:511:LEU:HB3	1.63	0.79
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.65	0.79
1:A:418[B]:ARG:HG3	1:B:16:LEU:HD11	1.66	0.78
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.67	0.77
1:E:418[B]:ARG:HG3	1:F:16:LEU:HD11	1.68	0.76
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.72	0.72
1:F:115:LEU:CD2	1:F:511:LEU:HB3	2.20	0.71
1:D:68:ARG:HH22	1:D:98:GLU:HB2	1.55	0.70
1:A:528:ARG:HD2	1:A:529:PRO:O	1.93	0.68
1:B:407:PHE:CE2	1:B:411:ARG:NH1	2.62	0.68
1:E:411:ARG:HG3	1:E:426:ILE:HD11	1.75	0.68
1:A:62:THR:HG21	4:A:603:I7K:O	1.94	0.67
1:D:68:ARG:NH2	1:D:95:TYR:O	2.27	0.66
1:F:115:LEU:HD21	1:F:511:LEU:HB2	1.77	0.66
1:D:536:ILE:HD11	6:D:915:HOH:O	1.95	0.65
1:H:267:ARG:HG3	6:H:958:HOH:O	1.95	0.65
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.65	0.65
1:H:68:ARG:HH22	1:H:98:GLU:HB2	1.60	0.65
1:E:418[A]:ARG:HD3	1:F:16:LEU:HD11	1.78	0.63
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.80	0.63
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.81	0.62
1:G:411:ARG:HG3	1:G:426:ILE:HD11	1.80	0.62
1:A:87:ASN:ND2	4:A:603:I7K:C14	2.63	0.62
1:C:538:ARG:HD3	6:C:860:HOH:O	1.98	0.62
1:A:87:ASN:HD22	4:A:603:I7K:C14	2.13	0.61
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.16	0.60
1:C:411:ARG:HG2	1:C:426:ILE:HD11	1.82	0.60
1:A:407:PHE:CE2	1:A:411:ARG:NH1	2.70	0.59
1:C:522:ILE:HG23	1:C:537:MET:HE3	1.85	0.59
1:D:528:ARG:CD	1:D:529:PRO:O	2.51	0.58
1:H:71[B]:GLU:CD	1:H:71[B]:GLU:H	2.13	0.57
1:G:522:ILE:HG23	1:G:537:MET:HE3	1.88	0.56
1:H:311:ILE:CD1	1:H:311:ILE:CB	2.75	0.56
1:H:411:ARG:HG3	1:H:412:ARG:N	2.22	0.55
1:C:259:LYS:HB3	1:C:291:ARG:HH11	1.72	0.54
1:B:411:ARG:HG2	1:B:426:ILE:HD11	1.87	0.54
1:B:263:VAL:HG21	1:B:298:VAL:HG23	1.90	0.54
6:G:1027:HOH:O	1:H:411:ARG:HD2	2.08	0.54
4:F:603:I7K:O1	4:F:603:I7K:C14	2.56	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:517:VAL:HG22	1:A:543:SER:HB2	1.92	0.52
1:F:28:GLN:HG3	1:F:30:LEU:HG	1.91	0.52
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.40	0.51
1:E:28:GLN:HG3	1:E:30:LEU:HG	1.93	0.50
1:A:272:PRO:HA	1:A:275:HIS:CE1	2.46	0.49
1:B:28:GLN:HG3	1:B:30:LEU:HG	1.93	0.49
1:H:28:GLN:HG3	1:H:30:LEU:HG	1.94	0.49
1:D:28:GLN:HG3	1:D:30:LEU:HG	1.93	0.49
1:G:28:GLN:HG3	1:G:30:LEU:HG	1.94	0.49
1:F:67:SER:HA	1:F:72:ARG:HG2	1.95	0.49
1:C:28:GLN:HG3	1:C:30:LEU:HG	1.94	0.49
1:A:538:ARG:HG3	1:B:536:ILE:HG12	1.95	0.49
1:A:28:GLN:HG3	1:A:30:LEU:HG	1.94	0.48
1:A:418[A]:ARG:HD3	1:B:16:LEU:HD11	1.94	0.48
1:A:411:ARG:NH1	1:A:430:GLU:OE2	2.46	0.48
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.96	0.48
1:A:284:GLU:HG2	1:A:305:ALA:HB3	1.95	0.47
1:B:407:PHE:CD2	1:B:411:ARG:NH1	2.82	0.47
1:A:517:VAL:HG13	1:A:543:SER:HB3	1.97	0.46
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.96	0.46
1:G:272:PRO:HD2	1:G:273:GLU:OE1	2.16	0.46
1:G:430[B]:GLU:OE2	1:H:430[B]:GLU:OE1	2.34	0.46
1:A:67:SER:HA	1:A:72:ARG:HG2	1.98	0.45
1:A:436:CYS:SG	1:B:416:LEU:HD13	2.57	0.44
1:C:87:ASN:HB3	4:C:603:I7K:O2	2.19	0.43
1:C:411:ARG:CG	1:C:426:ILE:HD11	2.49	0.43
1:D:55:ARG:HB2	1:D:395:ARG:HG3	2.01	0.43
1:H:231:PRO:O	1:H:258:ARG:NH2	2.51	0.42
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.54	0.42
1:B:56:SER:HB2	1:B:480:GLY:HA2	2.01	0.42
1:D:56:SER:HB2	1:D:480:GLY:HA2	2.01	0.42
1:H:290:LYS:HA	1:H:290:LYS:HD2	1.86	0.42
1:E:411:ARG:HE	1:F:430[A]:GLU:CD	2.28	0.42
1:F:56:SER:HB2	1:F:480:GLY:HA2	2.02	0.42
1:G:428:ALA:HB2	1:G:537:MET:HG3	2.02	0.42
1:H:56:SER:HB2	1:H:480:GLY:CA	2.50	0.42
1:E:331:LEU:HD11	1:E:413:ALA:HB1	2.02	0.41
1:D:419:ASP:OD2	1:D:448:ARG:NH2	2.53	0.41
1:G:284:GLU:HG2	1:G:305:ALA:HB3	2.02	0.41
1:E:56:SER:HB2	1:E:480:GLY:HA2	2.02	0.41
1:H:311:ILE:HD13	1:H:311:ILE:HG21	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:382:PHE:HB3	1:B:385:GLU:HB2	2.02	0.41
1:C:56:SER:HB2	1:C:480:GLY:HA2	2.02	0.41
1:H:311:ILE:CD1	1:H:311:ILE:HG21	2.50	0.41
1:C:67:SER:HA	1:C:72:ARG:HG2	2.02	0.41
1:C:374:SER:HB3	4:C:603:I7K:C14	2.51	0.41
1:G:55:ARG:HB2	1:G:395:ARG:HG3	2.02	0.41
1:G:452:LEU:O	1:G:455:ARG:HG2	2.21	0.41
1:B:263:VAL:HG11	1:B:298:VAL:HG23	2.03	0.40
1:C:452:LEU:O	1:C:455:ARG:HG2	2.21	0.40
1:B:452:LEU:O	1:B:455:ARG:HG2	2.22	0.40
1:E:539:VAL:HG22	1:F:420:PRO:HB3	2.03	0.40
1:F:16:LEU:HD12	1:F:16:LEU:HA	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/447 (95%)	417 (99%)	5 (1%)	1 (0%)	43	27
1	B	436/447 (98%)	431 (99%)	4 (1%)	1 (0%)	43	27
1	C	422/447 (94%)	414 (98%)	7 (2%)	1 (0%)	43	27
1	D	421/447 (94%)	416 (99%)	4 (1%)	1 (0%)	43	27
1	E	425/447 (95%)	420 (99%)	4 (1%)	1 (0%)	43	27
1	F	436/447 (98%)	431 (99%)	4 (1%)	1 (0%)	43	27
1	G	424/447 (95%)	417 (98%)	6 (1%)	1 (0%)	43	27
1	H	425/447 (95%)	419 (99%)	5 (1%)	1 (0%)	43	27
All	All	3412/3576 (95%)	3365 (99%)	39 (1%)	8 (0%)	43	27

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/352 (98%)	337 (97%)	9 (3%)	40	15
1	B	352/352 (100%)	342 (97%)	10 (3%)	38	12
1	C	341/352 (97%)	334 (98%)	7 (2%)	47	21
1	D	342/352 (97%)	338 (99%)	4 (1%)	63	43
1	E	348/352 (99%)	339 (97%)	9 (3%)	40	15
1	F	352/352 (100%)	344 (98%)	8 (2%)	44	18
1	G	343/352 (97%)	339 (99%)	4 (1%)	63	43
1	H	345/352 (98%)	343 (99%)	2 (1%)	78	67
All	All	2769/2816 (98%)	2716 (98%)	53 (2%)	53	25

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	GLN
1	A	258	ARG
1	A	273	GLU
1	A	412	ARG
1	A	426	ILE
1	A	475	VAL
1	A	537[A]	MET
1	A	537[B]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	540	LEU
1	B	26	GLN
1	B	68	ARG
1	B	76[A]	MET
1	B	76[B]	MET
1	B	263	VAL
1	B	412	ARG
1	B	512	ARG
1	B	516	ARG
1	B	537[A]	MET
1	B	537[B]	MET
1	C	68	ARG
1	C	76[A]	MET
1	C	76[B]	MET
1	C	270[A]	LEU
1	C	270[B]	LEU
1	C	412	ARG
1	C	537	MET
1	D	68	ARG
1	D	412	ARG
1	D	528	ARG
1	D	537	MET
1	E	26	GLN
1	E	115	LEU
1	E	242	ARG
1	E	331	LEU
1	E	379	LYS
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	68	ARG
1	F	94	GLU
1	F	118	ARG
1	F	291	ARG
1	F	412	ARG
1	F	511	LEU
1	F	537[A]	MET
1	F	537[B]	MET
1	G	68	ARG
1	G	273	GLU
1	G	436	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	537	MET
1	H	273	GLU
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	236	GLN
1	B	405	GLN
1	C	405	GLN
1	E	236	GLN
1	F	26	GLN
1	F	405	GLN
1	G	405	GLN
1	G	470	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 10 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OXL	C	602	5	5,5,5	1.91	2 (40%)	6,6,6	1.67	1 (16%)
4	I7K	H	603	-	33,33,33	0.45	0	49,51,51	0.65	2 (4%)
2	FBP	A	601	-	18,20,20	0.60	0	21,32,32	0.62	0
2	FBP	F	601	-	18,20,20	0.42	0	21,32,32	0.56	0
2	FBP	D	601	-	18,20,20	0.64	1 (5%)	21,32,32	0.77	0
4	I7K	G	603	-	33,33,33	0.34	0	49,51,51	0.51	0
2	FBP	E	601	-	18,20,20	0.65	0	21,32,32	0.68	1 (4%)
4	I7K	C	603	-	33,33,33	0.27	0	49,51,51	0.77	3 (6%)
3	OXL	B	602	5	5,5,5	2.20	2 (40%)	6,6,6	1.79	2 (33%)
3	OXL	A	602	5	5,5,5	1.98	2 (40%)	6,6,6	2.32	3 (50%)
3	OXL	D	602	5	5,5,5	2.05	2 (40%)	6,6,6	1.92	2 (33%)
3	OXL	H	602	5	5,5,5	1.90	2 (40%)	6,6,6	1.52	1 (16%)
4	I7K	D	603	-	33,33,33	0.26	0	49,51,51	0.51	1 (2%)
2	FBP	H	601	-	18,20,20	0.77	0	21,32,32	0.83	1 (4%)
3	OXL	F	602	5	5,5,5	2.69	3 (60%)	6,6,6	2.45	3 (50%)
3	OXL	E	602	5	5,5,5	2.28	2 (40%)	6,6,6	1.83	2 (33%)
4	I7K	F	603	-	33,33,33	0.30	0	49,51,51	0.74	2 (4%)
4	I7K	A	603	-	33,33,33	0.29	0	49,51,51	0.40	0
2	FBP	C	601	-	18,20,20	0.73	1 (5%)	21,32,32	0.83	0
3	OXL	G	602	5	5,5,5	2.12	2 (40%)	6,6,6	2.51	3 (50%)
2	FBP	B	601	-	18,20,20	0.86	1 (5%)	21,32,32	0.77	1 (4%)
4	I7K	E	603	-	33,33,33	0.27	0	49,51,51	0.66	0
2	FBP	G	601	-	18,20,20	0.68	0	21,32,32	0.94	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OXL	C	602	5	-	4/4/4/4	-
4	I7K	H	603	-	-	3/16/42/42	0/4/4/4
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
4	I7K	G	603	-	-	4/16/42/42	0/4/4/4
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	I7K	C	603	-	-	4/16/42/42	0/4/4/4
3	OXL	B	602	5	-	4/4/4/4	-
3	OXL	A	602	5	-	4/4/4/4	-
3	OXL	D	602	5	-	4/4/4/4	-
3	OXL	H	602	5	-	4/4/4/4	-
4	I7K	D	603	-	-	4/16/42/42	0/4/4/4
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
3	OXL	F	602	5	-	4/4/4/4	-
3	OXL	E	602	5	-	4/4/4/4	-
4	I7K	F	603	-	-	3/16/42/42	0/4/4/4
4	I7K	A	603	-	-	7/16/42/42	0/4/4/4
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
3	OXL	G	602	5	-	4/4/4/4	-
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
4	I7K	E	603	-	-	2/16/42/42	0/4/4/4
2	FBP	G	601	-	-	3/13/32/32	0/1/1/1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	602	OXL	O1-C1	4.38	1.33	1.22
3	B	602	OXL	O2-C2	3.92	1.32	1.22
3	A	602	OXL	O2-C2	3.81	1.32	1.22
3	F	602	OXL	O1-C1	3.45	1.31	1.22
3	F	602	OXL	O2-C2	3.40	1.31	1.22
3	D	602	OXL	O2-C2	3.24	1.30	1.22
3	D	602	OXL	O4-C2	-3.11	1.22	1.30
3	C	602	OXL	O1-C1	3.09	1.30	1.22
3	G	602	OXL	O1-C1	2.98	1.29	1.22
3	G	602	OXL	O3-C1	-2.93	1.22	1.30
3	H	602	OXL	O4-C2	-2.92	1.22	1.30
3	F	602	OXL	O3-C1	-2.89	1.22	1.30
3	H	602	OXL	O2-C2	2.88	1.29	1.22
3	C	602	OXL	O3-C1	-2.74	1.23	1.30
3	B	602	OXL	O4-C2	-2.69	1.23	1.30
2	C	601	FBP	P1-O3P	-2.50	1.45	1.54
3	E	602	OXL	O3-C1	-2.37	1.24	1.30
3	A	602	OXL	O4-C2	-2.23	1.24	1.30
2	D	601	FBP	P2-O5P	-2.16	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	FBP	P2-O5P	-2.15	1.46	1.54

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	602	OXL	O3-C1-C2	4.26	121.10	112.83
3	A	602	OXL	O4-C2-C1	4.16	120.91	112.83
3	F	602	OXL	O4-C2-C1	4.11	120.81	112.83
3	C	602	OXL	O3-C1-C2	3.51	119.64	112.83
3	F	602	OXL	O3-C1-C2	3.32	119.27	112.83
3	D	602	OXL	O4-C2-C1	3.28	119.19	112.83
3	H	602	OXL	O4-C2-C1	3.27	119.16	112.83
3	E	602	OXL	O3-C1-C2	3.14	118.92	112.83
3	B	602	OXL	O4-C2-C1	3.04	118.73	112.83
4	F	603	I7K	C3-C-C1	-2.98	117.77	121.10
3	G	602	OXL	O4-C2-C1	2.89	118.43	112.83
3	A	602	OXL	O2-C2-C1	-2.82	114.76	120.63
3	B	602	OXL	O3-C1-C2	2.80	118.26	112.83
4	H	603	I7K	C19-N-S	2.78	122.23	117.06
4	C	603	I7K	C15-C14-N	2.77	112.92	109.33
4	C	603	I7K	C3-C-C1	-2.71	118.07	121.10
3	G	602	OXL	O1-C1-C2	-2.65	115.10	120.63
3	D	602	OXL	O3-C1-C2	2.62	117.91	112.83
3	E	602	OXL	O4-C2-C1	2.58	117.83	112.83
3	F	602	OXL	O2-C2-C1	-2.51	115.40	120.63
3	A	602	OXL	O3-C1-C2	2.50	117.68	112.83
4	F	603	I7K	C15-C14-N	2.45	112.51	109.33
2	G	601	FBP	O3P-P1-O1	2.32	112.71	106.67
2	B	601	FBP	O3P-P1-O2P	2.25	116.24	107.80
2	E	601	FBP	O3P-P1-O2P	2.24	116.20	107.80
2	H	601	FBP	O5P-P2-O6	2.23	112.48	106.67
4	C	603	I7K	C18-C19-N	2.19	112.16	109.33
4	D	603	I7K	C14-N-S	2.16	121.07	117.06
2	G	601	FBP	O5P-P2-O6	2.10	112.13	106.67
4	H	603	I7K	C14-N-S	2.07	120.91	117.06

There are no chirality outliers.

All (76) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	601	FBP	O1-C1-C2-O2
2	G	601	FBP	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	G	601	FBP	O1-C1-C2-O5
4	A	603	I7K	C19-N-S-O
4	A	603	I7K	C19-N-S-C
4	E	603	I7K	C14-N-S-O
2	E	601	FBP	C4-C5-C6-O6
4	C	603	I7K	C19-N-S-O7
4	F	603	I7K	C19-N-S-O7
4	F	603	I7K	C19-N-S-C
4	A	603	I7K	C19-N-S-O7
4	C	603	I7K	C19-N-S-C
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
4	E	603	I7K	C14-N-S-C
4	D	603	I7K	C14-N-S-O
2	A	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
4	D	603	I7K	C14-N-S-O7
2	B	601	FBP	O5-C5-C6-O6
2	C	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
4	G	603	I7K	C14-N-S-O
4	H	603	I7K	C19-N-S-O7
4	H	603	I7K	C19-N-S-O
4	G	603	I7K	C14-N-S-O7
3	A	602	OXL	O3-C1-C2-O4
4	A	603	I7K	C14-N-S-O7
4	D	603	I7K	C19-N-S-O
4	A	603	I7K	C14-N-S-O
3	F	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O1-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	602	OXL	O3-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O4
4	D	603	I7K	C14-N-S-C
3	B	602	OXL	O1-C1-C2-O2
3	A	602	OXL	O1-C1-C2-O2
3	C	602	OXL	O1-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
4	G	603	I7K	C19-N-S-O
4	A	603	I7K	C1-C-S-O7
4	H	603	I7K	C19-N-S-C
4	C	603	I7K	C19-N-S-O
4	A	603	I7K	C14-N-S-C
4	G	603	I7K	C14-N-S-C
3	D	602	OXL	O3-C1-C2-O2
3	F	602	OXL	O1-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O2
3	A	602	OXL	O3-C1-C2-O2
3	C	602	OXL	O1-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O2
4	C	603	I7K	C1-C-S-O7
4	F	603	I7K	C1-C-S-O7
3	A	602	OXL	O1-C1-C2-O4


There are no ring outliers.

4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	603	I7K	2	0
4	F	603	I7K	1	0
4	A	603	I7K	3	0
2	G	601	FBP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand FBP F 601







Ligand I7K G 603




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP E 601




Ligand I7K C 603




Ligand I7K D 603




Bond lengths




Bond angles




Torsions




Rings




Ligand I7K F 603




Bond lengths



Bond angles




Torsions




Rings


Ligand I7K A 603




Ligand FBP C 601




Ligand FBP B 601



Ligand I7K E 603





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	414/447 (92%)	0.63	40 (9%) 13 16	13, 26, 45, 61	15 (3%)
1	B	431/447 (96%)	0.88	71 (16%) 4 5	14, 27, 49, 72	9 (2%)
1	C	417/447 (93%)	0.23	27 (6%) 25 31	11, 21, 38, 55	9 (2%)
1	D	419/447 (93%)	0.13	20 (4%) 35 44	9, 19, 38, 75	8 (1%)
1	E	414/447 (92%)	0.70	49 (11%) 9 11	14, 27, 48, 61	17 (4%)
1	F	431/447 (96%)	0.45	38 (8%) 15 19	13, 22, 44, 60	9 (2%)
1	G	419/447 (93%)	0.15	23 (5%) 30 39	11, 19, 36, 50	10 (2%)
1	H	421/447 (94%)	-0.04	19 (4%) 38 47	8, 17, 35, 57	10 (2%)
All	All	3366/3576 (94%)	0.39	287 (8%) 16 21	8, 23, 44, 75	87 (2%)

All (287) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	271	GLY	8.6
1	D	25	PHE	8.1
1	C	231	PRO	7.6
1	H	231	PRO	6.9
1	G	231	PRO	6.8
1	B	231	PRO	6.5
1	F	231	PRO	6.0
1	D	24	PHE	5.9
1	A	543	SER	5.7
1	H	21	GLY	5.6
1	B	232	GLY	5.3
1	D	22	THR	5.3
1	E	275[A]	HIS	5.2
1	G	25	PHE	5.2
1	D	21	GLY	5.0
1	F	232	GLY	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	489	PRO	4.9
1	C	232	GLY	4.9
1	H	22	THR	4.8
1	H	25	PHE	4.8
1	F	115	LEU	4.7
1	E	232	GLY	4.7
1	A	232	GLY	4.7
1	B	267[A]	ARG	4.5
1	D	23	ALA	4.5
1	F	489	PRO	4.4
1	G	489	PRO	4.4
1	E	514	PHE	4.3
1	H	52	VAL	4.1
1	B	348	THR	4.1
1	D	543	SER	4.0
1	G	490	PRO	4.0
1	E	511	LEU	3.9
1	F	516	ARG	3.8
1	A	500	ARG	3.7
1	D	275[A]	HIS	3.7
1	H	232	GLY	3.7
1	C	113	SER	3.7
1	G	24	PHE	3.6
1	H	516	ARG	3.6
1	E	493	ILE	3.6
1	B	263	VAL	3.6
1	C	112	GLY	3.6
1	B	490	PRO	3.6
1	A	118	ARG	3.6
1	F	488	GLU	3.6
1	A	26	GLN	3.5
1	E	489	PRO	3.5
1	F	490	PRO	3.5
1	B	492	ALA	3.5
1	B	118	ARG	3.5
1	E	114	PRO	3.5
1	C	34	MET	3.5
1	F	114	PRO	3.5
1	H	411	ARG	3.5
1	C	412	ARG	3.4
1	E	540	LEU	3.4
1	G	26	GLN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	91	GLY	3.4
1	E	490	PRO	3.4
1	B	269	ALA	3.3
1	A	233	LEU	3.3
1	D	232	GLY	3.3
1	B	511	LEU	3.3
1	H	273	GLU	3.3
1	A	411	ARG	3.3
1	B	275	HIS	3.3
1	A	116	SER	3.2
1	B	543	SER	3.2
1	C	118	ARG	3.2
1	A	488[A]	GLU	3.2
1	F	517	VAL	3.2
1	B	272	PRO	3.2
1	F	118	ARG	3.2
1	F	275	HIS	3.2
1	E	270	LEU	3.2
1	E	34	MET	3.1
1	E	267[A]	ARG	3.1
1	F	267[A]	ARG	3.1
1	G	515	LEU	3.1
1	C	111	ALA	3.1
1	E	269	ALA	3.1
1	E	543	SER	3.1
1	G	412	ARG	3.1
1	A	114	PRO	3.1
1	E	129	PRO	3.1
1	F	487	ARG	3.1
1	A	273	GLU	3.1
1	H	24	PHE	3.1
1	E	272	PRO	3.0
1	B	95	TYR	3.0
1	B	233	LEU	3.0
1	F	270	LEU	3.0
1	G	115	LEU	3.0
1	C	512	ARG	3.0
1	G	232	GLY	3.0
1	A	30	LEU	3.0
1	B	12	ASP	3.0
1	E	110	PHE	3.0
1	F	12	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	26	GLN	3.0
1	E	233	LEU	3.0
1	F	233	LEU	3.0
1	G	34	MET	3.0
1	C	114	PRO	3.0
1	C	411	ARG	2.9
1	E	436	CYS	2.9
1	E	412	ARG	2.9
1	A	34	MET	2.9
1	H	543	SER	2.9
1	B	238	VAL	2.9
1	G	52	VAL	2.9
1	B	241	LEU	2.9
1	B	270	LEU	2.9
1	B	512	ARG	2.9
1	H	23	ALA	2.9
1	E	115	LEU	2.9
1	F	511	LEU	2.9
1	B	381	ASN	2.9
1	D	412	ARG	2.8
1	B	71	GLU	2.8
1	D	52	VAL	2.8
1	A	237	ASP	2.8
1	A	115	LEU	2.8
1	A	412	ARG	2.8
1	F	411	ARG	2.8
1	A	70	VAL	2.8
1	E	116	SER	2.8
1	F	512	ARG	2.8
1	F	34	MET	2.8
1	B	243	PHE	2.8
1	F	414	ALA	2.8
1	B	111	ALA	2.7
1	C	414	ALA	2.7
1	E	492	ALA	2.7
1	C	91	GLY	2.7
1	D	273	GLU	2.7
1	B	268	ALA	2.7
1	B	90	HIS	2.7
1	B	416	LEU	2.7
1	E	515	LEU	2.7
1	E	242	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	492	ALA	2.7
1	E	351	ARG	2.7
1	B	70	VAL	2.7
1	A	242	ARG	2.6
1	B	245	VAL	2.6
1	A	108	GLU	2.6
1	B	408	GLU	2.6
1	B	129	PRO	2.6
1	A	267[A]	ARG	2.6
1	B	115	LEU	2.6
1	B	484	LEU	2.6
1	C	270[A]	LEU	2.6
1	D	26	GLN	2.6
1	F	543	SER	2.6
1	B	236	GLN	2.6
1	A	351	ARG	2.6
1	E	91	GLY	2.5
1	A	275	HIS	2.5
1	C	487	ARG	2.5
1	B	347	ILE	2.5
1	B	493	ILE	2.5
1	D	36	ASP	2.5
1	B	242	ARG	2.5
1	H	412	ARG	2.5
1	A	110	PHE	2.5
1	D	515	LEU	2.5
1	C	117	TYR	2.5
1	B	100	ILE	2.5
1	B	264	ALA	2.5
1	B	414	ALA	2.5
1	E	271	GLY	2.5
1	A	68	ARG	2.5
1	B	411	ARG	2.5
1	F	242	ARG	2.5
1	E	109	SER	2.5
1	B	413	ALA	2.5
1	F	112	GLY	2.5
1	B	311	ILE	2.5
1	B	412	ARG	2.5
1	F	348	THR	2.5
1	A	113	SER	2.5
1	H	514	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	311	ILE	2.4
1	B	237	ASP	2.4
1	B	379	LYS	2.4
1	B	487	ARG	2.4
1	H	275[A]	HIS	2.4
1	A	270	LEU	2.4
1	B	410	LEU	2.4
1	F	416	LEU	2.4
1	C	110	PHE	2.4
1	E	118	ARG	2.4
1	H	242[A]	ARG	2.4
1	D	34	MET	2.4
1	B	116	SER	2.4
1	A	514	PHE	2.4
1	C	36	ASP	2.4
1	F	507	GLU	2.4
1	A	117	TYR	2.4
1	F	412	ARG	2.4
1	E	311	ILE	2.4
1	B	34	MET	2.4
1	C	116[A]	SER	2.3
1	G	116	SER	2.3
1	B	97	ALA	2.3
1	G	487	ARG	2.3
1	A	52	VAL	2.3
1	E	52	VAL	2.3
1	B	507	GLU	2.3
1	B	265	ALA	2.3
1	H	34	MET	2.3
1	A	515	LEU	2.3
1	B	516	ARG	2.3
1	F	459	ARG	2.3
1	B	513	GLY	2.3
1	E	237	ASP	2.3
1	D	233	LEU	2.3
1	B	88	PHE	2.3
1	B	256	PHE	2.3
1	F	379	LYS	2.3
1	E	542	ILE	2.3
1	F	493	ILE	2.3
1	F	513	GLY	2.3
1	B	488	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	413	ALA	2.2
1	D	242[A]	ARG	2.2
1	A	540	LEU	2.2
1	G	543	SER	2.2
1	B	271	GLY	2.2
1	E	256	PHE	2.2
1	H	36	ASP	2.2
1	D	30	LEU	2.2
1	C	94	GLU	2.2
1	F	415	PRO	2.2
1	B	234	SER	2.2
1	G	331	LEU	2.2
1	G	411	ARG	2.2
1	A	272	PRO	2.2
1	B	251	ILE	2.2
1	E	517	VAL	2.1
1	F	268	ALA	2.1
1	A	90	HIS	2.1
1	E	513	GLY	2.1
1	C	233	LEU	2.1
1	G	113	SER	2.1
1	A	129	PRO	2.1
1	C	129	PRO	2.1
1	E	506	ILE	2.1
1	C	351	ARG	2.1
1	E	487	ARG	2.1
1	H	267	ARG	2.1
1	F	238	VAL	2.1
1	A	511	LEU	2.1
1	D	235	GLU	2.1
1	E	236	GLN	2.1
1	C	404	ARG	2.1
1	C	516	ARG	2.1
1	E	88	PHE	2.1
1	B	122	ILE	2.1
1	B	101	ALA	2.1
1	B	509	GLY	2.1
1	A	238	VAL	2.1
1	E	273	GLU	2.1
1	F	408	GLU	2.1
1	A	236	GLN	2.1
1	C	410	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	30	LEU	2.1
1	E	459	ARG	2.1
1	G	516	ARG	2.1
1	B	415	PRO	2.1
1	A	95	TYR	2.1
1	G	117	TYR	2.1
1	B	404	ARG	2.0
1	E	86	LEU	2.0
1	A	235	GLU	2.0
1	E	94	GLU	2.0
1	G	112	GLY	2.0
1	G	271	GLY	2.0
1	B	110	PHE	2.0
1	G	514	PHE	2.0
1	D	113	SER	2.0
1	E	234	SER	2.0
1	E	541[A]	SER	2.0
1	B	266	VAL	2.0
1	B	93	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	I7K	A	603	30/30	0.69	0.24	70,70,72,72	17
4	I7K	F	603	30/30	0.69	0.22	51,53,55,55	17
4	I7K	C	603	30/30	0.72	0.23	54,56,58,58	17
4	I7K	D	603	30/30	0.85	0.14	28,31,36,38	17

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OXL	B	602	6/6	0.89	0.10	31,32,34,34	0
3	OXL	E	602	6/6	0.90	0.10	29,31,32,33	0
4	I7K	E	603	30/30	0.91	0.12	40,42,47,48	17
3	OXL	A	602	6/6	0.91	0.09	28,29,30,30	0
4	I7K	G	603	30/30	0.92	0.10	26,31,34,34	17
3	OXL	F	602	6/6	0.94	0.11	24,26,27,29	0
4	I7K	H	603	30/30	0.94	0.09	21,22,25,26	17
3	OXL	C	602	6/6	0.95	0.07	28,28,29,30	0
3	OXL	D	602	6/6	0.96	0.09	23,24,25,25	0
3	OXL	G	602	6/6	0.96	0.07	22,23,24,25	0
2	FBP	G	601	20/20	0.96	0.06	13,15,17,24	0
3	OXL	H	602	6/6	0.97	0.07	17,19,20,22	0
5	MG	B	603	1/1	0.97	0.04	29,29,29,29	0
5	MG	F	605	1/1	0.97	0.07	23,23,23,23	0
2	FBP	F	601	20/20	0.98	0.05	20,23,26,26	0
2	FBP	A	601	20/20	0.98	0.05	19,22,23,23	0
2	FBP	H	601	20/20	0.98	0.04	11,13,15,16	0
2	FBP	B	601	20/20	0.98	0.06	22,23,26,27	0
2	FBP	E	601	20/20	0.98	0.05	20,21,25,25	0
5	MG	A	604	1/1	0.99	0.03	30,30,30,30	0
2	FBP	D	601	20/20	0.99	0.04	13,15,17,17	0
5	MG	C	605	1/1	0.99	0.04	20,20,20,20	0
5	MG	D	604	1/1	0.99	0.02	22,22,22,22	0
5	MG	E	604	1/1	0.99	0.03	28,28,28,28	0
5	MG	F	604	1/1	0.99	0.03	24,24,24,24	0
2	FBP	C	601	20/20	0.99	0.04	14,15,17,18	0
5	MG	H	604	1/1	0.99	0.02	20,20,20,20	0
5	MG	G	604	1/1	1.00	0.03	21,21,21,21	0
5	MG	C	604	1/1	1.00	0.01	24,24,24,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around I7K A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around I7K F 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I7K C 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around I7K D 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I7K E 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around I7K G 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I7K H 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP G 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FBP C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.