



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:38 PM UTC

PDB ID : 7SCR / pdb_00007scr
Title : Crystal structure of trypanosome brucei hypoxanthine-guanine-xanthine phosphoribzoyltransferase in complex with (4S,7S)-7-hydroxy-4-((guanin-9-yl)methyl)-2,5-dioxahexan-1,7-diphosphate
Authors : Guddat, L.W.; Keough, D.T.
Deposited on : 2021-09-29
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	272	7% 71%8%21%
1	B	272	8% 67%11%21%
1	C	272	7% 66%11%23%
1	D	272	10% 72%6%22%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	272	5% 66% 11% 22%
1	F	272	9% 67% 11% 22%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11254 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypoxanthine-guanine phosphoribosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	10	0
			1762	1123	311	316	12			
1	C	210	Total	C	N	O	S	0	4	0
			1686	1073	297	307	9			
1	B	215	Total	C	N	O	S	0	3	0
			1728	1098	309	312	9			
1	D	212	Total	C	N	O	S	0	2	0
			1697	1078	302	308	9			
1	E	211	Total	C	N	O	S	0	4	0
			1696	1080	299	306	11			
1	F	211	Total	C	N	O	S	0	4	0
			1695	1078	298	308	11			

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-37	MET	-	expression tag	UNP Q38CA1
A	-36	GLY	-	expression tag	UNP Q38CA1
A	-35	SER	-	expression tag	UNP Q38CA1
A	-34	SER	-	expression tag	UNP Q38CA1
A	-33	HIS	-	expression tag	UNP Q38CA1
A	-32	HIS	-	expression tag	UNP Q38CA1
A	-31	HIS	-	expression tag	UNP Q38CA1
A	-30	HIS	-	expression tag	UNP Q38CA1
A	-29	HIS	-	expression tag	UNP Q38CA1
A	-28	HIS	-	expression tag	UNP Q38CA1
A	-27	ASP	-	expression tag	UNP Q38CA1
A	-26	TYR	-	expression tag	UNP Q38CA1
A	-25	ASP	-	expression tag	UNP Q38CA1
A	-24	ILE	-	expression tag	UNP Q38CA1
A	-23	PRO	-	expression tag	UNP Q38CA1
A	-22	THR	-	expression tag	UNP Q38CA1
A	-21	THR	-	expression tag	UNP Q38CA1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	GLU	-	expression tag	UNP Q38CA1
A	-19	ASN	-	expression tag	UNP Q38CA1
A	-18	LEU	-	expression tag	UNP Q38CA1
A	-17	TYR	-	expression tag	UNP Q38CA1
A	-16	PHE	-	expression tag	UNP Q38CA1
A	-15	GLN	-	expression tag	UNP Q38CA1
A	-14	GLY	-	expression tag	UNP Q38CA1
A	-13	HIS	-	expression tag	UNP Q38CA1
A	-12	MET	-	expression tag	UNP Q38CA1
A	-11	ALA	-	expression tag	UNP Q38CA1
A	-10	SER	-	expression tag	UNP Q38CA1
A	-9	MET	-	expression tag	UNP Q38CA1
A	-8	THR	-	expression tag	UNP Q38CA1
A	-7	GLY	-	expression tag	UNP Q38CA1
A	-6	GLY	-	expression tag	UNP Q38CA1
A	-5	GLN	-	expression tag	UNP Q38CA1
A	-4	GLN	-	expression tag	UNP Q38CA1
A	-3	MET	-	expression tag	UNP Q38CA1
A	-2	GLY	-	expression tag	UNP Q38CA1
A	-1	ARG	-	expression tag	UNP Q38CA1
A	0	GLY	-	expression tag	UNP Q38CA1
A	1	SER	-	expression tag	UNP Q38CA1
A	11	VAL	PHE	engineered mutation	UNP Q38CA1
C	-37	MET	-	expression tag	UNP Q38CA1
C	-36	GLY	-	expression tag	UNP Q38CA1
C	-35	SER	-	expression tag	UNP Q38CA1
C	-34	SER	-	expression tag	UNP Q38CA1
C	-33	HIS	-	expression tag	UNP Q38CA1
C	-32	HIS	-	expression tag	UNP Q38CA1
C	-31	HIS	-	expression tag	UNP Q38CA1
C	-30	HIS	-	expression tag	UNP Q38CA1
C	-29	HIS	-	expression tag	UNP Q38CA1
C	-28	HIS	-	expression tag	UNP Q38CA1
C	-27	ASP	-	expression tag	UNP Q38CA1
C	-26	TYR	-	expression tag	UNP Q38CA1
C	-25	ASP	-	expression tag	UNP Q38CA1
C	-24	ILE	-	expression tag	UNP Q38CA1
C	-23	PRO	-	expression tag	UNP Q38CA1
C	-22	THR	-	expression tag	UNP Q38CA1
C	-21	THR	-	expression tag	UNP Q38CA1
C	-20	GLU	-	expression tag	UNP Q38CA1
C	-19	ASN	-	expression tag	UNP Q38CA1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-18	LEU	-	expression tag	UNP Q38CA1
C	-17	TYR	-	expression tag	UNP Q38CA1
C	-16	PHE	-	expression tag	UNP Q38CA1
C	-15	GLN	-	expression tag	UNP Q38CA1
C	-14	GLY	-	expression tag	UNP Q38CA1
C	-13	HIS	-	expression tag	UNP Q38CA1
C	-12	MET	-	expression tag	UNP Q38CA1
C	-11	ALA	-	expression tag	UNP Q38CA1
C	-10	SER	-	expression tag	UNP Q38CA1
C	-9	MET	-	expression tag	UNP Q38CA1
C	-8	THR	-	expression tag	UNP Q38CA1
C	-7	GLY	-	expression tag	UNP Q38CA1
C	-6	GLY	-	expression tag	UNP Q38CA1
C	-5	GLN	-	expression tag	UNP Q38CA1
C	-4	GLN	-	expression tag	UNP Q38CA1
C	-3	MET	-	expression tag	UNP Q38CA1
C	-2	GLY	-	expression tag	UNP Q38CA1
C	-1	ARG	-	expression tag	UNP Q38CA1
C	0	GLY	-	expression tag	UNP Q38CA1
C	1	SER	-	expression tag	UNP Q38CA1
C	11	VAL	PHE	engineered mutation	UNP Q38CA1
B	-37	MET	-	expression tag	UNP Q38CA1
B	-36	GLY	-	expression tag	UNP Q38CA1
B	-35	SER	-	expression tag	UNP Q38CA1
B	-34	SER	-	expression tag	UNP Q38CA1
B	-33	HIS	-	expression tag	UNP Q38CA1
B	-32	HIS	-	expression tag	UNP Q38CA1
B	-31	HIS	-	expression tag	UNP Q38CA1
B	-30	HIS	-	expression tag	UNP Q38CA1
B	-29	HIS	-	expression tag	UNP Q38CA1
B	-28	HIS	-	expression tag	UNP Q38CA1
B	-27	ASP	-	expression tag	UNP Q38CA1
B	-26	TYR	-	expression tag	UNP Q38CA1
B	-25	ASP	-	expression tag	UNP Q38CA1
B	-24	ILE	-	expression tag	UNP Q38CA1
B	-23	PRO	-	expression tag	UNP Q38CA1
B	-22	THR	-	expression tag	UNP Q38CA1
B	-21	THR	-	expression tag	UNP Q38CA1
B	-20	GLU	-	expression tag	UNP Q38CA1
B	-19	ASN	-	expression tag	UNP Q38CA1
B	-18	LEU	-	expression tag	UNP Q38CA1
B	-17	TYR	-	expression tag	UNP Q38CA1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	PHE	-	expression tag	UNP Q38CA1
B	-15	GLN	-	expression tag	UNP Q38CA1
B	-14	GLY	-	expression tag	UNP Q38CA1
B	-13	HIS	-	expression tag	UNP Q38CA1
B	-12	MET	-	expression tag	UNP Q38CA1
B	-11	ALA	-	expression tag	UNP Q38CA1
B	-10	SER	-	expression tag	UNP Q38CA1
B	-9	MET	-	expression tag	UNP Q38CA1
B	-8	THR	-	expression tag	UNP Q38CA1
B	-7	GLY	-	expression tag	UNP Q38CA1
B	-6	GLY	-	expression tag	UNP Q38CA1
B	-5	GLN	-	expression tag	UNP Q38CA1
B	-4	GLN	-	expression tag	UNP Q38CA1
B	-3	MET	-	expression tag	UNP Q38CA1
B	-2	GLY	-	expression tag	UNP Q38CA1
B	-1	ARG	-	expression tag	UNP Q38CA1
B	0	GLY	-	expression tag	UNP Q38CA1
B	1	SER	-	expression tag	UNP Q38CA1
B	11	VAL	PHE	engineered mutation	UNP Q38CA1
D	-37	MET	-	expression tag	UNP Q38CA1
D	-36	GLY	-	expression tag	UNP Q38CA1
D	-35	SER	-	expression tag	UNP Q38CA1
D	-34	SER	-	expression tag	UNP Q38CA1
D	-33	HIS	-	expression tag	UNP Q38CA1
D	-32	HIS	-	expression tag	UNP Q38CA1
D	-31	HIS	-	expression tag	UNP Q38CA1
D	-30	HIS	-	expression tag	UNP Q38CA1
D	-29	HIS	-	expression tag	UNP Q38CA1
D	-28	HIS	-	expression tag	UNP Q38CA1
D	-27	ASP	-	expression tag	UNP Q38CA1
D	-26	TYR	-	expression tag	UNP Q38CA1
D	-25	ASP	-	expression tag	UNP Q38CA1
D	-24	ILE	-	expression tag	UNP Q38CA1
D	-23	PRO	-	expression tag	UNP Q38CA1
D	-22	THR	-	expression tag	UNP Q38CA1
D	-21	THR	-	expression tag	UNP Q38CA1
D	-20	GLU	-	expression tag	UNP Q38CA1
D	-19	ASN	-	expression tag	UNP Q38CA1
D	-18	LEU	-	expression tag	UNP Q38CA1
D	-17	TYR	-	expression tag	UNP Q38CA1
D	-16	PHE	-	expression tag	UNP Q38CA1
D	-15	GLN	-	expression tag	UNP Q38CA1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	GLY	-	expression tag	UNP Q38CA1
D	-13	HIS	-	expression tag	UNP Q38CA1
D	-12	MET	-	expression tag	UNP Q38CA1
D	-11	ALA	-	expression tag	UNP Q38CA1
D	-10	SER	-	expression tag	UNP Q38CA1
D	-9	MET	-	expression tag	UNP Q38CA1
D	-8	THR	-	expression tag	UNP Q38CA1
D	-7	GLY	-	expression tag	UNP Q38CA1
D	-6	GLY	-	expression tag	UNP Q38CA1
D	-5	GLN	-	expression tag	UNP Q38CA1
D	-4	GLN	-	expression tag	UNP Q38CA1
D	-3	MET	-	expression tag	UNP Q38CA1
D	-2	GLY	-	expression tag	UNP Q38CA1
D	-1	ARG	-	expression tag	UNP Q38CA1
D	0	GLY	-	expression tag	UNP Q38CA1
D	1	SER	-	expression tag	UNP Q38CA1
D	11	VAL	PHE	engineered mutation	UNP Q38CA1
E	-37	MET	-	expression tag	UNP Q38CA1
E	-36	GLY	-	expression tag	UNP Q38CA1
E	-35	SER	-	expression tag	UNP Q38CA1
E	-34	SER	-	expression tag	UNP Q38CA1
E	-33	HIS	-	expression tag	UNP Q38CA1
E	-32	HIS	-	expression tag	UNP Q38CA1
E	-31	HIS	-	expression tag	UNP Q38CA1
E	-30	HIS	-	expression tag	UNP Q38CA1
E	-29	HIS	-	expression tag	UNP Q38CA1
E	-28	HIS	-	expression tag	UNP Q38CA1
E	-27	ASP	-	expression tag	UNP Q38CA1
E	-26	TYR	-	expression tag	UNP Q38CA1
E	-25	ASP	-	expression tag	UNP Q38CA1
E	-24	ILE	-	expression tag	UNP Q38CA1
E	-23	PRO	-	expression tag	UNP Q38CA1
E	-22	THR	-	expression tag	UNP Q38CA1
E	-21	THR	-	expression tag	UNP Q38CA1
E	-20	GLU	-	expression tag	UNP Q38CA1
E	-19	ASN	-	expression tag	UNP Q38CA1
E	-18	LEU	-	expression tag	UNP Q38CA1
E	-17	TYR	-	expression tag	UNP Q38CA1
E	-16	PHE	-	expression tag	UNP Q38CA1
E	-15	GLN	-	expression tag	UNP Q38CA1
E	-14	GLY	-	expression tag	UNP Q38CA1
E	-13	HIS	-	expression tag	UNP Q38CA1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-12	MET	-	expression tag	UNP Q38CA1
E	-11	ALA	-	expression tag	UNP Q38CA1
E	-10	SER	-	expression tag	UNP Q38CA1
E	-9	MET	-	expression tag	UNP Q38CA1
E	-8	THR	-	expression tag	UNP Q38CA1
E	-7	GLY	-	expression tag	UNP Q38CA1
E	-6	GLY	-	expression tag	UNP Q38CA1
E	-5	GLN	-	expression tag	UNP Q38CA1
E	-4	GLN	-	expression tag	UNP Q38CA1
E	-3	MET	-	expression tag	UNP Q38CA1
E	-2	GLY	-	expression tag	UNP Q38CA1
E	-1	ARG	-	expression tag	UNP Q38CA1
E	0	GLY	-	expression tag	UNP Q38CA1
E	1	SER	-	expression tag	UNP Q38CA1
E	11	VAL	PHE	engineered mutation	UNP Q38CA1
F	-37	MET	-	expression tag	UNP Q38CA1
F	-36	GLY	-	expression tag	UNP Q38CA1
F	-35	SER	-	expression tag	UNP Q38CA1
F	-34	SER	-	expression tag	UNP Q38CA1
F	-33	HIS	-	expression tag	UNP Q38CA1
F	-32	HIS	-	expression tag	UNP Q38CA1
F	-31	HIS	-	expression tag	UNP Q38CA1
F	-30	HIS	-	expression tag	UNP Q38CA1
F	-29	HIS	-	expression tag	UNP Q38CA1
F	-28	HIS	-	expression tag	UNP Q38CA1
F	-27	ASP	-	expression tag	UNP Q38CA1
F	-26	TYR	-	expression tag	UNP Q38CA1
F	-25	ASP	-	expression tag	UNP Q38CA1
F	-24	ILE	-	expression tag	UNP Q38CA1
F	-23	PRO	-	expression tag	UNP Q38CA1
F	-22	THR	-	expression tag	UNP Q38CA1
F	-21	THR	-	expression tag	UNP Q38CA1
F	-20	GLU	-	expression tag	UNP Q38CA1
F	-19	ASN	-	expression tag	UNP Q38CA1
F	-18	LEU	-	expression tag	UNP Q38CA1
F	-17	TYR	-	expression tag	UNP Q38CA1
F	-16	PHE	-	expression tag	UNP Q38CA1
F	-15	GLN	-	expression tag	UNP Q38CA1
F	-14	GLY	-	expression tag	UNP Q38CA1
F	-13	HIS	-	expression tag	UNP Q38CA1
F	-12	MET	-	expression tag	UNP Q38CA1
F	-11	ALA	-	expression tag	UNP Q38CA1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-10	SER	-	expression tag	UNP Q38CA1
F	-9	MET	-	expression tag	UNP Q38CA1
F	-8	THR	-	expression tag	UNP Q38CA1
F	-7	GLY	-	expression tag	UNP Q38CA1
F	-6	GLY	-	expression tag	UNP Q38CA1
F	-5	GLN	-	expression tag	UNP Q38CA1
F	-4	GLN	-	expression tag	UNP Q38CA1
F	-3	MET	-	expression tag	UNP Q38CA1
F	-2	GLY	-	expression tag	UNP Q38CA1
F	-1	ARG	-	expression tag	UNP Q38CA1
F	0	GLY	-	expression tag	UNP Q38CA1
F	1	SER	-	expression tag	UNP Q38CA1
F	11	VAL	PHE	engineered mutation	UNP Q38CA1

- Molecule 2 is ((2S)-3-(2-amino-6-oxo-1,6-dihydro-9H-purin-9-yl)-2-[(2S)-2-hydroxy-2-phosphonoethoxy]propoxy)methyl)phosphonic acid (CCD ID: 8QI) (formula: C₁₁H₁₉N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 56	C 22	N 10	O 20	P 4	0	1
2	C	1	Total 28	C 11	N 5	O 10	P 2	0	0
2	B	1	Total 56	C 22	N 10	O 20	P 4	0	1
2	D	1	Total 28	C 11	N 5	O 10	P 2	0	0


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	E	1	Total	C	N	O	P	0	0
			28	11	5	10	2		
2	F	1	Total	C	N	O	P	0	1
			56	22	10	20	4		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	137	Total	O	0	0
			137	137		
3	C	116	Total	O	0	0
			116	116		
3	B	123	Total	O	0	0
			123	123		
3	D	130	Total	O	0	0
			130	130		
3	E	122	Total	O	0	0
			122	122		
3	F	110	Total	O	0	0
			110	110		




• Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



• Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



• Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.25Å 107.30Å 117.17Å 90.00° 96.76° 90.00°	Depositor
Resolution (Å)	46.40 – 2.12 46.40 – 2.12	Depositor EDS
% Data completeness (in resolution range)	96.8 (46.40-2.12) 96.8 (46.40-2.12)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.00 (at 2.12Å)	Xtriage
Refinement program	PHENIX 1.9_1692, PHENIX 1.9_1692	Depositor
R, R_{free}	0.221 , 0.267 0.223 , 0.268	Depositor DCC
R_{free} test set	2000 reflections (2.35%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11254	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 8QI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/1824	0.69	0/2463
1	B	0.29	0/1769	0.72	0/2391
1	C	0.27	0/1730	0.68	0/2339
1	D	0.27	0/1735	0.71	2/2345 (0.1%)
1	E	0.28	0/1740	0.71	0/2351
1	F	0.27	0/1739	0.71	1/2349 (0.0%)
All	All	0.28	0/10537	0.70	3/14238 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	8	LYS	CA-C-N	-6.00	112.95	120.51
1	D	8	LYS	C-N-CA	-6.00	112.95	120.51
1	F	185	VAL	N-CA-C	-5.03	108.60	113.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1762	0	1834	14	0
1	B	1728	0	1777	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1686	0	1730	17	0
1	D	1697	0	1738	10	0
1	E	1696	0	1748	20	0
1	F	1695	0	1740	21	0
2	A	56	0	0	2	0
2	B	56	0	0	0	0
2	C	28	0	0	1	0
2	D	28	0	0	0	0
2	E	28	0	0	0	0
2	F	56	0	0	2	0
3	A	137	0	0	2	0
3	B	123	0	0	3	0
3	C	116	0	0	2	0
3	D	130	0	0	3	0
3	E	122	0	0	3	0
3	F	110	0	0	1	0
All	All	11254	0	10567	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:LYS:HG2	1:B:9:PRO:HD3	1.57	0.86
1:F:152:THR:N	2:F:301[B]:8QI:O14	2.14	0.80
1:A:152:THR:N	2:A:301[B]:8QI:O14	2.22	0.72
1:B:181:PRO:HG2	1:E:181:PRO:HG2	1.71	0.72
1:F:152:THR:N	2:F:301[A]:8QI:O14	2.22	0.72
1:B:25:ARG:NH2	1:F:102:ASP:O	2.24	0.70
1:A:229[B]:ARG:NH1	1:E:77:GLU:OE2	2.29	0.65
1:F:211:ASP:OD1	1:F:214:ARG:NH2	2.29	0.65
1:D:61[B]:ARG:NH1	3:D:402:HOH:O	2.31	0.63
1:E:25:ARG:NH1	3:E:403:HOH:O	2.31	0.62
1:E:148:ASP:OD1	1:E:149:ILE:N	2.34	0.61
1:E:8:LYS:O	1:E:38[B]:SER:OG	2.19	0.60
1:C:82:ILE:HD13	1:C:107:ASN:HB2	1.82	0.59
1:A:43[B]:SER:OG	1:A:194[B]:CYS:SG	2.58	0.59
1:E:208:GLU:HG2	1:E:214:ARG:CZ	2.33	0.58
1:B:44:MET:HE3	1:B:96:MET:HG2	1.86	0.58
1:E:179:ASP:OD1	1:E:184:ARG:NH1	2.37	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:229:ARG:NH2	3:D:407:HOH:O	2.37	0.56
1:B:44:MET:HE1	1:B:95:ASP:HB2	1.87	0.56
1:A:185:VAL:HG23	1:A:186:VAL:HG13	1.88	0.56
1:C:14:ARG:NH1	3:C:402:HOH:O	2.34	0.55
1:F:68:ASN:O	3:F:401:HOH:O	2.18	0.55
1:C:152:THR:N	2:C:301:8QI:O14	2.32	0.55
1:D:25:ARG:NH1	3:D:409:HOH:O	2.39	0.55
1:B:229:ARG:NH1	3:B:408:HOH:O	2.40	0.55
1:F:15:ASP:OD2	1:F:19:ASN:HB2	2.07	0.54
1:D:133:LEU:H	1:D:133:LEU:HD23	1.74	0.53
1:C:148:ASP:OD2	1:C:149:ILE:HG22	2.09	0.53
1:C:44:MET:HE1	1:C:95:ASP:HB2	1.90	0.52
1:E:149:ILE:HB	1:E:207:PHE:HE1	1.74	0.52
1:B:149:ILE:HB	1:B:207:PHE:HE1	1.76	0.51
1:A:148:ASP:OD1	1:A:149:ILE:N	2.43	0.51
1:F:63:THR:HA	1:F:66:LYS:HG2	1.93	0.51
1:F:148:ASP:OD2	1:F:149:ILE:HG22	2.11	0.51
1:B:130:LEU:HD13	1:F:134:ARG:HD2	1.92	0.50
1:C:132:ASN:OD1	1:C:133:LEU:N	2.44	0.50
1:E:61:ARG:O	1:E:141:LYS:NZ	2.44	0.50
1:F:31:GLU:HB2	1:F:223:LYS:HG2	1.93	0.50
1:E:149:ILE:HB	1:E:207:PHE:CE1	2.46	0.50
2:A:301[B]:8QI:O15	3:A:401:HOH:O	2.20	0.49
1:E:165:ARG:HG3	1:E:166:GLU:HG3	1.93	0.49
1:A:154:ARG:HH11	1:A:185:VAL:HG21	1.78	0.49
1:B:56:LYS:HG3	1:B:57:THR:HG23	1.94	0.48
1:F:44[A]:MET:HE3	1:F:99:TYR:HE2	1.80	0.47
1:F:152:THR:HB	1:F:185:VAL:HG22	1.94	0.47
1:A:152:THR:HB	1:A:185:VAL:HG22	1.97	0.47
1:E:112:ILE:HA	1:E:132:ASN:HB3	1.96	0.46
1:B:139:THR:N	3:B:413:HOH:O	2.48	0.46
1:D:52:ALA:O	1:D:56:LYS:HB2	2.16	0.46
1:A:7:LEU:N	3:A:414:HOH:O	2.49	0.46
1:D:44:MET:HE3	1:D:96:MET:HG2	1.97	0.46
1:C:149:ILE:HD11	1:C:180:LYS:HE2	1.98	0.46
1:E:44[B]:MET:HE1	1:E:95:ASP:HB2	1.97	0.46
1:B:152:THR:HB	1:B:185:VAL:HG22	1.97	0.45
1:C:15:ASP:OD2	1:C:19:ASN:HB2	2.16	0.45
1:C:97:VAL:HG11	1:C:109:VAL:HG21	1.97	0.45
1:B:82:ILE:HB	1:B:109:VAL:HG22	1.99	0.45
1:F:226:TYR:CD2	1:F:229:ARG:HD3	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:ILE:HB	1:B:207:PHE:CE1	2.52	0.45
1:F:208:GLU:HG2	1:F:214:ARG:CZ	2.47	0.44
1:E:96:MET:HG2	1:E:146:MET:HE1	1.98	0.44
1:C:156:MET:HE2	1:C:156:MET:HA	1.98	0.44
1:E:229:ARG:NH1	3:E:405:HOH:O	2.35	0.44
1:F:112:ILE:HB	1:F:133:LEU:HD12	2.00	0.44
1:D:58:LEU:HD23	1:D:142:HIS:CE1	2.53	0.44
1:F:185:VAL:HG23	1:F:186:VAL:HG13	2.00	0.44
1:C:165:ARG:NH1	3:C:405:HOH:O	2.46	0.43
1:B:86:LEU:HB2	1:B:113[A]:ARG:HG2	2.00	0.43
1:F:60:HIS:HB2	1:F:140:GLY:O	2.18	0.43
1:A:60:HIS:HB3	1:A:142:HIS:CD2	2.53	0.43
1:B:185:VAL:HG23	1:B:186:VAL:HG13	1.99	0.43
1:F:15:ASP:OD1	1:F:19:ASN:N	2.49	0.43
1:E:52:ALA:O	1:E:56:LYS:HB2	2.19	0.43
1:B:161:GLU:HB3	1:B:165:ARG:NH1	2.34	0.42
1:A:52:ALA:O	1:A:56:LYS:HB2	2.19	0.42
1:C:147[A]:GLU:HB3	1:C:176[A]:VAL:HG12	2.02	0.42
1:E:85:VAL:HG21	1:E:147:GLU:OE2	2.20	0.42
1:B:15:ASP:OD2	1:B:19:ASN:HB2	2.20	0.42
1:B:86:LEU:HA	1:B:87:LYS:HA	1.73	0.42
1:E:152:THR:HB	1:E:185:VAL:HG22	2.01	0.42
1:A:40:ILE:HG22	1:A:44:MET:HE2	2.01	0.42
1:A:146[B]:MET:HE2	1:A:146[B]:MET:HB3	1.88	0.42
1:C:157:LYS:HD3	1:C:188:PHE:HB2	2.02	0.42
1:F:146[A]:MET:HE3	1:F:146[A]:MET:HB2	2.00	0.42
1:C:95:ASP:OD1	1:C:98:ARG:NH2	2.53	0.41
1:F:159:LEU:O	1:F:163:ILE:HG12	2.20	0.41
1:A:184:ARG:HH21	1:A:190:PRO:HD3	1.86	0.41
1:B:113[A]:ARG:HD2	1:B:130:LEU:HD12	2.01	0.41
1:B:147:GLU:O	1:B:176:VAL:HA	2.20	0.41
1:D:165:ARG:HG3	1:D:166:GLU:HG3	2.02	0.41
1:C:160:VAL:HG13	1:C:172:LEU:HD23	2.02	0.41
1:C:60:HIS:HB2	1:C:140:GLY:O	2.21	0.41
1:C:85:VAL:HG21	1:C:147[B]:GLU:OE1	2.21	0.41
1:B:113[B]:ARG:NH2	3:B:416:HOH:O	2.52	0.41
1:E:132:ASN:ND2	3:E:415:HOH:O	2.54	0.40
1:B:81:ILE:HB	1:B:143:VAL:HG22	2.02	0.40
1:F:44[B]:MET:HE3	1:F:96:MET:HE2	2.03	0.40
1:D:86:LEU:HA	1:D:87:LYS:HA	1.87	0.40
1:A:218:HIS:HB2	1:A:220:PHE:CZ	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:189:LYS:HA	1:D:190:PRO:HD2	1.99	0.40
1:E:82:ILE:HG23	1:E:146:MET:HG3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/272 (81%)	215 (97%)	6 (3%)	0	100	100
1	B	214/272 (79%)	208 (97%)	6 (3%)	0	100	100
1	C	210/272 (77%)	204 (97%)	6 (3%)	0	100	100
1	D	210/272 (77%)	200 (95%)	10 (5%)	0	100	100
1	E	211/272 (78%)	206 (98%)	5 (2%)	0	100	100
1	F	211/272 (78%)	205 (97%)	6 (3%)	0	100	100
All	All	1277/1632 (78%)	1238 (97%)	39 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/236 (84%)	196 (98%)	3 (2%)	57	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	192/236 (81%)	189 (98%)	3 (2%)	55	63
1	C	188/236 (80%)	185 (98%)	3 (2%)	55	63
1	D	188/236 (80%)	188 (100%)	0	100	100
1	E	189/236 (80%)	187 (99%)	2 (1%)	65	74
1	F	189/236 (80%)	188 (100%)	1 (0%)	81	87
All	All	1145/1416 (81%)	1133 (99%)	12 (1%)	68	76

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	130	LEU
1	A	208[A]	GLU
1	A	208[B]	GLU
1	C	20	VAL
1	C	114	ILE
1	C	184	ARG
1	B	8	LYS
1	B	202	VAL
1	B	225	GLU
1	E	85	VAL
1	E	209	VAL
1	F	114	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	68	ASN
1	E	49	GLN
1	E	68	ASN
1	F	65	ASN
1	F	107	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	8QI	F	301[B]	-	27,29,29	2.46	9 (33%)	32,43,43	2.35	11 (34%)
2	8QI	F	301[A]	-	27,29,29	2.46	9 (33%)	32,43,43	2.32	11 (34%)
2	8QI	A	301[B]	-	27,29,29	2.47	8 (29%)	32,43,43	2.23	10 (31%)
2	8QI	A	301[A]	-	27,29,29	2.47	8 (29%)	32,43,43	2.29	11 (34%)
2	8QI	B	301[B]	-	27,29,29	2.50	9 (33%)	32,43,43	2.27	10 (31%)
2	8QI	B	301[A]	-	27,29,29	2.47	8 (29%)	32,43,43	2.41	11 (34%)
2	8QI	D	301	-	27,29,29	2.46	9 (33%)	32,43,43	2.24	10 (31%)
2	8QI	C	301	-	27,29,29	2.48	9 (33%)	32,43,43	2.24	10 (31%)
2	8QI	E	301	-	27,29,29	2.47	10 (37%)	32,43,43	2.16	9 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8QI	F	301[B]	-	-	8/18/22/22	0/2/2/2
2	8QI	F	301[A]	-	-	10/18/22/22	0/2/2/2
2	8QI	A	301[B]	-	-	7/18/22/22	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8QI	A	301[A]	-	-	7/18/22/22	0/2/2/2
2	8QI	B	301[B]	-	-	5/18/22/22	0/2/2/2
2	8QI	B	301[A]	-	-	12/18/22/22	0/2/2/2
2	8QI	D	301	-	-	12/18/22/22	0/2/2/2
2	8QI	C	301	-	-	13/18/22/22	0/2/2/2
2	8QI	E	301	-	-	12/18/22/22	0/2/2/2

All (79) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301[A]	8QI	O28-C27	9.16	1.40	1.23
2	B	301[B]	8QI	O28-C27	9.02	1.40	1.23
2	A	301[A]	8QI	O28-C27	9.02	1.40	1.23
2	F	301[A]	8QI	O28-C27	9.01	1.40	1.23
2	F	301[B]	8QI	O28-C27	9.00	1.40	1.23
2	A	301[B]	8QI	O28-C27	9.00	1.40	1.23
2	C	301	8QI	O28-C27	8.98	1.40	1.23
2	E	301	8QI	O28-C27	8.94	1.40	1.23
2	D	301	8QI	O28-C27	8.89	1.40	1.23
2	A	301[A]	8QI	C02-N01	4.90	1.45	1.34
2	A	301[B]	8QI	C02-N01	4.90	1.45	1.34
2	E	301	8QI	C02-N01	4.89	1.45	1.34
2	D	301	8QI	C02-N01	4.86	1.45	1.34
2	B	301[A]	8QI	C02-N01	4.82	1.45	1.34
2	C	301	8QI	C02-N01	4.81	1.45	1.34
2	B	301[B]	8QI	C02-N01	4.79	1.45	1.34
2	F	301[B]	8QI	C02-N01	4.76	1.45	1.34
2	F	301[A]	8QI	C02-N01	4.75	1.45	1.34
2	A	301[B]	8QI	C27-N03	-3.21	1.32	1.38
2	C	301	8QI	C27-N03	-3.21	1.32	1.38
2	D	301	8QI	C27-N03	-3.19	1.32	1.38
2	A	301[A]	8QI	C27-N03	-3.19	1.32	1.38
2	B	301[B]	8QI	C27-N03	-3.18	1.32	1.38
2	E	301	8QI	C27-N03	-3.14	1.33	1.38
2	B	301[A]	8QI	C27-N03	-3.09	1.33	1.38
2	F	301[B]	8QI	C27-N03	-3.09	1.33	1.38
2	F	301[A]	8QI	C27-N03	-3.08	1.33	1.38
2	D	301	8QI	P20-C19	2.63	1.86	1.80
2	F	301[A]	8QI	P20-C19	2.60	1.86	1.80
2	E	301	8QI	P20-C19	2.58	1.86	1.80
2	A	301[A]	8QI	P20-C19	2.58	1.86	1.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301[A]	8QI	P20-C19	2.54	1.86	1.80
2	A	301[B]	8QI	P20-C19	2.51	1.86	1.80
2	B	301[B]	8QI	P20-C19	2.47	1.86	1.80
2	F	301[B]	8QI	P13-O14	-2.47	1.50	1.54
2	C	301	8QI	P20-C19	2.44	1.86	1.80
2	F	301[B]	8QI	P20-C19	2.43	1.86	1.80
2	F	301[A]	8QI	P13-O14	-2.41	1.51	1.54
2	B	301[A]	8QI	P13-O16	-2.41	1.51	1.54
2	B	301[B]	8QI	P13-O16	-2.40	1.51	1.54
2	B	301[A]	8QI	P13-O14	-2.35	1.51	1.54
2	B	301[B]	8QI	O09-C10	-2.32	1.39	1.43
2	F	301[B]	8QI	P13-O16	-2.32	1.51	1.54
2	A	301[B]	8QI	P13-O14	-2.31	1.51	1.54
2	B	301[B]	8QI	P13-O14	-2.28	1.51	1.54
2	B	301[B]	8QI	C24-N06	-2.28	1.32	1.36
2	F	301[A]	8QI	P13-O16	-2.28	1.51	1.54
2	C	301	8QI	P13-O16	-2.27	1.51	1.54
2	A	301[A]	8QI	C24-N06	-2.25	1.32	1.36
2	A	301[B]	8QI	C24-N06	-2.23	1.32	1.36
2	B	301[A]	8QI	C24-N06	-2.21	1.32	1.36
2	D	301	8QI	P13-O14	-2.21	1.51	1.54
2	F	301[A]	8QI	C26-N25	-2.20	1.34	1.39
2	D	301	8QI	C24-N06	-2.19	1.32	1.36
2	F	301[B]	8QI	O09-C10	-2.19	1.40	1.43
2	E	301	8QI	P13-O14	-2.17	1.51	1.54
2	D	301	8QI	O09-C10	-2.16	1.40	1.43
2	A	301[A]	8QI	P13-O14	-2.15	1.51	1.54
2	F	301[B]	8QI	C26-N25	-2.15	1.34	1.39
2	B	301[B]	8QI	C26-N25	-2.14	1.34	1.39
2	E	301	8QI	C05-N06	-2.13	1.34	1.37
2	A	301[B]	8QI	C26-N25	-2.13	1.34	1.39
2	E	301	8QI	C24-N06	-2.13	1.33	1.36
2	A	301[A]	8QI	C26-N25	-2.13	1.34	1.39
2	F	301[A]	8QI	O09-C10	-2.12	1.40	1.43
2	C	301	8QI	C24-N06	-2.12	1.33	1.36
2	B	301[A]	8QI	C26-N25	-2.12	1.34	1.39
2	C	301	8QI	P13-O14	-2.12	1.51	1.54
2	E	301	8QI	P13-O16	-2.12	1.51	1.54
2	E	301	8QI	C26-N25	-2.11	1.34	1.39
2	D	301	8QI	P13-O16	-2.11	1.51	1.54
2	F	301[B]	8QI	C24-N06	-2.10	1.33	1.36
2	A	301[B]	8QI	P13-O16	-2.10	1.51	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	301	8QI	O09-C10	-2.09	1.40	1.43
2	F	301[A]	8QI	C24-N06	-2.09	1.33	1.36
2	C	301	8QI	C26-N25	-2.09	1.34	1.39
2	A	301[A]	8QI	P13-O16	-2.07	1.51	1.54
2	C	301	8QI	C05-N06	-2.07	1.34	1.37
2	D	301	8QI	C26-N25	-2.06	1.34	1.39

All (93) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	301[B]	8QI	C26-C05-N04	-6.42	118.17	128.39
2	F	301[A]	8QI	C26-C05-N04	-6.42	118.18	128.39
2	B	301[A]	8QI	C26-C05-N04	-6.36	118.27	128.39
2	F	301[A]	8QI	N06-C05-N04	6.24	134.61	125.46
2	A	301[A]	8QI	C26-C05-N04	-6.24	118.46	128.39
2	B	301[B]	8QI	C26-C05-N04	-6.21	118.51	128.39
2	A	301[A]	8QI	N06-C05-N04	6.15	134.47	125.46
2	A	301[B]	8QI	C26-C05-N04	-6.15	118.61	128.39
2	F	301[B]	8QI	N06-C05-N04	6.14	134.46	125.46
2	B	301[B]	8QI	N06-C05-N04	6.13	134.44	125.46
2	A	301[B]	8QI	N06-C05-N04	6.08	134.36	125.46
2	B	301[A]	8QI	N06-C05-N04	6.06	134.35	125.46
2	D	301	8QI	C26-C05-N04	-5.93	118.95	128.39
2	C	301	8QI	C26-C05-N04	-5.82	119.13	128.39
2	E	301	8QI	C26-C05-N04	-5.74	119.25	128.39
2	D	301	8QI	N06-C05-N04	5.64	133.73	125.46
2	C	301	8QI	N06-C05-N04	5.55	133.59	125.46
2	E	301	8QI	N06-C05-N04	5.28	133.20	125.46
2	A	301[A]	8QI	C02-N04-C05	5.25	121.33	112.30
2	D	301	8QI	C02-N04-C05	5.20	121.26	112.30
2	A	301[B]	8QI	C02-N04-C05	5.19	121.23	112.30
2	E	301	8QI	C02-N04-C05	5.08	121.06	112.30
2	F	301[B]	8QI	C02-N04-C05	5.02	120.94	112.30
2	B	301[A]	8QI	C02-N04-C05	5.01	120.93	112.30
2	C	301	8QI	C02-N04-C05	5.00	120.92	112.30
2	F	301[A]	8QI	C02-N04-C05	4.97	120.85	112.30
2	B	301[B]	8QI	C02-N04-C05	4.94	120.81	112.30
2	B	301[A]	8QI	C08-C07-N06	3.91	116.57	112.47
2	B	301[A]	8QI	N06-C24-N25	-3.68	109.69	113.52
2	C	301	8QI	N06-C24-N25	-3.58	109.79	113.52
2	D	301	8QI	N06-C24-N25	-3.43	109.95	113.52
2	B	301[B]	8QI	N06-C24-N25	-3.41	109.97	113.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	301[B]	8QI	N06-C24-N25	-3.25	110.14	113.52
2	A	301[B]	8QI	N06-C24-N25	-3.21	110.17	113.52
2	F	301[B]	8QI	C08-C07-N06	3.20	115.83	112.47
2	A	301[A]	8QI	N06-C24-N25	-3.15	110.23	113.52
2	F	301[A]	8QI	N06-C24-N25	-3.11	110.28	113.52
2	E	301	8QI	N06-C24-N25	-3.04	110.35	113.52
2	F	301[A]	8QI	C08-C07-N06	2.85	115.45	112.47
2	F	301[A]	8QI	C02-N03-C27	-2.70	120.22	125.11
2	F	301[B]	8QI	C02-N03-C27	-2.70	120.22	125.11
2	B	301[A]	8QI	C02-N03-C27	-2.68	120.24	125.11
2	D	301	8QI	C27-C26-N25	2.65	135.11	130.29
2	B	301[A]	8QI	C05-C26-N25	-2.63	106.50	110.67
2	B	301[B]	8QI	C02-N03-C27	-2.62	120.36	125.11
2	E	301	8QI	C27-C26-N25	2.61	135.05	130.29
2	C	301	8QI	C27-C26-N25	2.55	134.93	130.29
2	A	301[A]	8QI	C02-N03-C27	-2.48	120.61	125.11
2	F	301[B]	8QI	C05-C26-N25	-2.46	106.77	110.67
2	F	301[A]	8QI	O28-C27-C26	-2.45	120.07	126.53
2	B	301[A]	8QI	C24-N25-C26	2.44	108.61	104.26
2	A	301[B]	8QI	C02-N03-C27	-2.42	120.72	125.11
2	D	301	8QI	C05-C26-N25	-2.42	106.84	110.67
2	F	301[B]	8QI	O28-C27-C26	-2.41	120.16	126.53
2	D	301	8QI	C02-N03-C27	-2.41	120.74	125.11
2	D	301	8QI	C26-C27-N03	2.40	119.37	113.25
2	A	301[A]	8QI	C26-C27-N03	2.39	119.35	113.25
2	B	301[B]	8QI	C05-C26-N25	-2.39	106.88	110.67
2	C	301	8QI	C05-C26-N25	-2.38	106.89	110.67
2	C	301	8QI	C02-N03-C27	-2.38	120.79	125.11
2	F	301[A]	8QI	C05-C26-N25	-2.37	106.91	110.67
2	A	301[B]	8QI	C26-C27-N03	2.37	119.29	113.25
2	F	301[B]	8QI	C26-C27-N03	2.34	119.22	113.25
2	E	301	8QI	C05-C26-N25	-2.34	106.96	110.67
2	C	301	8QI	C26-C27-N03	2.32	119.17	113.25
2	E	301	8QI	C26-C27-N03	2.32	119.17	113.25
2	B	301[B]	8QI	C26-C27-N03	2.32	119.16	113.25
2	F	301[A]	8QI	C26-C27-N03	2.32	119.16	113.25
2	E	301	8QI	C02-N03-C27	-2.31	120.92	125.11
2	A	301[A]	8QI	C27-C26-N25	2.30	134.47	130.29
2	A	301[B]	8QI	C27-C26-N25	2.30	134.47	130.29
2	A	301[A]	8QI	C05-C26-N25	-2.29	107.04	110.67
2	A	301[A]	8QI	C08-C07-N06	2.26	114.84	112.47
2	A	301[B]	8QI	C05-C26-N25	-2.26	107.10	110.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301[A]	8QI	C26-C27-N03	2.25	118.99	113.25
2	B	301[A]	8QI	C27-C26-N25	2.25	134.39	130.29
2	B	301[A]	8QI	O28-C27-C26	-2.25	120.59	126.53
2	A	301[B]	8QI	O28-C27-C26	-2.24	120.62	126.53
2	B	301[B]	8QI	O28-C27-C26	-2.23	120.65	126.53
2	B	301[B]	8QI	C27-C26-N25	2.23	134.34	130.29
2	A	301[A]	8QI	O28-C27-C26	-2.22	120.67	126.53
2	F	301[B]	8QI	C24-N25-C26	2.21	108.20	104.26
2	B	301[B]	8QI	C24-N25-C26	2.19	108.16	104.26
2	F	301[A]	8QI	C24-N25-C26	2.17	108.13	104.26
2	F	301[B]	8QI	C27-C26-N25	2.17	134.23	130.29
2	E	301	8QI	O28-C27-C26	-2.15	120.86	126.53
2	C	301	8QI	C24-N25-C26	2.13	108.05	104.26
2	D	301	8QI	C24-N25-C26	2.11	108.02	104.26
2	A	301[A]	8QI	C24-N25-C26	2.06	107.94	104.26
2	C	301	8QI	O28-C27-C26	-2.06	121.09	126.53
2	F	301[A]	8QI	C27-C26-N25	2.04	134.01	130.29
2	A	301[B]	8QI	C24-N25-C26	2.04	107.90	104.26
2	D	301	8QI	O28-C27-C26	-2.04	121.14	126.53

There are no chirality outliers.

All (86) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301[A]	8QI	O18-C19-P20-O23
2	A	301[B]	8QI	O09-C10-C11-O12
2	A	301[B]	8QI	O18-C19-P20-O21
2	A	301[B]	8QI	O18-C19-P20-O22
2	A	301[B]	8QI	O18-C19-P20-O23
2	C	301	8QI	C11-C10-O09-C08
2	C	301	8QI	N06-C07-C08-O09
2	C	301	8QI	O12-C11-P13-O14
2	C	301	8QI	O12-C11-P13-O16
2	C	301	8QI	O18-C19-P20-O21
2	C	301	8QI	O18-C19-P20-O22
2	C	301	8QI	O18-C19-P20-O23
2	B	301[A]	8QI	O09-C10-C11-O12
2	B	301[A]	8QI	O12-C11-P13-O14
2	B	301[A]	8QI	O12-C11-P13-O16
2	B	301[A]	8QI	P20-C19-O18-C17
2	B	301[A]	8QI	O18-C19-P20-O22
2	B	301[A]	8QI	O18-C19-P20-O23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	301[B]	8QI	O18-C19-P20-O21
2	B	301[B]	8QI	O18-C19-P20-O22
2	B	301[B]	8QI	O18-C19-P20-O23
2	D	301	8QI	C08-C07-N06-C05
2	D	301	8QI	O12-C11-P13-O16
2	D	301	8QI	O18-C19-P20-O22
2	D	301	8QI	O18-C19-P20-O23
2	E	301	8QI	C08-C07-N06-C05
2	E	301	8QI	O12-C11-P13-O14
2	E	301	8QI	O12-C11-P13-O15
2	E	301	8QI	O12-C11-P13-O16
2	E	301	8QI	O18-C19-P20-O22
2	E	301	8QI	O18-C19-P20-O23
2	F	301[A]	8QI	N06-C07-C08-C17
2	F	301[A]	8QI	N06-C07-C08-O09
2	F	301[A]	8QI	O18-C19-P20-O21
2	F	301[A]	8QI	O18-C19-P20-O22
2	F	301[A]	8QI	O18-C19-P20-O23
2	F	301[B]	8QI	C08-C07-N06-C05
2	F	301[B]	8QI	P20-C19-O18-C17
2	F	301[B]	8QI	C08-C17-O18-C19
2	D	301	8QI	C08-C07-N06-C24
2	E	301	8QI	C08-C07-N06-C24
2	C	301	8QI	C08-C07-N06-C05
2	B	301[A]	8QI	C08-C07-N06-C05
2	F	301[A]	8QI	C08-C07-N06-C05
2	F	301[B]	8QI	C07-C08-C17-O18
2	B	301[A]	8QI	C11-C10-O09-C08
2	D	301	8QI	C11-C10-O09-C08
2	C	301	8QI	C08-C17-O18-C19
2	F	301[A]	8QI	C08-C17-O18-C19
2	A	301[A]	8QI	C07-C08-C17-O18
2	A	301[A]	8QI	O09-C08-C17-O18
2	D	301	8QI	O09-C10-C11-O12
2	C	301	8QI	O09-C08-C17-O18
2	E	301	8QI	O09-C08-C17-O18
2	F	301[B]	8QI	O09-C08-C17-O18
2	A	301[A]	8QI	C08-C17-O18-C19
2	A	301[A]	8QI	O18-C19-P20-O21
2	B	301[A]	8QI	O18-C19-P20-O21
2	D	301	8QI	O18-C19-P20-O21
2	E	301	8QI	O18-C19-P20-O21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	301	8QI	C07-C08-C17-O18
2	D	301	8QI	C07-C08-C17-O18
2	D	301	8QI	P20-C19-O18-C17
2	E	301	8QI	C07-C08-C17-O18
2	F	301[A]	8QI	C07-C08-C17-O18
2	F	301[A]	8QI	P20-C19-O18-C17
2	F	301[B]	8QI	N06-C07-C08-O09
2	F	301[A]	8QI	O09-C08-C17-O18
2	F	301[B]	8QI	N06-C07-C08-C17
2	C	301	8QI	O12-C11-P13-O15
2	D	301	8QI	O12-C11-P13-O15
2	D	301	8QI	O09-C08-C17-O18
2	A	301[B]	8QI	C11-C10-O09-C08
2	B	301[A]	8QI	C08-C17-O18-C19
2	C	301	8QI	C08-C07-N06-C24
2	A	301[B]	8QI	C08-C17-O18-C19
2	A	301[A]	8QI	O18-C19-P20-O22
2	E	301	8QI	C11-C10-O09-C08
2	B	301[A]	8QI	C08-C07-N06-C24
2	F	301[B]	8QI	C08-C07-N06-C24
2	A	301[A]	8QI	P20-C19-O18-C17
2	A	301[B]	8QI	P20-C19-O18-C17
2	E	301	8QI	P20-C19-O18-C17
2	B	301[A]	8QI	N06-C07-C08-O09
2	B	301[B]	8QI	N06-C07-C08-O09
2	B	301[B]	8QI	N06-C07-C08-C17


There are no ring outliers.


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	301[B]	8QI	1	0
2	F	301[A]	8QI	1	0
2	A	301[B]	8QI	2	0
2	C	301	8QI	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand 8QI A 301 (A)




Ligand 8QI B 301 (B)




Ligand 8QI B 301 (A)




Ligand 8QI D 301




Bond lengths



Bond angles




Torsions




Rings


Ligand 8QI C 301




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	215/272 (79%)	0.92	20 (9%)	14 15	16, 30, 53, 94	10 (4%)
1	B	215/272 (79%)	1.07	23 (10%)	11 12	18, 34, 58, 75	3 (1%)
1	C	210/272 (77%)	1.05	19 (9%)	15 16	18, 35, 52, 66	4 (1%)
1	D	212/272 (77%)	1.08	28 (13%)	7 8	21, 35, 61, 80	2 (0%)
1	E	211/272 (77%)	0.97	14 (6%)	24 26	17, 33, 54, 78	4 (1%)
1	F	211/272 (77%)	1.08	25 (11%)	9 10	16, 36, 58, 72	4 (1%)
All	All	1274/1632 (78%)	1.03	129 (10%)	12 13	16, 34, 56, 94	27 (2%)

All (129) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	130	LEU	6.4
1	F	114	ILE	5.4
1	B	127	VAL	4.9
1	C	114	ILE	4.6
1	E	234	LEU	4.5
1	A	116	SER	4.3
1	B	159	LEU	4.2
1	A	114	ILE	4.1
1	B	67	GLY	4.0
1	A	130	LEU	4.0
1	A	7	LEU	3.9
1	A	234	LEU	3.7
1	D	132	ASN	3.7
1	A	115	THR	3.7
1	E	115	THR	3.6
1	E	158	LEU	3.5
1	D	234	LEU	3.4
1	D	114	ILE	3.4
1	C	185	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	70	ALA	3.3
1	B	70	ALA	3.3
1	D	133	LEU	3.2
1	A	211	ASP	3.2
1	D	69	SER	3.2
1	B	69	SER	3.1
1	B	234	LEU	3.1
1	F	185	VAL	3.1
1	A	185	VAL	3.1
1	F	64	HIS	3.0
1	E	8	LYS	3.0
1	C	86	LEU	3.0
1	F	9	PRO	3.0
1	B	227	ALA	3.0
1	E	133	LEU	3.0
1	A	133	LEU	2.9
1	C	158	LEU	2.9
1	F	131	ASP	2.9
1	F	224	PRO	2.9
1	D	135	PHE	2.9
1	C	159	LEU	2.8
1	C	234	LEU	2.8
1	D	65	ASN	2.8
1	D	25	ARG	2.7
1	A	182	GLY	2.7
1	F	66	LYS	2.7
1	A	135	PHE	2.7
1	D	167	TYR	2.7
1	A	25[A]	ARG	2.7
1	D	16	ALA	2.7
1	B	114	ILE	2.7
1	B	129	VAL	2.7
1	C	133	LEU	2.6
1	E	88	GLY	2.6
1	C	207	PHE	2.6
1	F	133	LEU	2.6
1	F	159	LEU	2.6
1	F	67	GLY	2.6
1	D	193	VAL	2.5
1	C	132	ASN	2.5
1	C	164	ARG	2.5
1	E	135	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	185	VAL	2.5
1	A	113[A]	ARG	2.5
1	F	17	ASP	2.5
1	D	207	PHE	2.5
1	B	202	VAL	2.5
1	B	131	ASP	2.5
1	C	85	VAL	2.4
1	A	131	ASP	2.4
1	F	186	VAL	2.4
1	F	234	LEU	2.4
1	D	160	VAL	2.4
1	E	43	SER	2.4
1	F	113	ARG	2.4
1	F	115	THR	2.4
1	F	165	ARG	2.4
1	F	199	THR	2.4
1	D	9	PRO	2.4
1	D	70	ALA	2.4
1	F	158	LEU	2.4
1	F	77	GLU	2.4
1	B	16	ALA	2.3
1	A	159	LEU	2.3
1	C	137	GLU	2.3
1	A	132	ASN	2.3
1	D	8	LYS	2.3
1	C	20	VAL	2.3
1	E	132	ASN	2.3
1	F	68	ASN	2.3
1	A	8	LYS	2.3
1	B	211	ASP	2.3
1	E	47	MET	2.3
1	F	49	GLN	2.2
1	C	149	ILE	2.2
1	C	186	VAL	2.2
1	E	68	ASN	2.2
1	D	211	ASP	2.2
1	C	226	TYR	2.2
1	B	155	THR	2.2
1	E	85	VAL	2.2
1	B	156	MET	2.2
1	D	131	ASP	2.2
1	C	11	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	222	LEU	2.2
1	E	113	ARG	2.2
1	F	229	ARG	2.2
1	B	130	LEU	2.1
1	D	76	ASP	2.1
1	C	155	THR	2.1
1	D	192	PHE	2.1
1	D	67	GLY	2.1
1	D	113	ARG	2.1
1	A	16	ALA	2.1
1	D	57	THR	2.1
1	B	113[A]	ARG	2.1
1	D	112	ILE	2.1
1	D	87	LYS	2.1
1	D	225	GLU	2.1
1	A	56	LYS	2.1
1	E	114	ILE	2.1
1	B	33	VAL	2.1
1	F	209	VAL	2.1
1	B	26	SER	2.1
1	B	133	LEU	2.0
1	D	71	LEU	2.0
1	B	65	ASN	2.0
1	C	227	ALA	2.0
1	B	57	THR	2.0
1	A	230	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	8QI	F	301[A]	28/28	0.80	0.16	33,46,51,55	28
2	8QI	F	301[B]	28/28	0.80	0.16	33,46,52,53	28
2	8QI	B	301[B]	28/28	0.84	0.13	35,38,44,56	28
2	8QI	C	301	28/28	0.84	0.16	26,37,74,104	28
2	8QI	B	301[A]	28/28	0.84	0.13	34,37,49,52	28
2	8QI	A	301[B]	28/28	0.86	0.13	25,33,41,44	28
2	8QI	A	301[A]	28/28	0.86	0.13	26,34,46,52	28
2	8QI	D	301	28/28	0.88	0.13	27,41,80,115	0
2	8QI	E	301	28/28	0.88	0.14	25,40,74,92	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 8QI F 301 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI F 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI B 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI B 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI A 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI A 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8QI D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 8QI E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.