



wwPDB EM Validation Summary Report ⓘ

Jun 25, 2026 – 03:44 AM EDT

PDB ID : 8SCB / pdb_00008scb
EMDB ID : EMD-40344
Title : Terminating ribosome with SRI-41315
Authors : Yip, M.C.J.; Coelho, J.P.L.; Oltion, K.; Tauton, J.; Shao, S.
Deposited on : 2023-04-05
Resolution : 2.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	7115 (2.00 - 3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	 82% 13% 5%
2	B	403	 81% 17% •
3	C	413	 74% 14% 12%








Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	297	
5	E	291	
6	F	247	
7	G	319	
8	H	192	
9	I	214	
10	J	178	
11	L	211	
12	M	218	
13	N	204	
14	O	203	
15	P	184	
16	Q	188	
17	R	196	
18	S	176	
19	T	160	
20	U	128	
21	V	140	
22	W	157	
23	X	156	
24	Y	145	
25	Z	136	
26	a	148	
27	b	245	
28	c	115	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	125	
30	e	135	
31	f	110	
32	g	117	
33	h	123	
34	i	105	
35	j	97	
36	k	70	
37	l	51	
38	m	93	
39	n	25	
40	o	106	
41	p	92	
42	r	137	
43	s	318	
44	t	165	
45	1	130	
46	2	76	
47	3	75	
48	5	3543	
49	7	120	
50	8	156	
51	9	1869	
52	AA	295	
53	BB	264	





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	CC	293	
55	DD	243	
56	EE	263	
57	FF	204	
58	GG	249	
59	HH	194	
60	II	208	
61	JJ	194	
62	KK	165	
63	LL	158	
64	MM	132	
65	NN	151	
66	OO	168	
67	PP	145	
68	QQ	146	
69	RR	135	
70	SS	152	
71	TT	145	
72	UU	119	
73	VV	83	
74	WW	130	
75	XX	143	
76	YY	130	
77	ZZ	125	
78	aa	115	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	bb	84	
80	cc	69	
81	dd	56	
82	ee	133	
83	ff	156	
84	gg	317	
85	hh	197	
86	ii	459	
87	jj	599	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
90	ZVM	ii	501	X	-	-	-
91	SF4	jj	601	-	-	X	-

2 Entry composition

There are 92 unique types of molecules in this entry. The entry contains 222478 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	244	Total	C	N	O	S	0	0
			1868	1171	382	309	6		

- Molecule 2 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	394	Total	C	N	O	S	0	0
			3148	2007	591	537	13		

- Molecule 3 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	362	Total	C	N	O	S	0	0
			2883	1812	577	480	14		

- Molecule 4 is a protein called Ribosomal_L18_c domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	289	Total	C	N	O	S	0	0
			2361	1495	431	421	14		

- Molecule 5 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	215	Total	C	N	O	S	0	0
			1726	1110	327	286	3		

- Molecule 6 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	225	Total	C	N	O	S	0	0
			1875	1205	358	303	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	61	ARG	GLY	conflict	UNP G1TUB1
F	93	ARG	GLY	conflict	UNP G1TUB1
F	131	MET	VAL	conflict	UNP G1TUB1
F	153	ILE	VAL	conflict	UNP G1TUB1

- Molecule 7 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	218	Total	C	N	O	S	0	0
			1768	1127	341	296	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	191	GLY	CYS	conflict	UNP G1STW0

- Molecule 8 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	190	Total	C	N	O	S	0	0
			1516	954	284	272	6		

- Molecule 9 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	204	Total	C	N	O	S	0	0
			1655	1051	319	272	13		

- Molecule 10 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	167	Total	C	N	O	S	0	0
			1336	846	249	235	6		

- Molecule 11 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

- Molecule 12 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 13 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 14 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	198	Total	C	N	O	S	0	0
			1621	1046	317	253	5		

- Molecule 15 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 16 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	4	ASP	ASN	conflict	UNP G1TFE0
Q	14	ARG	TRP	conflict	UNP G1TFE0
Q	53	MET	LEU	conflict	UNP G1TFE0
Q	58	ARG	TRP	conflict	UNP G1TFE0
Q	75	ARG	GLN	conflict	UNP G1TFE0
Q	80	ALA	PRO	conflict	UNP G1TFE0
Q	86	VAL	ILE	conflict	UNP G1TFE0
Q	104	ARG	HIS	conflict	UNP G1TFE0
Q	110	ARG	CYS	conflict	UNP G1TFE0
Q	137	VAL	GLY	conflict	UNP G1TFE0
Q	157	GLY	ARG	conflict	UNP G1TFE0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	181	ARG	TRP	conflict	UNP G1TFE0

- Molecule 17 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	R	179	Total	C	N	O	S	0	0
			1502	930	327	236	9		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	38	ARG	CYS	conflict	UNP G1TJR3
R	64	ARG	GLN	conflict	UNP G1TJR3
R	94	THR	LYS	conflict	UNP G1TJR3

- Molecule 18 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	S	176	Total	C	N	O	S	0	0
			1462	930	285	236	11		

- Molecule 19 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	T	159	Total	C	N	O	S	0	0
			1298	823	252	217	6		

- Molecule 20 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	U	98	Total	C	N	O	S	0	0
			800	514	139	145	2		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	18	LEU	VAL	conflict	UNP G1TSG1
U	32	GLY	ARG	conflict	UNP G1TSG1
U	36	ALA	GLU	conflict	UNP G1TSG1
U	39	PHE	SER	conflict	UNP G1TSG1
U	54	GLY	ARG	conflict	UNP G1TSG1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
U	60	VAL	ALA	conflict	UNP G1TSG1
U	62	SER	THR	conflict	UNP G1TSG1
U	63	LEU	ILE	conflict	UNP G1TSG1
U	97	ARG	HIS	conflict	UNP G1TSG1
U	106	THR	SER	conflict	UNP G1TSG1
U	126	GLU	ASP	conflict	UNP G1TSG1

- Molecule 21 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	V	130	Total	C	N	O	S	0	0
			973	615	183	170	5		

- Molecule 22 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	63	Total	C	N	O	S	0	0
			528	337	103	85	3		

- Molecule 23 is a protein called eL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	116	Total	C	N	O	S	0	0
			949	606	178	164	1		

- Molecule 24 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 25 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 26 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	147	Total	C	N	O	S	0	0
			1162	734	239	185	4		

- Molecule 27 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	75	Total	C	N	O	S	0	0
			609	378	130	98	3		

- Molecule 28 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	94	Total	C	N	O	S	0	0
			732	464	130	132	6		

- Molecule 29 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	100	Total	C	N	O	S	0	0
			833	530	163	138	2		

- Molecule 30 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 31 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	109	Total	C	N	O	S	0	0
			876	555	174	143	4		

- Molecule 32 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 33 is a protein called eL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 34 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 35 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 36 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	68	Total	C	N	O	S	0	0
			559	360	101	97	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	24	LYS	ASN	conflict	UNP G1U001

- Molecule 37 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	49	Total	C	N	O	S	0	0
			438	280	95	62	1		

- Molecule 38 is a protein called Ubiquitin A-52 residue ribosomal protein fusion product 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	51	Total	C	N	O	S	0	0
			421	260	89	66	6		

- Molecule 39 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	23	Total	C	N	O	S	0	0
			222	134	61	25	2		

- Molecule 40 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	103	Total	C	N	O	S	0	0
			842	528	172	136	6		

- Molecule 41 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 42 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	125	Total	C	N	O	S	0	0
			1001	621	206	168	6		

- Molecule 43 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	190	Total	C	N	O	S	0	0
			1461	931	255	266	9		

- Molecule 44 is a protein called 60S ribosomal protein L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	141	Total	C	N	O	S	0	0
			1059	662	195	199	3		

- Molecule 45 is a protein called NC.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	1	15	Total	C	N	O	S	0	0
			125	82	20	22	1		

- Molecule 46 is a RNA chain called P_tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	2	76	Total	C	N	O	P	0	0
			1616	723	291	527	75		

- Molecule 47 is a RNA chain called E_tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	3	75	Total	C	N	O	P	0	0
			1593	712	281	526	74		

- Molecule 48 is a RNA chain called 28S_rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	5	3530	Total	C	N	O	P	0	0
			75735	33780	13869	24556	3530		

- Molecule 49 is a RNA chain called 5S_rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
7	2	U	N	conflict	GB X06789.1
7	36	C	N	conflict	GB X06789.1
7	102	U	N	conflict	GB X06789.1
7	112	U	N	conflict	GB X06789.1
7	114	U	N	conflict	GB X06789.1
7	119	U	C	conflict	GB X06789.1
7	120	U	N	conflict	GB X06789.1

- Molecule 50 is a RNA chain called 5.8S_rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	8	156	Total	C	N	O	P	0	0
			3315	1481	585	1094	155		

- Molecule 51 is a RNA chain called 18S_rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	9	1692	Total	C	N	O	P	0	0
			36134	16163	6486	11794	1691		

- Molecule 52 is a protein called uS2 (SA).

Mol	Chain	Residues	Atoms					AltConf	Trace
52	AA	206	Total	C	N	O	S	0	0
			1624	1035	287	294	8		

- Molecule 53 is a protein called eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BB	212	Total	C	N	O	S	0	0
			1722	1093	308	307	14		

- Molecule 54 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	CC	216	Total	C	N	O	S	0	0
			1674	1085	286	294	9		

- Molecule 55 is a protein called Ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	DD	221	Total	C	N	O	S	0	0
			1723	1098	311	307	7		

- Molecule 56 is a protein called eS4 (S4 X isoform).

Mol	Chain	Residues	Atoms					AltConf	Trace
56	EE	259	Total	C	N	O	S	0	0
			2059	1316	383	352	8		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EE	25	GLY	SER	conflict	UNP G1TK17
EE	51	ARG	LYS	conflict	UNP G1TK17
EE	78	THR	ALA	conflict	UNP G1TK17
EE	156	VAL	MET	conflict	UNP G1TK17

- Molecule 57 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	FF	181	Total	C	N	O	S	0	0
			1441	902	273	259	7		

- Molecule 58 is a protein called eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	GG	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 59 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	HH	177	Total	C	N	O	S	0	0
			1425	912	258	254	1		

- Molecule 60 is a protein called eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	II	206	Total	C	N	O	S	0	0
			1686	1058	332	291	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
II	47	ARG	GLY	conflict	UNP G1TJW1

- Molecule 61 is a protein called uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	JJ	185	Total	C	N	O	S	0	0
			1525	969	306	248	2		

- Molecule 62 is a protein called S10_pectin domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	KK	86	Total	C	N	O	S	0	0
			729	479	127	118	5		

- Molecule 63 is a protein called uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	LL	136	Total	C	N	O	S	0	0
			1123	717	210	190	6		

- Molecule 64 is a protein called eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	MM	122	Total	C	N	O	S	0	0
			939	588	166	176	9		

- Molecule 65 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	NN	150	Total	C	N	O	S	0	0
			1208	773	229	205	1		

- Molecule 66 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	OO	127	Total	C	N	O	S	0	0
			957	585	189	177	6		

- Molecule 67 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	PP	117	Total	C	N	O	S	0	0
			968	615	181	165	7		

- Molecule 68 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	QQ	140	Total	C	N	O	S	0	0
			1117	710	211	193	3		

- Molecule 69 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	RR	118	Total	C	N	O	S	0	0
			962	604	179	176	3		

- Molecule 70 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SS	140	Total	C	N	O	S	0	0
			1162	731	234	196	1		

- Molecule 71 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	TT	138	Total	C	N	O	S	0	0
			1075	674	206	192	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	conflict	UNP G1TN62

- Molecule 72 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	UU	102	Total	C	N	O	S	0	0
			807	507	153	143	4		

- Molecule 73 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	VV	81	Total	C	N	O	S	0	0
			617	380	114	118	5		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
VV	3	ASN	SER	conflict	UNP G1TM82
VV	4	ASP	ASN	conflict	UNP G1TM82
VV	33	GLN	PRO	conflict	UNP G1TM82
VV	50	PHE	SER	conflict	UNP G1TM82
VV	75	ALA	SER	conflict	UNP G1TM82
VV	76	ASP	HIS	conflict	UNP G1TM82
VV	81	LYS	GLN	conflict	UNP G1TM82

- Molecule 74 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	WW	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 75 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	XX	141	Total	C	N	O	S	0	0
			1098	693	219	183	3		

- Molecule 76 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	YY	123	Total	C	N	O	S	0	0
			1006	637	197	167	5		

- Molecule 77 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	ZZ	72	Total	C	N	O	S	0	0
			574	368	104	101	1		

- Molecule 78 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	aa	98	Total	C	N	O	S	0	0
			781	486	161	129	5		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
aa	28	ARG	CYS	conflict	UNP G1TFE8
aa	56	ALA	VAL	conflict	UNP G1TFE8
aa	109	ARG	PRO	conflict	UNP G1TFE8

- Molecule 79 is a protein called eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	bb	79	Total	C	N	O	S	0	0
			628	395	117	110	6		

- Molecule 80 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	cc	61	Total	C	N	O	S	0	0
			479	292	95	90	2		

- Molecule 81 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	dd	53	Total	C	N	O	S	0	0
			445	278	90	72	5		

- Molecule 82 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	ee	47	Total	C	N	O	S	0	0
			380	231	86	62	1		

- Molecule 83 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	ff	63	Total	C	N	O	S	0	0
			527	336	99	86	6		

- Molecule 84 is a protein called Receptor for Activated C Kinase 1 (RACK1).

Mol	Chain	Residues	Atoms					AltConf	Trace
84	gg	304	Total	C	N	O	S	0	0
			2371	1496	414	449	12		

- Molecule 85 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	hh	11	Total	C	N	O	P	0	0
			236	106	44	75	11		

- Molecule 86 is a protein called Eukaryotic peptide chain release factor subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	ii	416	Total	C	N	O	S	0	0
			3280	2087	559	623	11		

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ii	-21	MET	-	expression tag	UNP P62495
ii	-20	ARG	-	expression tag	UNP P62495
ii	-19	GLY	-	expression tag	UNP P62495
ii	-18	SER	-	expression tag	UNP P62495

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
ii	-17	HIS	-	expression tag	UNP P62495
ii	-16	HIS	-	expression tag	UNP P62495
ii	-15	HIS	-	expression tag	UNP P62495
ii	-14	HIS	-	expression tag	UNP P62495
ii	-13	HIS	-	expression tag	UNP P62495
ii	-12	HIS	-	expression tag	UNP P62495
ii	-11	GLY	-	expression tag	UNP P62495
ii	-10	MET	-	expression tag	UNP P62495
ii	-9	ALA	-	expression tag	UNP P62495
ii	-8	SER	-	expression tag	UNP P62495
ii	-7	GLU	-	expression tag	UNP P62495
ii	-6	ASN	-	expression tag	UNP P62495
ii	-5	LEU	-	expression tag	UNP P62495
ii	-4	TYR	-	expression tag	UNP P62495
ii	-3	PHE	-	expression tag	UNP P62495
ii	-2	GLN	-	expression tag	UNP P62495
ii	-1	GLY	-	expression tag	UNP P62495
ii	0	SER	-	expression tag	UNP P62495
ii	183	ALA	GLY	conflict	UNP P62495
ii	184	ALA	GLY	conflict	UNP P62495

- Molecule 87 is a protein called ATP binding cassette subfamily E member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
87	jj	578	Total	C	N	O	S	0	0
			4558	2914	780	835	29		

- Molecule 88 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
88	A	2	Total	Mg	0
			2	2	
88	I	2	Total	Mg	0
			2	2	
88	N	1	Total	Mg	0
			1	1	
88	P	1	Total	Mg	0
			1	1	
88	V	1	Total	Mg	0
			1	1	
88	a	1	Total	Mg	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
88	e	1	Total 1	Mg 1	0
88	f	1	Total 1	Mg 1	0
88	g	1	Total 1	Mg 1	0
88	o	1	Total 1	Mg 1	0
88	2	2	Total 2	Mg 2	0
88	5	221	Total 221	Mg 221	0
88	7	6	Total 6	Mg 6	0
88	8	2	Total 2	Mg 2	0
88	9	64	Total 64	Mg 64	0
88	EE	1	Total 1	Mg 1	0
88	LL	1	Total 1	Mg 1	0
88	OO	1	Total 1	Mg 1	0
88	XX	1	Total 1	Mg 1	0
88	hh	1	Total 1	Mg 1	0

- Molecule 89 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
89	g	1	Total 1	Zn 1	0
89	j	1	Total 1	Zn 1	0
89	m	1	Total 1	Zn 1	0
89	o	1	Total 1	Zn 1	0
89	p	1	Total 1	Zn 1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
89	aa	1	Total	Zn	0
			1	1	
89	dd	1	Total	Zn	0
			1	1	
89	ff	1	Total	Zn	0
			1	1	

- Molecule 90 is (2S,4aS)-2-cyclobutyl-10-methyl-3-phenyl-2,10-dihydropyrimido[4,5-b]quinoline-4,5(3H,4aH)-dione (CCD ID: ZVM) (formula: C₂₂H₂₁N₃O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
90	ii	1	Total	C	N	O	0
			27	22	3	2	

- Molecule 91 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			AltConf
91	jj	1	Total	Fe	S	0
			8	4	4	
91	jj	1	Total	Fe	S	0
			8	4	4	

- Molecule 92 is water.

Mol	Chain	Residues	Atoms		AltConf
92	A	6	Total	O	0
			6	6	
92	B	2	Total	O	0
			2	2	
92	C	1	Total	O	0
			1	1	
92	F	1	Total	O	0
			1	1	
92	I	1	Total	O	0
			1	1	
92	L	1	Total	O	0
			1	1	
92	N	4	Total	O	0
			4	4	
92	Q	1	Total	O	0
			1	1	
92	R	1	Total	O	0
			1	1	
92	V	2	Total	O	0
			2	2	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
92	X	2	Total 2	O 2	0
92	a	5	Total 5	O 5	0
92	e	5	Total 5	O 5	0
92	j	1	Total 1	O 1	0
92	o	2	Total 2	O 2	0
92	5	723	Total 723	O 723	0
92	7	13	Total 13	O 13	0
92	8	8	Total 8	O 8	0
92	9	173	Total 173	O 173	0
92	II	1	Total 1	O 1	0
92	OO	1	Total 1	O 1	0
92	XX	1	Total 1	O 1	0
92	aa	1	Total 1	O 1	0
92	ii	2	Total 2	O 2	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Ribosomal protein L8

Chain A: 




• Molecule 2: Ribosomal protein L3

Chain B: 




• Molecule 3: 60S ribosomal protein L4


Chain C: 



Chain D: 75% 21% ..




Chain E: 59% 14% . 26%



Chain F: 76% 15% 9%



Chain G: 52% 15% 32%






• Molecule 8: 60S ribosomal protein L9

Chain H: 80% 19%



• Molecule 9: 60S ribosomal protein L10

Chain I: 79% 16% 5%



• Molecule 10: 60S ribosomal protein L11

Chain J: 67% 26% 6%



• Molecule 11: eL13


Chain L: 87% 12%



• Molecule 12: 60S ribosomal protein L14


Chain M: 53% 10% 37%






• Molecule 13: Ribosomal protein L15

Chain N: 82% 17%




• Molecule 14: uL13

Chain O: 79% 17%



• Molecule 15: uL22

Chain P: 75% 8% 17%



• Molecule 16: Ribosomal protein L18

Chain Q: 87% 12%




• Molecule 17: Ribosomal protein L19

Chain R: 5% 82% 10% 9%



LYS


• Molecule 18: eL20

Chain S:  84% 16%

• Molecule 19: eL21

Chain T:  89% 10%


• Molecule 20: eL22

Chain U:  37% 38% 23%


• Molecule 21: Ribosomal protein L23

Chain V:  86% 6% 7%

• Molecule 22: 60S ribosomal protein L24


Chain W:  34% 6% 60%

• Molecule 23: eL23


Chain X:  63% 12% 26%




- Molecule 30: eL32




- Molecule 31: eL33




- Molecule 32: 60S ribosomal protein L34



- Molecule 33: eL35



- Molecule 34: 60S ribosomal protein L36



- Molecule 35: Ribosomal protein L37






- Molecule 36: 60S ribosomal protein L38



- Molecule 37: eL39




- Molecule 38: Ubiquitin A-52 residue ribosomal protein fusion product 1





- Molecule 39: eL41



- Molecule 40: eL42




- Molecule 41: eL43




- Molecule 42: eL28







• Molecule 43: 60S acidic ribosomal protein P0




• Molecule 44: 60S ribosomal protein L12




• Molecule 45: NC






• Molecule 46: P_tRNA



• Molecule 47: E_tRNA





• Molecule 48: 28S_rRNA




C2441	G2314	U2080	A1998	C1928	U1834	G1758	G1633	G1517	G1432	A1337	C	G1082	C916
C2446	G2327	C2083	A1999	A1929	G1835	G1759	A1634	G1522	G1433	G1338	G	A1087	A917
C2447	G2328	U2084	G2000	U1930	G1836	G1760	A1638	A1522	G1434	U1339	U	C1088	G918
G2450	U2329	G2089	A2002	A1932	A1837	C1761	G1641	A1524	G1437	C1340	C	G1094	C922B
A2453	A2332	U2090	G2003	C1938	G1840	C1763	G1641	G1532	U	A1345	C	A1095	C924
G2457	G2333	C2091	G2004	A1939	C1841	G1764	G1645	A1533	U1440	C1346	C	A1096	G926
C2458	G2336	G2092	U2006	G1940	G1842	A1765	A1646	A1534	C1441	G1353	C	C1271	A929
C2459	C2337	G2093	G2007	A1941	G1846	A1766	G1654	A1535	C1442	G1354	C	C1272	G930
A2460	G2337	C2094	U2008	A1942	A1847	A1767	G1654	U1536	A1443	G1355	C	G1273	A935
G2461	G2348	A2095	A2009	A1943	G1847	C1768	G1661	G1543	A1444	G1358	C	A1274	G935A
C2462	A2349	C2010	G2011	G1948	G1855	G1769	C1662	G1543	U1445	G1359	C	G1275	C931
G2465	U2351	C2099	U2015	U1949	C1856	G1770	C1663	C1546	C1446	G1360	C	G1276	A932
C2466	U2352	G2100	G2016	G1952	A1857	U1771	G1666	A1547	C1449	G1361	C	G1277	G933
G2466	U2353	A2101	A2017	G1952	C1859	C1772	C1666	G1548	G1450	G1362	C	G1278	C934
C2470	G2360	G2102	C2018	A1956	U1861	G1774	A1669	A1554	A1452	U1364	C	A1279	A935
G2475	A2363	A2103	G2019	U1957	G1865	A1775	U1672	A1564	G1453	A1368	C	G1281	G936
G2480	G2365	A2105	U2020	U1958	U1866	A1776	U1673	A1565	G1455	G1369	C	G1282	U937
G2481	C2365	A2107	G2021	A1960	U1867	C1777	C1676	A1566	C1456	G1370	C	G1283	A943
U2485	U2369	G2108	A2024	G1961	A1868	U1781	U1677	U1567	G1457	A1371	C	G1286	U945
G2486	A2370	A2109	A2025	C1962	G1869	U1782	G1683	C1568	C1461	G1374	C	G1287	G959
G2487	U2379	G2110	G2026	C1963	C1870	U1786	A1684	C1578	G1466	G1377	C	G1291	A960
C2488	C2380	A2106	C2028	U1964	A1871	A1787	G1685	C1579	C1467	C1378	C	G1292	G961
C2489	G2381	G2259	A2029	G1966	G1877	A1788	C1686	G1586	C1468	C1379	C	G1293	A964
U2490	A2382	C2260	G2031	G1967	G1878	C1789	G1687	G1587	C1469	U1381	C	U1295	G965
C2491	G2389	G2261	U2032	G1968	C1879	U1792	G1688	C1588	C1472	A1387	C	G1296	A966
G2493	G2390	A2040	A2033	A1970	U1882	G1806	U1726	C1589	U1473	U1297	C	G1297	C967
U2494	G2394	G2046	G2045	G1971	G1890	G1807	C1731	A1600	C1474	A1391	C	G1298	G968
U2495	A2395	A2047	A2046	G1972	A1891	C1808	G1694	U1601	C1475	A1392	C	G1299	C969
C2501	G2407	U2048	U2048	G1973	A1897	C1809	U1695	U1602	G1476	G1393	C	G1299	G970
G2503	U2408	G2052	G2052	U1974	G1898	G1810	C1732	C1603	G1482	G1404	C	G1300	U971
C2504	C2277	C2053	C2053	G1981	G1899	G1811	G1734	G1605	C1483	G1406	C	G1301	G971A
C2505	A2412	U2054	U2054	G1982	G1904	C1812	U1735	G1609	G1484	G1406A	C	U1302	C972
G2506	U2413	G2055	G2055	G1983	U1905	U1813	A1736	C1610	C1411B	G1316	C	A1303	G973
A2507	G2414	G2056	G2056	A1984	U1906	U1814	A1737	C1611	C1411C	U1317	C	G1307	G978
U2508	G2416	C2289	C2062	G1985	U1906	G1815	G1741	G1612	G1411A	U1320	C	C1308	C981
A2511	C2422	U2293	G2063	U1986	G1915	C1816	A1742	A1613	C1411B	G1321	C	C1309	U982
G2512	A2423	G2299	G2064	C1987	U1918	U1817	U1743	G1613	G1411C	C1313	C	G1213	C983
A2513	G2425	C2300	G2065	G1988	G1919	G1818	U1744	G1614	G1502	G1316	C	G1214	G1066
G2516	U2426	C2066	C2066	U1989	U1920	U1819	G1750	C1615	A1503	U1317	C	G1215	G1067
A2517	G2427	C2067	C2067	A1991	G1921	U1820	G1625	G1626	G1504	A1322	C	G1216	G1068
G2518	U2427	U2068	C2068	C1992	G1922	U1822	G1753	G1629	G1510	A1326	C	G1217	G1069
U2519	G2433	A2069	G1922	C1993	G1922	U1823	U1754	A1630	U1511	G1327	C	G1218	G1070
C2520	U2436	U2070	G1925	C1994	G1925	G1824	C1755	A1631	U1514	G1328	C	G1219	C1071
G2521	G2438	A2071	C1926	G1995	U1926	A1825	U1757	A1632	G1419	A1333	C	G1220	C1072
G2522	G2438	G2079	U1927	U1997	U1927	C1828	G1833		G1421	A1333	C	G1221	G1073
G2528												G	C1076
													C1077
													A1078
													C1079

C4592	C4508	U4419	U4229	U4120	U3838	G3740	U3640	A2833	G2735	U2639	A2529
C4596	A4511	U4420	U4232	G4121	G3839	G3743	U3641	C2834	U2740	G2640	U2530
U4597	U4512	A4421	A4233	G4122	C3841	G3744	U3644	A2835	U2743	A2641	U2538
A4513	A4513	U4423	A4233	A4127	U3851	U3745	A3646	U2837	A2743	C2539	C2540
A4605	C4519	G4427	G4236	A4128	U3852	A3748	G3654	G2842	A2744	G2647	
G4606	G4520	A4426	A4244	G4129	U3853	C3749	G3654	U2843	A2745	G2652	
G4618	C4429	U4426	G4245	G4130	A3856	G3750		U2844	G2750	C2653	A2543
U4619	U4340	G4430		G4131		G3751	U3657		G2752	G2658	A2544
U4620	U4341	U4431	A4248	C4132	A3856	G3752	U3657		G2753	G2658	U2545
U4621	U4342	U4432	C4134	C4133	A3860	G3753	A3662	G2855	G2754	G2662	G2547
A4622	C4524	C4432	C4134	C4134	A3861	G3753	A3663	G2856		G2663	
A4622	C4525	C4432	C4252	G4135	A3862		G3664				
G4623	U4344	U4439	A4251	G4136	A3863	A3759	G3664	C2861			G2550
A4624	C4345	G4440	G4253		C3863			G2862			A2551
C4625	A4348	A4441	A4254	C4148	C3864	C3761	C3667	U2758	G2758	U2666	
A4626	A4349	U4442	A4258		A3865	U3762		U2869	G2759	C2667	
U4627	C4350	C4443	A4257	G4152	C3866	A3763	G3672	U2869	G2760	G2668	A2553
U4628	C4350	C4444	C4258	C4153	A3867	U3764	C3673	U2871	U2763	C2670	U2554
			C4259	G4154	G3868			C2872	A2764	G2673	G2555
G4631	U4353	C4447	U4260	C4155	C3869	C3771	G3684	G2876	A2765	G2673	G2556
U4632	C4538	G4448	C4261	G4156	C3870	U3772	C3685	U2877	A2766	C2558	G2557
G4633	U4539	A4449	C4262	C4158	A3871	U3773	G3686	G2877	G2767	G2675	G2559
U4634	C4543	U4450	C4263	G4161	A3872	A3774	G3687	A2882	U2769		
A4635	A4544	G4451	U4264	C4162	A3876	A3775	U3688			G2686	G2562
U4636	G4545	U4452	U4265	U4163	C3877	G3776	G3689	U2886	A2783	U2687	C2563
G4637	A4546	C4456	G4267	U4163	C3878	G3777		U2887		C2688	C2564
C4653	C4547	U4457	A4268	A4170	G3879	C3782	A3692		A2787	C2689	A2565
C4654	A4548	U4458	A4268	G4173	C3880	A3783	U3694	C2890	U2788	C2690	G2566
C4655	C4549	C4459	A4271	U4174	G3881	A3784	U3695		A2789	U2691	G2567
A4656	U4460	U4460	C4272	U4174	C3887	A3785		G2898	U2790	G2694	C2568
			U4273	U4181	C3887	U3786	C3701	C2899	C2791	A2695	U2570
G4663	A4464	U4471	A4275	C4182	G3888	G3787	C3706	U2900	C2792	A2696	C2571
C4670	U4472	G4472	C4281	G4183	G3889	C3788	C3707		G2793	A2697	
C4671	U4472	U4472	A4281	G4184	C3893	G3792	C3708	C3598	C2794	G2698	C2583
A4672	G4475	A4475	G4291	U4187	A3894	U3793	U3709	A3599	A2795	G2700	G2584
G4676	C4476	C4476	A4292	U4188	G3895		G3710		G2703		A2587
U4677	G4477	U4477	U4293	U4189	C3896	A3807	A3711	G3602	A2798	C2588	C2588
U4682	G4478	U4478	U4296	U4190	G3897	C3808	A3712	A3604	G2799	C2589	C2589
A4691	A4487	A4487	U4296	G4191	G3898	C3809	U3713		G2706	G2590	
A4691	U4488	U4488	U4299	C4194	G3899	G3810	U3714	U3606	U2707		
G4694	G4489	G4489	U4302	U4194	G3900	G3811	U3715		C2804	A2601	G2602
G4694	C4490	C4490	U4303	G4195	A3901	C3812	C3716	G3615	U2708	C2709	C2603
U4699	U4491	U4491	C4303	G4196	A3902	A3813	A3717	G3616	C2710	G2711	
A4700	U4492	U4492	A4304	G4197	G3904	G3815	A3719	G3618	G2716		A2611
	U4493	U4493	G4305	C4198	A3905	A3816	G3720	G3619	C2717	G2717	C2616
A4700	G4494	G4494	U4306	A4203	A3906	A3817			U2718	G2617	G2617
A4708	C4582	C4582	C4314		G3907	U15813	A3724	A3624	U2819		U2626
U4709	C4583	U4498		U4208	A3908	G3819		G3625	G2721		C2627
G4718	U4584	U4499	C4314		C3909	U3822	A3732	G3626	C2824	A2725	U2628
G4719	C4586	U4500	G4322	A4220	C3911	G3823	A3734	G3627	U2825	G2726	
C4720	C4587	C4587	A4323	G4225	U3912	A3824	G3735	A3635	G2827	C2727	U2632
	U4588	C4504	A4324	G4226	U3915	A3825	A3736	G3636	U2828		
A4724	A4589	C4505	A4325	U4227	U3915		A3737	U3637	C2733	U2734	U2637
	A4590	C4506	G4326	G4227	U3920	A3830	G3738	G3638			G2638
	U4591	A4507	C4327	G4228	U3920		C3739	U3639			




• Molecule 49: 5S_rRNA

Chain 7: 69% 30%





• Molecule 50: 5.8S_rRNA

Chain 8: 49% 38% 13%




• Molecule 51: 18S_rRNA


Chain 9: 39% 35% 16% 9%









• Molecule 52: uS2 (SA)




• Molecule 53: eS1





- Molecule 54: uS5

Chain CC:  55% 18% 26%




- Molecule 55: Ribosomal protein S3

Chain DD: 




- Molecule 56: eS4 (S4 X isoform)


Chain EE: 67% 31% ..




- Molecule 57: uS7

Chain FF:







• Molecule 58: eS6



• Molecule 59: eS7




• Molecule 60: eS8





• Molecule 61: uS4







- Molecule 62: S10_pectin domain-containing protein




- Molecule 63: uS17




- Molecule 64: eS12




- Molecule 65: uS15







- Molecule 66: uS11




- Molecule 67: uS19



- Molecule 68: uS9




- Molecule 69: eS17




- Molecule 70: uS13

Chain SS:  55% 37% 8%




• Molecule 71: eS19

Chain TT:  58% 37% 5%



• Molecule 72: uS10

Chain UU:  11% 54% 29% 14%



• Molecule 73: eS21

Chain VV:  81% 17% 2%




• Molecule 74: uS8


Chain WW:  82% 16% 2%




• Molecule 75: uS12

Chain XX:  80% 17% 3%







- Molecule 83: eS31




- Molecule 84: Receptor for Activated C Kinase 1 (RACK1)





- Molecule 85: mRNA




- Molecule 86: Eukaryotic peptide chain release factor subunit 1



- Molecule 87: ATP binding cassette subfamily E member 1





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	90190	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	53.8	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.050	Depositor
Minimum map value	-0.013	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.005	Depositor
Map size (Å)	396.0, 396.0, 396.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.825, 0.825, 0.825	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MA6, PSU, B9B, ZN, OMU, SF4, OMG, 4AC, A2M, OMC, B8N, ZVM, UY1, UR3, 5MC, G7M, 2MG, 6MZ, 1MA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/1906	0.44	0/2556
2	B	0.32	0/3216	0.46	0/4311
3	C	0.33	0/2937	0.46	0/3946
4	D	0.30	0/2407	0.44	0/3224
5	E	0.28	0/1760	0.43	0/2362
6	F	0.32	0/1911	0.43	0/2549
7	G	0.30	0/1799	0.47	0/2424
8	H	0.29	0/1535	0.42	0/2063
9	I	0.29	0/1693	0.40	0/2260
10	J	0.27	0/1359	0.46	0/1817
11	L	0.30	0/1733	0.44	0/2316
12	M	0.28	0/1158	0.37	0/1547
13	N	0.35	0/1746	0.46	0/2338
14	O	0.31	0/1653	0.48	0/2210
15	P	0.33	0/1268	0.44	0/1700
16	Q	0.34	0/1539	0.45	0/2054
17	R	0.28	0/1518	0.41	0/2005
18	S	0.32	0/1501	0.43	0/2012
19	T	0.30	0/1326	0.41	0/1770
20	U	0.29	0/814	0.53	0/1092
21	V	0.30	0/987	0.43	0/1324
22	W	0.32	0/541	0.41	0/720
23	X	0.29	0/966	0.42	0/1301
24	Y	0.29	0/1132	0.42	0/1504
25	Z	0.39	0/1130	0.55	1/1507 (0.1%)
26	a	0.34	0/1191	0.44	0/1590
27	b	0.33	0/619	0.48	0/818
28	c	0.29	0/742	0.44	0/995
29	d	0.29	0/846	0.42	0/1136
30	e	0.34	0/1071	0.44	0/1429
31	f	0.35	0/895	0.47	0/1198

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	g	0.29	0/916	0.39	0/1220
33	h	0.29	0/1021	0.43	0/1348
34	i	0.26	0/841	0.38	0/1112
35	j	0.36	0/720	0.51	0/952
36	k	0.41	0/565	0.62	0/750
37	l	0.32	0/450	0.47	0/597
38	m	0.30	0/427	0.39	0/564
39	n	0.34	0/223	0.46	0/284
40	o	0.30	0/855	0.41	0/1128
41	p	0.31	0/718	0.46	0/953
42	r	0.33	0/1017	0.43	0/1364
43	s	0.23	0/1483	0.41	0/2000
44	t	0.22	0/1071	0.48	0/1444
45	1	0.26	0/129	0.40	0/173
46	2	0.27	0/1805	0.43	0/2809
47	3	0.23	0/1777	0.45	0/2763
48	5	0.41	4/82331 (0.0%)	0.46	0/128398
49	7	0.37	0/2858	0.40	0/4455
50	8	0.40	0/3675	0.43	0/5725
51	9	0.35	6/38943 (0.0%)	0.46	0/60686
52	AA	0.29	0/1661	0.44	0/2259
53	BB	0.28	0/1749	0.45	1/2340 (0.0%)
54	CC	0.28	0/1710	0.43	0/2312
55	DD	0.26	0/1749	0.45	0/2350
56	EE	0.27	0/2101	0.48	0/2828
57	FF	0.26	0/1461	0.43	0/1961
58	GG	0.29	0/1946	0.49	0/2590
59	HH	0.25	0/1447	0.49	0/1939
60	II	0.27	0/1715	0.45	0/2287
61	JJ	0.26	0/1550	0.43	0/2069
62	KK	0.31	0/752	0.54	0/1014
63	LL	0.29	0/1143	0.43	0/1529
64	MM	0.23	0/949	0.44	0/1274
65	NN	0.26	0/1232	0.41	0/1656
66	OO	0.36	0/969	0.61	1/1298 (0.1%)
67	PP	0.25	0/986	0.47	0/1316
68	QQ	0.27	0/1134	0.45	0/1517
69	RR	0.26	0/973	0.45	0/1304
70	SS	0.25	0/1180	0.40	0/1581
71	TT	0.25	0/1093	0.42	0/1466
72	UU	0.25	0/817	0.44	0/1097
73	VV	0.27	0/623	0.42	0/833
74	WW	0.29	0/1051	0.45	0/1406

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
75	XX	0.28	0/1116	0.42	0/1490
76	YY	0.25	0/1023	0.44	0/1359
77	ZZ	0.25	0/580	0.41	0/780
78	aa	0.28	0/794	0.46	0/1065
79	bb	0.26	0/640	0.45	0/856
80	cc	0.26	0/481	0.48	0/643
81	dd	0.27	0/455	0.48	0/603
82	ee	0.25	0/381	0.41	0/498
83	ff	0.22	0/538	0.43	0/713
84	gg	0.24	0/2427	0.48	0/3303
85	hh	0.33	0/264	0.47	0/409
86	ii	0.26	0/3333	0.47	0/4483
87	jj	0.22	0/4644	0.42	0/6272
All	All	0.35	10/233391 (0.0%)	0.45	3/341503 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
57	FF	0	1
63	LL	0	1
All	All	0	2

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	5	3785	A2M	O3'-P	6.06	1.62	1.56
48	5	2787	A2M	O3'-P	5.54	1.61	1.56
51	9	1442	OMU	O3'-P	5.30	1.61	1.56
51	9	668	A2M	O3'-P	5.13	1.61	1.56
51	9	1031	A2M	O3'-P	5.12	1.61	1.56

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
66	OO	137	SER	N-CA-C	-6.03	103.66	111.02
25	Z	26	VAL	N-CA-C	-5.90	107.06	112.96
53	BB	150	ILE	N-CA-C	-5.35	107.21	111.81

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
57	FF	136	ARG	Sidechain
63	LL	118	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1868	0	1959	26	0
2	B	3148	0	3267	48	0
3	C	2883	0	3053	41	0
4	D	2361	0	2395	53	0
5	E	1726	0	1869	29	0
6	F	1875	0	1995	26	0
7	G	1768	0	1891	42	0
8	H	1516	0	1597	24	0
9	I	1655	0	1704	24	0
10	J	1336	0	1375	28	0
11	L	1702	0	1820	25	0
12	M	1137	0	1211	18	0
13	N	1701	0	1749	31	0
14	O	1621	0	1770	35	0
15	P	1242	0	1274	12	0
16	Q	1515	0	1634	23	0
17	R	1502	0	1659	13	0
18	S	1462	0	1508	19	0
19	T	1298	0	1366	17	0
20	U	800	0	825	37	0
21	V	973	0	1034	7	0
22	W	528	0	541	7	0
23	X	949	0	1016	12	0
24	Y	1115	0	1205	14	0
25	Z	1107	0	1182	26	0
26	a	1162	0	1209	31	0
27	b	609	0	650	11	0
28	c	732	0	767	11	0
29	d	833	0	891	14	0
30	e	1053	0	1147	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
31	f	876	0	912	10	0
32	g	906	0	998	10	0
33	h	1013	0	1147	20	0
34	i	830	0	916	4	0
35	j	705	0	737	13	0
36	k	559	0	624	15	0
37	l	438	0	469	10	0
38	m	421	0	454	4	0
39	n	222	0	264	4	0
40	o	842	0	912	8	0
41	p	708	0	756	7	0
42	r	1001	0	1060	21	0
43	s	1461	0	1524	55	0
44	t	1059	0	1106	51	0
45	1	125	0	117	5	0
46	2	1616	0	823	30	0
47	3	1593	0	811	35	0
48	5	75735	0	38351	1073	0
49	7	2558	0	1296	19	0
50	8	3315	0	1685	66	0
51	9	36134	0	18306	822	0
52	AA	1624	0	1634	57	0
53	BB	1722	0	1794	40	0
54	CC	1674	0	1759	37	0
55	DD	1723	0	1815	81	0
56	EE	2059	0	2164	65	0
57	FF	1441	0	1493	60	0
58	GG	1923	0	2089	87	0
59	HH	1425	0	1504	74	0
60	II	1686	0	1772	47	0
61	JJ	1525	0	1640	35	0
62	KK	729	0	742	34	0
63	LL	1123	0	1186	20	0
64	MM	939	0	967	41	0
65	NN	1208	0	1294	27	0
66	OO	957	0	982	36	0
67	PP	968	0	1016	43	0
68	QQ	1117	0	1185	44	0
69	RR	962	0	1013	57	0
70	SS	1162	0	1221	51	0
71	TT	1075	0	1103	45	0
72	UU	807	0	874	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
73	VV	617	0	622	11	0
74	WW	1034	0	1080	19	0
75	XX	1098	0	1167	24	0
76	YY	1006	0	1078	34	0
77	ZZ	574	0	627	27	0
78	aa	781	0	828	10	0
79	bb	628	0	650	17	0
80	cc	479	0	507	25	0
81	dd	445	0	438	16	0
82	ee	380	0	417	14	0
83	ff	527	0	543	30	0
84	gg	2371	0	2324	137	0
85	hh	236	0	119	0	0
86	ii	3280	0	3326	118	0
87	jj	4558	0	4679	172	0
88	2	2	0	0	0	0
88	5	221	0	0	0	0
88	7	6	0	0	0	0
88	8	2	0	0	0	0
88	9	64	0	0	0	0
88	A	2	0	0	0	0
88	EE	1	0	0	0	0
88	I	2	0	0	0	0
88	LL	1	0	0	0	0
88	N	1	0	0	0	0
88	OO	1	0	0	0	0
88	P	1	0	0	0	0
88	V	1	0	0	0	0
88	XX	1	0	0	0	0
88	a	1	0	0	0	0
88	e	1	0	0	0	0
88	f	1	0	0	0	0
88	g	1	0	0	0	0
88	hh	1	0	0	0	0
88	o	1	0	0	0	0
89	aa	1	0	0	0	0
89	dd	1	0	0	0	0
89	ff	1	0	0	0	0
89	g	1	0	0	0	0
89	j	1	0	0	0	0
89	m	1	0	0	0	0
89	o	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
89	p	1	0	0	0	0
90	ii	27	0	0	0	0
91	jj	16	0	0	4	0
92	5	723	0	0	30	0
92	7	13	0	0	3	0
92	8	8	0	0	0	0
92	9	173	0	0	12	0
92	A	6	0	0	0	0
92	B	2	0	0	0	0
92	C	1	0	0	0	0
92	F	1	0	0	0	0
92	I	1	0	0	0	0
92	II	1	0	0	0	0
92	L	1	0	0	0	0
92	N	4	0	0	0	0
92	OO	1	0	0	0	0
92	Q	1	0	0	0	0
92	R	1	0	0	0	0
92	V	2	0	0	0	0
92	X	2	0	0	0	0
92	XX	1	0	0	0	0
92	a	5	0	0	0	0
92	aa	1	0	0	0	0
92	e	5	0	0	0	0
92	ii	2	0	0	1	0
92	j	1	0	0	0	0
92	o	2	0	0	0	0
All	All	222478	0	166483	4092	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 4092 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
48:5:2638:G:N2	48:5:2697:A:N1	1.92	1.18
48:5:461:G:N2	48:5:694:C:O2	1.82	1.13
5:E:96:THR:HG22	5:E:109:VAL:HG22	1.33	1.07
48:5:973:G:N2	48:5:1282:G:N7	2.03	1.07
69:RR:105:MET:HE2	69:RR:109:LEU:HD11	1.36	1.05

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/257 (94%)	226 (93%)	16 (7%)	0	100	100
2	B	392/403 (97%)	376 (96%)	16 (4%)	0	100	100
3	C	360/413 (87%)	348 (97%)	12 (3%)	0	100	100
4	D	287/297 (97%)	270 (94%)	16 (6%)	1 (0%)	36	55
5	E	209/291 (72%)	189 (90%)	20 (10%)	0	100	100
6	F	223/247 (90%)	218 (98%)	5 (2%)	0	100	100
7	G	214/319 (67%)	202 (94%)	12 (6%)	0	100	100
8	H	188/192 (98%)	178 (95%)	10 (5%)	0	100	100
9	I	200/214 (94%)	193 (96%)	7 (4%)	0	100	100
10	J	165/178 (93%)	151 (92%)	13 (8%)	1 (1%)	21	38
11	L	208/211 (99%)	202 (97%)	6 (3%)	0	100	100
12	M	136/218 (62%)	132 (97%)	4 (3%)	0	100	100
13	N	201/204 (98%)	199 (99%)	2 (1%)	0	100	100
14	O	196/203 (97%)	187 (95%)	8 (4%)	1 (0%)	24	43
15	P	151/184 (82%)	145 (96%)	6 (4%)	0	100	100
16	Q	185/188 (98%)	179 (97%)	6 (3%)	0	100	100
17	R	177/196 (90%)	172 (97%)	5 (3%)	0	100	100
18	S	174/176 (99%)	166 (95%)	8 (5%)	0	100	100
19	T	157/160 (98%)	152 (97%)	5 (3%)	0	100	100
20	U	96/128 (75%)	88 (92%)	8 (8%)	0	100	100
21	V	128/140 (91%)	127 (99%)	1 (1%)	0	100	100
22	W	61/157 (39%)	60 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
23	X	114/156 (73%)	108 (95%)	6 (5%)	0	100	100
24	Y	132/145 (91%)	127 (96%)	5 (4%)	0	100	100
25	Z	133/136 (98%)	118 (89%)	15 (11%)	0	100	100
26	a	145/148 (98%)	136 (94%)	8 (6%)	1 (1%)	18	34
27	b	73/245 (30%)	70 (96%)	3 (4%)	0	100	100
28	c	92/115 (80%)	87 (95%)	5 (5%)	0	100	100
29	d	96/125 (77%)	94 (98%)	2 (2%)	0	100	100
30	e	126/135 (93%)	122 (97%)	4 (3%)	0	100	100
31	f	107/110 (97%)	102 (95%)	5 (5%)	0	100	100
32	g	112/117 (96%)	110 (98%)	2 (2%)	0	100	100
33	h	120/123 (98%)	114 (95%)	6 (5%)	0	100	100
34	i	100/105 (95%)	97 (97%)	3 (3%)	0	100	100
35	j	84/97 (87%)	82 (98%)	2 (2%)	0	100	100
36	k	66/70 (94%)	60 (91%)	5 (8%)	1 (2%)	8	16
37	l	47/51 (92%)	45 (96%)	2 (4%)	0	100	100
38	m	49/93 (53%)	47 (96%)	2 (4%)	0	100	100
39	n	21/25 (84%)	21 (100%)	0	0	100	100
40	o	101/106 (95%)	95 (94%)	6 (6%)	0	100	100
41	p	89/92 (97%)	81 (91%)	8 (9%)	0	100	100
42	r	123/137 (90%)	113 (92%)	10 (8%)	0	100	100
43	s	188/318 (59%)	163 (87%)	25 (13%)	0	100	100
44	t	135/165 (82%)	113 (84%)	21 (16%)	1 (1%)	18	34
45	1	13/130 (10%)	11 (85%)	2 (15%)	0	100	100
52	AA	204/295 (69%)	189 (93%)	15 (7%)	0	100	100
53	BB	210/264 (80%)	200 (95%)	10 (5%)	0	100	100
54	CC	214/293 (73%)	202 (94%)	12 (6%)	0	100	100
55	DD	217/243 (89%)	196 (90%)	21 (10%)	0	100	100
56	EE	257/263 (98%)	231 (90%)	26 (10%)	0	100	100
57	FF	177/204 (87%)	163 (92%)	13 (7%)	1 (1%)	21	38
58	GG	235/249 (94%)	205 (87%)	29 (12%)	1 (0%)	30	49
59	HH	173/194 (89%)	146 (84%)	27 (16%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
60	II	204/208 (98%)	194 (95%)	10 (5%)	0	100	100
61	JJ	183/194 (94%)	167 (91%)	16 (9%)	0	100	100
62	KK	84/165 (51%)	76 (90%)	8 (10%)	0	100	100
63	LL	132/158 (84%)	125 (95%)	7 (5%)	0	100	100
64	MM	120/132 (91%)	91 (76%)	29 (24%)	0	100	100
65	NN	148/151 (98%)	144 (97%)	4 (3%)	0	100	100
66	OO	125/168 (74%)	121 (97%)	4 (3%)	0	100	100
67	PP	115/145 (79%)	106 (92%)	9 (8%)	0	100	100
68	QQ	138/146 (94%)	128 (93%)	10 (7%)	0	100	100
69	RR	116/135 (86%)	106 (91%)	10 (9%)	0	100	100
70	SS	138/152 (91%)	130 (94%)	8 (6%)	0	100	100
71	TT	136/145 (94%)	124 (91%)	12 (9%)	0	100	100
72	UU	100/119 (84%)	89 (89%)	11 (11%)	0	100	100
73	VV	79/83 (95%)	71 (90%)	8 (10%)	0	100	100
74	WW	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
75	XX	139/143 (97%)	130 (94%)	9 (6%)	0	100	100
76	YY	121/130 (93%)	111 (92%)	10 (8%)	0	100	100
77	ZZ	70/125 (56%)	64 (91%)	6 (9%)	0	100	100
78	aa	96/115 (84%)	86 (90%)	10 (10%)	0	100	100
79	bb	75/84 (89%)	70 (93%)	5 (7%)	0	100	100
80	cc	59/69 (86%)	54 (92%)	5 (8%)	0	100	100
81	dd	51/56 (91%)	45 (88%)	6 (12%)	0	100	100
82	ee	43/133 (32%)	37 (86%)	6 (14%)	0	100	100
83	ff	59/156 (38%)	49 (83%)	10 (17%)	0	100	100
84	gg	300/317 (95%)	252 (84%)	48 (16%)	0	100	100
86	ii	414/459 (90%)	380 (92%)	33 (8%)	1 (0%)	43	63
87	jj	574/599 (96%)	529 (92%)	44 (8%)	1 (0%)	43	63
All	All	12249/14542 (84%)	11407 (93%)	832 (7%)	10 (0%)	49	68

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
58	GG	128	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
57	FF	33	ILE
86	ii	180	HIS
26	a	15	VAL
10	J	173	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/199 (94%)	186 (100%)	1 (0%)	81	92
2	B	336/348 (97%)	328 (98%)	8 (2%)	43	70
3	C	302/337 (90%)	295 (98%)	7 (2%)	44	72
4	D	245/250 (98%)	238 (97%)	7 (3%)	37	65
5	E	191/251 (76%)	183 (96%)	8 (4%)	26	52
6	F	196/215 (91%)	196 (100%)	0	100	100
7	G	189/272 (70%)	181 (96%)	8 (4%)	26	52
8	H	169/171 (99%)	168 (99%)	1 (1%)	78	91
9	I	174/181 (96%)	173 (99%)	1 (1%)	78	91
10	J	140/149 (94%)	134 (96%)	6 (4%)	26	51
11	L	175/176 (99%)	171 (98%)	4 (2%)	44	72
12	M	117/161 (73%)	116 (99%)	1 (1%)	70	87
13	N	171/172 (99%)	169 (99%)	2 (1%)	63	83
14	O	170/173 (98%)	166 (98%)	4 (2%)	43	70
15	P	134/163 (82%)	133 (99%)	1 (1%)	76	89
16	Q	164/165 (99%)	161 (98%)	3 (2%)	51	77
17	R	158/175 (90%)	155 (98%)	3 (2%)	50	76
18	S	157/157 (100%)	153 (98%)	4 (2%)	42	69
19	T	139/140 (99%)	139 (100%)	0	100	100
20	U	88/114 (77%)	85 (97%)	3 (3%)	32	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	V	100/107 (94%)	99 (99%)	1 (1%)	68	86
22	W	55/126 (44%)	55 (100%)	0	100	100
23	X	104/134 (78%)	103 (99%)	1 (1%)	68	86
24	Y	124/135 (92%)	123 (99%)	1 (1%)	73	88
25	Z	117/118 (99%)	113 (97%)	4 (3%)	32	60
26	a	119/120 (99%)	118 (99%)	1 (1%)	73	88
27	b	62/184 (34%)	62 (100%)	0	100	100
28	c	80/98 (82%)	76 (95%)	4 (5%)	22	44
29	d	91/110 (83%)	89 (98%)	2 (2%)	45	73
30	e	114/121 (94%)	114 (100%)	0	100	100
31	f	88/89 (99%)	87 (99%)	1 (1%)	65	84
32	g	98/100 (98%)	95 (97%)	3 (3%)	35	62
33	h	109/110 (99%)	106 (97%)	3 (3%)	38	66
34	i	86/89 (97%)	85 (99%)	1 (1%)	63	83
35	j	73/80 (91%)	68 (93%)	5 (7%)	14	31
36	k	63/65 (97%)	57 (90%)	6 (10%)	8	17
37	l	46/48 (96%)	46 (100%)	0	100	100
38	m	47/84 (56%)	46 (98%)	1 (2%)	47	74
39	n	22/24 (92%)	22 (100%)	0	100	100
40	o	91/94 (97%)	90 (99%)	1 (1%)	65	84
41	p	74/75 (99%)	72 (97%)	2 (3%)	39	67
42	r	109/121 (90%)	109 (100%)	0	100	100
43	s	159/258 (62%)	154 (97%)	5 (3%)	35	62
44	t	115/137 (84%)	112 (97%)	3 (3%)	40	68
45	l	13/102 (13%)	13 (100%)	0	100	100
52	AA	172/244 (70%)	165 (96%)	7 (4%)	27	53
53	BB	193/231 (84%)	192 (100%)	1 (0%)	81	92
54	CC	182/225 (81%)	172 (94%)	10 (6%)	19	40
55	DD	185/202 (92%)	177 (96%)	8 (4%)	26	51
56	EE	222/225 (99%)	217 (98%)	5 (2%)	44	72
57	FF	154/170 (91%)	145 (94%)	9 (6%)	18	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
58	GG	207/218 (95%)	200 (97%)	7 (3%)	32	60
59	HH	158/174 (91%)	151 (96%)	7 (4%)	25	50
60	II	178/180 (99%)	172 (97%)	6 (3%)	32	60
61	JJ	161/168 (96%)	157 (98%)	4 (2%)	42	69
62	KK	78/136 (57%)	76 (97%)	2 (3%)	40	68
63	LL	125/142 (88%)	121 (97%)	4 (3%)	34	62
64	MM	102/108 (94%)	99 (97%)	3 (3%)	37	65
65	NN	130/131 (99%)	128 (98%)	2 (2%)	57	80
66	OO	100/130 (77%)	94 (94%)	6 (6%)	17	36
67	PP	106/130 (82%)	104 (98%)	2 (2%)	50	76
68	QQ	116/121 (96%)	115 (99%)	1 (1%)	70	87
69	RR	107/121 (88%)	99 (92%)	8 (8%)	12	26
70	SS	122/132 (92%)	121 (99%)	1 (1%)	73	88
71	TT	109/115 (95%)	106 (97%)	3 (3%)	38	66
72	UU	93/107 (87%)	89 (96%)	4 (4%)	26	51
73	VV	65/67 (97%)	63 (97%)	2 (3%)	35	62
74	WW	112/113 (99%)	109 (97%)	3 (3%)	39	67
75	XX	113/115 (98%)	110 (97%)	3 (3%)	39	67
76	YY	107/112 (96%)	101 (94%)	6 (6%)	19	39
77	ZZ	64/103 (62%)	63 (98%)	1 (2%)	55	79
78	aa	85/98 (87%)	83 (98%)	2 (2%)	43	70
79	bb	72/76 (95%)	71 (99%)	1 (1%)	59	81
80	cc	54/62 (87%)	50 (93%)	4 (7%)	13	27
81	dd	47/49 (96%)	44 (94%)	3 (6%)	16	33
82	ee	39/106 (37%)	38 (97%)	1 (3%)	40	68
83	ff	59/140 (42%)	57 (97%)	2 (3%)	32	60
84	gg	263/275 (96%)	246 (94%)	17 (6%)	15	32
86	ii	358/394 (91%)	336 (94%)	22 (6%)	17	35
87	jj	508/526 (97%)	491 (97%)	17 (3%)	33	61
All	All	10707/12344 (87%)	10406 (97%)	301 (3%)	38	66

5 of 301 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
77	ZZ	54	THR
87	jj	104	GLU
80	cc	67	ARG
84	gg	225	LYS
87	jj	584	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 67 such sidechains are listed below:

Mol	Chain	Res	Type
65	NN	90	HIS
70	SS	97	GLN
86	ii	334	HIS
15	P	137	ASN
15	P	21	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
46	2	74/76 (97%)	20 (27%)	0
47	3	72/75 (96%)	20 (27%)	0
48	5	3505/3543 (98%)	655 (18%)	72 (2%)
49	7	119/120 (99%)	11 (9%)	0
50	8	155/156 (99%)	29 (18%)	3 (1%)
51	9	1685/1869 (90%)	440 (26%)	36 (2%)
85	hh	10/197 (5%)	3 (30%)	0
All	All	5620/6036 (93%)	1178 (20%)	111 (1%)

5 of 1178 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
46	2	7	G
46	2	8	U
46	2	9	A
46	2	15	G
46	2	19	G

5 of 111 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
48	5	3876	A
51	9	1835	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	5	4947	U
51	9	1824	A
51	9	1408	U

5.4 Non-standard residues in protein, DNA, RNA chains

163 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
51	6MZ	9	1832	88,51	22,25,26	2.53	4 (18%)	29,36,39	2.22	10 (34%)
48	OMG	5	4392	48	23,26,27	2.32	8 (34%)	32,38,41	2.14	9 (28%)
48	OMG	5	4196	48,46	23,26,27	2.42	7 (30%)	32,38,41	2.06	10 (31%)
51	OMU	9	172	51	19,22,23	2.85	7 (36%)	25,31,34	1.82	5 (20%)
48	OMU	5	4227	48	19,22,23	2.83	7 (36%)	25,31,34	1.85	5 (20%)
48	A2M	5	1871	48,88	22,25,26	3.46	10 (45%)	30,36,39	2.50	10 (33%)
48	A2M	5	398	48	22,25,26	3.53	9 (40%)	30,36,39	2.68	11 (36%)
48	PSU	5	4532	48	17,20,22	1.12	1 (5%)	21,28,33	1.76	3 (14%)
48	OMG	5	4618	48	23,26,27	2.33	8 (34%)	32,38,41	2.12	11 (34%)
51	A2M	9	484	51	22,25,26	3.50	9 (40%)	30,36,39	2.69	10 (33%)
48	OMG	5	1522	48	23,26,27	2.37	9 (39%)	32,38,41	2.14	12 (37%)
48	A2M	5	4571	48	22,25,26	3.60	10 (45%)	30,36,39	2.64	11 (36%)
48	PSU	5	4420	48	17,20,22	1.13	1 (5%)	21,28,33	2.06	4 (19%)
51	OMU	9	1442	51	19,22,23	2.84	6 (31%)	25,31,34	1.83	4 (16%)
51	MA6	9	1850	51	23,26,27	1.53	5 (21%)	33,38,41	3.96	14 (42%)
51	PSU	9	1367	51	17,20,22	1.15	1 (5%)	21,28,33	1.90	4 (19%)
48	PSU	5	1683	48,88	17,20,22	1.23	1 (5%)	21,28,33	2.02	4 (19%)
48	A2M	5	3830	48	22,25,26	3.42	9 (40%)	30,36,39	2.66	11 (36%)
48	OMU	5	4620	48	19,22,23	2.83	7 (36%)	25,31,34	1.87	5 (20%)
51	OMC	9	1391	51	19,22,23	2.96	8 (42%)	25,31,34	0.97	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
48	A2M	5	3724	48	22,25,26	3.54	9 (40%)	30,36,39	2.51	9 (30%)
48	OMC	5	2861	48	19,22,23	2.94	8 (42%)	25,31,34	0.84	1 (4%)
48	A2M	5	4523	48,88	22,25,26	3.48	9 (40%)	30,36,39	2.67	11 (36%)
51	A2M	9	468	51	22,25,26	3.55	9 (40%)	30,36,39	2.60	10 (33%)
48	OMC	5	3701	48,88	19,22,23	2.76	8 (42%)	25,31,34	1.04	1 (4%)
48	5MC	5	4447	48,88	19,22,23	3.54	8 (42%)	26,32,35	1.14	2 (7%)
48	A2M	5	2363	48,88	22,25,26	3.53	10 (45%)	30,36,39	2.59	9 (30%)
48	PSU	5	2632	48	17,20,22	1.15	1 (5%)	21,28,33	1.97	4 (19%)
48	A2M	5	3867	48	22,25,26	3.46	9 (40%)	30,36,39	2.57	8 (26%)
48	PSU	5	4423	48	17,20,22	1.00	1 (5%)	21,28,33	1.98	4 (19%)
48	OMG	5	4499	48	23,26,27	2.45	9 (39%)	32,38,41	2.05	9 (28%)
48	OMG	5	4228	48	23,26,27	2.30	7 (30%)	32,38,41	2.08	10 (31%)
48	PSU	5	4552	48	17,20,22	1.16	1 (5%)	21,28,33	1.93	4 (19%)
51	PSU	9	119	51	17,20,22	1.08	1 (5%)	21,28,33	2.02	5 (23%)
51	A2M	9	512	51	22,25,26	3.50	9 (40%)	30,36,39	2.77	10 (33%)
51	4AC	9	1337	51	21,24,25	3.09	10 (47%)	28,34,37	1.03	1 (3%)
48	PSU	5	1860	48	17,20,22	1.03	1 (5%)	21,28,33	1.92	4 (19%)
48	PSU	5	3715	48	17,20,22	1.13	3 (17%)	21,28,33	2.10	6 (28%)
48	OMG	5	4623	48	23,26,27	2.43	8 (34%)	32,38,41	2.17	9 (28%)
48	OMG	5	373	48	23,26,27	2.41	7 (30%)	32,38,41	2.21	11 (34%)
51	PSU	9	1177	51	17,20,22	1.08	1 (5%)	21,28,33	1.77	4 (19%)
48	6MZ	5	4220	48	22,25,26	2.74	4 (18%)	29,36,39	2.17	9 (31%)
48	OMC	5	4456	48	19,22,23	2.80	8 (42%)	25,31,34	0.77	0
51	A2M	9	1678	51	22,25,26	3.45	9 (40%)	30,36,39	2.72	11 (36%)
51	PSU	9	1692	51	17,20,22	1.14	1 (5%)	21,28,33	1.78	3 (14%)
51	A2M	9	1031	51	22,25,26	3.51	10 (45%)	30,36,39	2.46	9 (30%)
48	PSU	5	3853	48	17,20,22	1.21	1 (5%)	21,28,33	2.19	5 (23%)
51	A2M	9	166	51	22,25,26	3.45	9 (40%)	30,36,39	2.57	10 (33%)
51	A2M	9	668	88,51	22,25,26	3.45	9 (40%)	30,36,39	2.75	13 (43%)
51	PSU	9	1081	51	17,20,22	1.14	1 (5%)	21,28,33	2.03	6 (28%)
48	OMU	5	2837	48	19,22,23	2.84	6 (31%)	25,31,34	2.02	6 (24%)
48	PSU	5	4361	48	17,20,22	1.11	1 (5%)	21,28,33	2.01	5 (23%)
48	A2M	5	3785	48	22,25,26	3.33	10 (45%)	30,36,39	2.71	10 (33%)
48	2MG	5	1517	48	23,26,27	2.57	9 (39%)	33,38,41	2.53	13 (39%)
48	UY1	5	3818	48,88	19,22,23	4.33	9 (47%)	21,31,34	2.11	5 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
51	OMG	9	644	51	23,26,27	2.37	7 (30%)	32,38,41	1.95	9 (28%)
51	A2M	9	99	88,51	22,25,26	3.53	9 (40%)	30,36,39	2.60	10 (33%)
48	OMG	5	4370	48	23,26,27	2.36	8 (34%)	32,38,41	2.15	11 (34%)
48	OMG	5	2424	48	23,26,27	2.35	8 (34%)	32,38,41	2.06	9 (28%)
48	PSU	5	3764	48	17,20,22	1.18	1 (5%)	21,28,33	2.04	5 (23%)
48	PSU	5	3639	48	17,20,22	1.16	1 (5%)	21,28,33	1.91	4 (19%)
51	PSU	9	109	51	17,20,22	1.20	1 (5%)	21,28,33	2.02	4 (19%)
51	PSU	9	1347	51	17,20,22	1.08	1 (5%)	21,28,33	2.00	5 (23%)
48	PSU	5	3851	48	17,20,22	1.09	2 (11%)	21,28,33	2.06	4 (19%)
48	A2M	5	3760	48,88	22,25,26	3.50	9 (40%)	30,36,39	2.67	11 (36%)
51	PSU	9	1004	51	17,20,22	1.13	1 (5%)	21,28,33	1.99	4 (19%)
51	PSU	9	815	51	17,20,22	1.06	1 (5%)	21,28,33	2.17	5 (23%)
51	PSU	9	686	51	17,20,22	1.02	2 (11%)	21,28,33	2.29	6 (28%)
48	OMG	5	3899	48	23,26,27	2.37	8 (34%)	32,38,41	2.16	10 (31%)
48	OMU	5	4498	48	19,22,23	2.81	8 (42%)	25,31,34	1.93	5 (20%)
51	PSU	9	814	51	17,20,22	1.08	1 (5%)	21,28,33	2.05	5 (23%)
48	A2M	5	1524	48	22,25,26	3.44	9 (40%)	30,36,39	2.67	12 (40%)
48	PSU	5	3920	48	17,20,22	1.05	1 (5%)	21,28,33	2.18	5 (23%)
48	PSU	5	4579	48	17,20,22	1.05	1 (5%)	21,28,33	1.89	4 (19%)
51	PSU	9	1238	51	17,20,22	1.22	2 (11%)	21,28,33	2.00	4 (19%)
48	OMG	5	1625	48,88	23,26,27	2.46	7 (30%)	32,38,41	2.23	10 (31%)
48	OMC	5	2351	48	19,22,23	2.74	8 (42%)	25,31,34	0.82	0
48	OMC	5	2365	48	19,22,23	2.84	8 (42%)	25,31,34	0.67	0
51	OMG	9	1328	51	23,26,27	2.35	9 (39%)	32,38,41	2.08	9 (28%)
48	PSU	5	4500	48	17,20,22	1.11	3 (17%)	21,28,33	2.07	5 (23%)
51	4AC	9	1842	51	21,24,25	3.00	10 (47%)	28,34,37	1.08	2 (7%)
51	OMG	9	683	51	23,26,27	2.46	8 (34%)	32,38,41	2.21	11 (34%)
51	B8N	9	1248	51	25,29,30	3.40	8 (32%)	28,42,45	2.31	7 (25%)
51	A2M	9	159	51	22,25,26	3.56	9 (40%)	30,36,39	2.53	10 (33%)
48	PSU	5	4628	48	17,20,22	1.22	2 (11%)	21,28,33	2.19	6 (28%)
51	OMU	9	428	51	19,22,23	2.87	7 (36%)	25,31,34	1.79	5 (20%)
51	G7M	9	1639	46,51	23,26,27	2.77	9 (39%)	34,39,42	1.74	9 (26%)
50	OMG	8	75	50	23,26,27	2.35	8 (34%)	32,38,41	2.11	11 (34%)
48	PSU	5	3734	48	17,20,22	1.19	2 (11%)	21,28,33	1.93	5 (23%)
51	OMC	9	1703	51	19,22,23	2.96	8 (42%)	25,31,34	0.80	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
48	PSU	5	1792	48	17,20,22	1.03	1 (5%)	21,28,33	1.89	3 (14%)
51	PSU	9	863	51	17,20,22	0.99	1 (5%)	21,28,33	1.93	3 (14%)
51	PSU	9	1232	51	17,20,22	1.20	1 (5%)	21,28,33	1.93	3 (14%)
48	OMC	5	1340	48	19,22,23	2.97	8 (42%)	25,31,34	1.01	2 (8%)
48	OMG	5	1316	48	23,26,27	2.37	8 (34%)	32,38,41	2.17	10 (31%)
48	OMC	5	3808	48	19,22,23	2.74	8 (42%)	25,31,34	0.65	0
48	OMG	5	3627	48	23,26,27	2.38	8 (34%)	32,38,41	2.11	11 (34%)
51	PSU	9	572	51	17,20,22	1.08	1 (5%)	21,28,33	1.95	4 (19%)
48	OMC	5	3887	48	19,22,23	2.78	7 (36%)	25,31,34	0.77	1 (4%)
51	A2M	9	27	51	22,25,26	3.43	9 (40%)	30,36,39	2.51	9 (30%)
51	PSU	9	1046	51	17,20,22	1.13	1 (5%)	21,28,33	1.92	5 (23%)
48	B9B	5	237	48	25,28,29	1.79	6 (24%)	35,40,43	2.38	15 (42%)
48	PSU	5	3695	48	17,20,22	1.05	1 (5%)	21,28,33	1.97	4 (19%)
51	PSU	9	218	51	17,20,22	1.13	1 (5%)	21,28,33	2.28	7 (33%)
51	PSU	9	609	51	17,20,22	1.08	1 (5%)	21,28,33	2.01	4 (19%)
51	OMC	9	174	51	19,22,23	2.91	8 (42%)	25,31,34	0.95	0
51	OMC	9	517	51	19,22,23	2.99	8 (42%)	25,31,34	0.82	0
51	PSU	9	1174	51	17,20,22	1.11	1 (5%)	21,28,33	2.07	4 (19%)
51	OMG	9	436	51	23,26,27	2.46	6 (26%)	32,38,41	2.09	9 (28%)
48	A2M	5	1534	48,88	22,25,26	3.56	9 (40%)	30,36,39	2.64	11 (36%)
48	PSU	5	4521	48,88	17,20,22	1.24	2 (11%)	21,28,33	2.25	7 (33%)
48	A2M	5	1326	48	22,25,26	3.50	9 (40%)	30,36,39	2.55	8 (26%)
51	PSU	9	1445	51	17,20,22	1.05	1 (5%)	21,28,33	1.84	4 (19%)
48	PSU	5	1862	48	17,20,22	1.11	1 (5%)	21,28,33	1.99	5 (23%)
51	OMU	9	116	51	19,22,23	2.80	6 (31%)	25,31,34	1.78	5 (20%)
48	OMC	5	3841	48	19,22,23	2.82	8 (42%)	25,31,34	0.90	0
48	OMU	5	4306	48	19,22,23	2.86	7 (36%)	25,31,34	1.85	4 (16%)
48	5MC	5	3782	48,88	19,22,23	3.55	8 (42%)	26,32,35	1.14	2 (7%)
48	PSU	5	1781	48	17,20,22	1.13	2 (11%)	21,28,33	1.96	5 (23%)
48	OMG	5	3792	48	23,26,27	2.32	6 (26%)	32,38,41	2.00	9 (28%)
48	PSU	5	4353	48	17,20,22	1.12	2 (11%)	21,28,33	2.11	5 (23%)
48	PSU	5	4403	48	17,20,22	1.10	1 (5%)	21,28,33	1.88	4 (19%)
48	A2M	5	3718	48	22,25,26	3.55	10 (45%)	30,36,39	2.64	11 (36%)
51	OMG	9	509	88,51	23,26,27	2.40	7 (30%)	32,38,41	1.99	9 (28%)
48	PSU	5	1744	48,88	17,20,22	0.96	1 (5%)	21,28,33	2.01	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
48	OMC	5	2824	48	19,22,23	2.84	8 (42%)	25,31,34	0.95	1 (4%)
48	A2M	5	2815	48	22,25,26	3.44	9 (40%)	30,36,39	2.57	9 (30%)
48	UR3	5	4530	48	19,22,23	2.64	8 (42%)	26,32,35	1.50	4 (15%)
48	PSU	5	4442	48	17,20,22	1.09	1 (5%)	21,28,33	2.09	5 (23%)
48	PSU	5	1782	48	17,20,22	1.10	1 (5%)	21,28,33	2.01	5 (23%)
48	PSU	5	4293	48	17,20,22	1.22	2 (11%)	21,28,33	1.88	4 (19%)
48	OMG	5	4494	48	23,26,27	2.30	8 (34%)	32,38,41	2.03	10 (31%)
51	OMU	9	121	51	19,22,23	2.72	6 (31%)	25,31,34	1.90	6 (24%)
48	OMC	5	2422	48,88	19,22,23	2.93	8 (42%)	25,31,34	0.72	0
48	PSU	5	4299	48	17,20,22	1.00	1 (5%)	21,28,33	1.94	3 (14%)
51	OMG	9	1490	88,51	23,26,27	2.33	8 (34%)	32,38,41	2.22	8 (25%)
48	PSU	5	4296	48	17,20,22	1.20	2 (11%)	21,28,33	1.96	3 (14%)
51	PSU	9	649	51	17,20,22	1.06	1 (5%)	21,28,33	1.89	4 (19%)
48	PSU	5	1677	48	17,20,22	1.25	2 (11%)	21,28,33	2.17	4 (19%)
48	PSU	5	3762	48	17,20,22	1.14	1 (5%)	21,28,33	2.13	5 (23%)
48	1MA	5	1322	48,88	21,25,26	2.66	6 (28%)	30,37,40	2.29	6 (20%)
48	PSU	5	2508	48	17,20,22	1.07	1 (5%)	21,28,33	1.92	4 (19%)
48	A2M	5	3825	48	22,25,26	3.48	9 (40%)	30,36,39	2.50	10 (33%)
48	OMC	5	2804	48	19,22,23	2.79	8 (42%)	25,31,34	0.72	0
51	PSU	9	1045	51	17,20,22	1.15	2 (11%)	21,28,33	2.14	5 (23%)
48	OMG	5	2364	48	23,26,27	2.34	8 (34%)	32,38,41	2.15	10 (31%)
51	PSU	9	1244	51	17,20,22	1.17	1 (5%)	21,28,33	2.06	5 (23%)
48	A2M	5	400	48	22,25,26	3.43	9 (40%)	30,36,39	2.51	9 (30%)
51	PSU	9	105	51	17,20,22	1.14	1 (5%)	21,28,33	2.00	4 (19%)
51	OMU	9	1326	51	19,22,23	2.81	7 (36%)	25,31,34	1.95	5 (20%)
51	MA6	9	1851	51	23,26,27	1.40	4 (17%)	33,38,41	4.48	13 (39%)
51	A2M	9	1383	51	22,25,26	3.46	10 (45%)	30,36,39	2.69	11 (36%)
48	OMG	5	4637	48	23,26,27	2.38	8 (34%)	32,38,41	2.14	10 (31%)
48	OMC	5	4536	48	19,22,23	2.77	8 (42%)	25,31,34	0.86	0
51	PSU	9	801	51	17,20,22	1.25	2 (11%)	21,28,33	1.67	4 (19%)
51	PSU	9	1643	51	17,20,22	1.03	1 (5%)	21,28,33	2.08	4 (19%)
48	PSU	5	4457	48	17,20,22	1.15	1 (5%)	21,28,33	1.77	3 (14%)
48	OMU	5	3925	48	19,22,23	2.81	7 (36%)	25,31,34	1.88	4 (16%)
48	A2M	5	2787	48	22,25,26	3.42	9 (40%)	30,36,39	2.69	10 (33%)
48	OMC	5	3869	48	19,22,23	2.83	7 (36%)	25,31,34	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
51	PSU	9	822	51	17,20,22	1.23	3 (17%)	21,28,33	2.24	6 (28%)
48	OMG	5	2876	48	23,26,27	2.40	7 (30%)	32,38,41	2.01	9 (28%)
51	PSU	9	34	51	17,20,22	1.16	1 (5%)	21,28,33	1.96	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
51	6MZ	9	1832	88,51	-	2/9/27/28	0/3/3/3
48	OMG	5	4392	48	-	0/9/27/28	0/3/3/3
48	OMG	5	4196	48,46	-	0/9/27/28	0/3/3/3
51	OMU	9	172	51	-	2/9/27/28	0/2/2/2
48	OMU	5	4227	48	-	0/9/27/28	0/2/2/2
48	A2M	5	1871	48,88	-	0/9/27/28	0/3/3/3
48	A2M	5	398	48	-	0/9/27/28	0/3/3/3
48	PSU	5	4532	48	-	0/6/24/26	0/2/2/2
48	OMG	5	4618	48	-	0/9/27/28	0/3/3/3
51	A2M	9	484	51	-	0/9/27/28	0/3/3/3
48	OMG	5	1522	48	-	0/9/27/28	0/3/3/3
48	A2M	5	4571	48	-	0/9/27/28	0/3/3/3
48	PSU	5	4420	48	-	0/6/24/26	0/2/2/2
51	OMU	9	1442	51	-	2/9/27/28	0/2/2/2
51	MA6	9	1850	51	-	0/11/29/30	0/3/3/3
51	PSU	9	1367	51	-	0/6/24/26	0/2/2/2
48	PSU	5	1683	48,88	-	0/6/24/26	0/2/2/2
48	A2M	5	3830	48	-	0/9/27/28	0/3/3/3
48	OMU	5	4620	48	-	0/9/27/28	0/2/2/2
51	OMC	9	1391	51	-	0/9/27/28	0/2/2/2
48	A2M	5	3724	48	-	0/9/27/28	0/3/3/3
48	OMC	5	2861	48	-	0/9/27/28	0/2/2/2
48	A2M	5	4523	48,88	-	0/9/27/28	0/3/3/3
51	A2M	9	468	51	-	1/9/27/28	0/3/3/3
48	OMC	5	3701	48,88	-	4/9/27/28	0/2/2/2
48	5MC	5	4447	48,88	-	4/7/25/26	0/2/2/2
48	A2M	5	2363	48,88	-	0/9/27/28	0/3/3/3
48	PSU	5	2632	48	-	0/6/24/26	0/2/2/2
48	A2M	5	3867	48	-	1/9/27/28	0/3/3/3
48	PSU	5	4423	48	-	0/6/24/26	0/2/2/2
48	OMG	5	4499	48	-	1/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	OMG	5	4228	48	-	1/9/27/28	0/3/3/3
48	PSU	5	4552	48	-	0/6/24/26	0/2/2/2
51	PSU	9	119	51	-	0/6/24/26	0/2/2/2
51	A2M	9	512	51	-	1/9/27/28	0/3/3/3
51	4AC	9	1337	51	-	0/11/29/30	0/2/2/2
48	PSU	5	1860	48	-	0/6/24/26	0/2/2/2
48	PSU	5	3715	48	-	0/6/24/26	0/2/2/2
48	OMG	5	4623	48	-	0/9/27/28	0/3/3/3
48	OMG	5	373	48	-	1/9/27/28	0/3/3/3
51	PSU	9	1177	51	-	0/6/24/26	0/2/2/2
48	6MZ	5	4220	48	-	0/9/27/28	0/3/3/3
48	OMC	5	4456	48	-	0/9/27/28	0/2/2/2
51	A2M	9	1678	51	-	0/9/27/28	0/3/3/3
51	PSU	9	1692	51	-	0/6/24/26	0/2/2/2
51	A2M	9	1031	51	-	1/9/27/28	0/3/3/3
48	PSU	5	3853	48	-	0/6/24/26	0/2/2/2
51	A2M	9	166	51	-	2/9/27/28	0/3/3/3
51	A2M	9	668	88,51	-	3/9/27/28	0/3/3/3
51	PSU	9	1081	51	-	0/6/24/26	0/2/2/2
48	OMU	5	2837	48	-	1/9/27/28	0/2/2/2
48	PSU	5	4361	48	-	0/6/24/26	0/2/2/2
48	A2M	5	3785	48	-	3/9/27/28	0/3/3/3
48	2MG	5	1517	48	-	0/9/27/28	0/3/3/3
48	UY1	5	3818	48,88	-	3/9/27/28	0/2/2/2
51	OMG	9	644	51	-	1/9/27/28	0/3/3/3
51	A2M	9	99	88,51	-	2/9/27/28	0/3/3/3
48	OMG	5	4370	48	-	0/9/27/28	0/3/3/3
48	OMG	5	2424	48	-	3/9/27/28	0/3/3/3
48	PSU	5	3764	48	-	0/6/24/26	0/2/2/2
48	PSU	5	3639	48	-	0/6/24/26	0/2/2/2
51	PSU	9	109	51	-	0/6/24/26	0/2/2/2
51	PSU	9	1347	51	-	0/6/24/26	0/2/2/2
48	PSU	5	3851	48	-	1/6/24/26	0/2/2/2
48	A2M	5	3760	48,88	-	3/9/27/28	0/3/3/3
51	PSU	9	1004	51	-	0/6/24/26	0/2/2/2
51	PSU	9	815	51	-	0/6/24/26	0/2/2/2
51	PSU	9	686	51	-	0/6/24/26	0/2/2/2
48	OMG	5	3899	48	-	0/9/27/28	0/3/3/3
48	OMU	5	4498	48	-	0/9/27/28	0/2/2/2
51	PSU	9	814	51	-	0/6/24/26	0/2/2/2
48	A2M	5	1524	48	-	1/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	PSU	5	3920	48	-	0/6/24/26	0/2/2/2
48	PSU	5	4579	48	-	0/6/24/26	0/2/2/2
51	PSU	9	1238	51	-	0/6/24/26	0/2/2/2
48	OMG	5	1625	48,88	-	1/9/27/28	0/3/3/3
48	OMC	5	2351	48	-	1/9/27/28	0/2/2/2
48	OMC	5	2365	48	-	0/9/27/28	0/2/2/2
51	OMG	9	1328	51	-	1/9/27/28	0/3/3/3
48	PSU	5	4500	48	-	2/6/24/26	0/2/2/2
51	4AC	9	1842	51	-	0/11/29/30	0/2/2/2
51	OMG	9	683	51	-	3/9/27/28	0/3/3/3
51	B8N	9	1248	51	-	4/16/34/35	0/2/2/2
51	A2M	9	159	51	-	0/9/27/28	0/3/3/3
48	PSU	5	4628	48	-	0/6/24/26	0/2/2/2
51	OMU	9	428	51	-	4/9/27/28	0/2/2/2
51	G7M	9	1639	46,51	-	2/7/25/26	0/3/3/3
50	OMG	8	75	50	-	0/9/27/28	0/3/3/3
48	PSU	5	3734	48	-	0/6/24/26	0/2/2/2
51	OMC	9	1703	51	-	2/9/27/28	0/2/2/2
48	PSU	5	1792	48	-	0/6/24/26	0/2/2/2
51	PSU	9	863	51	-	2/6/24/26	0/2/2/2
51	PSU	9	1232	51	-	0/6/24/26	0/2/2/2
48	OMC	5	1340	48	-	0/9/27/28	0/2/2/2
48	OMG	5	1316	48	-	0/9/27/28	0/3/3/3
48	OMC	5	3808	48	-	0/9/27/28	0/2/2/2
48	OMG	5	3627	48	-	0/9/27/28	0/3/3/3
51	PSU	9	572	51	-	0/6/24/26	0/2/2/2
48	OMC	5	3887	48	-	0/9/27/28	0/2/2/2
51	A2M	9	27	51	-	0/9/27/28	0/3/3/3
51	PSU	9	1046	51	-	0/6/24/26	0/2/2/2
48	B9B	5	237	48	-	2/11/29/30	0/3/3/3
48	PSU	5	3695	48	-	0/6/24/26	0/2/2/2
51	PSU	9	218	51	-	0/6/24/26	0/2/2/2
51	PSU	9	609	51	-	0/6/24/26	0/2/2/2
51	OMC	9	174	51	-	0/9/27/28	0/2/2/2
51	OMC	9	517	51	-	0/9/27/28	0/2/2/2
51	PSU	9	1174	51	-	0/6/24/26	0/2/2/2
51	OMG	9	436	51	-	0/9/27/28	0/3/3/3
48	A2M	5	1534	48,88	-	2/9/27/28	0/3/3/3
48	PSU	5	4521	48,88	-	0/6/24/26	0/2/2/2
48	A2M	5	1326	48	-	1/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
51	PSU	9	1445	51	-	1/6/24/26	0/2/2/2
48	PSU	5	1862	48	-	0/6/24/26	0/2/2/2
51	OMU	9	116	51	-	0/9/27/28	0/2/2/2
48	OMC	5	3841	48	-	0/9/27/28	0/2/2/2
48	OMU	5	4306	48	-	0/9/27/28	0/2/2/2
48	5MC	5	3782	48,88	-	0/7/25/26	0/2/2/2
48	PSU	5	1781	48	-	2/6/24/26	0/2/2/2
48	OMG	5	3792	48	-	2/9/27/28	0/3/3/3
48	PSU	5	4353	48	-	0/6/24/26	0/2/2/2
48	PSU	5	4403	48	-	0/6/24/26	0/2/2/2
48	A2M	5	3718	48	-	0/9/27/28	0/3/3/3
51	OMG	9	509	88,51	-	0/9/27/28	0/3/3/3
48	PSU	5	1744	48,88	-	0/6/24/26	0/2/2/2
48	OMC	5	2824	48	-	0/9/27/28	0/2/2/2
48	A2M	5	2815	48	-	2/9/27/28	0/3/3/3
48	UR3	5	4530	48	-	0/7/25/26	0/2/2/2
48	PSU	5	4442	48	-	0/6/24/26	0/2/2/2
48	PSU	5	1782	48	-	0/6/24/26	0/2/2/2
48	PSU	5	4293	48	-	0/6/24/26	0/2/2/2
48	OMG	5	4494	48	-	1/9/27/28	0/3/3/3
51	OMU	9	121	51	-	1/9/27/28	0/2/2/2
48	OMC	5	2422	48,88	-	0/9/27/28	0/2/2/2
48	PSU	5	4299	48	-	0/6/24/26	0/2/2/2
51	OMG	9	1490	88,51	-	2/9/27/28	0/3/3/3
48	PSU	5	4296	48	-	0/6/24/26	0/2/2/2
51	PSU	9	649	51	-	0/6/24/26	0/2/2/2
48	PSU	5	1677	48	-	0/6/24/26	0/2/2/2
48	PSU	5	3762	48	-	0/6/24/26	0/2/2/2
48	1MA	5	1322	48,88	-	2/7/25/26	0/3/3/3
48	PSU	5	2508	48	-	0/6/24/26	0/2/2/2
48	A2M	5	3825	48	-	0/9/27/28	0/3/3/3
48	OMC	5	2804	48	-	0/9/27/28	0/2/2/2
51	PSU	9	1045	51	-	2/6/24/26	0/2/2/2
48	OMG	5	2364	48	-	3/9/27/28	0/3/3/3
51	PSU	9	1244	51	-	0/6/24/26	0/2/2/2
48	A2M	5	400	48	-	0/9/27/28	0/3/3/3
51	PSU	9	105	51	-	0/6/24/26	0/2/2/2
51	OMU	9	1326	51	-	0/9/27/28	0/2/2/2
51	MA6	9	1851	51	-	3/11/29/30	0/3/3/3
51	A2M	9	1383	51	-	0/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	OMG	5	4637	48	-	0/9/27/28	0/3/3/3
48	OMC	5	4536	48	-	0/9/27/28	0/2/2/2
51	PSU	9	801	51	-	2/6/24/26	0/2/2/2
51	PSU	9	1643	51	-	0/6/24/26	0/2/2/2
48	PSU	5	4457	48	-	0/6/24/26	0/2/2/2
48	OMU	5	3925	48	-	0/9/27/28	0/2/2/2
48	A2M	5	2787	48	-	3/9/27/28	0/3/3/3
48	OMC	5	3869	48	-	0/9/27/28	0/2/2/2
51	PSU	9	822	51	-	2/6/24/26	0/2/2/2
48	OMG	5	2876	48	-	0/9/27/28	0/3/3/3
51	PSU	9	34	51	-	4/6/24/26	0/2/2/2

The worst 5 of 881 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	5	3818	UY1	C6-C5	11.34	1.47	1.35
48	5	4220	6MZ	C6-N6	11.33	1.47	1.34
51	9	1832	6MZ	C6-N6	10.55	1.46	1.34
48	5	3818	UY1	C2-N1	9.65	1.49	1.36
51	9	159	A2M	C2'-C1'	-9.32	1.30	1.53

The worst 5 of 1007 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	9	1851	MA6	N1-C6-N6	-15.95	97.42	116.86
51	9	1850	MA6	N1-C6-N6	-13.25	100.72	116.86
51	9	1851	MA6	C5-C6-N6	10.76	142.36	125.33
51	9	1850	MA6	C5-C6-N6	9.04	139.64	125.33
51	9	1851	MA6	C4-N9-C1'	-7.48	109.14	126.63

There are no chirality outliers.

5 of 103 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
48	5	237	B9B	C5-C6-O6-C61
48	5	237	B9B	N1-C6-O6-C61
48	5	1781	PSU	C3'-C4'-C5'-O5'
48	5	2424	OMG	O4'-C4'-C5'-O5'
48	5	2424	OMG	C1'-C2'-O2'-CM2

There are no ring outliers.

55 monomers are involved in 79 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
48	5	4196	OMG	1	0
51	9	172	OMU	2	0
48	5	1871	A2M	1	0
51	9	484	A2M	1	0
48	5	4420	PSU	1	0
51	9	1442	OMU	3	0
51	9	1850	MA6	1	0
51	9	1367	PSU	1	0
51	9	1391	OMC	1	0
48	5	3701	OMC	1	0
48	5	4447	5MC	1	0
48	5	3867	A2M	2	0
51	9	1337	4AC	1	0
48	5	373	OMG	1	0
48	5	4456	OMC	1	0
51	9	1692	PSU	2	0
51	9	166	A2M	1	0
48	5	3818	UY1	2	0
48	5	4370	OMG	1	0
48	5	2424	OMG	1	0
51	9	109	PSU	2	0
51	9	1347	PSU	1	0
51	9	686	PSU	1	0
48	5	3899	OMG	1	0
48	5	2351	OMC	2	0
51	9	1328	OMG	1	0
51	9	1842	4AC	2	0
51	9	159	A2M	1	0
51	9	1639	G7M	1	0
50	8	75	OMG	2	0
51	9	1703	OMC	1	0
51	9	863	PSU	3	0
51	9	1232	PSU	2	0
48	5	1340	OMC	1	0
48	5	1316	OMG	1	0
48	5	3808	OMC	2	0
51	9	27	A2M	1	0
51	9	218	PSU	3	0
51	9	174	OMC	1	0
51	9	1445	PSU	2	0
51	9	116	OMU	2	0
48	5	3792	OMG	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
48	5	3718	A2M	1	0
51	9	121	OMU	1	0
51	9	1490	OMG	2	0
48	5	1322	1MA	1	0
48	5	2364	OMG	2	0
51	9	1244	PSU	1	0
48	5	400	A2M	2	0
51	9	105	PSU	2	0
51	9	1326	OMU	1	0
48	5	4637	OMG	1	0
51	9	801	PSU	1	0
48	5	2876	OMG	1	0
51	9	34	PSU	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 323 ligands modelled in this entry, 320 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
91	SF4	jj	601	87	0,12,12	-	-	-		
91	SF4	jj	602	87	0,12,12	-	-	-		
90	ZVM	ii	501	88	30,31,31	4.96	21 (70%)	32,46,46	3.11	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
91	SF4	jj	601	87	-	-	0/6/5/5
91	SF4	jj	602	87	-	-	0/6/5/5
90	ZVM	ii	501	88	2/2/8/8	0/4/50/50	0/3/5/5

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
90	ii	501	ZVM	O01-C01	12.83	1.39	1.22
90	ii	501	ZVM	O02-C15	9.69	1.39	1.22
90	ii	501	ZVM	C13-C14	8.13	1.52	1.38
90	ii	501	ZVM	C10-C09	7.54	1.53	1.39
90	ii	501	ZVM	C03-N01	7.44	1.38	1.27

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
90	ii	501	ZVM	C05-C04-N01	11.95	121.33	109.91
90	ii	501	ZVM	O01-C01-C02	-9.29	118.89	126.79
90	ii	501	ZVM	C05-C04-N02	4.49	119.42	111.94
90	ii	501	ZVM	N02-C04-N01	4.29	119.25	113.37
90	ii	501	ZVM	C21-C22-C17	2.77	121.99	118.81

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
90	ii	501	ZVM	C04
90	ii	501	ZVM	C02

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
91	jj	601	SF4	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
48	5	23
51	9	3
47	3	2
46	2	1

The worst 5 of 29 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	41.98
1	5	1219:G	O3'	1233:G	P	19.96
1	5	1406(C):G	O3'	1411:C	P	16.99
1	5	1696:C	O3'	1720:C	P	16.41
1	5	990:C	O3'	1064:G	P	15.53


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40344. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 261




Y Index: 250




Z Index: 227


6.3.2 Raw map



X Index: 261



Y Index: 250




Z Index: 228


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.005. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1812 nm³; this corresponds to an approximate mass of 1637 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.400 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.400 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.50	-	-
Author-provided FSC curve	2.51	2.91	2.56
Unmasked-calculated*	2.76	3.15	2.81

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.76 differs from the reported value 2.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-40344 and PDB model 8SCB. Per-residue inclusion information can be found in section [3](#) on page [27](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9140	 0.5890
1	 0.9590	 0.6230
2	 0.9490	 0.5410
3	 0.5710	 0.3940
5	 0.9750	 0.6070
7	 0.9950	 0.6350
8	 0.9630	 0.6010
9	 0.9380	 0.5680
A	 0.9860	 0.6570
AA	 0.8810	 0.5860
B	 0.9700	 0.6410
BB	 0.9000	 0.5920
C	 0.9670	 0.6410
CC	 0.9270	 0.6040
D	 0.9380	 0.6090
DD	 0.8180	 0.5420
E	 0.9520	 0.6100
EE	 0.9280	 0.5870
F	 0.9690	 0.6450
FF	 0.9060	 0.5780
G	 0.9140	 0.5970
GG	 0.7990	 0.5030
H	 0.9330	 0.6160
HH	 0.5830	 0.4750
I	 0.9590	 0.6300
II	 0.8730	 0.5680
J	 0.9180	 0.5910
JJ	 0.9020	 0.5760
KK	 0.8390	 0.5400
L	 0.9210	 0.6130
LL	 0.9440	 0.6250
M	 0.9470	 0.6130
MM	 0.1120	 0.3190
N	 0.9900	 0.6560
NN	 0.9280	 0.6010



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
O	 0.9690	 0.6370
OO	 0.9570	 0.6170
P	 0.9640	 0.6460
PP	 0.8780	 0.5590
Q	 0.9730	 0.6490
QQ	 0.9080	 0.5780
R	 0.9000	 0.6030
RR	 0.7450	 0.5440
S	 0.9760	 0.6450
SS	 0.8830	 0.5660
T	 0.9440	 0.6210
TT	 0.9120	 0.5790
U	 0.8820	 0.5490
UU	 0.7490	 0.5170
V	 0.9730	 0.6440
VV	 0.8760	 0.5780
W	 0.9490	 0.6300
WW	 0.9550	 0.6150
X	 0.9530	 0.6240
XX	 0.9590	 0.6230
Y	 0.9390	 0.6220
YY	 0.8960	 0.5620
Z	 0.9460	 0.6140
ZZ	 0.8430	 0.5540
a	 0.9660	 0.6480
aa	 0.9420	 0.6160
b	 0.8450	 0.5830
bb	 0.8470	 0.5730
c	 0.9440	 0.6220
cc	 0.8400	 0.5680
d	 0.9650	 0.6330
dd	 0.9490	 0.5990
e	 0.9830	 0.6530
ee	 0.9060	 0.5680
f	 0.9790	 0.6560
ff	 0.2530	 0.3490
g	 0.9350	 0.6170
gg	 0.7550	 0.5030
h	 0.9380	 0.6160
hh	 0.9920	 0.6100
i	 0.9210	 0.6070
ii	 0.7390	 0.5290

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	 0.9940	 0.6520
jj	 0.4420	 0.5120
k	 0.8460	 0.5750
l	 0.9860	 0.6370
m	 0.9490	 0.6270
n	 0.9750	 0.6320
o	 0.9610	 0.6380
p	 0.9580	 0.6370
r	 0.9660	 0.6340
s	 0.1770	 0.2900
t	 0.4670	 0.3450