



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:28 PM UTC

PDB ID : 5SDT / pdb_00005sdt
Title : Structure of liver pyruvate kinase in complex with anthraquinone derivative 15
Authors : Lulla, A.; Foller, A.; Nain-Perez, A.; Grotli, M.; Brear, P.; Hyvonen, M.
Deposited on : 2022-01-20
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	7% 86% 7% • 6%
1	B	447	15% 91% 6% •
1	C	447	5% 89% 5% 5%
1	D	447	4% 91% • 5%
1	E	447	4% 89% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	602	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	603	-	X	-	-
3	OXL	G	602	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 29444 atoms, of which 78 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	419	Total	C	N	O	S	0	13	0
			3242	2035	582	605	20			
1	B	436	Total	C	N	O	S	3	8	0
			3350	2104	604	622	20			
1	C	424	Total	C	N	O	S	0	9	0
			3268	2058	584	607	19			
1	D	425	Total	C	N	O	S	0	8	0
			3261	2048	590	604	19			
1	E	419	Total	C	N	O	S	0	13	0
			3257	2049	584	604	20			
1	F	432	Total	C	N	O	S	0	8	0
			3327	2094	597	616	20			
1	G	434	Total	C	N	O	S	0	8	0
			3343	2100	602	622	19			
1	H	429	Total	C	N	O	S	0	9	0
			3310	2077	602	612	19			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q16716
A	0	SER	-	expression tag	UNP Q16716
A	12	ASP	SER	conflict	UNP Q16716
A	130	GLY	-	linker	UNP Q16716
A	131	SER	-	linker	UNP Q16716
A	132	GLY	-	linker	UNP Q16716
B	-1	GLY	-	expression tag	UNP Q16716
B	0	SER	-	expression tag	UNP Q16716
B	12	ASP	SER	conflict	UNP Q16716
B	130	GLY	-	linker	UNP Q16716
B	131	SER	-	linker	UNP Q16716
B	132	GLY	-	linker	UNP Q16716
C	-1	GLY	-	expression tag	UNP Q16716

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	SER	-	expression tag	UNP Q16716
C	12	ASP	SER	conflict	UNP Q16716
C	228	GLY	-	linker	UNP Q16716
C	229	SER	-	linker	UNP Q16716
C	230	GLY	-	linker	UNP Q16716
D	-1	GLY	-	expression tag	UNP Q16716
D	0	SER	-	expression tag	UNP Q16716
D	12	ASP	SER	conflict	UNP Q16716
D	130	GLY	-	linker	UNP Q16716
D	131	SER	-	linker	UNP Q16716
D	132	GLY	-	linker	UNP Q16716
E	-1	GLY	-	expression tag	UNP Q16716
E	0	SER	-	expression tag	UNP Q16716
E	12	ASP	SER	conflict	UNP Q16716
E	228	GLY	-	linker	UNP Q16716
E	229	SER	-	linker	UNP Q16716
E	230	GLY	-	linker	UNP Q16716
F	-1	GLY	-	expression tag	UNP Q16716
F	0	SER	-	expression tag	UNP Q16716
F	12	ASP	SER	conflict	UNP Q16716
F	228	GLY	-	linker	UNP Q16716
F	229	SER	-	linker	UNP Q16716
F	230	GLY	-	linker	UNP Q16716
G	-1	GLY	-	expression tag	UNP Q16716
G	0	SER	-	expression tag	UNP Q16716
G	12	ASP	SER	conflict	UNP Q16716
G	228	GLY	-	linker	UNP Q16716
G	229	SER	-	linker	UNP Q16716
G	230	GLY	-	linker	UNP Q16716
H	-1	GLY	-	expression tag	UNP Q16716
H	0	SER	-	expression tag	UNP Q16716
H	12	ASP	SER	conflict	UNP Q16716
H	130	GLY	-	linker	UNP Q16716
H	131	SER	-	linker	UNP Q16716
H	132	GLY	-	linker	UNP Q16716

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		

- Molecule 4 is N-(3,4-dihydroxy-9,10-dioxo-9,10-dihydroanthracene-2-sulfonyl)-beta-alanine (CCD ID: I9Q) (formula: C₁₇H₁₃NO₈S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 40	C 17	H 13	N 1	O 8	S 1	13	0
4	B	1	Total 40	C 17	H 13	N 1	O 8	S 1	13	0
4	C	1	Total 40	C 17	H 13	N 1	O 8	S 1	13	0
4	E	1	Total 40	C 17	H 13	N 1	O 8	S 1	13	0
4	F	1	Total 40	C 17	H 13	N 1	O 8	S 1	13	0
4	G	1	Total 40	C 17	H 13	N 1	O 8	S 1	13	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		
5	D	1	Total	Mg	0	0
			1	1		
5	E	1	Total	Mg	0	0
			1	1		
5	F	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	1	Total 1	Mg 1	0	0
5	H	1	Total 1	Mg 1	0	0

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	K 1	0	0
6	B	1	Total 1	K 1	0	0
6	C	1	Total 1	K 1	0	0
6	D	1	Total 1	K 1	0	0
6	E	1	Total 1	K 1	0	0
6	F	1	Total 1	K 1	0	0
6	G	1	Total 1	K 1	0	0
6	H	1	Total 1	K 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	212	Total 212	O 212	0	0
7	B	234	Total 234	O 234	0	0
7	C	353	Total 353	O 353	0	0
7	D	376	Total 376	O 376	0	0
7	E	315	Total 315	O 315	0	0
7	F	328	Total 328	O 328	0	0
7	G	378	Total 378	O 378	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	H	426	Total 426	O 426	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase





• Molecule 1: Pyruvate kinase









● Molecule 1: Pyruvate kinase





● Molecule 1: Pyruvate kinase




● Molecule 1: Pyruvate kinase




● Molecule 1: Pyruvate kinase



● Molecule 1: Pyruvate kinase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	207.46Å 112.33Å 188.15Å 90.00° 91.71° 90.00°	Depositor
Resolution (Å)	188.06 – 1.94 188.06 – 1.94	Depositor EDS
% Data completeness (in resolution range)	79.7 (188.06-1.94) 79.7 (188.06-1.94)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 1.94Å)	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.197 , 0.223 0.188 , 0.214	Depositor DCC
R_{free} test set	12521 reflections (3.96%)	wwPDB-VP
Wilson B-factor (Å ²)	34.3	Xtriage
Anisotropy	0.011	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29444	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.69 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.6868e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXL, I9Q, K, FBP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.67	0/3332	0.97	3/4502 (0.1%)
1	B	0.70	2/3429 (0.1%)	0.99	1/4636 (0.0%)
1	C	0.76	0/3349	0.99	4/4527 (0.1%)
1	D	0.73	0/3341	0.99	1/4517 (0.0%)
1	E	0.68	0/3350	0.97	2/4527 (0.0%)
1	F	0.74	0/3405	0.99	1/4603 (0.0%)
1	G	0.76	0/3421	0.98	1/4624 (0.0%)
1	H	0.79	2/3390 (0.1%)	0.98	1/4582 (0.0%)
All	All	0.73	4/27017 (0.0%)	0.98	14/36518 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	374[A]	SER	CA-C	5.98	1.55	1.52
1	B	374[B]	SER	CA-C	5.98	1.55	1.52
1	H	537	MET	SD-CE	-5.63	1.65	1.79
1	H	303	MET	SD-CE	-5.19	1.66	1.79

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	514	PHE	CA-CB-CG	7.28	121.08	113.80
1	H	514	PHE	CA-CB-CG	6.83	120.63	113.80
1	C	514	PHE	CA-CB-CG	6.47	120.27	113.80
1	C	540[A]	LEU	N-CA-C	6.25	120.99	112.68
1	C	540[B]	LEU	N-CA-C	6.25	120.99	112.68
1	A	542	ILE	CA-C-N	6.18	132.82	121.70
1	A	542	ILE	C-N-CA	6.18	132.82	121.70
1	D	514	PHE	CA-CB-CG	5.91	119.71	113.80
1	E	539	VAL	N-CA-CB	5.80	118.00	111.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	514	PHE	CA-CB-CG	5.74	119.54	113.80
1	C	68	ARG	N-CA-C	5.69	119.40	112.23
1	B	46	ASP	CA-CB-CG	5.61	118.21	112.60
1	F	46	ASP	CA-CB-CG	5.43	118.03	112.60
1	A	514	PHE	CA-CB-CG	5.37	119.17	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3242	0	3315	20	0
1	B	3350	0	3417	13	0
1	C	3268	0	3336	13	0
1	D	3261	0	3321	11	0
1	E	3257	0	3323	10	0
1	F	3327	0	3399	18	0
1	G	3343	0	3408	16	0
1	H	3310	0	3373	17	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	27	13	0	0	0
4	B	27	13	0	0	0
4	C	27	13	0	0	0
4	E	27	13	0	0	0
4	F	27	13	0	0	0
4	G	27	13	0	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	A	212	0	0	0	0
7	B	234	0	0	0	0
7	C	353	0	0	1	0
7	D	376	0	0	0	0
7	E	315	0	0	0	1
7	F	328	0	0	1	0
7	G	378	0	0	0	0
7	H	426	0	0	1	1
All	All	29366	78	26972	98	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:PRO:HA	1:A:275:HIS:NE2	1.92	0.84
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.65	0.79
1:E:411:ARG:HG3	1:E:426:ILE:HD11	1.69	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418[B]:ARG:HG3	1:B:16:LEU:HD11	1.71	0.72
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.71	0.71
1:H:68:ARG:NH2	1:H:95:TYR:O	2.25	0.70
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.74	0.69
1:A:538:ARG:HG3	1:B:536:ILE:HG12	1.75	0.67
1:D:528:ARG:HD2	1:D:529:PRO:O	1.95	0.67
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.77	0.65
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.78	0.65
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.79	0.64
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.80	0.64
1:E:418[B]:ARG:HG3	1:F:16:LEU:HD11	1.80	0.64
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.67	0.62
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.82	0.62
1:C:407:PHE:CE2	1:C:411:ARG:NH1	2.67	0.62
1:H:516:ARG:HD3	7:H:855:HOH:O	1.99	0.62
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.82	0.61
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.81	0.61
1:A:407:PHE:CE2	1:A:411:ARG:NH1	2.70	0.60
1:C:271:GLY:O	1:C:275:HIS:CE1	2.55	0.60
1:C:411:ARG:NH2	1:D:411:ARG:NH2	2.50	0.59
1:A:517:VAL:HG13	1:A:543:SER:HB3	1.84	0.59
1:C:538:ARG:HD3	7:C:788:HOH:O	2.01	0.59
1:B:407:PHE:CD2	1:B:411:ARG:NH1	2.72	0.58
1:H:68:ARG:HH22	1:H:98:GLU:HB2	1.66	0.58
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.86	0.57
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.86	0.57
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.88	0.56
1:G:418:ARG:HD3	1:H:20:LEU:HD21	1.89	0.55
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.89	0.54
1:G:375:GLY:HA2	4:G:603:I9Q:O7	2.07	0.54
1:B:407:PHE:CE2	1:B:411:ARG:NH1	2.76	0.53
1:H:56:SER:HB2	1:H:480:GLY:CA	2.40	0.52
1:H:68:ARG:NH2	1:H:98:GLU:HB2	2.25	0.52
1:D:69:SER:OG	1:D:71[B]:GLU:HG2	2.09	0.52
1:C:100:ILE:HG23	1:C:122:ILE:HD13	1.91	0.52
1:G:56:SER:HB2	1:G:480:GLY:CA	2.39	0.52
1:G:416:LEU:HD13	1:H:436:CYS:SG	2.49	0.52
1:A:517:VAL:HG22	1:A:543:SER:HB2	1.92	0.51
1:F:115:LEU:HD22	1:F:511:LEU:HB3	1.91	0.51
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.93	0.51
1:E:418[A]:ARG:HD3	1:F:16:LEU:HD11	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:71[B]:GLU:H	1:D:71[B]:GLU:CD	2.19	0.51
7:F:848:HOH:O	1:H:413:ALA:HB2	2.10	0.51
1:F:439:ALA:HB3	1:F:515:LEU:HD21	1.91	0.50
1:G:537:MET:HE3	1:H:537:MET:HG2	1.93	0.50
1:A:100:ILE:HG23	1:A:122:ILE:HD13	1.94	0.50
1:A:28:GLN:HG3	1:A:30:LEU:HG	1.94	0.50
1:G:87:ASN:HB3	4:G:603:I9Q:O2	2.13	0.49
1:D:56:SER:HB2	1:D:480:GLY:CA	2.42	0.49
1:B:56:SER:HB2	1:B:480:GLY:CA	2.43	0.48
1:E:100:ILE:HG23	1:E:122:ILE:HD13	1.96	0.48
1:C:56:SER:HB2	1:C:480:GLY:CA	2.44	0.48
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.29	0.48
1:E:56:SER:HB2	1:E:480:GLY:CA	2.43	0.48
1:F:100:ILE:HG23	1:F:122:ILE:HD13	1.96	0.48
1:G:421:THR:HG22	1:G:452:LEU:HD12	1.96	0.47
1:B:382:PHE:HB3	1:B:385:GLU:HB2	1.96	0.47
1:G:407:PHE:CE2	1:H:411:ARG:NH2	2.83	0.47
1:B:100:ILE:HG23	1:B:122:ILE:HD13	1.96	0.47
1:C:527:TRP:CE2	1:C:528:ARG:HG2	2.48	0.47
1:E:539:VAL:HG22	1:F:420:PRO:HB3	1.97	0.46
1:A:436:CYS:SG	1:B:416:LEU:HD13	2.55	0.46
1:F:56:SER:HB2	1:F:480:GLY:CA	2.45	0.46
1:G:100:ILE:HG23	1:G:122:ILE:HD13	1.97	0.46
1:A:411:ARG:NH1	1:A:430:GLU:OE2	2.49	0.46
1:A:430:GLU:OE2	1:B:430[B]:GLU:OE1	2.34	0.46
1:A:411:ARG:HG3	1:A:426:ILE:HD11	1.98	0.45
1:A:517:VAL:HG22	1:A:543:SER:CB	2.47	0.44
1:H:231:PRO:O	1:H:258:ARG:NH2	2.50	0.44
1:B:411:ARG:HG2	1:B:426:ILE:HD11	2.00	0.44
1:A:67:SER:HA	1:A:72:ARG:HG2	2.00	0.44
1:D:528:ARG:CD	1:D:529:PRO:O	2.66	0.43
1:F:48:ASP:OD2	1:H:290:LYS:HE2	2.19	0.43
1:A:64:GLY:O	1:A:68:ARG:HG3	2.18	0.43
1:C:337:VAL:HG22	1:C:370:CYS:HB2	2.01	0.43
1:E:331:LEU:HD11	1:E:413:ALA:HB1	2.00	0.43
1:G:10:ARG:HE	1:G:13:VAL:HG11	1.84	0.43
1:A:86:LEU:HD13	1:A:100:ILE:HD11	2.01	0.42
1:F:67:SER:HA	1:F:72:ARG:HG2	2.01	0.42
1:G:68:ARG:HD2	1:G:95:TYR:OH	2.20	0.42
1:A:500:ARG:HA	1:A:500:ARG:HD2	1.93	0.42
1:D:69:SER:HG	1:D:71[B]:GLU:HG2	1.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:382:PHE:HB3	1:F:385:GLU:HB2	2.01	0.41
1:G:16:LEU:HD21	1:H:416:LEU:HB2	2.01	0.41
1:C:491:GLU:HB2	1:C:497:ASP:HB2	2.01	0.41
1:A:382:PHE:HB3	1:A:385:GLU:HB2	2.02	0.41
1:F:116:SER:O	1:F:118:ARG:HD2	2.21	0.41
1:H:535:ASN:OD1	1:H:536:ILE:HG13	2.21	0.41
1:B:30:LEU:O	1:B:34:MET:HG2	2.21	0.41
1:D:535:ASN:OD1	1:D:536:ILE:HG13	2.21	0.41
1:F:68:ARG:NH2	1:F:98:GLU:HB3	2.36	0.41
1:F:421:THR:HG22	1:F:452:LEU:HD12	2.03	0.41
1:F:68:ARG:HD2	1:F:95:TYR:OH	2.21	0.40
1:C:68:ARG:HD2	1:C:95:TYR:OH	2.22	0.40
1:A:28:GLN:HB3	1:A:52:VAL:HG22	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:E:2746:HOH:O	7:H:850:HOH:O[2_656]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	428/447 (96%)	423 (99%)	4 (1%)	1 (0%)	43	37
1	B	442/447 (99%)	435 (98%)	5 (1%)	2 (0%)	24	15
1	C	429/447 (96%)	423 (99%)	5 (1%)	1 (0%)	43	37
1	D	431/447 (96%)	426 (99%)	4 (1%)	1 (0%)	43	37
1	E	428/447 (96%)	423 (99%)	4 (1%)	1 (0%)	43	37
1	F	436/447 (98%)	431 (99%)	4 (1%)	1 (0%)	43	37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	438/447 (98%)	432 (99%)	5 (1%)	1 (0%)	43	37
1	H	436/447 (98%)	430 (99%)	4 (1%)	2 (0%)	24	15
All	All	3468/3576 (97%)	3423 (99%)	35 (1%)	10 (0%)	36	30

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	231	PRO
1	A	340	THR
1	B	116	SER
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	345/352 (98%)	334 (97%)	11 (3%)	34	20
1	B	353/352 (100%)	342 (97%)	11 (3%)	35	21
1	C	346/352 (98%)	334 (96%)	12 (4%)	32	18
1	D	344/352 (98%)	335 (97%)	9 (3%)	40	28
1	E	346/352 (98%)	338 (98%)	8 (2%)	44	33
1	F	351/352 (100%)	340 (97%)	11 (3%)	35	21
1	G	353/352 (100%)	342 (97%)	11 (3%)	35	21
1	H	349/352 (99%)	342 (98%)	7 (2%)	48	39
All	All	2787/2816 (99%)	2707 (97%)	80 (3%)	43	24

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	GLN
1	A	86	LEU
1	A	118	ARG
1	A	258	ARG
1	A	475	VAL
1	A	500	ARG
1	A	528	ARG
1	A	537[A]	MET
1	A	537[B]	MET
1	A	538	ARG
1	A	540	LEU
1	B	10	ARG
1	B	16	LEU
1	B	26	GLN
1	B	68	ARG
1	B	76[A]	MET
1	B	76[B]	MET
1	B	263	VAL
1	B	379	LYS
1	B	412	ARG
1	B	537[A]	MET
1	B	537[B]	MET
1	C	26	GLN
1	C	68	ARG
1	C	76[A]	MET
1	C	76[B]	MET
1	C	258	ARG
1	C	270[A]	LEU
1	C	270[B]	LEU
1	C	412	ARG
1	C	422[A]	GLU
1	C	422[B]	GLU
1	C	540[A]	LEU
1	C	540[B]	LEU
1	D	34	MET
1	D	68	ARG
1	D	118	ARG
1	D	242[A]	ARG
1	D	242[B]	ARG
1	D	511	LEU
1	D	521	VAL
1	D	528	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	537	MET
1	E	68	ARG
1	E	115	LEU
1	E	118	ARG
1	E	331	LEU
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	16	LEU
1	F	26	GLN
1	F	68	ARG
1	F	76[A]	MET
1	F	76[B]	MET
1	F	94	GLU
1	F	412	ARG
1	F	511	LEU
1	F	531	SER
1	F	537[A]	MET
1	F	537[B]	MET
1	G	10	ARG
1	G	68	ARG
1	G	76[A]	MET
1	G	76[B]	MET
1	G	412	ARG
1	G	422[A]	GLU
1	G	422[B]	GLU
1	G	436	CYS
1	G	443	LEU
1	G	475	VAL
1	G	487	ARG
1	H	242[A]	ARG
1	H	242[B]	ARG
1	H	273	GLU
1	H	411	ARG
1	H	412	ARG
1	H	511	LEU
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	405	GLN
1	B	27	GLN
1	B	405	GLN
1	C	275	HIS
1	C	405	GLN
1	D	405	GLN
1	D	535	ASN
1	E	405	GLN
1	F	403	HIS
1	F	405	GLN
1	G	405	GLN
1	H	405	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 16 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FBP	F	601	-	18,20,20	0.23	0	21,32,32	0.53	0
3	OXL	D	602	5	5,5,5	2.31	2 (40%)	6,6,6	1.16	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OXL	B	602	5	5,5,5	2.18	2 (40%)	6,6,6	1.78	2 (33%)
4	I9Q	G	603	-	29,29,29	0.35	0	42,44,44	0.65	1 (2%)
3	OXL	E	602	5	5,5,5	2.04	2 (40%)	6,6,6	2.00	3 (50%)
4	I9Q	E	603	-	29,29,29	0.31	0	42,44,44	0.61	1 (2%)
2	FBP	H	601	-	18,20,20	0.98	0	21,32,32	0.77	1 (4%)
2	FBP	B	601	-	18,20,20	0.89	1 (5%)	21,32,32	0.78	1 (4%)
2	FBP	D	601	-	18,20,20	0.34	0	21,32,32	0.86	1 (4%)
2	FBP	C	601	-	18,20,20	0.80	1 (5%)	21,32,32	0.86	1 (4%)
4	I9Q	B	603	-	29,29,29	0.23	0	42,44,44	0.45	1 (2%)
2	FBP	G	601	-	18,20,20	0.45	0	21,32,32	0.68	0
3	OXL	G	602	5	5,5,5	1.91	2 (40%)	6,6,6	2.41	3 (50%)
3	OXL	A	602	5	5,5,5	1.83	2 (40%)	6,6,6	1.89	2 (33%)
4	I9Q	A	603	-	29,29,29	0.29	0	42,44,44	0.37	0
3	OXL	H	602	5	5,5,5	1.98	2 (40%)	6,6,6	1.92	1 (16%)
4	I9Q	C	603	-	29,29,29	0.27	0	42,44,44	0.61	1 (2%)
3	OXL	C	602	5	5,5,5	1.99	2 (40%)	6,6,6	1.62	1 (16%)
2	FBP	E	601	-	18,20,20	0.61	0	21,32,32	0.70	1 (4%)
3	OXL	F	603	5	5,5,5	2.90	4 (80%)	6,6,6	2.10	3 (50%)
2	FBP	A	601	-	18,20,20	0.47	0	21,32,32	0.68	0
4	I9Q	F	602	-	29,29,29	0.24	0	42,44,44	1.38	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	5	-	4/4/4/4	-
3	OXL	B	602	5	-	4/4/4/4	-
4	I9Q	G	603	-	-	10/13/29/29	0/3/3/3
3	OXL	E	602	5	-	4/4/4/4	-
4	I9Q	E	603	-	-	8/13/29/29	0/3/3/3
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
4	I9Q	B	603	-	-	9/13/29/29	0/3/3/3
2	FBP	G	601	-	-	2/13/32/32	0/1/1/1
3	OXL	G	602	5	-	4/4/4/4	-
3	OXL	A	602	5	-	4/4/4/4	-
4	I9Q	A	603	-	-	9/13/29/29	0/3/3/3
3	OXL	H	602	5	-	4/4/4/4	-
4	I9Q	C	603	-	-	3/13/29/29	0/3/3/3
3	OXL	C	602	5	-	4/4/4/4	-
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
3	OXL	F	603	5	-	4/4/4/4	-
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
4	I9Q	F	602	-	-	1/13/29/29	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	602	OXL	O2-C2	4.24	1.33	1.22
3	B	602	OXL	O2-C2	3.87	1.32	1.22
3	F	603	OXL	O1-C1	3.80	1.31	1.22
3	E	602	OXL	O1-C1	3.66	1.31	1.22
3	H	602	OXL	O2-C2	3.45	1.31	1.22
3	F	603	OXL	O3-C1	-3.41	1.21	1.30
3	F	603	OXL	O2-C2	3.22	1.30	1.22
3	G	602	OXL	O3-C1	-3.05	1.22	1.30
3	B	602	OXL	O4-C2	-2.94	1.22	1.30
3	A	602	OXL	O2-C2	2.90	1.29	1.22
3	C	602	OXL	O3-C1	-2.88	1.22	1.30
3	A	602	OXL	O4-C2	-2.86	1.22	1.30
3	C	602	OXL	O1-C1	2.85	1.29	1.22
3	D	602	OXL	O4-C2	-2.77	1.23	1.30
3	E	602	OXL	O3-C1	-2.69	1.23	1.30
3	H	602	OXL	O4-C2	-2.65	1.23	1.30
2	B	601	FBP	P2-O5P	-2.52	1.45	1.54
3	F	603	OXL	O4-C2	-2.32	1.24	1.30
3	G	602	OXL	O1-C1	2.29	1.28	1.22
2	C	601	FBP	P1-O3P	-2.05	1.47	1.54

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	602	I9Q	C14-N-S	8.63	146.20	120.27
3	G	602	OXL	O3-C1-C2	4.50	121.56	112.83
3	F	603	OXL	O4-C2-C1	3.90	120.40	112.83
3	H	602	OXL	O4-C2-C1	3.79	120.18	112.83
3	A	602	OXL	O4-C2-C1	3.69	120.00	112.83
3	E	602	OXL	O3-C1-C2	3.43	119.49	112.83
3	C	602	OXL	O3-C1-C2	3.37	119.36	112.83
4	G	603	I9Q	C15-C14-N	3.23	115.09	110.91
3	B	602	OXL	O3-C1-C2	3.03	118.70	112.83
4	E	603	I9Q	C15-C14-N	2.95	114.74	110.91
2	D	601	FBP	O5P-P2-O6	2.91	114.25	106.67
4	C	603	I9Q	C15-C14-N	2.88	114.64	110.91
3	E	602	OXL	O4-C2-C1	2.68	118.02	112.83
3	B	602	OXL	O4-C2-C1	2.63	117.93	112.83
3	G	602	OXL	O1-C1-C2	-2.49	115.44	120.63
3	G	602	OXL	O4-C2-C1	2.45	117.58	112.83
3	F	603	OXL	O3-C1-C2	2.40	117.48	112.83
2	H	601	FBP	O5P-P2-O6	2.29	112.65	106.67
2	E	601	FBP	O3P-P1-O2P	2.24	116.20	107.80
4	B	603	I9Q	C15-C14-N	2.24	113.81	110.91
3	F	603	OXL	O2-C2-C1	-2.22	116.00	120.63
2	C	601	FBP	O6-P2-O4P	2.18	112.33	106.44
2	B	601	FBP	O3P-P1-O2P	2.17	115.94	107.80
3	D	602	OXL	O4-C2-C1	2.13	116.97	112.83
3	E	602	OXL	O1-C1-C2	-2.06	116.35	120.63
3	A	602	OXL	O2-C2-C1	-2.04	116.37	120.63

There are no chirality outliers.

All (88) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	603	I9Q	C1-C-S-O
4	B	603	I9Q	C1-C-S-N
4	B	603	I9Q	C1-C-S-O
4	B	603	I9Q	C1-C-S-O7
4	G	603	I9Q	C1-C-S-N
4	G	603	I9Q	C1-C-S-O
4	G	603	I9Q	C1-C-S-O7
2	E	601	FBP	C4-C5-C6-O6
2	G	601	FBP	C4-C5-C6-O6
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
4	A	603	I9Q	N-C14-C15-C16
4	E	603	I9Q	N-C14-C15-C16
4	G	603	I9Q	C14-C15-C16-O6
4	A	603	I9Q	C1-C-S-O7
4	E	603	I9Q	C1-C-S-O
4	G	603	I9Q	C14-C15-C16-O5
4	B	603	I9Q	N-C14-C15-C16
2	C	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	G	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
4	A	603	I9Q	C1-C-S-N
4	B	603	I9Q	C3-C-S-O
4	B	603	I9Q	C3-C-S-N
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
4	G	603	I9Q	C3-C-S-O
4	G	603	I9Q	C3-C-S-O7
4	A	603	I9Q	C3-C-S-N
4	C	603	I9Q	C14-C15-C16-O5
4	C	603	I9Q	C14-C15-C16-O6
4	E	603	I9Q	C14-C15-C16-O6
4	A	603	I9Q	C3-C-S-O7
4	B	603	I9Q	C14-C15-C16-O5
4	B	603	I9Q	C14-C15-C16-O6
4	E	603	I9Q	C14-C15-C16-O5
4	G	603	I9Q	C3-C-S-N
3	C	602	OXL	O3-C1-C2-O4
4	E	603	I9Q	C1-C-S-N
3	E	602	OXL	O3-C1-C2-O4
3	F	603	OXL	O3-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O4
4	E	603	I9Q	C3-C-S-O7
3	A	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
4	G	603	I9Q	C14-N-S-O

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	602	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2
3	F	603	OXL	O1-C1-C2-O2
3	H	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O1-C1-C2-O2
3	C	602	OXL	O1-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
4	E	603	I9Q	C1-C-S-O7
4	A	603	I9Q	C14-C15-C16-O5
4	A	603	I9Q	C14-C15-C16-O6
4	E	603	I9Q	C3-C-S-N
4	C	603	I9Q	C3-C-S-O7
4	G	603	I9Q	C15-C14-N-S
3	C	602	OXL	O1-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	F	603	OXL	O3-C1-C2-O2
4	B	603	I9Q	C3-C-S-O7
3	A	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O1-C1-C2-O4
4	F	602	I9Q	C3-C-S-O
3	A	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O3-C1-C2-O2
3	F	603	OXL	O1-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O2
4	A	603	I9Q	C3-C-S-O


There are no ring outliers.

1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	603	I9Q	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand I9Q G 603





Ligand I9Q E 603




















Ligand I9Q A 603





Ligand I9Q C 603



Ligand FBP E 601







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	419/447 (93%)	0.78	32 (7%)	20	22	23, 44, 65, 79	13 (3%)
1	B	436/447 (97%)	0.93	65 (14%)	5	6	22, 44, 72, 87	8 (1%)
1	C	424/447 (94%)	0.23	24 (5%)	29	32	22, 34, 55, 82	9 (2%)
1	D	425/447 (95%)	0.09	16 (3%)	44	49	18, 32, 52, 78	8 (1%)
1	E	419/447 (93%)	0.42	16 (3%)	44	49	21, 38, 60, 73	13 (3%)
1	F	432/447 (96%)	0.37	28 (6%)	25	28	19, 35, 56, 74	8 (1%)
1	G	434/447 (97%)	0.08	19 (4%)	39	43	17, 31, 50, 82	9 (2%)
1	H	429/447 (95%)	-0.12	14 (3%)	49	55	15, 29, 49, 80	9 (2%)
All	All	3418/3576 (95%)	0.35	214 (6%)	26	29	15, 36, 61, 87	77 (2%)

All (214) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	115	LEU	10.0
1	B	511	LEU	7.4
1	F	231	PRO	6.3
1	B	116	SER	5.7
1	G	271	GLY	5.4
1	C	271	GLY	5.4
1	B	117	TYR	5.0
1	E	275[A]	HIS	5.0
1	G	231	PRO	5.0
1	B	114	PRO	4.7
1	B	490	PRO	4.5
1	C	21	GLY	4.5
1	A	500	ARG	4.4
1	D	21	GLY	4.3
1	B	118	ARG	4.3
1	E	490	PRO	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	232	GLY	4.1
1	B	512	ARG	4.1
1	D	231	PRO	4.0
1	B	113	SER	4.0
1	B	489	PRO	3.9
1	H	231	PRO	3.8
1	H	242[A]	ARG	3.8
1	D	275[A]	HIS	3.7
1	B	348	THR	3.7
1	F	487	ARG	3.7
1	D	25	PHE	3.6
1	G	232	GLY	3.6
1	H	17	THR	3.6
1	B	267[A]	ARG	3.5
1	F	512	ARG	3.5
1	D	24	PHE	3.5
1	F	232	GLY	3.5
1	F	489	PRO	3.5
1	A	543	SER	3.5
1	C	231	PRO	3.5
1	F	488	GLU	3.5
1	E	492	ALA	3.5
1	D	22	THR	3.4
1	C	34	MET	3.4
1	C	112	GLY	3.4
1	F	511	LEU	3.4
1	B	231	PRO	3.4
1	F	233	LEU	3.3
1	A	34	MET	3.3
1	G	25	PHE	3.3
1	C	114	PRO	3.3
1	A	495	ALA	3.3
1	A	115	LEU	3.3
1	C	20	LEU	3.3
1	G	16	LEU	3.3
1	B	484	LEU	3.2
1	E	493	ILE	3.2
1	H	411	ARG	3.2
1	B	238	VAL	3.1
1	C	540[A]	LEU	3.1
1	H	232	GLY	3.1
1	F	490	PRO	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	232	GLY	3.1
1	G	9	ARG	3.1
1	A	232	GLY	3.1
1	B	241	LEU	3.1
1	B	416	LEU	3.1
1	F	267[A]	ARG	3.1
1	D	489	PRO	3.1
1	G	14	ALA	3.1
1	C	22	THR	3.0
1	A	30	LEU	3.0
1	G	13	VAL	3.0
1	D	232	GLY	3.0
1	G	12	ASP	3.0
1	F	484	LEU	3.0
1	C	25	PHE	3.0
1	B	233	LEU	2.9
1	A	26	GLN	2.9
1	B	92	SER	2.9
1	A	70	VAL	2.8
1	A	488[A]	GLU	2.8
1	E	129	PRO	2.8
1	E	242	ARG	2.8
1	E	25	PHE	2.8
1	A	411	ARG	2.8
1	B	270	LEU	2.8
1	H	20	LEU	2.8
1	A	498	VAL	2.8
1	B	411	ARG	2.7
1	F	414	ALA	2.7
1	B	514	PHE	2.7
1	C	19	GLU	2.7
1	E	351	ARG	2.7
1	F	516	ARG	2.7
1	B	97	ALA	2.7
1	C	111	ALA	2.7
1	E	232	GLY	2.7
1	E	489	PRO	2.7
1	C	116[A]	SER	2.7
1	F	351	ARG	2.7
1	B	487	ARG	2.7
1	A	493	ILE	2.7
1	F	11	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	21	GLY	2.6
1	H	21	GLY	2.6
1	G	20	LEU	2.6
1	B	311	ILE	2.6
1	B	112	GLY	2.6
1	E	23	ALA	2.6
1	H	18	GLN	2.6
1	B	100	ILE	2.6
1	B	542	ILE	2.6
1	B	132	GLY	2.6
1	H	25	PHE	2.5
1	E	511	LEU	2.5
1	C	113	SER	2.5
1	B	107	VAL	2.5
1	H	267[A]	ARG	2.5
1	C	436	CYS	2.5
1	B	527	TRP	2.5
1	B	275	HIS	2.5
1	F	311	ILE	2.5
1	F	273	GLU	2.5
1	B	438	ALA	2.5
1	G	11	ALA	2.5
1	H	275[A]	HIS	2.4
1	B	488	GLU	2.4
1	F	492	ALA	2.4
1	B	70	VAL	2.4
1	G	10	ARG	2.4
1	B	244	GLY	2.4
1	B	413	ALA	2.4
1	C	23	ALA	2.4
1	C	66	ALA	2.4
1	C	26	GLN	2.4
1	F	416	LEU	2.4
1	F	504	PHE	2.4
1	A	111	ALA	2.4
1	G	272	PRO	2.4
1	F	112	GLY	2.4
1	H	34	MET	2.4
1	A	494	TRP	2.4
1	F	116	SER	2.4
1	C	115	LEU	2.3
1	B	504	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	122	ILE	2.3
1	A	112	GLY	2.3
1	A	351	ARG	2.3
1	E	115	LEU	2.3
1	E	233	LEU	2.3
1	C	117	TYR	2.3
1	A	114	PRO	2.3
1	A	270	LEU	2.3
1	B	88	PHE	2.3
1	B	95	TYR	2.3
1	A	100	ILE	2.3
1	B	130	GLY	2.3
1	B	543	SER	2.3
1	B	507	GLU	2.3
1	A	511	LEU	2.3
1	C	412	ARG	2.2
1	G	412	ARG	2.2
1	H	516	ARG	2.2
1	A	33	ALA	2.2
1	B	71	GLU	2.2
1	B	265	ALA	2.2
1	B	261	SER	2.2
1	B	493	ILE	2.2
1	A	242	ARG	2.2
1	B	131	SER	2.2
1	B	492	ALA	2.2
1	B	63	ILE	2.2
1	B	510	LYS	2.2
1	B	491	GLU	2.2
1	B	515	LEU	2.2
1	F	129	PRO	2.2
1	B	111	ALA	2.2
1	B	414	ALA	2.2
1	A	95	TYR	2.2
1	D	311	ILE	2.2
1	A	249	VAL	2.2
1	B	257	VAL	2.2
1	B	475	VAL	2.2
1	B	513	GLY	2.2
1	A	490	PRO	2.2
1	D	415	PRO	2.2
1	D	23	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	269	ALA	2.2
1	D	242[A]	ARG	2.2
1	F	459	ARG	2.2
1	A	238	VAL	2.1
1	B	379	LYS	2.1
1	H	23	ALA	2.1
1	A	118	ARG	2.1
1	C	351	ARG	2.1
1	G	34	MET	2.1
1	A	233	LEU	2.1
1	C	272	PRO	2.1
1	D	490	PRO	2.1
1	E	269	ALA	2.1
1	G	23	ALA	2.1
1	A	347	ILE	2.1
1	F	532	GLY	2.1
1	B	485	LEU	2.1
1	F	270	LEU	2.1
1	D	413	ALA	2.1
1	D	412	ARG	2.1
1	E	541[A]	SER	2.0
1	G	22	THR	2.0
1	A	489	PRO	2.0
1	A	241	LEU	2.0
1	D	30	LEU	2.0
1	B	382	PHE	2.0
1	G	514	PHE	2.0
1	B	242	ARG	2.0
1	B	249	VAL	2.0
1	F	118	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	I9Q	G	603	27/27	0.81	0.20	72,73,76,76	13
4	I9Q	B	603	27/27	0.85	0.15	78,79,79,80	13
4	I9Q	F	602	27/27	0.86	0.13	48,51,57,57	13
4	I9Q	A	603	27/27	0.90	0.12	61,63,66,66	13
4	I9Q	C	603	27/27	0.92	0.10	44,44,56,57	13
3	OXL	B	602	6/6	0.93	0.07	39,40,41,42	0
3	OXL	A	602	6/6	0.94	0.08	44,44,45,45	0
4	I9Q	E	603	27/27	0.94	0.09	43,46,56,57	13
6	K	E	605	1/1	0.94	0.15	56,56,56,56	0
2	FBP	A	601	20/20	0.95	0.07	40,41,43,43	0
5	MG	B	604	1/1	0.96	0.11	48,48,48,48	0
6	K	A	605	1/1	0.96	0.10	67,67,67,67	0
2	FBP	B	601	20/20	0.96	0.07	40,41,43,43	0
2	FBP	F	601	20/20	0.97	0.05	33,36,38,39	0
5	MG	A	604	1/1	0.97	0.06	46,46,46,46	0
3	OXL	E	602	6/6	0.97	0.05	38,39,39,40	0
3	OXL	F	603	6/6	0.97	0.06	34,34,36,36	0
6	K	C	605	1/1	0.97	0.12	48,48,48,48	0
2	FBP	E	601	20/20	0.97	0.05	33,34,36,36	0
2	FBP	H	601	20/20	0.98	0.05	22,24,26,27	0
3	OXL	C	602	6/6	0.98	0.07	37,37,37,38	0
5	MG	H	603	1/1	0.98	0.02	29,29,29,29	0
3	OXL	G	602	6/6	0.98	0.05	31,32,32,33	0
3	OXL	H	602	6/6	0.98	0.04	24,26,26,28	0
3	OXL	D	602	6/6	0.98	0.05	29,29,30,30	0
5	MG	D	603	1/1	0.99	0.02	32,32,32,32	0
5	MG	F	604	1/1	0.99	0.02	35,35,35,35	0
5	MG	G	604	1/1	0.99	0.03	32,32,32,32	0
2	FBP	G	601	20/20	0.99	0.04	22,24,26,26	0
2	FBP	C	601	20/20	0.99	0.04	25,27,29,29	0
6	K	B	605	1/1	0.99	0.05	57,57,57,57	0
2	FBP	D	601	20/20	0.99	0.04	26,28,29,30	0
6	K	D	604	1/1	0.99	0.04	39,39,39,39	0
5	MG	C	604	1/1	0.99	0.05	38,38,38,38	0
6	K	F	605	1/1	0.99	0.04	43,43,43,43	0
6	K	H	604	1/1	0.99	0.07	38,38,38,38	0
6	K	G	605	1/1	1.00	0.11	39,39,39,39	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MG	E	604	1/1	1.00	0.02	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around I9Q G 603:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I9Q B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around I9Q F 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I9Q A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around I9Q C 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I9Q E 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP F 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FBP G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.