



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 05:26 PM UTC

PDB ID : 6SDA / pdb_00006sda
Title : Bd2924 C10 acyl-coenzymeA bound form
Authors : Lovering, A.L.; Harding, C.J.
Deposited on : 2019-07-26
Resolution : 1.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	505	
1	B	505	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8651 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable acyl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	503	Total	C	N	O	S	0	1	0
			3914	2484	688	730	12			
1	B	503	Total	C	N	O	S	0	2	0
			3917	2483	689	732	13			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).





Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
3	B	1	59	31	7	17	3	1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	315	Total	O	0	0
			315	315		
4	B	340	Total	O	0	0
			340	340		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable acyl-CoA dehydrogenase



- Molecule 1: Probable acyl-CoA dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	126.27Å 134.65Å 133.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.05 – 1.87 46.05 – 1.87	Depositor EDS
% Data completeness (in resolution range)	100.0 (46.05-1.87) 100.0 (46.05-1.87)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 1.87Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.161 , 0.191 0.167 , 0.193	Depositor DCC
R_{free} test set	4701 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	32.0	Xtriage
Anisotropy	0.319	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8651	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MFK, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/3995	0.76	1/5406 (0.0%)
1	B	0.56	0/3996	0.77	0/5405
All	All	0.55	0/7991	0.77	1/10811 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	180	SER	N-CA-C	-7.86	102.65	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3914	0	3929	35	0
1	B	3917	0	3935	37	0
2	A	53	0	31	4	0
2	B	53	0	31	2	0
3	B	59	0	50	11	0
4	A	315	0	0	12	1
4	B	340	0	0	10	1
All	All	8651	0	7976	76	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:SER:OG	4:B:701:HOH:O	1.83	0.95
1:B:428:TRP:HB2	3:B:601:MFK:H17	1.50	0.93
1:B:429:GLU:HG2	3:B:601:MFK:H15	1.58	0.85
1:B:214:THR:OG1	4:B:702:HOH:O	2.02	0.76
1:B:89:GLU:OE2	4:B:703:HOH:O	2.05	0.75
1:B:12:SER:OG	4:B:704:HOH:O	2.06	0.74
1:A:211:THR:HG21	1:A:271:LEU:HD11	1.70	0.73
2:A:601:FAD:O2'	4:A:702:HOH:O	2.07	0.73
1:A:477:GLY:O	4:A:701:HOH:O	2.06	0.72
1:B:214:THR:HG23	1:B:254:ILE:HD11	1.71	0.72
1:A:58:GLU:OE1	4:A:703:HOH:O	2.07	0.71
1:B:428:TRP:CZ2	3:B:601:MFK:H3	2.28	0.69
1:B:57:GLN:HG3	4:B:931:HOH:O	1.93	0.68
1:A:337:HIS:CE1	1:A:403:MET:HE3	2.28	0.68
1:A:325:GLN:HG3	1:A:330:LEU:HD23	1.76	0.68
1:A:103:ASP:OD2	1:A:105:ARG:NE	2.31	0.59
1:B:475:LEU:O	1:B:480:LYS:NZ	2.35	0.59
1:B:226:ASP:HB2	4:B:744:HOH:O	2.02	0.59
1:A:126:ALA:O	1:A:127:ILE:HG22	2.04	0.57
1:A:480:LYS:NZ	4:A:707:HOH:O	2.32	0.57
1:B:429:GLU:OE2	3:B:601:MFK:H23	2.04	0.57
1:A:246:LYS:HE2	1:A:248:GLU:OE1	2.05	0.57
3:B:601:MFK:H19	2:B:602:FAD:C4X	2.36	0.56
1:A:214:THR:HG23	1:A:254:ILE:HD11	1.87	0.56
1:A:105:ARG:NH1	4:A:711:HOH:O	2.38	0.56
1:B:284:VAL:HG13	4:B:725:HOH:O	2.05	0.56
1:B:428:TRP:CB	3:B:601:MFK:H17	2.30	0.54
1:A:105:ARG:CZ	4:A:711:HOH:O	2.56	0.53
1:A:246:LYS:HE2	1:A:248:GLU:CD	2.34	0.52
1:A:450:GLN:O	1:A:454:GLN:HG3	2.09	0.52
1:A:57:GLN:HG3	4:A:912:HOH:O	2.10	0.51
1:B:214:THR:CG2	1:B:254:ILE:HD11	2.41	0.51
4:A:765:HOH:O	1:B:259:ASP:HB3	2.11	0.51
2:A:601:FAD:H4B	1:B:403:MET:O	2.11	0.50
1:B:90:LYS:NZ	4:B:715:HOH:O	2.45	0.50
1:B:428:TRP:CD2	3:B:601:MFK:H14	2.46	0.50
2:A:601:FAD:O3B	1:B:403:MET:HA	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:126:ALA:O	1:B:127:ILE:HG22	2.12	0.50
1:B:134:MET:HB3	1:B:171[A]:GLN:HG2	1.94	0.50
1:A:428[A]:TRP:CD2	1:A:429:GLU:HG2	2.46	0.49
1:A:441:ARG:HG3	4:A:955:HOH:O	2.12	0.49
1:A:173:MET:HE3	1:A:291:ILE:HG12	1.95	0.48
1:A:103:ASP:CG	1:A:105:ARG:HE	2.21	0.48
1:A:214:THR:CG2	1:A:254:ILE:HD11	2.44	0.48
1:B:26:LYS:HA	1:B:26:LYS:HD2	1.73	0.47
1:B:289:LYS:HE2	1:B:289:LYS:HB3	1.70	0.46
1:B:104:ARG:HD3	1:B:367:VAL:HG12	1.98	0.46
1:B:127:ILE:HG21	1:B:263:THR:HB	1.98	0.45
1:A:229:ALA:O	1:A:234:GLY:HA3	2.16	0.45
1:A:468:ARG:HG3	1:A:490:LEU:HD11	1.98	0.45
1:A:236:SER:OG	1:A:284:VAL:HA	2.17	0.45
1:A:341:LEU:HD21	1:A:403:MET:HE1	1.98	0.45
1:A:127:ILE:HG21	1:A:263:THR:HB	1.98	0.45
1:A:441:ARG:O	1:A:444:GLU:HG2	2.17	0.44
1:A:60:GLU:HG2	4:A:976:HOH:O	2.17	0.44
1:B:256:ARG:CZ	4:B:724:HOH:O	2.65	0.43
1:A:291:ILE:HD12	1:A:291:ILE:HA	1.86	0.43
1:B:428:TRP:CE3	3:B:601:MFK:H16	2.53	0.43
1:A:470:GLN:O	1:A:474:THR:HG23	2.18	0.43
1:A:466:LEU:O	1:A:470:GLN:HG3	2.19	0.43
1:B:256:ARG:NH1	4:B:724:HOH:O	2.51	0.43
1:B:288:VAL:HG11	3:B:601:MFK:OAX	2.19	0.42
1:B:291:ILE:HD12	1:B:291:ILE:HA	1.87	0.42
1:A:403:MET:HE2	1:A:403:MET:HB3	1.80	0.42
1:B:157:HIS:HB3	1:B:167:TRP:CG	2.55	0.42
1:B:450:GLN:O	1:B:454:GLN:HG3	2.20	0.41
1:B:245:ASP:OD1	1:B:246:LYS:N	2.54	0.41
3:B:601:MFK:H19	2:B:602:FAD:C4	2.50	0.41
1:A:211:THR:O	1:A:268:THR:HA	2.21	0.41
2:A:601:FAD:H1B	4:A:728:HOH:O	2.20	0.41
1:B:428:TRP:HZ2	3:B:601:MFK:H3	1.79	0.41
1:B:245:ASP:OD1	1:B:246:LYS:HG3	2.20	0.41
1:B:79:ILE:CD1	1:B:213:ALA:HB1	2.51	0.40
1:A:252:ILE:HG23	1:A:271:LEU:HD23	2.02	0.40
1:A:179:GLY:O	4:A:704:HOH:O	2.22	0.40
1:A:307:VAL:HG22	1:A:351:CYS:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:973:HOH:O	4:B:952:HOH:O[8_445]	1.98	0.22

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/505 (99%)	492 (98%)	9 (2%)	1 (0%)	43	34
1	B	503/505 (100%)	492 (98%)	11 (2%)	0	100	100
All	All	1005/1010 (100%)	984 (98%)	20 (2%)	1 (0%)	48	37

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	127	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	411/412 (100%)	406 (99%)	5 (1%)	63	53
1	B	412/412 (100%)	410 (100%)	2 (0%)	81	76
All	All	823/824 (100%)	816 (99%)	7 (1%)	70	63

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	197	GLU
1	A	233	ARG
1	A	271	LEU
1	A	284	VAL
1	A	289	LYS
1	B	424	VAL
1	B	501	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	364	GLN
1	B	10	GLN
1	B	470	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MFK	B	601	-	59,61,61	2.53	16 (27%)	81,87,87	1.56	12 (14%)
2	FAD	B	602	-	58,58,58	0.87	1 (1%)	85,89,89	0.68	2 (2%)
2	FAD	A	601	-	58,58,58	0.79	1 (1%)	85,89,89	0.66	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MFK	B	601	-	-	11/60/76/76	0/3/3/3
2	FAD	B	602	-	-	3/34/50/50	0/6/6/6
2	FAD	A	601	-	-	3/34/50/50	0/6/6/6

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	MFK	C2'-C3'	-11.71	1.27	1.53
3	B	601	MFK	CAE-NAF	6.58	1.49	1.33
3	B	601	MFK	CAA-NAB	5.57	1.46	1.33
3	B	601	MFK	O4'-C1'	-4.99	1.30	1.42
3	B	601	MFK	CAK-CAJ	4.75	1.55	1.50
3	B	601	MFK	PAV-OAY	-3.51	1.55	1.59
2	B	602	FAD	C1'-C2'	-3.41	1.47	1.52
3	B	601	MFK	PAZ-OAY	-3.14	1.56	1.59
3	B	601	MFK	CAD-CAE	2.99	1.57	1.51
2	A	601	FAD	C1'-C2'	-2.81	1.48	1.52
3	B	601	MFK	O4'-C4'	2.80	1.51	1.45
3	B	601	MFK	C8-N9	-2.70	1.33	1.37
3	B	601	MFK	C5-N7	-2.60	1.34	1.39
3	B	601	MFK	C2'-C1'	2.58	1.61	1.53
3	B	601	MFK	OAO-CAA	-2.48	1.18	1.23
3	B	601	MFK	PBV-O3'	-2.28	1.55	1.59
3	B	601	MFK	C1'-N9	-2.22	1.40	1.46
3	B	601	MFK	PBV-OBX	-2.02	1.47	1.54

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	MFK	C5-C4-N3	-5.27	119.46	126.72
3	B	601	MFK	CAK-CAJ-SAI	4.62	118.91	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	MFK	C4-C5-N7	-3.56	106.52	110.58
3	B	601	MFK	CAD-CAC-NAB	-3.45	104.66	112.00
3	B	601	MFK	N3-C4-N9	3.37	132.91	127.17
3	B	601	MFK	N1-C2-N3	-3.24	123.67	128.58
3	B	601	MFK	C2-N3-C4	3.23	119.71	111.83
3	B	601	MFK	OAL-CAJ-SAI	-2.83	119.08	122.68
3	B	601	MFK	C5-N7-C8	2.83	107.90	103.45
3	B	601	MFK	O4'-C4'-C5'	2.34	116.84	109.33
2	B	602	FAD	C4-N3-C2	-2.21	121.72	125.64
3	B	601	MFK	N9-C8-N7	-2.20	110.81	113.94
2	A	601	FAD	C4-N3-C2	-2.10	121.91	125.64
2	B	602	FAD	C1'-C2'-C3'	-2.08	104.03	109.66
3	B	601	MFK	PBV-O3'-C3'	-2.06	117.92	123.43

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FAD	C5B-O5B-PA-O1A
2	A	601	FAD	C5B-O5B-PA-O2A
2	A	601	FAD	C5B-O5B-PA-O3P
2	B	602	FAD	C5B-O5B-PA-O2A
2	B	602	FAD	C5B-O5B-PA-O3P
3	B	601	MFK	CAQ-OAT-PAV-OAW
3	B	601	MFK	CAQ-OAT-PAV-OAY
3	B	601	MFK	PAV-OAY-PAZ-O5'
3	B	601	MFK	C5'-O5'-PAZ-OAY
3	B	601	MFK	C5'-O5'-PAZ-OBA
3	B	601	MFK	C5'-O5'-PAZ-OB
3	B	601	MFK	CAK-CBZ-CCA-CCB
2	B	602	FAD	C5B-O5B-PA-O1A
3	B	601	MFK	PAZ-OAY-PAV-OAX
3	B	601	MFK	OAQ-CAA-CAN-OAU
3	B	601	MFK	CCC-CCD-CCE-CCF
3	B	601	MFK	NAB-CAA-CAN-OAU

There are no ring outliers.

3 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601	MFK	11	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	602	FAD	2	0
2	A	601	FAD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	503/505 (99%)	-0.01	14 (2%) 55 59	15, 39, 69, 100	1 (0%)
1	B	503/505 (99%)	-0.10	16 (3%) 50 55	14, 34, 68, 96	2 (0%)
All	All	1006/1010 (99%)	-0.05	30 (2%) 52 57	14, 36, 69, 100	3 (0%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	428	TRP	5.3
1	B	215	THR	4.2
1	A	428[A]	TRP	3.6
1	A	214	THR	3.3
1	B	214	THR	3.3
1	A	215	THR	3.0
1	B	284	VAL	2.9
1	B	476	SER	2.7
1	A	294	VAL	2.6
1	B	4	PHE	2.6
1	B	475	LEU	2.5
1	B	327	PHE	2.4
1	A	284	VAL	2.4
1	B	441	ARG	2.4
1	A	3	ASN	2.4
1	B	233	ARG	2.4
1	A	292	ALA	2.4
1	B	213	ALA	2.4
1	A	281	ILE	2.3
1	B	294	VAL	2.3
1	A	295	LEU	2.3
1	A	209	TRP	2.2
1	A	441	ARG	2.2
1	B	179	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	212	SER	2.2
1	A	282	GLY	2.2
1	A	173	MET	2.1
1	A	195	THR	2.1
1	B	445	LYS	2.0
1	B	209	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MFK	B	601	59/59	0.78	0.16	35,79,115,147	0
2	FAD	A	601	53/53	0.85	0.13	37,71,89,102	0
2	FAD	B	602	53/53	0.89	0.12	28,50,70,74	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around MFK B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FAD B 602:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.