



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:25 AM UTC

PDB ID : 7SEJ / pdb_00007sej
Title : Structure-based design of prefusion-stabilized human metapneumovirus fusion proteins
Authors : Hsieh, C.-L.; Rush, S.A.; McLellan, J.S.
Deposited on : 2021-09-30
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	98	73% 8% 18%
1	C	98	63% 11% 26%
2	A	453	4% 72% 6% 21%
2	F	453	2% 66% 13% 21%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6754 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F2 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	80	Total	C	N	O	S	0	0	0
			627	390	101	134	2			
1	C	73	Total	C	N	O	S	0	0	0
			568	355	92	119	2			

- Molecule 2 is a protein called Fusion glycoprotein F1 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	356	Total	C	N	O	S	0	0	0
			2684	1679	469	509	27			
2	A	356	Total	C	N	O	S	0	0	0
			2683	1680	469	507	27			

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	100	ARG	GLN	conflict	UNP H6X1Z0
F	101	ARG	SER	conflict	UNP H6X1Z0
F	110	CYS	LEU	conflict	UNP H6X1Z0
F	127	CYS	THR	conflict	UNP H6X1Z0
F	140	CYS	ALA	conflict	UNP H6X1Z0
F	147	CYS	ALA	conflict	UNP H6X1Z0
F	153	CYS	ASN	conflict	UNP H6X1Z0
F	185	PRO	ALA	conflict	UNP H6X1Z0
F	219	LYS	LEU	conflict	UNP H6X1Z0
F	231	ILE	VAL	conflict	UNP H6X1Z0
F	322	CYS	ASN	conflict	UNP H6X1Z0
F	365	CYS	THR	conflict	UNP H6X1Z0
F	453	GLN	GLU	conflict	UNP H6X1Z0
F	463	CYS	VAL	conflict	UNP H6X1Z0
F	491	GLY	-	expression tag	UNP H6X1Z0
F	492	GLY	-	expression tag	UNP H6X1Z0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	493	GLY	-	expression tag	UNP H6X1Z0
F	494	SER	-	expression tag	UNP H6X1Z0
F	495	GLY	-	expression tag	UNP H6X1Z0
F	496	TYR	-	expression tag	UNP H6X1Z0
F	497	ILE	-	expression tag	UNP H6X1Z0
F	498	PRO	-	expression tag	UNP H6X1Z0
F	499	GLU	-	expression tag	UNP H6X1Z0
F	500	ALA	-	expression tag	UNP H6X1Z0
F	501	PRO	-	expression tag	UNP H6X1Z0
F	502	ARG	-	expression tag	UNP H6X1Z0
F	503	ASP	-	expression tag	UNP H6X1Z0
F	504	GLY	-	expression tag	UNP H6X1Z0
F	505	GLN	-	expression tag	UNP H6X1Z0
F	506	ALA	-	expression tag	UNP H6X1Z0
F	507	TYR	-	expression tag	UNP H6X1Z0
F	508	VAL	-	expression tag	UNP H6X1Z0
F	509	ARG	-	expression tag	UNP H6X1Z0
F	510	LYS	-	expression tag	UNP H6X1Z0
F	511	ASP	-	expression tag	UNP H6X1Z0
F	512	GLY	-	expression tag	UNP H6X1Z0
F	513	GLU	-	expression tag	UNP H6X1Z0
F	514	TRP	-	expression tag	UNP H6X1Z0
F	515	VAL	-	expression tag	UNP H6X1Z0
F	516	LEU	-	expression tag	UNP H6X1Z0
F	517	LEU	-	expression tag	UNP H6X1Z0
F	518	SER	-	expression tag	UNP H6X1Z0
F	519	THR	-	expression tag	UNP H6X1Z0
F	520	PHE	-	expression tag	UNP H6X1Z0
F	521	LEU	-	expression tag	UNP H6X1Z0
F	522	GLY	-	expression tag	UNP H6X1Z0
F	523	ARG	-	expression tag	UNP H6X1Z0
F	524	SER	-	expression tag	UNP H6X1Z0
F	525	LEU	-	expression tag	UNP H6X1Z0
F	526	GLU	-	expression tag	UNP H6X1Z0
F	527	VAL	-	expression tag	UNP H6X1Z0
F	528	LEU	-	expression tag	UNP H6X1Z0
F	529	PHE	-	expression tag	UNP H6X1Z0
F	530	GLN	-	expression tag	UNP H6X1Z0
F	531	GLY	-	expression tag	UNP H6X1Z0
F	532	PRO	-	expression tag	UNP H6X1Z0
F	533	GLY	-	expression tag	UNP H6X1Z0
F	534	HIS	-	expression tag	UNP H6X1Z0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	535	HIS	-	expression tag	UNP H6X1Z0
F	536	HIS	-	expression tag	UNP H6X1Z0
F	537	HIS	-	expression tag	UNP H6X1Z0
F	538	HIS	-	expression tag	UNP H6X1Z0
F	539	HIS	-	expression tag	UNP H6X1Z0
F	540	HIS	-	expression tag	UNP H6X1Z0
F	541	HIS	-	expression tag	UNP H6X1Z0
F	542	SER	-	expression tag	UNP H6X1Z0
F	543	ALA	-	expression tag	UNP H6X1Z0
F	544	TRP	-	expression tag	UNP H6X1Z0
F	545	SER	-	expression tag	UNP H6X1Z0
F	546	HIS	-	expression tag	UNP H6X1Z0
F	547	PRO	-	expression tag	UNP H6X1Z0
F	548	GLN	-	expression tag	UNP H6X1Z0
F	549	PHE	-	expression tag	UNP H6X1Z0
F	550	GLU	-	expression tag	UNP H6X1Z0
F	551	LYS	-	expression tag	UNP H6X1Z0
A	100	ARG	GLN	conflict	UNP H6X1Z0
A	101	ARG	SER	conflict	UNP H6X1Z0
A	110	CYS	LEU	conflict	UNP H6X1Z0
A	127	CYS	THR	conflict	UNP H6X1Z0
A	140	CYS	ALA	conflict	UNP H6X1Z0
A	147	CYS	ALA	conflict	UNP H6X1Z0
A	153	CYS	ASN	conflict	UNP H6X1Z0
A	185	PRO	ALA	conflict	UNP H6X1Z0
A	219	LYS	LEU	conflict	UNP H6X1Z0
A	231	ILE	VAL	conflict	UNP H6X1Z0
A	322	CYS	ASN	conflict	UNP H6X1Z0
A	365	CYS	THR	conflict	UNP H6X1Z0
A	453	GLN	GLU	conflict	UNP H6X1Z0
A	463	CYS	VAL	conflict	UNP H6X1Z0
A	491	GLY	-	expression tag	UNP H6X1Z0
A	492	GLY	-	expression tag	UNP H6X1Z0
A	493	GLY	-	expression tag	UNP H6X1Z0
A	494	SER	-	expression tag	UNP H6X1Z0
A	495	GLY	-	expression tag	UNP H6X1Z0
A	496	TYR	-	expression tag	UNP H6X1Z0
A	497	ILE	-	expression tag	UNP H6X1Z0
A	498	PRO	-	expression tag	UNP H6X1Z0
A	499	GLU	-	expression tag	UNP H6X1Z0
A	500	ALA	-	expression tag	UNP H6X1Z0
A	501	PRO	-	expression tag	UNP H6X1Z0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	502	ARG	-	expression tag	UNP H6X1Z0
A	503	ASP	-	expression tag	UNP H6X1Z0
A	504	GLY	-	expression tag	UNP H6X1Z0
A	505	GLN	-	expression tag	UNP H6X1Z0
A	506	ALA	-	expression tag	UNP H6X1Z0
A	507	TYR	-	expression tag	UNP H6X1Z0
A	508	VAL	-	expression tag	UNP H6X1Z0
A	509	ARG	-	expression tag	UNP H6X1Z0
A	510	LYS	-	expression tag	UNP H6X1Z0
A	511	ASP	-	expression tag	UNP H6X1Z0
A	512	GLY	-	expression tag	UNP H6X1Z0
A	513	GLU	-	expression tag	UNP H6X1Z0
A	514	TRP	-	expression tag	UNP H6X1Z0
A	515	VAL	-	expression tag	UNP H6X1Z0
A	516	LEU	-	expression tag	UNP H6X1Z0
A	517	LEU	-	expression tag	UNP H6X1Z0
A	518	SER	-	expression tag	UNP H6X1Z0
A	519	THR	-	expression tag	UNP H6X1Z0
A	520	PHE	-	expression tag	UNP H6X1Z0
A	521	LEU	-	expression tag	UNP H6X1Z0
A	522	GLY	-	expression tag	UNP H6X1Z0
A	523	ARG	-	expression tag	UNP H6X1Z0
A	524	SER	-	expression tag	UNP H6X1Z0
A	525	LEU	-	expression tag	UNP H6X1Z0
A	526	GLU	-	expression tag	UNP H6X1Z0
A	527	VAL	-	expression tag	UNP H6X1Z0
A	528	LEU	-	expression tag	UNP H6X1Z0
A	529	PHE	-	expression tag	UNP H6X1Z0
A	530	GLN	-	expression tag	UNP H6X1Z0
A	531	GLY	-	expression tag	UNP H6X1Z0
A	532	PRO	-	expression tag	UNP H6X1Z0
A	533	GLY	-	expression tag	UNP H6X1Z0
A	534	HIS	-	expression tag	UNP H6X1Z0
A	535	HIS	-	expression tag	UNP H6X1Z0
A	536	HIS	-	expression tag	UNP H6X1Z0
A	537	HIS	-	expression tag	UNP H6X1Z0
A	538	HIS	-	expression tag	UNP H6X1Z0
A	539	HIS	-	expression tag	UNP H6X1Z0
A	540	HIS	-	expression tag	UNP H6X1Z0
A	541	HIS	-	expression tag	UNP H6X1Z0
A	542	SER	-	expression tag	UNP H6X1Z0
A	543	ALA	-	expression tag	UNP H6X1Z0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	544	TRP	-	expression tag	UNP H6X1Z0
A	545	SER	-	expression tag	UNP H6X1Z0
A	546	HIS	-	expression tag	UNP H6X1Z0
A	547	PRO	-	expression tag	UNP H6X1Z0
A	548	GLN	-	expression tag	UNP H6X1Z0
A	549	PHE	-	expression tag	UNP H6X1Z0
A	550	GLU	-	expression tag	UNP H6X1Z0
A	551	LYS	-	expression tag	UNP H6X1Z0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	F	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	13	Total	O	0	0
			13	13		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	52	Total 52	O 52	0	0
4	C	20	Total 20	O 20	0	0
4	A	51	Total 51	O 51	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.




- Molecule 1: Fusion glycoprotein F2 subunit




- Molecule 1: Fusion glycoprotein F2 subunit




- Molecule 2: Fusion glycoprotein F1 subunit



- Molecule 2: Fusion glycoprotein F1 subunit





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.38Å 105.81Å 90.99Å 90.00° 105.26° 90.00°	Depositor
Resolution (Å)	45.31 – 2.51 45.31 – 2.51	Depositor EDS
% Data completeness (in resolution range)	97.3 (45.31-2.51) 97.3 (45.31-2.51)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.209 , 0.253 0.207 , 0.250	Depositor DCC
R_{free} test set	1803 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.331	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 26.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6754	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.24	0/634	0.37	0/861
1	C	0.23	0/574	0.42	0/779
2	A	0.23	0/2721	0.39	0/3677
2	F	0.23	0/2722	0.40	0/3680
All	All	0.23	0/6651	0.40	0/8997

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	627	0	614	7	0
1	C	568	0	564	7	0
2	A	2683	0	2700	18	0
2	F	2684	0	2697	36	0
3	A	28	0	26	0	0
3	F	28	0	26	1	0
4	A	51	0	0	0	0
4	B	13	0	0	0	0
4	C	20	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	52	0	0	0	0
All	All	6754	0	6627	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:179:LYS:HD2	2:A:179:LYS:H	1.41	0.85
1:C:56:GLU:HA	1:C:75:LYS:HD3	1.66	0.77
2:A:179:LYS:HD2	2:A:179:LYS:N	2.05	0.71
2:F:191:VAL:O	2:F:195:GLN:HG3	1.99	0.62
1:C:58:LEU:HD13	2:A:177:ILE:HD11	1.85	0.59
2:A:327:GLU:OE1	2:A:329:ARG:NH2	2.35	0.58
2:F:440:ARG:HH12	2:F:442:VAL:HG22	1.68	0.58
2:A:419:THR:HG22	2:A:424:VAL:HG13	1.85	0.57
1:B:80:GLU:CD	2:F:205:ARG:HH22	2.13	0.56
1:B:81:LEU:HD22	2:F:204:VAL:HG22	1.87	0.56
2:F:392:ILE:HD12	2:F:415:ALA:HB2	1.88	0.56
2:A:372:MET:HE2	2:A:374:ALA:HB2	1.89	0.56
2:F:386:LYS:C	2:F:386:LYS:HD3	2.33	0.54
1:C:57:ASN:ND2	4:C:701:HOH:O	2.26	0.53
2:A:210:ASN:HB3	2:A:213:ILE:O	2.08	0.53
2:F:177:ILE:HG22	2:F:177:ILE:O	2.11	0.50
1:B:36:LEU:HB3	2:F:280:ASP:HA	1.95	0.49
2:A:227:LEU:HD23	2:A:248:ARG:HG2	1.95	0.48
2:F:133:GLU:OE2	2:F:152:GLY:N	2.44	0.48
2:F:309:TRP:CD1	2:F:326:CYS:HB2	2.47	0.48
1:C:54:ASP:OD1	1:C:57:ASN:ND2	2.45	0.48
2:F:217:ILE:HD11	2:F:255:GLY:HA3	1.96	0.48
2:A:250:MET:CE	2:A:254:LYS:HE2	2.42	0.48
2:F:299:TYR:CD2	2:F:369:PRO:HG3	2.49	0.48
2:F:354:ILE:HG13	2:F:460:LEU:HD22	1.96	0.47
2:F:374:ALA:HB3	2:F:381:LEU:HB2	1.97	0.47
2:F:176:ALA:O	2:F:177:ILE:HD13	2.14	0.47
2:F:225:ALA:O	2:F:229:ARG:HG2	2.14	0.47
2:F:150:THR:OG1	2:F:156:ARG:HD3	2.15	0.47
2:F:411:THR:OG1	2:F:414:ASP:OD2	2.25	0.46
1:B:49:THR:HG22	2:F:268:ILE:HG12	1.98	0.46
2:F:222:MET:HE2	2:F:227:LEU:HA	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:411:THR:HB	2:F:434:GLN:NE2	2.30	0.46
1:B:72:ASP:O	1:B:76:SER:HB2	2.15	0.46
2:F:296:LYS:C	2:F:298:ASN:H	2.24	0.46
1:C:62:ASP:OD1	2:A:182:CYS:N	2.35	0.46
2:A:263:TYR:CD1	2:A:268:ILE:HD12	2.50	0.45
2:F:176:ALA:C	2:F:177:ILE:HD13	2.41	0.45
2:F:254:LYS:HB2	2:F:274:PRO:HG3	1.96	0.45
2:F:320:TYR:HE1	2:F:337:THR:HA	1.81	0.45
1:C:37:SER:HB3	2:A:283:CYS:SG	2.56	0.44
2:A:153:CYS:SG	2:A:155:VAL:HG12	2.58	0.44
2:F:412:ASN:HB2	2:F:428:SER:O	2.17	0.44
2:A:250:MET:HG2	2:A:334:PHE:CD2	2.53	0.44
1:B:46:ASN:ND2	2:F:222:MET:HE3	2.33	0.43
2:F:306:ASP:HB2	2:F:310:TYR:OH	2.18	0.43
2:A:385:TYR:CE1	2:A:406:GLY:HA2	2.53	0.43
1:B:80:GLU:OE1	2:F:205:ARG:NH2	2.50	0.43
2:F:357:THR:HG23	3:F:602:NAG:H62	2.01	0.43
2:F:292:CYS:SG	2:F:299:TYR:HB3	2.59	0.42
2:A:200:PHE:HE1	2:A:267:VAL:HG21	1.84	0.42
2:A:455:GLN:HB3	2:A:458:VAL:HG11	2.01	0.42
2:F:141:LEU:O	2:F:163:ARG:NH2	2.45	0.41
2:F:143:LYS:HE2	2:F:143:LYS:HB3	1.75	0.41
2:F:392:ILE:HG13	2:F:400:ILE:HB	2.03	0.41
2:F:393:GLY:O	2:F:417:THR:HG22	2.20	0.41
2:F:326:CYS:HA	2:F:334:PHE:O	2.20	0.41
1:C:78:LEU:O	1:C:82:ARG:HG3	2.21	0.40
2:A:292:CYS:HB2	2:A:385:TYR:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	78/98 (80%)	76 (97%)	2 (3%)	0	100	100
1	C	71/98 (72%)	69 (97%)	2 (3%)	0	100	100
2	A	350/453 (77%)	339 (97%)	10 (3%)	1 (0%)	36	55
2	F	352/453 (78%)	342 (97%)	10 (3%)	0	100	100
All	All	851/1102 (77%)	826 (97%)	24 (3%)	1 (0%)	48	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	352	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	72/89 (81%)	71 (99%)	1 (1%)	59	81
1	C	65/89 (73%)	63 (97%)	2 (3%)	35	62
2	A	298/379 (79%)	298 (100%)	0	100	100
2	F	298/379 (79%)	294 (99%)	4 (1%)	61	82
All	All	733/936 (78%)	726 (99%)	7 (1%)	68	86

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	55	VAL
2	F	147	CYS
2	F	283	CYS
2	F	311	CYS
2	F	388	VAL
1	C	76	SER
1	C	89	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	46	ASN
1	B	57	ASN
1	B	88	GLN
2	F	178	ASN
2	F	307	GLN
2	F	395	ASN
2	F	434	GLN
2	F	455	GLN
2	A	210	ASN
2	A	272	GLN
2	A	402	GLN
2	A	426	GLN
2	A	455	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	602	2	14,14,15	0.29	0	17,19,21	0.53	0
3	NAG	A	601	2	14,14,15	0.24	0	17,19,21	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	F	601	2	14,14,15	0.28	0	17,19,21	0.47	0
3	NAG	F	602	2	14,14,15	0.19	0	17,19,21	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	602	2	-	2/6/23/26	0/1/1/1
3	NAG	A	601	2	-	0/6/23/26	0/1/1/1
3	NAG	F	601	2	-	2/6/23/26	0/1/1/1
3	NAG	F	602	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	602	NAG	O5-C5-C6-O6
3	F	602	NAG	C4-C5-C6-O6
3	F	601	NAG	O5-C5-C6-O6
3	A	602	NAG	C1-C2-N2-C7
3	A	602	NAG	C3-C2-N2-C7
3	F	601	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	602	NAG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	80/98 (81%)	0.34	1 (1%) 75 71	27, 41, 58, 62	0
1	C	73/98 (74%)	0.13	0 100 100	28, 39, 53, 54	0
2	A	356/453 (78%)	0.35	17 (4%) 35 31	27, 40, 60, 82	0
2	F	356/453 (78%)	0.35	11 (3%) 51 47	27, 41, 64, 83	0
All	All	865/1102 (78%)	0.33	29 (3%) 48 43	27, 40, 61, 83	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	452	PRO	5.4
2	A	297	GLY	4.5
2	A	103	PHE	3.6
2	A	153	CYS	3.5
2	A	104	VAL	3.2
2	A	397	VAL	3.2
2	A	426	GLN	2.9
2	F	296	LYS	2.8
2	A	296	LYS	2.8
2	F	140	CYS	2.8
2	F	292	CYS	2.8
2	F	300	ALA	2.8
2	A	295	LYS	2.7
2	A	412	ASN	2.6
2	A	462	GLN	2.5
2	F	387	GLY	2.5
2	F	147	CYS	2.5
2	A	178	ASN	2.5
2	F	293	SER	2.5
2	F	462	GLN	2.4
2	A	413	GLN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	283	CYS	2.3
2	A	110	CYS	2.3
2	F	315	GLY	2.3
2	A	407	CYS	2.2
2	A	428	SER	2.2
2	A	294	GLU	2.1
1	B	87	ASP	2.1
2	F	297	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	602	14/15	0.70	0.14	54,57,59,60	0
3	NAG	A	601	14/15	0.80	0.12	55,62,65,66	0
3	NAG	F	601	14/15	0.80	0.13	51,55,58,58	0
3	NAG	F	602	14/15	0.84	0.11	51,54,56,56	0

6.5 Other polymers [i](#)

There are no such residues in this entry.