



wwPDB EM Validation Summary Report ⓘ

Jun 23, 2026 – 11:55 PM EDT

PDB ID : 7SFR / pdb_00007sfr
EMDB ID : EMD-25100
Title : Unmethylated Mtb Ribosome 50S with SEQ-9
Authors : Xing, Z.; Cui, Z.; Zhang, J.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2021-10-04
Resolution : 2.60 Å (reported)
Based on initial model : 7KGB

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	8728 (2.10 - 3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	57	
2	1	55	
3	2	47	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	64	
5	4	37	
6	6	80	
7	A	3138	
8	B	115	
9	C	279	
10	D	213	
11	E	207	
12	F	178	
13	G	177	
14	H	152	
15	J	195	
16	K	122	
17	L	146	
18	M	138	
19	N	180	
20	O	122	
21	P	113	
22	Q	129	
23	R	104	
24	S	197	
25	T	100	
26	U	105	
27	V	215	
28	W	86	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	X	64	
30	Y	77	
31	Z	65	
32	a	1537	
33	c	274	
34	d	201	
35	e	220	
36	f	96	
37	g	156	
38	h	132	
39	i	151	
40	j	101	
41	k	139	
42	l	124	
43	m	124	
44	n	61	
45	o	89	
46	p	162	
47	q	135	
48	r	84	
49	s	93	
50	t	86	
51	v	22	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
53	WDP	A	3201	-	-	X	-

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 143665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	0	54	Total	C	N	O	0	0
			429	266	94	69		

- Molecule 2 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	48	Total	C	N	O	S	0	0
			400	245	84	67	4		

- Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	42	Total	C	N	O	S	0	0
			358	212	94	51	1		

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	3	62	Total	C	N	O	0	0
			494	298	112	84		

- Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	37	Total	C	N	O	S	0	0
			299	182	66	47	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	1	VAL	MET	conflict	UNP A0A3E0V5U0

- Molecule 6 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	57	Total	C	N	O	S	0	0
			446	277	82	82	5		

- Molecule 7 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	3118	Total	C	N	O	P	0	0
			66961	29850	12340	21653	3118		

- Molecule 8 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	115	Total	C	N	O	P	0	0
			2458	1097	456	790	115		

- Molecule 9 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C	272	Total	C	N	O	S	0	0
			2088	1277	437	369	5		

- Molecule 10 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	213	Total	C	N	O	S	0	0
			1590	985	307	292	6		

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E	207	Total	C	N	O	S	0	0
			1552	958	303	289	2		

- Molecule 12 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	178	Total	C	N	O	S	0	0
			1408	885	267	251	5		

- Molecule 13 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G	174	Total	C	N	O	S	0	0
			1330	836	249	244	1		

- Molecule 14 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	47	Total	C	N	O	S	0	0
			350	220	64	65	1		

- Molecule 15 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	J	146	Total	C	N	O	S	0	0
			1143	724	217	199	3		

- Molecule 16 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	K	121	Total	C	N	O	S	0	0
			934	585	179	168	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	VAL	MET	conflict	UNP A0A045HTP7

- Molecule 17 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	L	143	Total	C	N	O	S	0	0
			1068	662	216	188	2		

- Molecule 18 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	M	134	Total	C	N	O	S	0	0
			1072	679	215	177	1		

- Molecule 19 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	N	116	Total	C	N	O	S	0	0
			908	574	175	158	1		

- Molecule 20 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	O	116	Total	C	N	O		0	0
			886	541	188	157			

- Molecule 21 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	P	112	Total	C	N	O	S	0	0
			907	573	174	159	1		

- Molecule 22 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Q	122	Total	C	N	O		0	0
			980	608	205	167			

- Molecule 23 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	R	100	Total	C	N	O		0	0
			757	482	138	137			

- Molecule 24 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	S	113	Total	C	N	O		0	0
			860	533	178	149			

- Molecule 25 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	T	98	Total	C	N	O		0	0
			759	480	141	138			

- Molecule 26 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	U	90	Total	C	N	O	S	0	0
			699	430	138	129	2		

- Molecule 27 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	V	95	Total	C	N	O		0	0
			735	456	152	127			

- Molecule 28 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	W	71	Total	C	N	O		0	0
			526	325	108	93			

- Molecule 29 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	X	63	Total	C	N	O	S	0	0
			476	289	101	81	5		

- Molecule 30 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Y	65	Total	C	N	O	S	0	0
			541	331	106	103	1		

- Molecule 31 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Z	59	Total	C	N	O		0	0
			476	293	101	82			

- Molecule 32 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	1519	Total	C	N	O	P	0	0
			32621	14536	5961	10605	1519		

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	c	207	Total	C	N	O	S	0	0
			1654	1030	322	298	4		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	d	200	Total	C	N	O	S	0	0
			1650	1036	316	296	2		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	e	160	Total	C	N	O	S	0	0
			1149	726	214	206	3		

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	f	95	Total	C	N	O	S	0	0
			757	480	133	141	3		

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	g	152	Total	C	N	O	S	0	0
			1193	742	234	215	2		

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	h	130	Total	C	N	O	S	0	0
			999	627	187	184	1		

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	i	127	Total	C	N	O		0	0
			993	628	195	170			

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	j	99	Total	C	N	O	S	0	0
			789	496	146	144	3		

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	k	117	Total	C	N	O		0	0
			873	540	175	158			

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	l	122	Total	C	N	O	S	0	0
			959	594	197	166	2		

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	m	116	Total	C	N	O	S	0	0
			945	578	196	168	3		

- Molecule 44 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	n	60	Total	C	N	O	S	0	0
			468	294	96	73	5		

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	o	87	Total	C	N	O		0	0
			718	449	144	125			

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	p	91	Total	C	N	O		0	0
			728	462	140	126			

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	93	Total	C	N	O	S	0	0
			754	471	149	131	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	r	63	Total	C	N	O	S	0	0
			497	309	96	89	3		

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	s	83	Total	C	N	O	S	0	0
			672	432	125	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	t	82	Total	C	N	O		0	0
			631	381	137	113			


- Molecule 51 is a protein called peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	22	Total	C	N	O		0	0
			186	111	47	28			

- Molecule 52 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
52	1	1	Total	Zn	0
			1	1	
52	4	1	Total	Zn	0
			1	1	
52	6	1	Total	Zn	0
			1	1	
52	X	1	Total	Zn	0
			1	1	
52	n	1	Total	Zn	0
			1	1	
52	r	1	Total	Zn	0
			1	1	

- Molecule 53 is Sequanamycin 9 (CCD ID: WDP) (formula: C₆₁H₁₀₂N₄O₂₀S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
53	A	1	Total	C	N	O	S	0
			86	61	4	20	1	


- Molecule 54 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
54	A	307	Total	Mg	0
			307	307	
54	B	7	Total	Mg	0
			7	7	
54	C	3	Total	Mg	0
			3	3	
54	D	1	Total	Mg	0
			1	1	
54	L	1	Total	Mg	0
			1	1	
54	M	1	Total	Mg	0
			1	1	
54	a	125	Total	Mg	0
			125	125	
54	e	1	Total	Mg	0
			1	1	
54	t	1	Total	Mg	0
			1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L32




- Molecule 2: 50S ribosomal protein L33




- Molecule 3: 50S ribosomal protein L34



- Molecule 4: 50S ribosomal protein L35




- Molecule 5: 50S ribosomal protein L36




• Molecule 6: 50S ribosomal protein L31

Chain 6:




• Molecule 7: 23S rRNA


Chain A:










• Molecule 8: 5S rRNA




• Molecule 9: 50S ribosomal protein L2




- Molecule 10: 50S ribosomal protein L3




- Molecule 11: 50S ribosomal protein L4



- Molecule 12: 50S ribosomal protein L5




- Molecule 13: 50S ribosomal protein L6








• Molecule 14: 50S ribosomal protein L9




• Molecule 15: 50S ribosomal protein L13




• Molecule 16: 50S ribosomal protein L14




• Molecule 17: 50S ribosomal protein L15




• Molecule 18: 50S ribosomal protein L16








- Molecule 19: 50S ribosomal protein L17





- Molecule 20: 50S ribosomal protein L18





- Molecule 21: 50S ribosomal protein L19




- Molecule 22: 50S ribosomal protein L20




- Molecule 23: 50S ribosomal protein L21





• Molecule 24: 50S ribosomal protein L22





• Molecule 25: 50S ribosomal protein L23



• Molecule 26: 50S ribosomal protein L24




• Molecule 27: 50S ribosomal protein L25




A961	A962	C963	G964	C965	G966	A967	A968	G969	A970	A971	C972	C973	G974	U975	A976	C977	G978	U979	G980	G981	G982	U983	U984	U985	G986	A987	C988	A989	U990	G991	C992	A993	C994	A995	G996	G997	A998	C999	G1000	C1001	G1002	U1003	G1004	U1005	A1006	G1007	A1008	G1009	U1010	U1011	A1012	G1013	G1014	C1015	G1016	U1017	U1018	C1019	C1020	
A901	A902	C903	U904	C905	A906	A907	A908	U909	G910	A911	A912	U913	U914	G915	A916	C917	U918	G919	C920	G921	C922	C923	C924	C925	G926	A927	C928	C929	C930	A931	C932	C933	C934	G935	C936	G937	C938	A939	C940	C941	A942	U943	U944	U945	C946	G947	A948	U949	U950	A951	A952	U953	U954	C955	G956	C957	U958	A959	C960	
G841	A842	U843	C844	C845	G846	U847	C848	C849	C850	G851	U852	A853	G854	C855	U856	A857	A858	C859	G860	C861	A862	U863	U864	A865	A866	A867	C868	C869	C870	C871	C872	C873	C874	C875	C876	U877	C878	C879	C880	C881	C882	C883	U884	A885	C886	C887	C888	C889	C890	C891	C892	A893	A894	C895	G896	C897	U898	A899	A900	
A781	G782	A783	U784	A785	C786	C787	G788	U789	G790	G791	U792	A793	G794	U795	C796	C797	A798	C799	G800	C801	C802	G803	U804	A805	A806	A807	C808	C809	G810	U811	C812	G813	G814	U815	A816	C817	U818	A819	C820	C821	C822	U823	U824	G825	G826	C827	U828	U829	U830	C831	C832	U833	U834	C835	C836	U837	U838	C839	G840	
G721	G722	C723	G724	G725	G726	U727	C728	U729	C730	U731	G732	G733	G734	C735	A736	G737	U738	A739	A740	C741	U742	G743	A744	C745	G746	C747	U748	G749	A750	G751	G752	A753	G754	C755	G756	A757	C758	A759	G760	C761	G762	U763	G764	G765	G766	G767	A768	G769	C770	G771	A772	A773	A774	A775	G776	G777	A778	U779	U780	
A661	C662	U663	G664	G665	A666	A667	U668	U669	C670	C671	U672	G673	G674	U675	G676	U677	A678	G679	C680	G681	C682	U683	G684	G685	A686	A687	U688	G689	C690	G691	C692	A693	G694	A695	U696	A697	U698	C699	A700	G701	G702	A703	G704	G705	A706	A707	C708	A709	C710	C711	G712	G713	U714	G715	G716	C717	G718	A719	A720	
U601	C602	U603	C604	A605	C606	G607	G608	C609	U610	U611	A612	A613	C614	U615	G616	U617	G618	A619	G620	C621	G622	U623	A624	C625	G626	G627	G628	C629	G630	A631	U632	A633	C634	G635	G636	G637	C638	A639	G640	A641	C642	U643	A644	G645	A646	G647	U648	A649	C650	U651	G652	C653	A654	G655	G656	G657	U658	A659	G660	
G541	U542	U543	G544	U545	C546	C547	G548	U549	A550	A551	U552	U553	A554	C555	U556	G557	G558	U559	C560	G561	U562	A563	A564	A565	G566	A567	G568	C569	U570	C571	G572	U573	A574	G575	G576	U577	C578	U579	C580	U580	U581	U582	G583	U584	C585	G586	C587	G588	U589	U590	G591	U592	U593	C594	G595	U596	G597	A598	A599	A600
U481	G482	G483	A484	G485	A486	A487	G488	A489	U490	A491	C492	A493	C494	C495	G496	G497	C498	C499	A500	A501	C502	U503	A504	C505	G506	U507	G508	C509	U510	A511	G512	C513	A514	G515	C516	C517	G518	C519	U520	G521	U522	A523	A524	U525	A526	C527	G528	U529	A530	G531	U532	G533	U534	G535	C536	A538	G539	C540		
C421	G422	G423	G424	U425	U426	G427	U428	A429	A430	A431	C432	A433	U434	C435	U436	U437	U438	C439	A440	C441	C442	A443	U444	C445	G446	A447	C448	G449	U450	A451	G452	U453	U454	C455	A456	C457	G458	G459	U460	U461	C462	U463	A464	U465	C466	G467	G468	A469	U470	U471	G472	A473	C474	G475	G476	U477	A478	A479	G480	
G301	G302	U303	G304	U305	C306	C307	G308	U309	C310	C311	A312	C313	A314	C315	U316	G317	G318	G319	A320	C321	C322	A323	A324	G325	U326	U327	A328	C329	G330	C331	C332	C333	C334	A335	G336	A337	C338	U339	C340	C341	U342	A343	G344	G345	G346	G347	A348	G349	A350	C351	A352	G353	C354	A355	G356	U357	G358	A359	G360	
G361	A362	A363	U364	A365	U366	U367	G368	C369	A370	C371	A372	A373	U374	G375	G376	G377	C378	G379	C380	A381	C382	A383	C384	C385	U386	G387	A388	U389	G390	C391	A392	G393	C394	G395	A396	C397	G398	C399	U400	G401	C402	G403	U404	G405	G406	G407	A408	G409	A410	U411	G412	A413	C414	G415	G416	C417	U418	U419	U420	
U241	A242	U243	C244	A245	G246	C247	U248	U249	G250	U251	U252	A253	G254	U255	G256	G257	U258	G259	U260	G261	C262	A263	G264	G265	C266	C267	U268	A269	C270	C271	A272	C273	C274	G275	C276	G277	A278	C279	U280	A281	G282	G283	G284	G285	U286	A287	U288	G289	C290	G291	C292	C293	C294	U295	G296	A297	G298	A299	G300	
C181	C182	A183	C184	U185	G186	G187	A188	U189	G190	C191	A192	U193	G194	U195	C196	U197	U198	G199	U200	G201	C202	U203	G204	G205	A206	A207	A208	G209	C210	G211	C212	U213	U214	U215	A216	C217	C218	G219	U220	U221	C222	U223	G224	G225	G226	A227	U228	G229	A230	C231	C232	C233	C234	G235	C236	G237	G238	C239	C240	

C1021	U1081	C1141	C1201	A1261	G1321	C1381	C1443	A1506
U1022	U1082	G1142	C1202	G1262	U1322	C1382	U1444	C1507
U1023	A1083	U1143	U1203	G1263	G1323	U1383	C1445	C1508
G1024	A1084	G1144	U1204	U1264	A1324	U1384	G1446	G1509
U1025	G1085	G1145	A1205	A1265	G1325	U1385	G1447	G1510
G1026	U1086	G1146	U1206	U1266	G1326	U1386	G1448	A1511
G1027	C1087	A1147	G1207	A1267	U1327	A1387	A1449	A1512
C1028	C1088	G1148	U1208	G1268	C1328	C1388	G1450	G1513
C1029	C1089	A1149	C1209	G1269	G1329	C1389	G1451	G1514
U1030	G1090	C1150	C1210	G1270	G1330	C1390	G1452	U1515
G1031	C1091	U1151	A1211	A1271	A1331	A1391	A1453	G1516
U1032	A1092	G1152	G1212	A1272	G1332	C1392	G1454	C1517
G1033	A1093	C1153	G1213	U1273	U1333	C1393	C1455	G1518
U1034	G1094	C1154	G1214	C1274	C1334	G1394	U1456	G1519
G1035	G1095	G1155	C1215	C1275	G1335	C1395	G1457	C1520
C1036	A1096	G1156	U1216	U1276	C1336	C1396	U1458	G1521
A1037	G1097	G1157	U1217	U1277	U1337	C1397	G1459	G1522
G1038	C1098	G1158	C1218	A1278	A1338	G1398	G1460	G1523
G1039	G1099	U1159	A1219	A1279	G1339	U1399	A1461	A1524
U1040	C1100	C1160	A1220	A1280	U1340	C1400	A1462	U1525
G1041	A1101	A1161	A1221	A1281	A1341	A1401	G1463	C1526
U1043	C1103	C1163	C1222	C1282	U1342	G1403	U1464	A
G1044	C1104	U1164	A1223	C1283	U1343	U1404	U1465	C
G1045	C1105	C1165	G1225	G1285	G1344	U1405	G1466	C
A1046	U1106	C1166	C1226	G1286	G1345	A1406	G1467	U
U1047	U1107	G1167	U1227	U1287	C1346	U1407	G1468	C
G1048	G1108	A1168	A1228	C1288	A1347	U1408	A1469	U
G1049	U1109	G1169	C1229	U1289	G1348	A1409	U1470	U
C1050	C1110	G1170	A1230	C1290	U1349	A1410	G1471	U
U1051	U1111	A1171	A1231	A1291	U1350	A1411	G1472	U
G1052	C1112	A1172	U1232	G1292	C1351	C1414	G1473	D
U1053	A1113	G1173	G1233	U1293	G1353	G1414	G1474	
C1054	C1114	G1174	G1234	U1294	C1354	G1417	G1479	
G1055	G1115	U1175	C1235	C1295	A1355	U1418	G1480	
U1056	U1116	G1176	C1236	G1296	A1356	A1419	G1481	
C1057	U1117	G1177	G1237	G1297	C1357	C1420	A1482	
A1058	G1118	G1178	G1238	A1298	G1358	A1421	G1483	
G1059	C1119	G1179	U1239	U1299	C1359	C1422	G1484	
C1060	C1120	A1180	A1240	C1300	U1360	C1423	A1485	
U1061	A1121	U1181	C1241	G1301	G1361	G1424	A1486	
C1062	G1122	G1182	A1242	G1302	C1362	G1425	A1487	
G1063	C1123	A1183	A1243	G1303	G1363	G1426	U1488	
U1064	A1124	C1184	A1244	G1304	G1364	A1427	C1489	
G1065	C1125	G1185	G1245	U1305	G1365	G1428	G1490	
U1066	G1126	U1186	G1246	C1306	G1366	G1429	U1491	
C1067	U1127	C1187	G1247	U1307	A1367	C1430	A1492	
G1068	G1128	A1188	G1248	G1308	A1368	A1431	A1493	
U1069	A1129	A1189	U1249	C1309	U1369	G1432	C1494	
G1070	U1130	G1190	G1250	A1310	A1370	U1433	A1495	
A1071	G1131	U1191	C1251	A1311	C1371	U1434	A1496	
G1072	G1132	C1192	G1252	C1312	G1372	G1435	G1497	
A1073	U1133	A1193	A1253	U1313	U1373	G1436	G1498	
U1074	G1134	U1194	U1254	C1314	U1374	C1437	U1499	
G1075	G1135	C1195	G1255	G1315	C1375	U1438	A1500	
U1076	G1136	A1196	C1256	A1316	C1376	U1439	G1501	
U1077	G1137	U1197	C1257	C1317	C1377	A1439	C1502	
G1078	A1138	U1198	G1258	C1318	G1378	A1440	C1503	
U1079	C1139	C1199	C1259	C1319	G1379	C1441	G1504	
G1080	U1140	C1200	G1260	C1320	G1380	C1442	U1505	


● Molecule 33: 30S ribosomal protein S3





MET	G2	G3	K4	T5	N6	P7	H8	G9	F10	R11	L12	G13	L14	T15	T16	D17	W18	K19	S20	R21	W22	Y23	A24	D25	K26	Q27	Y28	A29	E30	Y31	V32	K33	E34	D35	V36	A37	I38	R39	R40	L41	L42	S43	S44	E45	L46	E47	R48	A49	G50	T51	A52	D53	V54	E55	I56	E57	R58	T59	R60
D61	R62	V63	R64	V65	D66	I67	H68	T69	A70	R71	P72	G73	I74	V75	I76	G77	R78	R79	G80	T81	E82	A83	D84	R85	T86	R87	A88	D89	L90	E91	K92	L93	T94	G95	K96	G97	V98	Q99	L100	N101	L102	L103	E104	V105	S106	E107	P108	E109	S110	Q111	A112	Q113	L114	V115	A116	Q117	L118	R119	A120
E121	Q122	L123	S124	N125	R126	V127	A128	F129	R130	R131	A132	M133	R134	K135	A136	I137	Q138	S139	A140	M141	R142	Q143	P144	N145	I146	K147	G148	I149	R150	V151	Q152	C153	S154	G155	R156	L157	G158	G159	A160	E161	M162	S163	R164	S165	E166	F167	Y168	R169	E170	G171	R172	P173	V174	L175	H176	T177	R178	R179	A180



• Molecule 34: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S6






• Molecule 37: 30S ribosomal protein S7



• Molecule 38: 30S ribosomal protein S8



• Molecule 39: 30S ribosomal protein S9




• Molecule 40: 30S ribosomal protein S10






• Molecule 41: 30S ribosomal protein S11




• Molecule 42: 30S ribosomal protein S12




• Molecule 43: 30S ribosomal protein S13





• Molecule 44: 30S ribosomal protein S14 type Z

Chain n: 




- Molecule 45: 30S ribosomal protein S15

Chain o: 




- Molecule 46: 30S ribosomal protein S16

Chain p: 




- Molecule 47: 30S ribosomal protein S17



Chain q: 




- Molecule 48: 30S ribosomal protein S18




• Molecule 49: 30S ribosomal protein S19



• Molecule 50: 30S ribosomal protein S20



• Molecule 51: peptide



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	719250	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.618	Depositor
Minimum map value	-0.335	Depositor
Average map value	0.018	Depositor
Map value standard deviation	0.082	Depositor
Recommended contour level	0.4	Depositor
Map size ($\text{\AA}$)	348.6, 348.6, 348.6	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.83000004, 0.83000004, 0.83000004	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: UR3, 6MZ, ZN, MG, WDP, OMG, OMC, MA6, 5MU, 5MC, 4OC, 2MG, G7M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.20	0/435	0.28	0/581
2	1	0.21	0/407	0.29	0/543
3	2	0.35	0/361	0.39	0/473
4	3	0.21	0/499	0.30	0/664
5	4	0.18	0/303	0.29	0/402
6	6	0.48	1/455 (0.2%)	0.73	3/611 (0.5%)
7	A	0.31	1/74851 (0.0%)	0.29	0/116786
8	B	0.17	0/2749	0.23	0/4284
9	C	0.30	0/2129	0.39	0/2861
10	D	0.29	0/1613	0.41	0/2174
11	E	0.28	0/1575	0.39	0/2129
12	F	0.15	0/1429	0.41	0/1921
13	G	0.16	0/1351	0.35	0/1824
14	H	0.14	0/353	0.36	0/474
15	J	0.32	0/1170	0.36	0/1584
16	K	0.28	0/944	0.37	0/1268
17	L	0.26	0/1081	0.39	0/1443
18	M	0.17	0/1098	0.31	0/1481
19	N	0.33	0/925	0.36	0/1242
20	O	0.16	0/895	0.36	0/1202
21	P	0.29	0/922	0.39	0/1236
22	Q	0.35	0/992	0.41	0/1329
23	R	0.31	0/766	0.45	0/1030
24	S	0.30	0/874	0.35	0/1186
25	T	0.27	0/770	0.37	0/1038
26	U	0.26	0/705	0.64	2/941 (0.2%)
27	V	0.15	0/747	0.37	0/1010
28	W	0.25	0/531	0.39	0/707
29	X	0.32	0/484	0.38	0/648
30	Y	0.24	0/544	0.35	0/727
31	Z	0.28	0/480	0.42	0/645
32	a	0.11	1/36305 (0.0%)	0.22	0/56645

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	c	0.12	0/1678	0.32	0/2254
34	d	0.12	0/1683	0.31	0/2269
35	e	0.45	2/1165 (0.2%)	0.68	3/1578 (0.2%)
36	f	0.13	0/767	0.33	0/1036
37	g	0.13	0/1210	0.34	0/1631
38	h	0.18	0/1014	0.49	1/1369 (0.1%)
39	i	0.13	0/1011	0.41	0/1356
40	j	0.12	0/803	0.38	0/1086
41	k	0.13	0/891	0.33	0/1204
42	l	0.14	0/970	0.44	0/1295
43	m	0.13	0/953	0.38	0/1274
44	n	0.11	0/477	0.28	0/634
45	o	0.12	0/727	0.32	0/973
46	p	0.13	0/742	0.34	0/1000
47	q	0.13	0/766	0.36	0/1024
48	r	0.12	0/502	0.30	0/674
49	s	0.14	0/690	0.38	0/928
50	t	0.17	0/633	0.43	0/838
51	v	0.12	0/188	0.32	0/243
All	All	0.25	5/155613 (0.0%)	0.30	9/233755 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
17	L	0	2
23	R	0	1
26	U	0	2
42	l	0	1
All	All	0	6

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	e	191	PRO	CG-CD	-13.31	1.05	1.50
6	6	43	PRO	CG-CD	-8.39	1.22	1.50
7	A	2296	A	C6-N6	6.21	1.46	1.33
35	e	191	PRO	N-CD	5.45	1.55	1.47
32	a	1491	UR3	O3'-P	5.03	1.61	1.56

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	e	191	PRO	N-CD-CG	-15.42	80.07	103.20
6	6	43	PRO	N-CD-CG	-10.72	87.12	103.20
35	e	191	PRO	CA-N-CD	-10.64	97.11	112.00
38	h	68	PRO	CA-N-CD	-9.60	98.56	112.00
35	e	191	PRO	CA-CB-CG	-8.72	87.93	104.50

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
17	L	20	ARG	Peptide
17	L	28	LYS	Peptide
23	R	50	THR	Peptide
26	U	90	GLU	Peptide
26	U	91	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	429	0	465	8	0
2	1	400	0	409	8	0
3	2	358	0	390	2	0
4	3	494	0	533	5	0
5	4	299	0	323	13	0
6	6	446	0	431	11	0
7	A	66961	0	33727	760	0
8	B	2458	0	1252	40	0
9	C	2088	0	2123	21	0
10	D	1590	0	1632	30	0
11	E	1552	0	1593	21	0
12	F	1408	0	1449	72	0
13	G	1330	0	1390	35	0
14	H	350	0	367	15	0
15	J	1143	0	1173	23	0
16	K	934	0	993	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	L	1068	0	1129	27	0
18	M	1072	0	1115	13	0
19	N	908	0	956	15	0
20	O	886	0	924	27	0
21	P	907	0	947	12	0
22	Q	980	0	1028	14	0
23	R	757	0	817	9	0
24	S	860	0	903	13	0
25	T	759	0	809	13	0
26	U	699	0	738	12	0
27	V	735	0	767	18	0
28	W	526	0	548	9	0
29	X	476	0	492	2	0
30	Y	541	0	551	19	0
31	Z	476	0	509	7	0
32	a	32621	0	16427	706	0
33	c	1654	0	1694	48	0
34	d	1650	0	1671	66	0
35	e	1149	0	1207	49	0
36	f	757	0	796	23	0
37	g	1193	0	1256	34	0
38	h	999	0	1034	33	0
39	i	993	0	1052	40	0
40	j	789	0	821	40	0
41	k	873	0	887	34	0
42	l	959	0	1045	40	0
43	m	945	0	992	47	0
44	n	468	0	492	16	0
45	o	718	0	760	19	0
46	p	728	0	764	32	0
47	q	754	0	811	31	0
48	r	497	0	514	9	0
49	s	672	0	690	21	0
50	t	631	0	681	28	0
51	v	186	0	202	3	0
52	1	1	0	0	0	0
52	4	1	0	0	0	0
52	6	1	0	0	0	0
52	X	1	0	0	0	0
52	n	1	0	0	0	0
52	r	1	0	0	0	0
53	A	86	0	0	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	A	307	0	0	0	0
54	B	7	0	0	0	0
54	C	3	0	0	0	0
54	D	1	0	0	0	0
54	L	1	0	0	0	0
54	M	1	0	0	0	0
54	a	125	0	0	0	0
54	e	1	0	0	0	0
54	t	1	0	0	0	0
All	All	143665	0	94279	2338	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 2338 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1959:A:C2	7:A:1970:G:N1	2.02	1.25
7:A:1959:A:H2	7:A:1970:G:N1	1.35	1.24
7:A:2741:A:H62	53:A:3201:WDP:C07	1.67	1.06
32:a:990:U:H3	32:a:1035:G:H1	1.05	1.01
7:A:1592:U:H3	7:A:1613:G:H1	1.01	0.98

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	52/57 (91%)	52 (100%)	0	0	100	100
2	1	46/55 (84%)	45 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	2	40/47 (85%)	39 (98%)	1 (2%)	0	100	100
4	3	60/64 (94%)	60 (100%)	0	0	100	100
5	4	35/37 (95%)	35 (100%)	0	0	100	100
6	6	53/80 (66%)	46 (87%)	7 (13%)	0	100	100
9	C	270/279 (97%)	259 (96%)	11 (4%)	0	100	100
10	D	211/213 (99%)	198 (94%)	13 (6%)	0	100	100
11	E	205/207 (99%)	201 (98%)	4 (2%)	0	100	100
12	F	176/178 (99%)	162 (92%)	14 (8%)	0	100	100
13	G	172/177 (97%)	167 (97%)	5 (3%)	0	100	100
14	H	45/152 (30%)	38 (84%)	7 (16%)	0	100	100
15	J	144/195 (74%)	141 (98%)	3 (2%)	0	100	100
16	K	119/122 (98%)	117 (98%)	2 (2%)	0	100	100
17	L	141/146 (97%)	128 (91%)	12 (8%)	1 (1%)	18	38
18	M	132/138 (96%)	122 (92%)	10 (8%)	0	100	100
19	N	114/180 (63%)	110 (96%)	4 (4%)	0	100	100
20	O	114/122 (93%)	107 (94%)	7 (6%)	0	100	100
21	P	110/113 (97%)	105 (96%)	5 (4%)	0	100	100
22	Q	120/129 (93%)	117 (98%)	3 (2%)	0	100	100
23	R	98/104 (94%)	88 (90%)	9 (9%)	1 (1%)	12	28
24	S	111/197 (56%)	108 (97%)	3 (3%)	0	100	100
25	T	96/100 (96%)	88 (92%)	8 (8%)	0	100	100
26	U	86/105 (82%)	73 (85%)	12 (14%)	1 (1%)	10	23
27	V	93/215 (43%)	90 (97%)	3 (3%)	0	100	100
28	W	69/86 (80%)	64 (93%)	5 (7%)	0	100	100
29	X	61/64 (95%)	58 (95%)	3 (5%)	0	100	100
30	Y	63/77 (82%)	60 (95%)	3 (5%)	0	100	100
31	Z	57/65 (88%)	56 (98%)	1 (2%)	0	100	100
33	c	205/274 (75%)	191 (93%)	14 (7%)	0	100	100
34	d	198/201 (98%)	188 (95%)	10 (5%)	0	100	100
35	e	158/220 (72%)	145 (92%)	12 (8%)	1 (1%)	21	42
36	f	93/96 (97%)	90 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	g	150/156 (96%)	146 (97%)	4 (3%)	0	100	100
38	h	128/132 (97%)	123 (96%)	4 (3%)	1 (1%)	16	34
39	i	125/151 (83%)	107 (86%)	18 (14%)	0	100	100
40	j	97/101 (96%)	86 (89%)	11 (11%)	0	100	100
41	k	115/139 (83%)	108 (94%)	7 (6%)	0	100	100
42	l	120/124 (97%)	95 (79%)	24 (20%)	1 (1%)	16	34
43	m	114/124 (92%)	105 (92%)	9 (8%)	0	100	100
44	n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
45	o	85/89 (96%)	79 (93%)	5 (6%)	1 (1%)	10	23
46	p	89/162 (55%)	81 (91%)	7 (8%)	1 (1%)	11	25
47	q	91/135 (67%)	82 (90%)	9 (10%)	0	100	100
48	r	61/84 (73%)	58 (95%)	3 (5%)	0	100	100
49	s	81/93 (87%)	70 (86%)	11 (14%)	0	100	100
50	t	80/86 (93%)	80 (100%)	0	0	100	100
51	v	20/22 (91%)	20 (100%)	0	0	100	100
All	All	5161/6154 (84%)	4843 (94%)	310 (6%)	8 (0%)	44	66

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
23	R	51	THR
42	l	114	ARG
17	L	5	LEU
45	o	19	GLU
26	U	91	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	44/47 (94%)	43 (98%)	1 (2%)	44	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	1	45/51 (88%)	44 (98%)	1 (2%)	45	72
3	2	36/40 (90%)	34 (94%)	2 (6%)	19	40
4	3	53/54 (98%)	53 (100%)	0	100	100
5	4	35/35 (100%)	34 (97%)	1 (3%)	37	65
6	6	49/66 (74%)	48 (98%)	1 (2%)	48	74
9	C	212/218 (97%)	210 (99%)	2 (1%)	70	87
10	D	163/163 (100%)	156 (96%)	7 (4%)	26	51
11	E	159/159 (100%)	158 (99%)	1 (1%)	78	91
12	F	147/147 (100%)	143 (97%)	4 (3%)	39	67
13	G	143/145 (99%)	140 (98%)	3 (2%)	47	73
14	H	36/121 (30%)	35 (97%)	1 (3%)	38	66
15	J	120/161 (74%)	115 (96%)	5 (4%)	26	52
16	K	100/101 (99%)	99 (99%)	1 (1%)	68	86
17	L	107/110 (97%)	102 (95%)	5 (5%)	23	48
18	M	110/114 (96%)	109 (99%)	1 (1%)	70	87
19	N	94/139 (68%)	93 (99%)	1 (1%)	65	84
20	O	88/93 (95%)	82 (93%)	6 (7%)	14	32
21	P	98/99 (99%)	97 (99%)	1 (1%)	68	86
22	Q	95/99 (96%)	93 (98%)	2 (2%)	47	73
23	R	81/83 (98%)	79 (98%)	2 (2%)	42	69
24	S	87/140 (62%)	85 (98%)	2 (2%)	44	71
25	T	82/83 (99%)	78 (95%)	4 (5%)	22	47
26	U	77/88 (88%)	74 (96%)	3 (4%)	28	55
27	V	75/164 (46%)	72 (96%)	3 (4%)	28	55
28	W	51/62 (82%)	49 (96%)	2 (4%)	28	55
29	X	52/52 (100%)	51 (98%)	1 (2%)	50	75
30	Y	58/66 (88%)	57 (98%)	1 (2%)	53	78
31	Z	51/55 (93%)	48 (94%)	3 (6%)	18	38
33	c	170/210 (81%)	167 (98%)	3 (2%)	51	76
34	d	176/177 (99%)	175 (99%)	1 (1%)	78	91
35	e	114/159 (72%)	112 (98%)	2 (2%)	51	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	f	84/85 (99%)	81 (96%)	3 (4%)	31	58
37	g	127/131 (97%)	120 (94%)	7 (6%)	19	41
38	h	106/108 (98%)	105 (99%)	1 (1%)	70	87
39	i	102/120 (85%)	98 (96%)	4 (4%)	28	55
40	j	89/90 (99%)	88 (99%)	1 (1%)	65	84
41	k	90/107 (84%)	87 (97%)	3 (3%)	33	61
42	l	104/105 (99%)	102 (98%)	2 (2%)	50	75
43	m	99/104 (95%)	99 (100%)	0	100	100
44	n	46/47 (98%)	44 (96%)	2 (4%)	26	51
45	o	77/79 (98%)	76 (99%)	1 (1%)	61	82
46	p	75/125 (60%)	74 (99%)	1 (1%)	61	82
47	q	83/105 (79%)	81 (98%)	2 (2%)	43	70
48	r	53/72 (74%)	51 (96%)	2 (4%)	29	56
49	s	75/85 (88%)	74 (99%)	1 (1%)	61	82
50	t	62/65 (95%)	61 (98%)	1 (2%)	55	79
51	v	18/18 (100%)	18 (100%)	0	100	100
All	All	4298/4947 (87%)	4194 (98%)	104 (2%)	43	70

5 of 104 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
27	V	61	THR
35	e	116	VAL
47	q	105	VAL
27	V	98	VAL
31	Z	22	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
43	m	55	HIS
46	p	15	ASN
18	M	28	ASN
17	L	57	HIS
46	p	52	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
32	a	1518/1537 (98%)	223 (14%)	0
7	A	3116/3138 (99%)	425 (13%)	2 (0%)
8	B	114/115 (99%)	16 (14%)	0
All	All	4748/4790 (99%)	664 (13%)	2 (0%)

5 of 664 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	A	13	A
7	A	35	G
7	A	63	A
7	A	71	A
7	A	74	U

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A	338	G
7	A	913	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

13 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
32	MA6	a	1512	32	23,26,27	1.30	3 (13%)	33,38,41	2.13	9 (27%)
7	OMC	A	2736	7,54	19,22,23	1.60	3 (15%)	25,31,34	1.07	2 (8%)
32	5MC	a	960	32	19,22,23	2.39	7 (36%)	26,32,35	1.14	1 (3%)
32	2MG	a	959	32	23,26,27	2.75	4 (17%)	33,38,41	2.07	9 (27%)
32	G7M	a	518	32	23,26,27	2.65	5 (21%)	34,39,42	1.57	7 (20%)
32	4OC	a	1395	32	20,23,24	2.55	5 (25%)	25,32,35	0.92	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	6MZ	A	2268	7	22,25,26	2.36	3 (13%)	29,36,39	2.33	9 (31%)
32	2MG	a	1509	32	23,26,27	2.73	5 (21%)	33,38,41	2.05	9 (27%)
32	UR3	a	1491	32	19,22,23	2.83	4 (21%)	26,32,35	1.40	3 (11%)
7	OMG	A	2791	7	23,26,27	2.39	6 (26%)	32,38,41	2.00	10 (31%)
7	OMG	A	2489	7	23,26,27	2.39	6 (26%)	32,38,41	1.97	10 (31%)
32	MA6	a	1511	32	23,26,27	1.31	3 (13%)	33,38,41	2.11	10 (30%)
7	5MU	A	2177	7	19,22,23	2.31	8 (42%)	27,32,35	2.41	6 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	MA6	a	1512	32	-	1/11/29/30	0/3/3/3
7	OMC	A	2736	7,54	-	1/9/27/28	0/2/2/2
32	5MC	a	960	32	-	0/7/25/26	0/2/2/2
32	2MG	a	959	32	-	3/9/27/28	0/3/3/3
32	G7M	a	518	32	-	0/7/25/26	0/3/3/3
32	4OC	a	1395	32	-	0/9/29/30	0/2/2/2
7	6MZ	A	2268	7	-	2/9/27/28	0/3/3/3
32	2MG	a	1509	32	-	0/9/27/28	0/3/3/3
32	UR3	a	1491	32	-	1/7/25/26	0/2/2/2
7	OMG	A	2791	7	-	0/9/27/28	0/3/3/3
7	OMG	A	2489	7	-	3/9/27/28	0/3/3/3
32	MA6	a	1511	32	-	0/11/29/30	0/3/3/3
7	5MU	A	2177	7	-	0/7/25/26	0/2/2/2

The worst 5 of 62 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	a	518	G7M	O6-C6	10.54	1.43	1.23
32	a	1491	UR3	O4-C4	10.27	1.45	1.23
7	A	2268	6MZ	C6-N6	9.89	1.45	1.34
32	a	959	2MG	O6-C6	9.68	1.41	1.23
32	a	1509	2MG	O6-C6	9.54	1.41	1.23

The worst 5 of 86 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	a	959	2MG	C2-N3-C4	6.65	120.33	112.00
7	A	2268	6MZ	C9-N6-C6	-6.53	116.79	122.85
32	a	1509	2MG	C2-N3-C4	6.45	120.06	112.00
7	A	2177	5MU	C4-N3-C2	-5.77	119.78	127.34
32	a	959	2MG	C5-C4-N3	-5.66	119.38	128.39

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	2489	OMG	O4'-C4'-C5'-O5'
7	A	2489	OMG	C1'-C2'-O2'-CM2
32	a	959	2MG	N1-C2-N2-CM2
32	a	959	2MG	N3-C2-N2-CM2
7	A	2268	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	a	1512	MA6	1	0
32	a	518	G7M	2	0
32	a	1395	4OC	2	0
7	A	2268	6MZ	1	0
32	a	1509	2MG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 454 ligands modelled in this entry, 453 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
53	WDP	A	3201	-	84,90,90	2.46	20 (23%)	101,132,132	2.25	17 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	WDP	A	3201	-	-	37/103/158/158	1/4/5/5

The worst 5 of 20 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	A	3201	WDP	C18-N20	8.83	1.50	1.35
53	A	3201	WDP	S26-N25	7.61	1.73	1.61
53	A	3201	WDP	O17-C18	6.26	1.46	1.34
53	A	3201	WDP	C62-N61	-6.20	1.33	1.46
53	A	3201	WDP	O50-C51	5.94	1.47	1.34

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	A	3201	WDP	O28-S26-O27	-15.10	101.18	119.52
53	A	3201	WDP	O17-C18-N20	7.72	119.98	109.88
53	A	3201	WDP	C05-C04-N03	-5.83	120.13	126.93
53	A	3201	WDP	O40-C41-C43	4.75	119.94	111.43
53	A	3201	WDP	O50-C51-C53	4.08	120.25	111.53

There are no chirality outliers.

5 of 37 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C16-C15-O17-C18
53	A	3201	WDP	C22-C21-C24-N25
53	A	3201	WDP	C23-C21-C24-N25
53	A	3201	WDP	N20-C21-C24-N25
53	A	3201	WDP	C22-C21-N20-C18


All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C04-C05-C06-C09-C85-O08

1 monomer is involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
53	A	3201	WDP	21	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25100. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 244




Y Index: 172




Z Index: 158


6.3.2 Raw map



X Index: 244



Y Index: 172




Z Index: 158


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_25100_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 418 nm³; this corresponds to an approximate mass of 377 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.385 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.385 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.54	2.91	2.60
Unmasked-calculated*	2.91	3.31	2.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.91 differs from the reported value 2.6 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-25100 and PDB model 7SFR. Per-residue inclusion information can be found in section [3](#) on page [15](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

9.4 Atom inclusion ⓘ



At the recommended contour level, 47% of all backbone atoms, 47% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4680	0.4680
0	0.4540	0.6090
1	0.6700	0.5810
2	0.9570	0.6490
3	0.7060	0.6210
4	0.1910	0.5570
6	0.0000	0.2530
A	0.7680	0.5450
B	0.5460	0.4700
C	0.8570	0.6210
D	0.7290	0.6040
E	0.6070	0.5910
F	0.0140	0.3610
G	0.0400	0.4250
H	0.0260	0.3940
J	0.8130	0.6090
K	0.6930	0.6030
L	0.6590	0.5850
M	0.1200	0.5530
N	0.8350	0.6250
O	0.2180	0.4590
P	0.6230	0.5890
Q	0.8520	0.6190
R	0.6470	0.6010
S	0.8140	0.6220
T	0.6410	0.5780
U	0.4140	0.5220
V	0.0440	0.4840
W	0.7620	0.5990
X	0.7660	0.6190
Y	0.5870	0.5510
Z	0.6990	0.5880
a	0.0180	0.3330
c	0.0000	0.2250
d	0.0000	0.2260



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.0000	 0.3140
f	 0.0000	 0.4430
g	 0.0000	 0.2290
h	 0.0000	 0.3360
i	 0.0000	 0.1610
j	 0.0000	 0.1700
k	 0.0000	 0.4060
l	 0.0000	 0.3460
m	 0.0000	 0.2100
n	 0.0000	 0.2030
o	 0.0000	 0.4150
p	 0.0000	 0.3030
q	 0.0000	 0.3330
r	 0.0000	 0.4080
s	 0.0000	 0.1790
t	 0.0000	 0.3420
v	 0.0170	 0.5040