



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 02:01 PM UTC

PDB ID : 8SGO / pdb_00008sgo
EMDB ID : EMD-40462
Title : Human GABAA receptor alpha1-beta2-gamma2 subtype in complex with GABA plus pregnenolone sulfate
Authors : Legesse, D.H.; Fan, C.; Teng, J.; Zhuang, Y.; Howard, R.J.; Noviello, C.M.; Lindahl, E.; Hibbs, R.E.
Deposited on : 2023-04-12
Resolution : 2.65 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	9050 (2.15 - 3.15)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	 85% 7% 8%
1	C	364	 84% 8% 8%
2	B	358	 87% 7% 6%
2	D	358	 86% 9% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	417	
4	I	213	
4	L	213	
5	J	454	
5	K	454	
6	F	3	
6	H	3	
6	M	3	
7	G	10	
8	N	2	

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 34952 atoms, of which 17210 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-aminobutyric acid receptor subunit beta-2.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	334	Total	C	H	N	O	S	0	0
			5473	1791	2741	440	485	16		
1	C	334	Total	C	H	N	O	S	0	0
			5473	1791	2741	440	485	16		

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	308	SER	-	linker	UNP P47870
A	309	GLN	-	linker	UNP P47870
A	310	PRO	-	linker	UNP P47870
A	311	ALA	-	linker	UNP P47870
A	312	ARG	-	linker	UNP P47870
A	313	ALA	-	linker	UNP P47870
A	314	ALA	-	linker	UNP P47870
A	342	VAL	-	expression tag	UNP P47870
A	343	ASP	-	expression tag	UNP P47870
A	344	GLY	-	expression tag	UNP P47870
A	345	SER	-	expression tag	UNP P47870
A	346	GLY	-	expression tag	UNP P47870
A	347	ALA	-	expression tag	UNP P47870
A	348	THR	-	expression tag	UNP P47870
A	349	ASN	-	expression tag	UNP P47870
A	350	PHE	-	expression tag	UNP P47870
A	351	SER	-	expression tag	UNP P47870
A	352	LEU	-	expression tag	UNP P47870
A	353	LEU	-	expression tag	UNP P47870
A	354	LYS	-	expression tag	UNP P47870
A	355	GLN	-	expression tag	UNP P47870
A	356	ALA	-	expression tag	UNP P47870
A	357	GLY	-	expression tag	UNP P47870
A	358	ASP	-	expression tag	UNP P47870
A	359	VAL	-	expression tag	UNP P47870
A	360	GLU	-	expression tag	UNP P47870

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	361	GLU	-	expression tag	UNP P47870
A	362	ASN	-	expression tag	UNP P47870
A	363	PRO	-	expression tag	UNP P47870
A	364	GLY	-	expression tag	UNP P47870
C	308	SER	-	linker	UNP P47870
C	309	GLN	-	linker	UNP P47870
C	310	PRO	-	linker	UNP P47870
C	311	ALA	-	linker	UNP P47870
C	312	ARG	-	linker	UNP P47870
C	313	ALA	-	linker	UNP P47870
C	314	ALA	-	linker	UNP P47870
C	342	VAL	-	expression tag	UNP P47870
C	343	ASP	-	expression tag	UNP P47870
C	344	GLY	-	expression tag	UNP P47870
C	345	SER	-	expression tag	UNP P47870
C	346	GLY	-	expression tag	UNP P47870
C	347	ALA	-	expression tag	UNP P47870
C	348	THR	-	expression tag	UNP P47870
C	349	ASN	-	expression tag	UNP P47870
C	350	PHE	-	expression tag	UNP P47870
C	351	SER	-	expression tag	UNP P47870
C	352	LEU	-	expression tag	UNP P47870
C	353	LEU	-	expression tag	UNP P47870
C	354	LYS	-	expression tag	UNP P47870
C	355	GLN	-	expression tag	UNP P47870
C	356	ALA	-	expression tag	UNP P47870
C	357	GLY	-	expression tag	UNP P47870
C	358	ASP	-	expression tag	UNP P47870
C	359	VAL	-	expression tag	UNP P47870
C	360	GLU	-	expression tag	UNP P47870
C	361	GLU	-	expression tag	UNP P47870
C	362	ASN	-	expression tag	UNP P47870
C	363	PRO	-	expression tag	UNP P47870
C	364	GLY	-	expression tag	UNP P47870

- Molecule 2 is a protein called Gamma-aminobutyric acid receptor subunit alpha-1.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	338	Total	C	H	N	O	S	0	0
			5454	1763	2724	461	490	16		
2	D	338	Total	C	H	N	O	S	0	0
			5454	1763	2724	461	490	16		

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	313	SER	-	linker	UNP P14867
B	314	GLN	-	linker	UNP P14867
B	315	PRO	-	linker	UNP P14867
B	316	ALA	-	linker	UNP P14867
B	317	ARG	-	linker	UNP P14867
B	318	ALA	-	linker	UNP P14867
B	319	ALA	-	linker	UNP P14867
D	313	SER	-	linker	UNP P14867
D	314	GLN	-	linker	UNP P14867
D	315	PRO	-	linker	UNP P14867
D	316	ALA	-	linker	UNP P14867
D	317	ARG	-	linker	UNP P14867
D	318	ALA	-	linker	UNP P14867
D	319	ALA	-	linker	UNP P14867

- Molecule 3 is a protein called Gamma-aminobutyric acid receptor subunit gamma-2.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	E	333	Total	C	H	N	O	S	0	0
			5443	1781	2714	448	485	15		

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-36	TRP	-	expression tag	UNP P18507
E	-35	SER	-	expression tag	UNP P18507
E	-34	HIS	-	expression tag	UNP P18507
E	-33	PRO	-	expression tag	UNP P18507
E	-32	GLN	-	expression tag	UNP P18507
E	-31	PHE	-	expression tag	UNP P18507
E	-30	GLU	-	expression tag	UNP P18507
E	-29	LYS	-	expression tag	UNP P18507
E	-28	GLY	-	expression tag	UNP P18507
E	-27	GLY	-	expression tag	UNP P18507
E	-26	GLY	-	expression tag	UNP P18507
E	-25	SER	-	expression tag	UNP P18507
E	-24	GLY	-	expression tag	UNP P18507
E	-23	GLY	-	expression tag	UNP P18507
E	-22	GLY	-	expression tag	UNP P18507
E	-21	SER	-	expression tag	UNP P18507
E	-20	GLY	-	expression tag	UNP P18507

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-19	GLY	-	expression tag	UNP P18507
E	-18	SER	-	expression tag	UNP P18507
E	-17	SER	-	expression tag	UNP P18507
E	-16	ALA	-	expression tag	UNP P18507
E	-15	TRP	-	expression tag	UNP P18507
E	-14	SER	-	expression tag	UNP P18507
E	-13	HIS	-	expression tag	UNP P18507
E	-12	PRO	-	expression tag	UNP P18507
E	-11	GLN	-	expression tag	UNP P18507
E	-10	PHE	-	expression tag	UNP P18507
E	-9	GLU	-	expression tag	UNP P18507
E	-8	LYS	-	expression tag	UNP P18507
E	-7	LEU	-	expression tag	UNP P18507
E	-6	GLU	-	expression tag	UNP P18507
E	-5	VAL	-	expression tag	UNP P18507
E	-4	LEU	-	expression tag	UNP P18507
E	-3	PHE	-	expression tag	UNP P18507
E	-2	GLN	-	expression tag	UNP P18507
E	-1	GLY	-	expression tag	UNP P18507
E	0	PRO	-	expression tag	UNP P18507
E	323	SER	-	linker	UNP P18507
E	324	GLN	-	linker	UNP P18507
E	325	PRO	-	linker	UNP P18507
E	326	ALA	-	linker	UNP P18507
E	327	ARG	-	linker	UNP P18507
E	328	ALA	-	linker	UNP P18507
E	358	SER	-	expression tag	UNP P18507
E	359	ARG	-	expression tag	UNP P18507
E	360	GLY	-	expression tag	UNP P18507
E	361	SER	-	expression tag	UNP P18507
E	362	GLY	-	expression tag	UNP P18507
E	363	ALA	-	expression tag	UNP P18507
E	364	THR	-	expression tag	UNP P18507
E	365	ASN	-	expression tag	UNP P18507
E	366	PHE	-	expression tag	UNP P18507
E	367	SER	-	expression tag	UNP P18507
E	368	LEU	-	expression tag	UNP P18507
E	369	LEU	-	expression tag	UNP P18507
E	370	LYS	-	expression tag	UNP P18507
E	371	GLN	-	expression tag	UNP P18507
E	372	ALA	-	expression tag	UNP P18507
E	373	GLY	-	expression tag	UNP P18507

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	374	ASP	-	expression tag	UNP P18507
E	375	VAL	-	expression tag	UNP P18507
E	376	GLU	-	expression tag	UNP P18507
E	377	GLU	-	expression tag	UNP P18507
E	378	ASN	-	expression tag	UNP P18507
E	379	PRO	-	expression tag	UNP P18507
E	380	GLY	-	expression tag	UNP P18507


- Molecule 4 is a protein called Kappa Fab Light Chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	I	105	Total	C	H	N	O	S	0	0
			1573	504	771	130	163	5		
4	L	106	Total	C	H	N	O	S	0	0
			1595	510	784	132	164	5		

- Molecule 5 is a protein called IgG2b Fab Heavy Chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	J	116	Total	C	H	N	O	S	0	0
			1784	574	877	151	178	4		
5	K	117	Total	C	H	N	O	S	0	0
			1798	578	884	152	180	4		


- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms						AltConf	Trace
6	F	3	Total	C	H	N	O		0	0
			73	22	34	2	15			
6	H	3	Total	C	H	N	O		0	0
			73	22	34	2	15			
6	M	3	Total	C	H	N	O		0	0
			73	22	34	2	15			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyra

nose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	10	Total	C	H	N	O	0	0
			213	64	97	2	50		

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
8	N	2	Total	C	H	N	O	0	0
			53	16	25	2	10		

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms					AltConf
9	A	1	Total	C	H	N	O	0
			27	8	13	1	5	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
9	C	1	Total	C	H	N	O	0
			27	8	13	1	5	

- Molecule 10 is GAMMA-AMINO-BUTANOIC ACID (CCD ID: ABU) (formula: $C_4H_9NO_2$).




Mol	Chain	Residues	Atoms				AltConf
10	A	1	Total	C	N	O	0
			7	4	1	2	
10	C	1	Total	C	N	O	0
			7	4	1	2	

- Molecule 11 is PHOSPHATIDYLETHANOLAMINE (CCD ID: PTY) (formula: $C_{40}H_{80}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
11	B	1	Total	C	N	O	P	0
			50	40	1	8	1	
11	B	1	Total	C	N	O	P	0
			49	39	1	8	1	
11	B	1	Total	C	N	O	P	0
			39	29	1	8	1	
11	C	1	Total	C	N	O	P	0
			50	40	1	8	1	
11	D	1	Total	C	N	O	P	0
			50	40	1	8	1	
11	D	1	Total	C	N	O	P	0
			38	28	1	8	1	

- Molecule 12 is O-[(R)-[(2S)-2-(hexadecanoyloxy)-3-(octadecanoyloxy)propoxy](hydroxy)phosphoryl]-D-serine (CCD ID: Q3G) (formula: C₄₀H₇₈NO₁₀P).



Mol	Chain	Residues	Atoms					AltConf
12	C	1	Total	C	N	O	P	0
			49	37	1	10	1	

- Molecule 13 is Pregnenolone sulfate (CCD ID: A8W) (formula: $C_{21}H_{32}O_5S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
13	E	1	Total	C	O	S	0
			27	21	5	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Gamma-aminobutyric acid receptor subunit beta-2




• Molecule 1: Gamma-aminobutyric acid receptor subunit beta-2




• Molecule 2: Gamma-aminobutyric acid receptor subunit alpha-1




• Molecule 2: Gamma-aminobutyric acid receptor subunit alpha-1



- Molecule 3: Gamma-aminobutyric acid receptor subunit gamma-2




- Molecule 4: Kappa Fab Light Chain




- Molecule 4: Kappa Fab Light Chain





- Molecule 5: IgG2b Fab Heavy Chain





- Molecule 5: IgG2b Fab Heavy Chain

Chain K:  24% . 74%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  33% 67%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 100%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

NAG1
NAG2
BMA3

- Molecule 7: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-3)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain G:  30% 60% 10%

NAG1
NAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

- Molecule 8: 2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain N:  100%

NAG1
NAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	367532	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.00	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.110	Depositor
Minimum map value	-0.036	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0134	Depositor
Map size ($\text{\AA}$)	307.98718, 307.98718, 307.98718	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.0694, 1.0694, 1.0694	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Q3G, A8W, MAN, NAG, BMA, PTY, ABU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/2804	0.34	0/3818
1	C	0.21	0/2804	0.38	0/3818
2	B	0.21	0/2799	0.35	0/3805
2	D	0.21	0/2799	0.33	0/3805
3	E	0.19	0/2805	0.35	0/3822
4	I	0.20	0/820	0.32	0/1112
4	L	0.19	0/829	0.32	0/1123
5	J	0.18	0/928	0.29	0/1260
5	K	0.18	0/935	0.28	0/1270
All	All	0.20	0/17523	0.34	0/23833

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2732	2741	2742	25	0
1	C	2732	2741	2741	22	0
2	B	2730	2724	2724	26	0
2	D	2730	2724	2724	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	E	2729	2714	2714	31	0
4	I	802	771	771	7	0
4	L	811	784	784	6	0
5	J	907	877	877	7	0
5	K	914	884	884	5	0
6	F	39	34	34	6	0
6	H	39	34	34	0	0
6	M	39	34	34	0	0
7	G	116	97	97	1	0
8	N	28	25	25	0	0
9	A	14	13	13	0	0
9	C	14	13	13	0	0
10	A	7	0	0	1	0
10	C	7	0	0	1	0
11	B	138	0	204	27	0
11	C	50	0	79	8	0
11	D	88	0	128	19	0
12	C	49	0	0	1	0
13	E	27	0	0	1	0
All	All	17742	17210	17622	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:B:403:PTY:H122	11:B:403:PTY:HC12	1.47	0.96
3:E:323:SER:OG	3:E:324:GLN:OE1	1.98	0.82
2:B:246:TRP:CH2	11:B:403:PTY:H111	2.17	0.79
1:A:107:HIS:HE2	1:A:131:THR:HG1	1.25	0.78
1:A:239:SER:HB2	1:A:253:LEU:HD23	1.64	0.77
1:C:289:PHE:CZ	11:C:404:PTY:H271	2.21	0.75
11:B:401:PTY:HC11	11:B:401:PTY:HN11	1.53	0.74
2:B:296:PHE:CE2	11:B:402:PTY:H232	2.23	0.73
1:A:155:GLU:OE1	1:A:207:ARG:NH2	2.23	0.72
1:C:236:SER:HB2	1:C:257:THR:HG21	1.75	0.69
11:D:402:PTY:H132	11:D:402:PTY:H321	1.75	0.69
2:B:44:ASP:OD1	2:B:45:ILE:N	2.26	0.68
11:D:402:PTY:H371	11:D:402:PTY:H151	1.74	0.68
2:B:232:LEU:HD11	11:B:401:PTY:H162	1.76	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:B:401:PTY:HC32	11:B:401:PTY:HC51	1.78	0.65
3:E:258:ASN:ND2	3:E:260:ASP:OD1	2.29	0.65
1:A:289:PHE:CZ	11:B:401:PTY:H271	2.32	0.64
1:A:251:VAL:HG21	2:B:254:ALA:HB1	1.78	0.64
1:A:238:VAL:HG13	1:A:253:LEU:HD21	1.80	0.63
6:F:1:NAG:O4	6:F:2:NAG:O7	2.16	0.62
2:B:233:PRO:HA	11:B:401:PTY:H272	1.80	0.62
1:C:155:GLU:OE2	10:C:402:ABU:N	2.31	0.62
2:D:332:LEU:HD12	11:D:401:PTY:H181	1.81	0.62
11:D:402:PTY:H342	11:D:402:PTY:H152	1.82	0.60
1:C:28:ARG:NH1	1:C:30:ASP:O	2.34	0.60
1:C:262:THR:OG1	11:C:404:PTY:H262	2.02	0.59
3:E:63:GLY:N	3:E:73:THR:O	2.35	0.59
1:C:232:ILE:CG2	1:C:257:THR:HG23	2.32	0.59
11:B:403:PTY:HC12	11:B:403:PTY:C12	2.28	0.59
3:E:123:TRP:CD1	7:G:7:MAN:HO2	2.20	0.58
4:L:14:SER:N	4:L:17:GLU:OE2	2.34	0.57
5:K:17:SER:OG	5:K:84:SER:O	2.21	0.57
2:D:324:LEU:HD23	11:D:401:PTY:H111	1.86	0.57
2:D:346:ASN:OD1	2:D:347:ARG:N	2.38	0.57
6:F:1:NAG:O3	6:F:2:NAG:O5	2.15	0.56
1:A:235:LEU:O	1:A:238:VAL:HG12	2.05	0.56
1:C:232:ILE:HG23	1:C:257:THR:HG23	1.86	0.56
4:L:6:GLN:NE2	4:L:86:TYR:O	2.37	0.56
5:J:47:TRP:NE1	5:J:49:GLY:O	2.39	0.56
6:F:1:NAG:O7	6:F:1:NAG:C1	2.53	0.56
1:A:262:THR:HG23	11:B:401:PTY:H262	1.87	0.55
11:B:403:PTY:HC11	11:B:403:PTY:HC22	1.88	0.55
2:B:174:GLU:OE2	5:J:50:ARG:NH1	2.39	0.55
11:C:404:PTY:H402	2:D:337:ASN:ND2	2.22	0.54
11:B:401:PTY:H231	11:B:401:PTY:C27	2.36	0.54
2:B:246:TRP:HH2	11:B:403:PTY:H111	1.67	0.54
1:A:109:VAL:HG11	3:E:119:ALA:HB3	1.90	0.54
2:D:328:ALA:CB	11:D:401:PTY:H142	2.38	0.54
1:A:263:THR:O	1:A:267:HIS:ND1	2.30	0.53
3:E:176:ARG:N	3:E:219:ASP:O	2.39	0.53
5:K:100:GLY:N	5:K:104:ALA:O	2.32	0.53
2:D:302:ILE:HG21	11:D:401:PTY:H332	1.92	0.52
1:A:149:ASN:HD21	6:F:1:NAG:C1	2.23	0.52
11:C:404:PTY:H261	2:D:233:PRO:HG3	1.90	0.52
2:D:302:ILE:CG2	11:D:401:PTY:H332	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:294:TYR:HD2	11:D:401:PTY:H432	1.75	0.51
5:J:90:ASP:OD1	5:J:94:TYR:OH	2.28	0.51
1:C:266:THR:O	1:C:270:GLU:HG2	2.11	0.51
2:D:191:TYR:OH	2:D:221:ARG:NH2	2.43	0.51
2:D:44:ASP:OD1	2:D:45:ILE:N	2.43	0.51
2:D:298:PHE:CD2	11:D:401:PTY:H401	2.46	0.51
1:C:269:ARG:NH1	1:C:282:ASP:OD2	2.43	0.51
2:B:31:ARG:NH1	2:B:33:GLY:O	2.45	0.50
1:A:259:LEU:HD21	2:B:261:THR:HG23	1.93	0.50
3:E:157:ASN:O	3:E:160:MET:N	2.43	0.50
5:J:61:ASP:OD1	5:J:62:PRO:HD2	2.12	0.50
11:D:401:PTY:H442	3:E:246:LEU:HD11	1.93	0.50
1:A:230:ILE:O	1:A:233:THR:HG22	2.11	0.49
11:C:404:PTY:H402	2:D:337:ASN:HD22	1.77	0.49
5:K:73:ASP:OD2	5:K:76:SER:OG	2.29	0.49
11:B:401:PTY:HC32	11:B:401:PTY:C5	2.43	0.49
2:B:299:SER:HA	11:B:402:PTY:H331	1.94	0.49
1:A:238:VAL:CG1	1:A:253:LEU:HD21	2.42	0.48
4:I:6:GLN:NE2	4:I:86:TYR:O	2.44	0.48
1:C:289:PHE:CE2	11:C:404:PTY:H271	2.49	0.48
2:D:329:PHE:CE1	11:D:401:PTY:H151	2.47	0.48
2:B:232:LEU:CD1	11:B:401:PTY:H162	2.42	0.48
3:E:246:LEU:HA	3:E:249:VAL:HG22	1.96	0.48
13:E:401:A8W:C21	13:E:401:A8W:C18	2.92	0.48
5:K:7:SER:OG	5:K:8:GLY:N	2.47	0.47
2:D:294:TYR:CE2	3:E:246:LEU:HD13	2.50	0.47
11:B:401:PTY:H342	11:B:401:PTY:H312	1.49	0.47
2:B:197:THR:HG23	4:I:28:TYR:CE1	2.50	0.47
2:B:235:ILE:HD13	11:B:401:PTY:H391	1.97	0.47
5:J:106:ASP:OD1	5:J:107:TYR:N	2.47	0.46
3:E:323:SER:OG	3:E:324:GLN:N	2.48	0.46
2:B:329:PHE:CE1	11:B:402:PTY:H151	2.51	0.46
11:B:402:PTY:H202	11:B:402:PTY:H231	1.45	0.45
3:E:287:LEU:HB2	3:E:288:PRO:HD2	1.97	0.45
1:A:149:ASN:ND2	6:F:1:NAG:C1	2.79	0.45
3:E:297:ASP:HA	3:E:300:VAL:HG22	1.98	0.45
3:E:189:GLU:O	3:E:189:GLU:HG3	2.16	0.45
3:E:187:SER:OG	3:E:188:VAL:N	2.49	0.45
5:J:41:PRO:HB2	5:J:42:GLU:OE1	2.17	0.45
11:B:401:PTY:H211	11:B:401:PTY:H182	1.37	0.45
11:B:403:PTY:H192	11:B:403:PTY:H161	1.54	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:246:TRP:HH2	11:D:402:PTY:H111	1.81	0.45
11:D:401:PTY:O30	11:D:401:PTY:H121	2.17	0.45
2:B:66:PHE:HB2	2:B:133:LEU:HD21	1.99	0.45
3:E:159:PRO:O	3:E:231:ARG:HD2	2.17	0.45
3:E:164:SER:O	3:E:164:SER:OG	2.30	0.45
2:B:330:PRO:CB	11:B:403:PTY:H202	2.47	0.44
1:C:286:MET:HE1	11:C:404:PTY:H141	1.99	0.44
3:E:309:SER:HA	3:E:312:VAL:HG12	1.99	0.44
2:D:197:THR:HG23	4:L:28:TYR:CE1	2.53	0.44
1:A:289:PHE:CZ	11:B:401:PTY:H282	2.53	0.44
4:I:34:SER:HA	4:I:48:ILE:O	2.17	0.44
1:A:302:VAL:HG13	1:A:313:ALA:HB1	1.99	0.44
3:E:347:ASN:O	3:E:348:LEU:C	2.60	0.44
4:I:85:ASP:OD1	4:I:102:LYS:HD2	2.18	0.44
1:A:262:THR:OG1	11:B:401:PTY:H281	2.18	0.44
1:C:332:ASN:OD1	1:C:336:TRP:CD1	2.71	0.44
1:A:114:ARG:HB3	1:A:128:LEU:HD23	1.99	0.44
4:I:14:SER:N	4:I:17:GLU:OE2	2.50	0.44
2:B:330:PRO:HB2	11:B:403:PTY:H202	1.99	0.43
1:C:40:MET:SD	1:C:65:GLN:HG2	2.57	0.43
2:D:250:GLU:N	2:D:250:GLU:OE1	2.51	0.43
2:D:274:ARG:NH1	2:D:287:ASP:OD2	2.51	0.43
1:C:222:ILE:O	1:C:227:MET:HG2	2.18	0.43
2:D:22:LEU:HD11	2:D:77:PHE:HB3	2.01	0.43
11:D:401:PTY:H262	11:D:401:PTY:H232	1.81	0.43
5:J:33:TYR:CD2	5:J:50:ARG:HD3	2.54	0.43
1:A:116:ILE:O	1:A:116:ILE:HG23	2.19	0.43
1:A:155:GLU:OE2	10:A:402:ABU:N	2.52	0.43
11:D:402:PTY:H342	11:D:402:PTY:C15	2.46	0.43
3:E:193:THR:HG22	3:E:193:THR:O	2.18	0.43
4:L:63:THR:OG1	4:L:74:THR:OG1	2.37	0.43
3:E:262:VAL:N	3:E:263:PRO:HD2	2.34	0.43
2:D:110:HIS:NE2	2:D:134:THR:OG1	2.47	0.43
2:D:328:ALA:HB1	11:D:401:PTY:H142	2.01	0.43
4:L:29:VAL:HG12	4:L:92:TYR:HB3	2.00	0.43
4:L:49:TYR:O	4:L:53:ASN:HB2	2.19	0.43
1:A:239:SER:CB	1:A:253:LEU:HD23	2.44	0.42
2:D:57:ASP:HA	3:E:197:ARG:NH2	2.34	0.42
1:A:149:ASN:HD21	6:F:1:NAG:C7	2.31	0.42
1:C:191:TYR:HA	1:C:211:SER:O	2.19	0.42
2:D:98:ASP:OD2	2:D:160:TYR:O	2.38	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:D:402:PTY:H201	11:D:402:PTY:C38	2.50	0.42
3:E:242:ILE:HB	3:E:243:PRO:HD3	2.02	0.42
2:D:232:LEU:HB2	2:D:233:PRO:HD3	2.02	0.42
1:C:254:GLY:O	1:C:258:VAL:HG23	2.20	0.42
2:D:199:ASP:OD1	2:D:200:SER:N	2.53	0.42
1:C:149:ASN:OD1	1:C:149:ASN:C	2.63	0.41
1:C:301:LEU:C	1:C:301:LEU:HD23	2.45	0.41
2:D:44:ASP:OD2	2:D:173:ARG:NH2	2.53	0.41
3:E:317:LEU:O	3:E:321:VAL:HG23	2.20	0.41
11:D:402:PTY:H151	11:D:402:PTY:C37	2.46	0.41
3:E:64:PRO:HD3	3:E:197:ARG:NH1	2.35	0.41
2:B:260:VAL:CG1	1:C:253:LEU:HD23	2.51	0.41
3:E:58:TYR:HB3	3:E:77:PHE:HB2	2.02	0.41
4:I:2:ILE:O	4:I:96:THR:OG1	2.28	0.41
2:B:98:ASP:OD1	2:B:98:ASP:N	2.50	0.41
2:B:329:PHE:HB2	2:B:330:PRO:HD3	2.02	0.41
2:B:329:PHE:CZ	11:B:402:PTY:H172	2.55	0.41
3:E:126:THR:O	3:E:127:PRO:C	2.63	0.41
3:E:72:TYR:CE1	3:E:149:ALA:HB3	2.56	0.41
1:A:130:ILE:HD13	2:B:112:MET:HE2	2.03	0.41
1:C:40:MET:HG3	1:C:208:LEU:HD12	2.02	0.41
3:E:64:PRO:HD3	3:E:197:ARG:HH11	1.86	0.41
3:E:302:VAL:HG11	3:E:346:PHE:CE2	2.56	0.41
5:K:86:LEU:HD13	5:K:116:VAL:HG11	2.02	0.41
12:C:403:Q3G:C17	11:C:404:PTY:H151	2.51	0.41
1:A:106:VAL:CG2	2:B:112:MET:HE1	2.51	0.40
2:B:199:ASP:OD1	2:B:200:SER:N	2.53	0.40
1:C:227:MET:O	1:C:231:LEU:HG	2.20	0.40
3:E:158:PHE:O	3:E:295:ALA:HB3	2.21	0.40
1:C:230:ILE:O	1:C:234:ILE:HG12	2.20	0.40
4:I:29:VAL:HG23	4:I:29:VAL:O	2.21	0.40
2:B:244:SER:OG	2:B:258:PHE:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	332/364 (91%)	322 (97%)	10 (3%)	0	100	100
1	C	332/364 (91%)	319 (96%)	13 (4%)	0	100	100
2	B	336/358 (94%)	326 (97%)	10 (3%)	0	100	100
2	D	336/358 (94%)	328 (98%)	8 (2%)	0	100	100
3	E	331/417 (79%)	311 (94%)	20 (6%)	0	100	100
4	I	103/213 (48%)	95 (92%)	8 (8%)	0	100	100
4	L	104/213 (49%)	95 (91%)	9 (9%)	0	100	100
5	J	114/454 (25%)	107 (94%)	7 (6%)	0	100	100
5	K	115/454 (25%)	111 (96%)	4 (4%)	0	100	100
All	All	2103/3195 (66%)	2014 (96%)	89 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/326 (93%)	302 (100%)	0	100	100
1	C	302/326 (93%)	302 (100%)	0	100	100
2	B	300/319 (94%)	300 (100%)	0	100	100
2	D	300/319 (94%)	300 (100%)	0	100	100
3	E	305/372 (82%)	305 (100%)	0	100	100
4	I	89/188 (47%)	89 (100%)	0	100	100
4	L	90/188 (48%)	90 (100%)	0	100	100
5	J	97/407 (24%)	97 (100%)	0	100	100
5	K	98/407 (24%)	98 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	1883/2852 (66%)	1883 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	ASN
1	A	149	ASN
1	A	303	ASN
2	B	88	ASN
2	B	216	HIS
2	B	242	GLN
1	C	41	ASN
1	C	303	ASN
2	D	218	HIS
4	I	37	GLN
4	L	1	ASN
4	L	37	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

21 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	F	1	6	14,14,15	0.46	0	17,19,21	0.68	0
6	NAG	F	2	6	14,14,15	0.21	0	17,19,21	0.47	0
6	BMA	F	3	6	11,11,12	0.54	0	15,15,17	0.67	0
7	NAG	G	1	2,7	14,14,15	0.29	0	17,19,21	0.54	0
7	MAN	G	10	7	11,11,12	0.53	0	15,15,17	1.08	2 (13%)
7	NAG	G	2	7	14,14,15	0.33	0	17,19,21	0.40	0
7	BMA	G	3	7	11,11,12	0.54	0	15,15,17	0.71	0
7	MAN	G	4	7	11,11,12	0.48	0	15,15,17	1.32	2 (13%)
7	MAN	G	5	7	11,11,12	0.55	0	15,15,17	0.89	1 (6%)
7	MAN	G	6	7	11,11,12	0.48	0	15,15,17	0.87	1 (6%)
7	MAN	G	7	7	11,11,12	1.02	1 (9%)	15,15,17	1.07	1 (6%)
7	MAN	G	8	7	11,11,12	0.51	0	15,15,17	1.10	2 (13%)
7	MAN	G	9	7	11,11,12	0.49	0	15,15,17	0.93	2 (13%)
6	NAG	H	1	6,1	14,14,15	0.23	0	17,19,21	0.59	0
6	NAG	H	2	6	14,14,15	0.28	0	17,19,21	0.53	0
6	BMA	H	3	6	11,11,12	0.58	0	15,15,17	0.66	0
6	NAG	M	1	2,6	14,14,15	0.30	0	17,19,21	0.43	0
6	NAG	M	2	6	14,14,15	0.22	0	17,19,21	0.54	0
6	BMA	M	3	6	11,11,12	0.49	0	15,15,17	0.74	0
8	NAG	N	1	8,3	14,14,15	0.34	0	17,19,21	0.59	0
8	NAG	N	2	8	14,14,15	0.29	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	F	1	6	-	3/6/23/26	0/1/1/1
6	NAG	F	2	6	-	4/6/23/26	0/1/1/1
6	BMA	F	3	6	-	1/2/19/22	0/1/1/1
7	NAG	G	1	2,7	-	0/6/23/26	0/1/1/1
7	MAN	G	10	7	-	1/2/19/22	0/1/1/1
7	NAG	G	2	7	-	2/6/23/26	0/1/1/1
7	BMA	G	3	7	-	2/2/19/22	0/1/1/1
7	MAN	G	4	7	-	0/2/19/22	0/1/1/1
7	MAN	G	5	7	-	2/2/19/22	0/1/1/1
7	MAN	G	6	7	-	0/2/19/22	0/1/1/1
7	MAN	G	7	7	-	0/2/19/22	0/1/1/1
7	MAN	G	8	7	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	G	9	7	-	0/2/19/22	0/1/1/1
6	NAG	H	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	H	2	6	-	2/6/23/26	0/1/1/1
6	BMA	H	3	6	-	1/2/19/22	0/1/1/1
6	NAG	M	1	2,6	-	2/6/23/26	0/1/1/1
6	NAG	M	2	6	-	0/6/23/26	0/1/1/1
6	BMA	M	3	6	-	2/2/19/22	0/1/1/1
8	NAG	N	1	8,3	-	2/6/23/26	0/1/1/1
8	NAG	N	2	8	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	7	MAN	O5-C1	-2.88	1.38	1.43

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	G	4	MAN	C1-O5-C5	3.81	117.29	112.19
7	G	8	MAN	C1-O5-C5	3.09	116.32	112.19
7	G	7	MAN	O2-C2-C3	-2.94	104.06	110.15
7	G	10	MAN	C1-O5-C5	2.85	116.00	112.19
7	G	4	MAN	O2-C2-C3	-2.44	105.10	110.15
7	G	9	MAN	C1-O5-C5	2.30	115.27	112.19
7	G	10	MAN	O2-C2-C3	-2.26	105.48	110.15
7	G	8	MAN	O2-C2-C3	-2.24	105.52	110.15
7	G	6	MAN	O2-C2-C3	-2.21	105.57	110.15
7	G	9	MAN	O2-C2-C3	-2.12	105.77	110.15
7	G	5	MAN	C1-O5-C5	2.10	115.00	112.19

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	1	NAG	C1-C2-N2-C7
6	H	1	NAG	C1-C2-N2-C7
6	F	1	NAG	O5-C5-C6-O6
7	G	3	BMA	O5-C5-C6-O6
6	F	1	NAG	C4-C5-C6-O6
8	N	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
8	N	2	NAG	C4-C5-C6-O6
7	G	3	BMA	C4-C5-C6-O6
8	N	1	NAG	C8-C7-N2-C2
8	N	1	NAG	O7-C7-N2-C2
7	G	5	MAN	O5-C5-C6-O6
6	H	3	BMA	O5-C5-C6-O6
7	G	2	NAG	C4-C5-C6-O6
7	G	2	NAG	O5-C5-C6-O6
6	H	2	NAG	C4-C5-C6-O6
6	H	2	NAG	O5-C5-C6-O6
7	G	10	MAN	O5-C5-C6-O6
6	F	3	BMA	O5-C5-C6-O6
6	F	2	NAG	C3-C2-N2-C7
6	M	1	NAG	C4-C5-C6-O6
6	F	2	NAG	C4-C5-C6-O6
6	F	2	NAG	C1-C2-N2-C7
6	M	1	NAG	O5-C5-C6-O6
6	F	2	NAG	O5-C5-C6-O6
7	G	5	MAN	C4-C5-C6-O6
6	M	3	BMA	C4-C5-C6-O6
6	M	3	BMA	O5-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	2	NAG	2	0
6	F	1	NAG	6	0
7	G	7	MAN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NAG	C	401	1	14,14,15	0.22	0	17,19,21	0.46	0
9	NAG	A	401	1	14,14,15	0.18	0	17,19,21	0.46	0
11	PTY	B	402	-	48,48,49	0.27	0	51,53,54	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	A8W	E	401	-	30,30,30	0.46	0	45,49,49	0.58	0
11	PTY	D	402	-	37,37,49	0.60	0	40,42,54	1.06	1 (2%)
11	PTY	B	401	-	49,49,49	0.28	0	52,54,54	0.32	0
11	PTY	C	404	-	49,49,49	0.28	0	52,54,54	0.31	0
11	PTY	B	403	-	38,38,49	0.32	0	41,43,54	0.40	0
11	PTY	D	401	-	49,49,49	0.28	0	52,54,54	0.34	0
10	ABU	A	402	-	6,6,6	0.88	0	6,6,6	1.41	0
12	Q3G	C	403	-	47,48,51	0.63	0	49,55,58	1.02	2 (4%)
10	ABU	C	402	-	6,6,6	0.86	0	6,6,6	1.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	C	401	1	-	2/6/23/26	0/1/1/1
9	NAG	A	401	1	-	2/6/23/26	0/1/1/1
11	PTY	B	402	-	-	30/52/52/53	-
13	A8W	E	401	-	-	3/9/67/67	0/4/4/4
11	PTY	D	402	-	-	21/41/41/53	-
11	PTY	B	401	-	-	27/53/53/53	-
11	PTY	C	404	-	-	25/53/53/53	-
11	PTY	B	403	-	-	29/42/42/53	-
11	PTY	D	401	-	-	22/53/53/53	-
10	ABU	A	402	-	-	2/4/4/4	-
12	Q3G	C	403	-	-	16/54/54/57	-
10	ABU	C	402	-	-	2/4/4/4	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	402	PTY	C6-O7-C8	-4.00	108.23	117.80
12	C	403	Q3G	C21-O20-C18	-2.92	106.43	117.12
12	C	403	Q3G	C22-O35-C36	-2.75	111.20	117.80

There are no chirality outliers.

All (181) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	B	401	PTY	N1-C2-C3-O11
11	B	401	PTY	C2-C3-O11-P1
11	B	401	PTY	O10-C8-O7-C6
11	B	401	PTY	C11-C8-O7-C6
11	B	401	PTY	C3-O11-P1-O13
11	B	401	PTY	C3-O11-P1-O14
11	B	402	PTY	N1-C2-C3-O11
11	B	402	PTY	O10-C8-O7-C6
11	B	402	PTY	C11-C8-O7-C6
11	B	402	PTY	C5-O14-P1-O11
11	B	402	PTY	C5-O14-P1-O12
11	B	403	PTY	C11-C8-O7-C6
11	B	403	PTY	C3-O11-P1-O12
11	B	403	PTY	C3-O11-P1-O13
11	B	403	PTY	C3-O11-P1-O14
11	B	403	PTY	C5-O14-P1-O11
11	B	403	PTY	C5-O14-P1-O12
11	B	403	PTY	C5-O14-P1-O13
11	C	404	PTY	N1-C2-C3-O11
11	D	401	PTY	N1-C2-C3-O11
11	D	401	PTY	C11-C8-O7-C6
11	D	401	PTY	C3-O11-P1-O13
11	D	401	PTY	C3-O11-P1-O14
11	D	402	PTY	N1-C2-C3-O11
11	D	402	PTY	C11-C8-O7-C6
12	C	403	Q3G	C29-C30-C31-O32
12	C	403	Q3G	C29-C30-C31-O33
12	C	403	Q3G	N34-C30-C31-O32
12	C	403	Q3G	C23-O24-P25-O28
13	E	401	A8W	C13-C17-C20-O
13	E	401	A8W	C13-C17-C20-C21
13	E	401	A8W	C2-C3-O1-S
11	D	402	PTY	O30-C30-O4-C1
11	B	403	PTY	O10-C8-O7-C6
11	D	401	PTY	O10-C8-O7-C6
11	D	402	PTY	C31-C30-O4-C1
11	D	402	PTY	O10-C8-O7-C6
11	B	401	PTY	C18-C19-C20-C21
12	C	403	Q3G	C17-C18-O20-C21
9	A	401	NAG	O5-C5-C6-O6
11	C	404	PTY	C11-C8-O7-C6
11	B	403	PTY	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	C	404	PTY	O10-C8-O7-C6
9	C	401	NAG	O5-C5-C6-O6
12	C	403	Q3G	O19-C18-O20-C21
11	C	404	PTY	C31-C32-C33-C34
9	A	401	NAG	C4-C5-C6-O6
11	B	403	PTY	C11-C12-C13-C14
9	C	401	NAG	C4-C5-C6-O6
11	B	401	PTY	C23-C24-C25-C26
11	B	402	PTY	C20-C21-C22-C23
11	B	402	PTY	C39-C40-C41-C42
11	D	401	PTY	C23-C24-C25-C26
11	B	403	PTY	C16-C17-C18-C19
11	B	401	PTY	C31-C32-C33-C34
12	C	403	Q3G	N34-C30-C31-O33
11	B	401	PTY	C30-C31-C32-C33
11	B	402	PTY	C8-C11-C12-C13
11	D	402	PTY	C8-C11-C12-C13
11	C	404	PTY	C31-C30-O4-C1
11	B	401	PTY	C19-C20-C21-C22
11	B	403	PTY	C13-C14-C15-C16
11	B	401	PTY	C36-C37-C38-C39
11	D	401	PTY	C32-C33-C34-C35
11	D	402	PTY	C15-C16-C17-C18
11	B	401	PTY	C34-C35-C36-C37
11	D	402	PTY	C12-C13-C14-C15
11	B	401	PTY	C25-C26-C27-C28
11	D	402	PTY	C32-C33-C34-C35
11	C	404	PTY	C19-C20-C21-C22
12	C	403	Q3G	C45-C46-C47-C48
12	C	403	Q3G	C12-C13-C14-C15
11	B	403	PTY	C18-C19-C20-C21
11	D	402	PTY	C19-C20-C21-C22
11	D	401	PTY	C36-C37-C38-C39
11	D	401	PTY	C8-C11-C12-C13
11	C	404	PTY	O30-C30-O4-C1
11	B	402	PTY	C32-C33-C34-C35
11	C	404	PTY	C21-C22-C23-C24
11	D	402	PTY	C31-C32-C33-C34
11	B	401	PTY	C14-C15-C16-C17
11	D	402	PTY	C13-C14-C15-C16
11	B	402	PTY	C15-C16-C17-C18
11	D	401	PTY	C20-C21-C22-C23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	B	402	PTY	O14-C5-C6-O7
11	B	401	PTY	C12-C13-C14-C15
11	D	402	PTY	C34-C35-C36-C37
11	C	404	PTY	C24-C25-C26-C27
11	B	402	PTY	C13-C14-C15-C16
11	B	403	PTY	C17-C18-C19-C20
11	D	401	PTY	C17-C18-C19-C20
11	B	403	PTY	C31-C32-C33-C34
11	B	402	PTY	C40-C41-C42-C43
12	C	403	Q3G	C22-C23-O24-P25
11	C	404	PTY	C16-C17-C18-C19
11	D	401	PTY	C19-C20-C21-C22
11	B	401	PTY	C22-C23-C24-C25
11	B	401	PTY	C38-C39-C40-C41
11	C	404	PTY	C40-C41-C42-C43
11	B	401	PTY	C17-C18-C19-C20
11	C	404	PTY	C32-C33-C34-C35
11	D	401	PTY	C25-C26-C27-C28
11	B	401	PTY	C26-C27-C28-C29
11	B	401	PTY	C20-C21-C22-C23
11	B	401	PTY	C37-C38-C39-C40
11	B	403	PTY	C32-C33-C34-C35
11	B	403	PTY	C34-C35-C36-C37
11	B	401	PTY	C15-C16-C17-C18
11	B	402	PTY	C31-C32-C33-C34
11	B	403	PTY	C31-C30-O4-C1
11	D	402	PTY	C30-C31-C32-C33
11	B	402	PTY	C11-C12-C13-C14
11	B	403	PTY	C12-C13-C14-C15
11	B	402	PTY	O14-C5-C6-C1
11	C	404	PTY	C41-C42-C43-C44
11	B	403	PTY	C19-C20-C21-C22
11	D	401	PTY	C22-C23-C24-C25
11	C	404	PTY	O4-C1-C6-C5
11	D	401	PTY	C14-C15-C16-C17
11	B	403	PTY	C20-C21-C22-C23
11	C	404	PTY	O4-C1-C6-O7
11	B	402	PTY	C41-C42-C43-C44
11	B	402	PTY	C22-C23-C24-C25
11	C	404	PTY	C39-C40-C41-C42
11	D	401	PTY	C41-C42-C43-C44
11	C	404	PTY	C15-C16-C17-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	B	402	PTY	C21-C22-C23-C24
11	C	404	PTY	C12-C13-C14-C15
11	B	401	PTY	C13-C14-C15-C16
11	B	403	PTY	O30-C30-O4-C1
11	B	403	PTY	C15-C16-C17-C18
11	D	402	PTY	C33-C34-C35-C36
11	B	401	PTY	C24-C25-C26-C27
11	B	402	PTY	C2-C3-O11-P1
11	C	404	PTY	C2-C3-O11-P1
11	B	402	PTY	C24-C25-C26-C27
11	B	402	PTY	C19-C20-C21-C22
12	C	403	Q3G	C47-C48-C49-C50
11	C	404	PTY	C14-C15-C16-C17
11	B	402	PTY	C23-C24-C25-C26
11	B	403	PTY	O14-C5-C6-O7
11	B	401	PTY	C8-C11-C12-C13
11	B	402	PTY	C5-O14-P1-O13
11	C	404	PTY	C3-O11-P1-O12
11	C	404	PTY	C3-O11-P1-O13
11	C	404	PTY	C3-O11-P1-O14
11	D	401	PTY	C3-O11-P1-O12
12	C	403	Q3G	C23-O24-P25-O26
11	B	402	PTY	C6-C5-O14-P1
11	B	403	PTY	C6-C5-O14-P1
11	B	402	PTY	C18-C19-C20-C21
11	B	402	PTY	C16-C17-C18-C19
11	D	401	PTY	C15-C16-C17-C18
11	B	403	PTY	C33-C34-C35-C36
11	D	401	PTY	C13-C14-C15-C16
12	C	403	Q3G	C14-C15-C16-C17
11	B	403	PTY	O14-C5-C6-C1
11	B	401	PTY	C33-C34-C35-C36
11	D	402	PTY	C17-C18-C19-C20
11	D	402	PTY	C12-C11-C8-O7
11	C	404	PTY	C34-C35-C36-C37
10	C	402	ABU	OXT-C-CG-CB
11	D	401	PTY	C31-C32-C33-C34
10	C	402	ABU	O-C-CG-CB
11	B	403	PTY	C22-C23-C24-C25
12	C	403	Q3G	O35-C36-C38-C39
11	D	401	PTY	C12-C11-C8-O7
12	C	403	Q3G	C30-C29-O28-P25

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
11	C	404	PTY	C13-C14-C15-C16
10	A	402	ABU	O-C-CG-CB
11	D	402	PTY	O4-C30-C31-C32
11	B	402	PTY	C25-C26-C27-C28
10	A	402	ABU	OXT-C-CG-CB
11	B	402	PTY	C12-C11-C8-O7
11	D	401	PTY	C12-C11-C8-O10
11	D	402	PTY	C11-C12-C13-C14
11	D	402	PTY	O30-C30-C31-C32
12	C	403	Q3G	O37-C36-C38-C39
11	B	402	PTY	C12-C11-C8-O10
11	B	403	PTY	C12-C11-C8-O7
11	D	402	PTY	C18-C19-C20-C21




There are no ring outliers.


10 monomers are involved in 57 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	402	PTY	5	0
13	E	401	A8W	1	0
11	D	402	PTY	7	0
11	B	401	PTY	14	0
11	C	404	PTY	8	0
11	B	403	PTY	8	0
11	D	401	PTY	12	0
10	A	402	ABU	1	0
12	C	403	Q3G	1	0
10	C	402	ABU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40462. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 160




Y Index: 129




Z Index: 145


6.3.2 Raw map



X Index: 160



Y Index: 129




Z Index: 145


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0134. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 219 nm³; this corresponds to an approximate mass of 198 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.377 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.377 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.65	-	-
Author-provided FSC curve	2.73	3.14	2.81
Unmasked-calculated*	3.01	3.63	3.08

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.01 differs from the reported value 2.65 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-40462 and PDB model 8SGO. Per-residue inclusion information can be found in section 3 on page 13.


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0134 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0134).

9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0134) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9350	0.5750
A	0.9450	0.5670
B	0.9370	0.5850
C	0.9570	0.5920
D	0.9450	0.5880
E	0.9200	0.5580
F	0.9230	0.5240
G	0.9740	0.5810
H	1.0000	0.5720
I	0.9390	0.5680
J	0.9360	0.5650
K	0.9350	0.5630
L	0.9360	0.5610
M	1.0000	0.6130
N	0.8930	0.5210

