



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:04 PM UTC

PDB ID : 5SIQ / pdb_00005siq
Title : CRYSTAL STRUCTURE OF HUMAN PHOSPHODIESTERASE 10 IN COMPLEX WITH [S](N3CCN(c2nc1cccc1nc2CC)CC3)(c4ccc(cc4)C)(=O)=O, micromolar IC₅₀=0.226614
Authors : Joseph, C.; Benz, J.; Flohr, A.; Brunner, M.; Rudolph, M.G.
Deposited on : 2022-02-01
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	
1	B	343	
1	C	343	
1	D	343	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	803	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11154 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	0	6	0
			2578	1648	436	468	26			
1	B	315	Total	C	N	O	S	0	5	0
			2579	1648	437	469	25			
1	C	313	Total	C	N	O	S	0	7	0
			2576	1648	437	466	25			
1	D	313	Total	C	N	O	S	0	5	0
			2566	1641	437	463	25			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	447	GLY	-	expression tag	UNP Q9Y233
A	448	SER	-	expression tag	UNP Q9Y233
B	447	GLY	-	expression tag	UNP Q9Y233
B	448	SER	-	expression tag	UNP Q9Y233
C	447	GLY	-	expression tag	UNP Q9Y233
C	448	SER	-	expression tag	UNP Q9Y233
D	447	GLY	-	expression tag	UNP Q9Y233
D	448	SER	-	expression tag	UNP Q9Y233


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		



- Molecule 5 is 2-ethyl-3-[4-(4-methylbenzene-1-sulfonyl)piperazin-1-yl]quinoxaline (CCD ID: JRX) (formula: C₂₁H₂₄N₄O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			28	21	4	2	1		
5	B	1	Total	C	N	O	S	0	0
			28	21	4	2	1		
5	C	1	Total	C	N	O	S	0	0
			28	21	4	2	1		
5	D	1	Total	C	N	O	S	0	0
			28	21	4	2	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	178	Total	O	0	0
			178	178		
6	B	206	Total	O	0	0
			206	206		
6	C	197	Total	O	0	0
			197	197		
6	D	142	Total	O	0	0
			142	142		



ILE
SER
SER
PRO
SER
SER
VAL
ALA
GLN
LYS
ALA
ALA
ALA
SER
SER
GLU
ASP

4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	136.14Å 136.14Å 235.33Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.55 – 1.97 35.55 – 1.97	Depositor EDS
% Data completeness (in resolution range)	87.7 (35.55-1.97) 87.7 (35.55-1.97)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.95 (at 1.97Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.177 , 0.224 0.185 , 0.228	Depositor DCC
R_{free} test set	5513 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	28.8	Xtriage
Anisotropy	0.072	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.026 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11154	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CME, MG, ZN, GOL, JRX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.19	4/2647 (0.2%)	1.37	4/3580 (0.1%)
1	B	1.15	3/2645 (0.1%)	1.44	12/3578 (0.3%)
1	C	1.14	2/2648 (0.1%)	1.41	7/3581 (0.2%)
1	D	1.13	2/2632 (0.1%)	1.48	5/3560 (0.1%)
All	All	1.15	11/10572 (0.1%)	1.42	28/14299 (0.2%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	730	TYR	C-O	6.61	1.31	1.24
1	C	640	GLY	C-O	6.19	1.31	1.23
1	A	580	HIS	CE1-NE2	6.02	1.38	1.32
1	A	727	LEU	C-O	5.96	1.30	1.24
1	B	673	CYS	C-O	5.91	1.30	1.24
1	B	476	HIS	CE1-NE2	5.90	1.38	1.32
1	A	481	PRO	C-O	-5.87	1.17	1.24
1	B	554	LYS	C-O	5.76	1.30	1.24
1	D	678	VAL	C-O	5.52	1.30	1.24
1	D	535	HIS	CE1-NE2	5.51	1.38	1.32
1	C	631	ILE	C-O	5.38	1.30	1.24

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	609	ASN	CA-CB-CG	-7.98	104.62	112.60
1	B	746	PRO	N-CA-C	7.10	119.37	110.70
1	D	746	PRO	N-CA-C	6.88	119.09	110.70
1	A	609	ASN	CA-CB-CG	-6.83	105.77	112.60
1	B	498	CYS	CB-CA-C	6.64	119.48	109.13
1	B	609	ASN	N-CA-CB	6.60	119.84	110.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	535	HIS	CA-CB-CG	-6.34	107.46	113.80
1	B	616	SER	CA-C-N	5.95	128.51	120.65
1	B	616	SER	C-N-CA	5.95	128.51	120.65
1	B	535	HIS	CA-CB-CG	-5.94	107.86	113.80
1	B	484	ASN	CB-CA-C	5.87	122.14	110.17
1	C	639	PHE	CA-C-N	5.87	126.45	119.94
1	C	639	PHE	C-N-CA	5.87	126.45	119.94
1	C	706	LEU	N-CA-C	-5.77	106.24	113.28
1	A	588	THR	CA-CB-OG1	-5.70	101.06	109.60
1	D	544	ASN	CA-C-O	-5.66	115.93	121.02
1	B	554	LYS	CA-C-N	5.54	126.13	119.98
1	B	554	LYS	C-N-CA	5.54	126.13	119.98
1	A	701	ASP	CA-CB-CG	5.45	118.05	112.60
1	C	609	ASN	CA-CB-CG	-5.39	107.21	112.60
1	C	751	LEU	N-CA-C	-5.36	105.35	111.14
1	B	690	ASN	CB-CA-C	-5.30	101.99	110.79
1	B	651	THR	CA-CB-OG1	-5.14	101.90	109.60
1	C	535	HIS	CA-CB-CG	-5.13	108.67	113.80
1	A	617	SER	O-C-N	5.07	127.57	122.09
1	C	617	SER	O-C-N	5.04	127.47	122.03
1	D	671	THR	CA-C-N	5.01	127.31	120.54
1	D	671	THR	C-N-CA	5.01	127.31	120.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2578	0	2554	31	0
1	B	2579	0	2549	33	0
1	C	2576	0	2566	25	0
1	D	2566	0	2547	37	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	6	0	8	4	0
4	B	6	0	8	2	0
5	A	28	0	0	0	0
5	B	28	0	0	1	0
5	C	28	0	0	2	0
5	D	28	0	0	0	0
6	A	178	0	0	3	0
6	B	206	0	0	3	0
6	C	197	0	0	5	0
6	D	142	0	0	4	0
All	All	11154	0	10232	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:457:GLN:CB	1:A:458:GLY:HA2	2.00	0.91
1:A:469[A]:CYS:SG	6:A:1041:HOH:O	2.29	0.90
1:D:756[A]:ARG:HG2	1:D:756[A]:ARG:HH11	1.39	0.87
1:A:461:GLN:NE2	1:A:461:GLN:HA	1.91	0.86
1:C:709:GLN:OE1	6:C:901:HOH:O	2.00	0.80
1:A:642:ARG:NH2	6:A:902:HOH:O	2.18	0.76
1:D:493:MET:O	1:D:497:SER:HB2	1.88	0.74
1:C:493:MET:O	1:C:497:SER:HB2	1.85	0.74
1:A:646[A]:GLU:OE2	1:A:650:GLN:NE2	2.24	0.70
1:D:756[A]:ARG:HG2	1:D:756[A]:ARG:NH1	2.00	0.69
1:D:469:CYS:SG	6:D:1041:HOH:O	2.53	0.67
1:A:457:GLN:CB	1:A:458:GLY:CA	2.73	0.66
1:D:727:LEU:CD1	1:D:766:ILE:HD12	2.29	0.62
1:C:553:ARG:NH1	6:C:903:HOH:O	2.33	0.61
1:B:506[B]:GLU:CD	1:B:510:ARG:HH12	2.11	0.59
1:C:764[B]:LYS:HG3	1:C:769:GLU:HB2	1.83	0.59
1:D:502[A]:CYS:HB2	1:D:554:LYS:HE2	1.85	0.59
1:D:588:THR:CG2	6:D:927:HOH:O	2.50	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:482:PHE:HA	4:B:803:GOL:H2	1.84	0.58
1:B:767:ARG:NH1	1:B:769:GLU:OE2	2.37	0.58
1:C:714:MET:HE2	6:C:973:HOH:O	2.04	0.57
1:C:727:LEU:HD23	1:C:759:LEU:CD1	2.34	0.57
1:D:752:LEU:HD21	1:D:756[B]:ARG:NH2	2.20	0.57
1:A:697:TRP:CZ2	1:A:719:LYS:HG2	2.40	0.57
1:D:492:TYR:CZ	1:D:496:ARG:HD2	2.39	0.57
1:B:470:LYS:HE2	1:D:746:PRO:HG3	1.88	0.56
1:A:461:GLN:HA	1:A:461:GLN:HE21	1.69	0.55
4:B:803:GOL:H12	1:C:568:ARG:HH11	1.70	0.55
1:A:770:GLU:HB2	6:A:933:HOH:O	2.07	0.54
1:C:727:LEU:CD2	1:C:759:LEU:HD11	2.38	0.54
1:A:735:ILE:HD13	1:A:755:CYS:SG	2.47	0.54
1:A:722:VAL:HB	1:A:723:PRO:HD3	1.91	0.53
1:A:493:MET:O	1:A:497:SER:HB2	2.08	0.53
1:A:602:ILE:HA	1:A:605:LEU:HD22	1.90	0.53
1:A:509:CME:O	1:A:513:MET:HG2	2.09	0.53
1:D:627:ARG:O	1:D:631:ILE:HG12	2.09	0.53
1:B:770:GLU:HG3	1:B:771:THR:N	2.24	0.52
1:B:493:MET:O	1:B:497:SER:HB2	2.08	0.52
1:D:714:MET:HE2	6:D:970:HOH:O	2.10	0.52
1:B:727:LEU:HD23	1:B:759:LEU:CD1	2.40	0.51
1:D:493:MET:O	1:D:497:SER:CB	2.58	0.51
1:B:724:GLN:NE2	6:B:903:HOH:O	2.26	0.51
1:B:593:GLN:OE1	6:B:902:HOH:O	2.19	0.51
1:C:727:LEU:CD2	1:C:759:LEU:CD1	2.89	0.51
1:D:727:LEU:HD23	1:D:731:ASN:ND2	2.26	0.51
1:B:727:LEU:CD2	1:B:759:LEU:HD11	2.41	0.51
1:D:682:TRP:CZ2	1:D:686:LYS:HD3	2.46	0.51
1:B:477:PHE:HB3	1:B:535:HIS:CE1	2.46	0.51
1:A:749:GLU:N	1:A:750:PRO:CD	2.75	0.50
1:D:756[A]:ARG:NH1	1:D:756[A]:ARG:CG	2.65	0.50
1:A:730:TYR:HA	1:A:734:ALA:HB3	1.94	0.49
1:A:523:PRO:HD2	1:A:695:GLU:HG2	1.94	0.49
1:A:644:GLN:HE21	1:A:644:GLN:HA	1.77	0.49
1:B:742:THR:HG21	1:B:749:GLU:HG2	1.95	0.49
1:D:727:LEU:HD12	1:D:766:ILE:CD1	2.43	0.49
1:B:469[B]:CYS:SG	6:B:1075:HOH:O	2.29	0.49
1:A:498:CYS:SG	1:A:502[A]:CYS:CB	3.01	0.48
1:A:727:LEU:HD21	1:A:763:GLU:HG3	1.94	0.48
1:B:457:GLN:CB	1:B:460:MET:HE3	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:644:GLN:NE2	1:B:644:GLN:HA	2.29	0.48
1:A:724:GLN:HE22	1:A:727:LEU:HD12	1.79	0.48
1:C:677:SER:HB2	1:C:688:THR:HG21	1.95	0.47
1:D:602:ILE:O	1:D:605:LEU:HB2	2.14	0.47
1:B:764:LYS:HD3	1:B:769:GLU:HG2	1.97	0.47
1:C:729:PHE:HB2	5:C:803:JRX:C26	2.44	0.47
1:B:602:ILE:HA	1:B:605:LEU:HD22	1.97	0.46
1:C:769:GLU:O	1:C:770:GLU:HB2	2.15	0.46
5:C:803:JRX:C22	5:C:803:JRX:C16	2.93	0.46
1:D:568:ARG:NH1	6:D:908:HOH:O	2.48	0.46
1:A:461:GLN:HE22	1:A:500:THR:HG22	1.80	0.46
1:B:697:TRP:CZ2	1:B:719:LYS:HG2	2.51	0.46
1:C:727:LEU:HD23	1:C:727:LEU:HA	1.82	0.46
1:A:724:GLN:NE2	1:A:727:LEU:HD12	2.31	0.46
1:D:735:ILE:HB	1:D:736:PRO:HD3	1.97	0.46
1:B:677:SER:HB2	1:B:688:THR:HG21	1.97	0.46
1:D:700:GLY:HA3	1:D:714:MET:O	2.16	0.46
1:A:705:LYS:HG2	1:C:684:VAL:HG22	1.99	0.45
1:D:675:LEU:O	1:D:678:VAL:HG22	2.17	0.45
1:B:742:THR:CG2	1:B:749:GLU:HG2	2.46	0.45
5:B:804:JRX:C22	5:B:804:JRX:C16	2.95	0.45
1:B:510:ARG:HD2	1:B:607:GLY:O	2.17	0.45
1:C:767:ARG:HH21	1:C:769:GLU:CD	2.25	0.45
1:D:730:TYR:HA	1:D:734:ALA:HB3	1.99	0.44
1:C:638:TYR:OH	1:C:642:ARG:HD3	2.17	0.44
1:D:727:LEU:HD13	1:D:766:ILE:HD12	1.99	0.44
1:D:546:THR:OG1	1:D:547:LEU:HD12	2.18	0.44
1:C:700:GLY:HA3	1:C:714:MET:O	2.18	0.43
4:A:803:GOL:H11	1:B:568:ARG:NH1	2.34	0.43
1:D:677:SER:HB2	1:D:688:THR:HG21	2.00	0.43
1:A:724:GLN:O	1:A:727:LEU:HB2	2.19	0.43
1:B:498:CYS:C	1:B:502:CYS:SG	3.02	0.43
1:D:727:LEU:CD1	1:D:766:ILE:CD1	2.97	0.43
4:A:803:GOL:C1	1:B:568:ARG:HH11	2.31	0.42
4:A:803:GOL:C1	1:B:568:ARG:NH1	2.83	0.42
1:B:492:TYR:CZ	1:B:496:ARG:HD2	2.53	0.42
1:C:602:ILE:O	1:C:605:LEU:HB2	2.20	0.42
1:A:510:ARG:HG2	1:A:608:HIS:CE1	2.55	0.42
1:B:727:LEU:HD23	1:B:727:LEU:HA	1.85	0.42
1:B:727:LEU:CD2	1:B:759:LEU:CD1	2.97	0.42
1:B:749:GLU:N	1:B:750:PRO:CD	2.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:761:GLN:HE22	1:D:764:LYS:NZ	2.18	0.42
1:D:766:ILE:HG22	1:D:766:ILE:O	2.19	0.42
1:C:464:LEU:O	1:C:465:PRO:C	2.61	0.42
1:C:677:SER:HB3	6:C:960:HOH:O	2.18	0.42
1:A:477:PHE:HB3	1:A:535:HIS:CE1	2.55	0.42
1:A:752:LEU:O	1:A:756[B]:ARG:HG3	2.20	0.42
1:B:470:LYS:HG3	1:B:471:GLU:N	2.34	0.42
1:C:764[A]:LYS:HG2	1:C:767:ARG:NH2	2.35	0.42
1:D:727:LEU:HD12	1:D:766:ILE:HD12	1.99	0.42
1:A:735:ILE:HB	1:A:736:PRO:HD3	2.02	0.42
1:A:497:SER:O	1:A:553:ARG:HD2	2.20	0.41
1:D:749:GLU:N	1:D:750:PRO:CD	2.83	0.41
1:C:467:ARG:O	1:C:471:GLU:HB2	2.21	0.41
1:D:498:CYS:C	1:D:502[B]:CYS:SG	3.04	0.41
1:C:469[B]:CYS:SG	6:C:1068:HOH:O	2.03	0.41
1:D:498:CYS:SG	1:D:502[A]:CYS:CB	3.03	0.41
4:A:803:GOL:O2	1:B:568:ARG:HB3	2.20	0.41
1:D:605:LEU:HD12	1:D:605:LEU:HA	1.89	0.41
1:D:727:LEU:HD23	1:D:731:ASN:HD21	1.84	0.41
1:A:766:ILE:C	1:A:768:GLY:H	2.30	0.40
1:C:486:TRP:N	1:C:487:PRO:CD	2.85	0.40
1:B:471:GLU:HB3	1:B:477:PHE:CD1	2.56	0.40
1:D:498:CYS:HB2	1:D:553:ARG:HB3	2.03	0.40
1:D:726:GLN:O	1:D:730:TYR:HD1	2.04	0.40
1:B:509:CME:O	1:B:513:MET:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/343 (92%)	307 (97%)	10 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	317/343 (92%)	310 (98%)	7 (2%)	0	100	100
1	C	317/343 (92%)	310 (98%)	7 (2%)	0	100	100
1	D	315/343 (92%)	307 (98%)	8 (2%)	0	100	100
All	All	1266/1372 (92%)	1234 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/305 (94%)	273 (95%)	14 (5%)	22	10
1	B	286/305 (94%)	262 (92%)	24 (8%)	10	3
1	C	288/305 (94%)	270 (94%)	18 (6%)	16	6
1	D	285/305 (93%)	266 (93%)	19 (7%)	15	5
All	All	1146/1220 (94%)	1071 (94%)	75 (6%)	16	6

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	461	GLN
1	A	471[A]	GLU
1	A	471[B]	GLU
1	A	496	ARG
1	A	497	SER
1	A	504	GLU
1	A	542	GLN
1	A	553	ARG
1	A	575	LEU
1	A	605	LEU
1	A	606	GLU
1	A	617	SER
1	A	660	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	727	LEU
1	B	459	LEU
1	B	469[A]	CYS
1	B	469[B]	CYS
1	B	470	LYS
1	B	471	GLU
1	B	497	SER
1	B	498	CYS
1	B	500	THR
1	B	504	GLU
1	B	547	LEU
1	B	573	SER
1	B	575	LEU
1	B	576	GLN
1	B	587	SER
1	B	605	LEU
1	B	606	GLU
1	B	613	THR
1	B	616	SER
1	B	621	GLN
1	B	642	ARG
1	B	650	GLN
1	B	709	GLN
1	B	727	LEU
1	B	749	GLU
1	C	469[A]	CYS
1	C	469[B]	CYS
1	C	471	GLU
1	C	497	SER
1	C	517	LYS
1	C	547	LEU
1	C	575	LEU
1	C	605	LEU
1	C	613	THR
1	C	616	SER
1	C	617	SER
1	C	709	GLN
1	C	713	MET
1	C	719	LYS
1	C	720	ASP
1	C	727	LEU
1	C	753	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	760	SER
1	D	457	GLN
1	D	459	LEU
1	D	481	PRO
1	D	498	CYS
1	D	500	THR
1	D	517	LYS
1	D	573	SER
1	D	575	LEU
1	D	588	THR
1	D	605	LEU
1	D	613	THR
1	D	616	SER
1	D	617	SER
1	D	646	GLU
1	D	709	GLN
1	D	720	ASP
1	D	727	LEU
1	D	766	ILE
1	D	767	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	461	GLN
1	A	484	ASN
1	A	495	HIS
1	A	542	GLN
1	A	544	ASN
1	A	604	GLN
1	A	644	GLN
1	A	724	GLN
1	A	726	GLN
1	A	743	GLN
1	A	761	GLN
1	B	484	ASN
1	B	542	GLN
1	B	604	GLN
1	B	644	GLN
1	B	709	GLN
1	B	726	GLN
1	B	761	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	484	ASN
1	C	542	GLN
1	C	604	GLN
1	C	659	GLN
1	C	743	GLN
1	D	484	ASN
1	D	542	GLN
1	D	604	GLN
1	D	609	ASN
1	D	621	GLN
1	D	644	GLN
1	D	659	GLN
1	D	761	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CME	B	509	1	8,9,10	0.38	0	6,9,11	0.93	0
1	CME	D	509	1	8,9,10	0.37	0	6,9,11	0.61	0
1	CME	C	509	1	8,9,10	0.87	1 (12%)	6,9,11	1.12	0
1	CME	A	509	1	8,9,10	0.68	0	6,9,11	0.92	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	B	509	1	-	1/5/8/10	-
1	CME	D	509	1	-	1/5/8/10	-
1	CME	C	509	1	-	2/5/8/10	-
1	CME	A	509	1	-	1/5/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	509	CME	O-C	2.31	1.28	1.20

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	509	CME	SD-CE-CZ-OH
1	A	509	CME	CZ-CE-SD-SG
1	C	509	CME	CE-SD-SG-CB
1	C	509	CME	CZ-CE-SD-SG
1	D	509	CME	CZ-CE-SD-SG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	509	CME	1	0
1	A	509	CME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 8 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	JRX	B	804	-	30,31,31	2.33	11 (36%)	42,45,45	2.33	12 (28%)
5	JRX	C	803	-	30,31,31	2.05	9 (30%)	42,45,45	3.03	19 (45%)
5	JRX	D	803	-	30,31,31	1.91	6 (20%)	42,45,45	2.64	16 (38%)
5	JRX	A	804	-	30,31,31	2.28	12 (40%)	42,45,45	2.23	13 (30%)
4	GOL	A	803	-	5,5,5	0.23	0	5,5,5	0.83	0
4	GOL	B	803	-	5,5,5	0.38	0	5,5,5	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	JRX	B	804	-	-	1/18/28/28	0/4/4/4
5	JRX	C	803	-	-	0/18/28/28	0/4/4/4
5	JRX	D	803	-	-	1/18/28/28	0/4/4/4
5	JRX	A	804	-	-	1/18/28/28	0/4/4/4
4	GOL	A	803	-	-	4/4/4/4	-
4	GOL	B	803	-	-	2/4/4/4	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	804	JRX	S1-N4	7.47	1.73	1.63
5	D	803	JRX	S1-N4	5.94	1.71	1.63
5	A	804	JRX	S1-N4	5.71	1.71	1.63
5	C	803	JRX	O10-S1	5.53	1.49	1.43
5	A	804	JRX	C2-N3	4.05	1.36	1.31
5	A	804	JRX	C12-N4	3.92	1.52	1.47
5	D	803	JRX	O10-S1	3.92	1.47	1.43
5	A	804	JRX	O10-S1	3.73	1.47	1.43
5	C	803	JRX	C2-N3	3.71	1.35	1.31
5	B	804	JRX	O10-S1	3.63	1.47	1.43
5	D	803	JRX	C8-S1	3.38	1.81	1.76
5	B	804	JRX	C12-N4	3.33	1.51	1.47
5	C	803	JRX	C12-N4	3.32	1.51	1.47
5	B	804	JRX	C2-N3	3.15	1.35	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	804	JRX	C14-C9	3.11	1.48	1.42
5	A	804	JRX	C14-C9	3.06	1.48	1.42
5	A	804	JRX	C13-N4	3.06	1.51	1.47
5	D	803	JRX	C2-N3	2.99	1.34	1.31
5	C	803	JRX	S1-N4	2.98	1.67	1.63
5	C	803	JRX	C14-C9	2.96	1.48	1.42
5	A	804	JRX	C15-N6	2.94	1.51	1.46
5	B	804	JRX	C27-C28	2.91	1.44	1.38
5	A	804	JRX	C16-N6	2.82	1.51	1.46
5	C	803	JRX	C8-S1	2.82	1.80	1.76
5	B	804	JRX	C2-N6	2.80	1.44	1.37
5	C	803	JRX	C15-N6	2.69	1.51	1.46
5	A	804	JRX	C8-S1	2.69	1.80	1.76
5	B	804	JRX	C16-N6	2.58	1.51	1.46
5	D	803	JRX	C14-C9	2.54	1.47	1.42
5	A	804	JRX	C27-C28	2.50	1.43	1.38
5	B	804	JRX	C8-S1	2.48	1.79	1.76
5	A	804	JRX	C2-N6	2.47	1.43	1.37
5	B	804	JRX	C15-N6	2.47	1.51	1.46
5	C	803	JRX	C7-N5	2.47	1.35	1.32
5	B	804	JRX	C14-N5	-2.38	1.33	1.37
5	D	803	JRX	C2-N6	2.32	1.43	1.37
5	C	803	JRX	C27-C28	2.20	1.43	1.38
5	A	804	JRX	C18-C8	2.16	1.42	1.38

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	803	JRX	O11-S1-N4	-9.49	97.75	106.69
5	A	804	JRX	N3-C2-N6	-7.45	111.57	117.62
5	D	803	JRX	C15-C13-N4	-6.85	101.69	108.97
5	C	803	JRX	O11-S1-O10	6.80	130.20	119.59
5	D	803	JRX	O11-S1-C8	-6.77	99.68	108.10
5	A	804	JRX	O11-S1-C8	-6.25	100.33	108.10
5	B	804	JRX	O10-S1-N4	6.23	112.55	106.69
5	B	804	JRX	O11-S1-C8	-6.02	100.62	108.10
5	C	803	JRX	O11-S1-C8	-5.98	100.67	108.10
5	C	803	JRX	C15-C13-N4	-5.80	102.80	108.97
5	D	803	JRX	C16-C12-N4	-5.80	102.81	108.97
5	B	804	JRX	C27-C28-C25	5.33	127.53	120.40
5	D	803	JRX	C17-C8-S1	5.20	124.89	119.73
5	C	803	JRX	C12-N4-C13	4.59	117.39	112.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	804	JRX	C12-N4-C13	4.52	117.31	112.12
5	C	803	JRX	C16-C12-N4	-4.50	104.19	108.97
5	B	804	JRX	C28-C25-C14	-4.45	114.00	120.09
5	D	803	JRX	O10-S1-C8	4.20	113.32	108.10
5	C	803	JRX	C8-S1-N4	4.13	112.26	107.28
5	C	803	JRX	C27-C28-C25	4.12	125.92	120.40
5	A	804	JRX	O10-S1-N4	3.87	110.33	106.69
5	B	804	JRX	C24-C9-C14	3.77	123.71	119.25
5	B	804	JRX	C12-N4-C13	3.75	116.43	112.12
5	D	803	JRX	C18-C8-S1	-3.66	116.10	119.73
5	D	803	JRX	C28-C25-C14	-3.56	115.22	120.09
5	B	804	JRX	O11-S1-N4	-3.51	103.38	106.69
5	D	803	JRX	C27-C28-C25	3.51	125.10	120.40
5	C	803	JRX	C16-N6-C15	3.29	118.97	111.57
5	D	803	JRX	C13-C15-N6	-3.16	104.13	110.78
5	D	803	JRX	C27-C24-C9	-3.14	115.79	120.09
5	B	804	JRX	C13-C15-N6	-3.11	104.23	110.78
5	D	803	JRX	C26-C22-C7	3.04	122.81	114.59
5	C	803	JRX	C28-C25-C14	-3.04	115.94	120.09
5	A	804	JRX	C13-C15-N6	-3.03	104.42	110.78
5	A	804	JRX	C22-C7-C2	3.01	126.14	121.84
5	C	803	JRX	C24-C9-C14	3.00	122.80	119.25
5	B	804	JRX	C27-C24-C9	-2.97	116.03	120.09
5	D	803	JRX	C24-C9-C14	2.93	122.72	119.25
5	B	804	JRX	O11-S1-O10	2.77	123.91	119.59
5	C	803	JRX	N3-C2-N6	-2.76	115.38	117.62
5	C	803	JRX	C13-N4-S1	-2.69	112.06	117.06
5	D	803	JRX	C12-C16-N6	-2.67	105.17	110.78
5	C	803	JRX	C12-N4-S1	-2.66	112.11	117.06
5	C	803	JRX	C15-N6-C2	-2.64	109.97	118.92
5	B	804	JRX	C15-C13-N4	-2.54	106.27	108.97
5	C	803	JRX	C17-C21-C19	-2.52	118.47	121.37
5	C	803	JRX	C13-C15-N6	-2.50	105.53	110.78
5	A	804	JRX	O10-S1-C8	2.47	111.17	108.10
5	A	804	JRX	C15-C13-N4	-2.45	106.36	108.97
5	A	804	JRX	C27-C24-C9	-2.43	116.76	120.09
5	A	804	JRX	C27-C28-C25	2.42	123.64	120.40
5	A	804	JRX	C9-C14-N5	2.37	124.08	121.18
5	D	803	JRX	N3-C2-N6	-2.37	115.69	117.62
5	C	803	JRX	C21-C17-C8	2.35	121.73	119.44
5	A	804	JRX	C16-C12-N4	-2.33	106.49	108.97
5	C	803	JRX	C22-C7-C2	-2.33	118.51	121.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	804	JRX	C18-C8-S1	-2.32	117.43	119.73
5	D	803	JRX	O11-S1-O10	2.30	123.18	119.59
5	D	803	JRX	O10-S1-N4	-2.19	104.63	106.69
5	A	804	JRX	C24-C9-C14	2.11	121.74	119.25

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	803	GOL	O1-C1-C2-C3
4	A	803	GOL	C1-C2-C3-O3
4	B	803	GOL	C1-C2-C3-O3
4	B	803	GOL	O2-C2-C3-O3
4	A	803	GOL	O1-C1-C2-O2
4	A	803	GOL	O2-C2-C3-O3
5	D	803	JRX	C26-C22-C7-C2
5	A	804	JRX	C26-C22-C7-C2
5	B	804	JRX	C26-C22-C7-C2


There are no ring outliers.

4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	804	JRX	1	0
5	C	803	JRX	2	0
4	A	803	GOL	4	0
4	B	803	GOL	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand JRX B 804



Ligand JRX C 803





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/343 (91%)	-0.00	3 (0%) 79 86	17, 33, 56, 101	6 (1%)
1	B	314/343 (91%)	-0.03	7 (2%) 62 71	17, 31, 55, 89	5 (1%)
1	C	312/343 (90%)	-0.09	2 (0%) 85 90	20, 33, 54, 82	7 (2%)
1	D	312/343 (90%)	0.29	7 (2%) 62 71	24, 40, 64, 109	5 (1%)
All	All	1251/1372 (91%)	0.04	19 (1%) 72 80	17, 34, 59, 109	23 (1%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	456	TRP	6.0
1	D	458	GLY	4.4
1	B	459	LEU	4.1
1	D	459	LEU	3.7
1	B	458	GLY	3.5
1	A	459	LEU	3.4
1	D	768	GLY	3.3
1	D	460	MET	3.2
1	B	771	THR	3.0
1	B	460	MET	3.0
1	D	649	TYR	3.0
1	A	461	GLN	2.8
1	C	459	LEU	2.5
1	B	496	ARG	2.3
1	A	460	MET	2.1
1	B	606	GLU	2.1
1	B	484	ASN	2.1
1	D	766	ILE	2.1
1	C	458	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CME	D	509	10/11	0.88	0.15	39,46,90,110	0
1	CME	C	509	10/11	0.91	0.13	32,38,81,94	0
1	CME	A	509	10/11	0.91	0.12	31,41,71,75	0
1	CME	B	509	10/11	0.92	0.13	31,42,67,70	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	803	6/6	0.80	0.18	48,58,65,68	0
4	GOL	B	803	6/6	0.83	0.13	42,45,52,54	0
5	JRX	C	803	28/28	0.83	0.13	47,55,68,73	0
5	JRX	A	804	28/28	0.85	0.14	42,53,67,68	0
5	JRX	D	803	28/28	0.85	0.15	53,63,74,77	0
5	JRX	B	804	28/28	0.87	0.12	42,51,61,64	0
3	MG	C	802	1/1	0.99	0.02	22,22,22,22	0
3	MG	D	802	1/1	0.99	0.02	32,32,32,32	0
3	MG	A	802	1/1	0.99	0.03	19,19,19,19	0
3	MG	B	802	1/1	0.99	0.01	20,20,20,20	0
2	ZN	C	801	1/1	1.00	0.01	27,27,27,27	0
2	ZN	D	801	1/1	1.00	0.02	32,32,32,32	0
2	ZN	A	801	1/1	1.00	0.01	28,28,28,28	0
2	ZN	B	801	1/1	1.00	0.01	25,25,25,25	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around JRX C 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JRX A 804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JRX D 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around JRX B 804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.