



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:59 AM UTC

PDB ID : 3SJJ / pdb_00003sjj
Title : RB69 DNA Polymerase Triple Mutant (L561A/S565G/Y567A) Ternary Complex with dUpNpp and a Deoxy-terminated Primer in the presence of Mn²⁺
Authors : Wang, M.; Wang, J.; Konigsberg, W.H.
Deposited on : 2011-06-21
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	903	2% 75% 22% .
2	T	18	11% 44% 56%
3	P	13	46% 54%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8152 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	901	Total	C	N	O	S	0	1	0
			7349	4718	1225	1373	33			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	222	ALA	ASP	engineered mutation	UNP Q38087
A	327	ALA	ASP	engineered mutation	UNP Q38087
A	561	ALA	LEU	engineered mutation	UNP Q38087
A	565	GLY	SER	engineered mutation	UNP Q38087
A	567	ALA	TYR	engineered mutation	UNP Q38087
A	902	ALA	ASP	conflict	UNP Q38087


- Molecule 2 is a DNA chain called 5'-D(*TP*CP*AP*AP*GP*TP*AP*AP*GP*CP*AP*GP*TP*CP*CP*GP*CP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	T	18	Total	C	N	O	P	0	0	0
			367	175	71	104	17			

- Molecule 3 is a DNA chain called 5'-D(*GP*CP*GP*GP*AP*CP*TP*GP*CP*TP*TP*A P*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	P	13	Total	C	N	O	P	0	0	0
			263	126	48	77	12			

- Molecule 4 is 2'-DEOXYURIDINE 5'-ALPHA,BETA-IMIDO-TRIPHOSPHATE (CCD ID: DUP) (formula: C₉H₁₆N₃O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			28	9	3	13	3		

- Molecule 5 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	7	Total Mn 7 7	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	121	Total O 121 121	0	0
6	T	12	Total O 12 12	0	0
6	P	5	Total O 5 5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase



- Molecule 2: 5'-D(*TP*CP*AP*AP*GP*TP*AP*AP*GP*CP*AP*GP*TP*CP*CP*GP*CP*G)-3'



- Molecule 3: 5'-D(*GP*CP*GP*GP*AP*CP*TP*GP*CP*TP*TP*AP*C)-3'



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.56Å 118.22Å 130.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.25 – 2.38 47.25 – 2.38	Depositor EDS
% Data completeness (in resolution range)	91.2 (47.25-2.38) 91.2 (47.25-2.38)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.202 , 0.265 0.199 , 0.258	Depositor DCC
R_{free} test set	2286 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	45.8	Xtriage
Anisotropy	0.488	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8152	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DUP, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.50	0/7531	0.80	2/10177 (0.0%)
2	T	0.32	0/412	0.91	1/634 (0.2%)
3	P	0.36	0/294	0.94	1/452 (0.2%)
All	All	0.49	0/8237	0.81	4/11263 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	209	THR	CA-C-N	5.88	125.89	119.90
1	A	209	THR	C-N-CA	5.88	125.89	119.90
3	P	112	DT	O3'-P-O5'	-5.61	95.59	104.00
2	T	5	DG	O3'-P-O5'	5.01	111.52	104.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7349	0	7250	219	1
2	T	367	0	203	11	1
3	P	263	0	148	5	0
4	A	28	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	7	0	0	0	0
6	A	121	0	0	6	0
6	P	5	0	0	0	0
6	T	12	0	0	1	0
All	All	8152	0	7613	230	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:898:PHE:CB	1:A:899:ASP:HA	1.54	1.32
1:A:254:GLU:CB	1:A:255:ASN:HA	1.52	1.29
1:A:893:LYS:CA	1:A:894:LYS:HB2	1.63	1.24
1:A:638:GLU:HA	1:A:639:SER:O	1.37	1.20
1:A:639:SER:CB	1:A:640:LYS:HA	1.66	1.20
1:A:254:GLU:HB2	1:A:255:ASN:CA	1.77	1.13
1:A:793:VAL:HB	1:A:794:GLY:CA	1.78	1.12
1:A:639:SER:HB2	1:A:640:LYS:HA	1.29	1.11
1:A:898:PHE:HB3	1:A:899:ASP:HA	1.12	1.09
1:A:506:PRO:HA	1:A:507:ASN:CB	1.82	1.08
1:A:251:LYS:H	1:A:252:VAL:HB	1.19	1.07
1:A:506:PRO:HA	1:A:507:ASN:HB3	1.36	1.06
1:A:825:VAL:HB	1:A:828:GLU:HG3	1.29	1.06
1:A:639:SER:OG	1:A:640:LYS:HB2	1.54	1.05
1:A:638:GLU:HA	1:A:639:SER:C	1.81	1.05
1:A:639:SER:OG	1:A:640:LYS:CB	2.06	1.03
1:A:893:LYS:HA	1:A:894:LYS:HB2	1.05	1.00
1:A:639:SER:CB	1:A:640:LYS:CA	2.41	0.99
1:A:639:SER:OG	1:A:640:LYS:HA	1.61	0.99
1:A:898:PHE:CB	1:A:899:ASP:CA	2.40	0.99
1:A:893:LYS:HA	1:A:894:LYS:CB	1.93	0.98
1:A:251:LYS:N	1:A:252:VAL:HB	1.78	0.98
1:A:898:PHE:HB2	1:A:899:ASP:HA	1.43	0.98
1:A:48:LYS:HE3	1:A:377:ASN:ND2	1.78	0.97
1:A:639:SER:OG	1:A:640:LYS:CA	2.15	0.95
1:A:893:LYS:CB	1:A:894:LYS:HB2	1.97	0.95
1:A:793:VAL:HB	1:A:794:GLY:HA3	1.47	0.94
2:T:2:DC:H2"	2:T:3:DA:OP1	1.67	0.94
1:A:637:GLY:HA2	1:A:638:GLU:HB2	1.46	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:638:GLU:CA	1:A:639:SER:C	2.40	0.94
1:A:793:VAL:HB	1:A:794:GLY:HA2	1.51	0.93
1:A:11:ILE:HD12	1:A:16:PHE:CD2	2.04	0.92
1:A:893:LYS:CA	1:A:894:LYS:CB	2.48	0.91
1:A:898:PHE:HB3	1:A:899:ASP:CA	1.99	0.91
1:A:254:GLU:HB2	1:A:255:ASN:HA	0.88	0.88
1:A:250:VAL:HA	1:A:251:LYS:HB3	1.55	0.87
1:A:309:ILE:HD13	1:A:309:ILE:O	1.78	0.83
1:A:251:LYS:CA	1:A:252:VAL:HB	2.08	0.82
1:A:792:ASP:HB3	1:A:793:VAL:CG1	2.08	0.82
1:A:684:ASP:HB2	6:A:976:HOH:O	1.79	0.82
1:A:254:GLU:CB	1:A:255:ASN:CA	2.41	0.81
1:A:893:LYS:HB2	1:A:894:LYS:CB	2.11	0.80
1:A:252:VAL:HA	1:A:253:ILE:O	1.80	0.80
1:A:250:VAL:HA	1:A:251:LYS:CB	2.12	0.79
1:A:638:GLU:CA	1:A:639:SER:O	2.27	0.79
1:A:254:GLU:HB3	1:A:255:ASN:HA	1.65	0.78
1:A:251:LYS:HG3	1:A:262:ILE:HG23	1.64	0.78
1:A:594:LEU:HD23	1:A:594:LEU:O	1.84	0.77
1:A:728:MET:HE2	3:P:115:DC:OP2	1.85	0.76
1:A:793:VAL:CB	1:A:794:GLY:CA	2.56	0.76
1:A:41:CYS:HB2	1:A:42:PRO:CD	2.15	0.75
1:A:408:MET:CE	1:A:659:MET:HE1	2.17	0.73
1:A:594:LEU:HD23	1:A:594:LEU:C	2.13	0.73
1:A:638:GLU:H	1:A:640:LYS:N	1.85	0.72
1:A:893:LYS:CB	1:A:894:LYS:CB	2.68	0.72
1:A:792:ASP:HB3	1:A:793:VAL:HG12	1.70	0.71
1:A:173:GLN:HG3	6:A:924:HOH:O	1.90	0.71
1:A:216:TRP:O	1:A:217:ASN:HB2	1.90	0.71
1:A:441:ASP:HA	6:A:991:HOH:O	1.91	0.70
1:A:506:PRO:CA	1:A:507:ASN:CB	2.66	0.70
1:A:893:LYS:HB2	1:A:894:LYS:HB3	1.73	0.70
1:A:638:GLU:N	1:A:639:SER:C	2.50	0.70
1:A:120:PRO:HG3	1:A:156:TYR:HE1	1.56	0.69
1:A:204:PHE:CE1	1:A:208:LYS:HD2	2.28	0.69
1:A:825:VAL:HB	1:A:828:GLU:CG	2.17	0.69
1:A:48:LYS:HE3	1:A:377:ASN:HD21	1.59	0.67
1:A:506:PRO:HA	1:A:507:ASN:HB2	1.72	0.67
1:A:818:ASN:OD1	1:A:857:LEU:HD11	1.95	0.67
1:A:197:LEU:HD23	1:A:197:LEU:C	2.20	0.66
1:A:639:SER:HB2	1:A:640:LYS:CA	2.11	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:VAL:CA	1:A:251:LYS:CB	2.75	0.64
1:A:120:PRO:HG3	1:A:156:TYR:CE1	2.32	0.64
1:A:123:PHE:CD1	1:A:124:PRO:HD2	2.33	0.63
2:T:2:DC:OP2	2:T:3:DA:N7	2.30	0.63
1:A:86:ASP:OD1	2:T:1:DT:H5''	1.99	0.63
1:A:506:PRO:CA	1:A:507:ASN:HB3	2.22	0.63
1:A:898:PHE:HB2	1:A:899:ASP:CA	2.18	0.62
1:A:203:ASN:ND2	1:A:241:ARG:HH22	1.97	0.62
1:A:251:LYS:HD2	1:A:252:VAL:O	1.99	0.62
1:A:251:LYS:HA	1:A:252:VAL:HB	1.82	0.62
2:T:12:DG:H2'	2:T:13:DT:H72	1.81	0.61
1:A:252:VAL:HA	1:A:253:ILE:C	2.23	0.61
1:A:362:ILE:HD12	2:T:3:DA:O3'	2.01	0.60
1:A:578:TYR:O	1:A:579:ASP:HB2	2.00	0.60
1:A:604:TYR:OH	1:A:658:ARG:HB3	2.01	0.60
1:A:638:GLU:H	1:A:639:SER:C	2.09	0.60
1:A:25:ARG:HH11	1:A:27:ARG:HH22	1.47	0.60
1:A:76:GLU:HG3	1:A:77:ASP:N	2.14	0.60
1:A:792:ASP:OD2	1:A:795:GLY:HA2	2.02	0.60
1:A:805:ILE:HA	1:A:808:ILE:HD12	1.83	0.60
1:A:792:ASP:OD2	1:A:793:VAL:HA	2.01	0.60
1:A:854:ILE:HG23	1:A:859:LYS:HB2	1.83	0.60
1:A:641:PHE:HB3	1:A:646:HIS:HB3	1.82	0.60
1:A:594:LEU:C	1:A:594:LEU:CD2	2.74	0.59
1:A:408:MET:HE1	1:A:659:MET:HE1	1.83	0.59
1:A:839:ASN:OD1	1:A:841:PHE:HB2	2.02	0.59
1:A:654:PHE:HD1	1:A:659:MET:HE2	1.68	0.58
1:A:408:MET:HE3	1:A:659:MET:HE1	1.84	0.58
1:A:637:GLY:CA	1:A:638:GLU:HB2	2.25	0.58
1:A:244:PRO:HD3	1:A:268:ILE:HD11	1.86	0.58
1:A:660:GLU:HB3	1:A:661:PRO:HD3	1.86	0.58
1:A:612:GLU:OE2	1:A:612:GLU:HA	2.03	0.57
1:A:792:ASP:HB3	1:A:793:VAL:HG13	1.86	0.57
1:A:898:PHE:HB2	1:A:899:ASP:OD1	2.04	0.57
1:A:203:ASN:HD22	1:A:241:ARG:HH22	1.53	0.57
1:A:376:GLN:HE21	1:A:378:LYS:HE3	1.70	0.56
1:A:638:GLU:N	1:A:640:LYS:N	2.52	0.56
1:A:41:CYS:HB2	1:A:42:PRO:HD3	1.87	0.56
1:A:85:MET:HA	1:A:380:ILE:HD11	1.87	0.56
1:A:255:ASN:O	1:A:256:MET:HB3	2.05	0.56
1:A:172:GLU:OE2	1:A:172:GLU:N	2.37	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:471:VAL:HB	1:A:472:PRO:HD3	1.87	0.56
1:A:475:ILE:HD12	1:A:566:LEU:HD23	1.87	0.56
1:A:48:LYS:HE3	1:A:377:ASN:HD22	1.66	0.55
1:A:836:ARG:NH2	1:A:864:HIS:O	2.35	0.55
1:A:408:MET:HE1	1:A:659:MET:CE	2.37	0.54
1:A:428:GLU:O	1:A:428:GLU:HG2	2.06	0.54
1:A:508:LEU:N	1:A:508:LEU:HD12	2.21	0.54
1:A:792:ASP:CB	1:A:793:VAL:HA	2.38	0.54
1:A:799:PRO:O	1:A:800:LYS:HB2	2.08	0.54
1:A:537:SER:O	1:A:541:MET:HG3	2.08	0.53
1:A:73:LYS:O	1:A:76:GLU:HG2	2.09	0.53
1:A:202:LEU:O	1:A:206:GLN:HG2	2.09	0.52
1:A:637:GLY:O	1:A:640:LYS:HB3	2.09	0.52
1:A:752:MET:HE3	1:A:889:LEU:HD13	1.92	0.52
1:A:621:ASP:OD1	1:A:621:ASP:C	2.52	0.52
1:A:253:ILE:HG12	1:A:254:GLU:N	2.25	0.52
1:A:658:ARG:O	1:A:661:PRO:HD2	2.10	0.52
1:A:797:PRO:HG2	1:A:806:ARG:NH1	2.25	0.52
1:A:578:TYR:CZ	1:A:580:LEU:HD13	2.45	0.51
3:P:104:DC:H2''	3:P:105:DG:OP2	2.11	0.51
1:A:330:ARG:HH11	1:A:333:GLN:HE22	1.58	0.51
1:A:655:ALA:O	1:A:660:GLU:HB2	2.11	0.51
1:A:252:VAL:CA	1:A:253:ILE:O	2.54	0.50
1:A:132:PRO:HA	1:A:194:GLU:OE1	2.11	0.50
1:A:42:PRO:HD2	1:A:45:GLN:HE21	1.76	0.50
1:A:878:LYS:HB2	1:A:879:PRO:HD3	1.94	0.49
1:A:41:CYS:HB2	1:A:42:PRO:HD2	1.91	0.49
2:T:2:DC:C2'	2:T:3:DA:OP1	2.50	0.49
1:A:634:ASP:C	1:A:636:VAL:H	2.21	0.49
1:A:251:LYS:HA	1:A:252:VAL:O	2.12	0.48
1:A:441:ASP:HB3	1:A:447:ALA:HB2	1.94	0.48
1:A:864:HIS:CD2	6:A:1008:HOH:O	2.66	0.48
1:A:422:GLN:HG3	1:A:678:GLN:O	2.14	0.48
1:A:883:PHE:N	1:A:883:PHE:CD1	2.80	0.48
1:A:196:GLU:HA	1:A:199:MET:HE3	1.95	0.48
1:A:436:VAL:HG12	1:A:437:ALA:O	2.13	0.48
1:A:636:VAL:HG12	1:A:637:GLY:O	2.14	0.48
1:A:298:LEU:O	1:A:299:ASN:HB2	2.14	0.48
1:A:641:PHE:HA	1:A:646:HIS:ND1	2.29	0.48
2:T:2:DC:C2'	2:T:2:DC:O2	2.62	0.48
1:A:658:ARG:C	1:A:661:PRO:HD2	2.39	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:793:VAL:CB	1:A:794:GLY:HA3	2.30	0.47
1:A:533:LEU:HD13	1:A:537:SER:HB3	1.97	0.47
1:A:854:ILE:HD11	1:A:858:ILE:HD11	1.97	0.47
1:A:254:GLU:HB2	1:A:255:ASN:CB	2.43	0.47
1:A:785:ALA:HB1	1:A:788:ILE:HD11	1.97	0.47
1:A:465:LYS:O	1:A:677:LYS:HE2	2.15	0.47
1:A:634:ASP:C	1:A:636:VAL:N	2.71	0.46
1:A:559:ARG:HG3	1:A:559:ARG:HH11	1.80	0.46
1:A:413:THR:O	1:A:414:SER:C	2.58	0.46
1:A:611:THR:OG1	1:A:614:GLU:OE2	2.34	0.46
1:A:862:VAL:O	1:A:866:MET:HG3	2.16	0.46
2:T:11:DA:C2	3:P:110:DG:C2	3.04	0.46
1:A:1:MET:HE2	1:A:21:ASP:O	2.15	0.46
1:A:896:SER:C	1:A:898:PHE:H	2.23	0.46
1:A:40:HIS:HE1	1:A:51:ASP:OD2	1.99	0.46
1:A:654:PHE:CD1	1:A:659:MET:HE2	2.50	0.46
1:A:597:ILE:HA	1:A:597:ILE:HD12	1.66	0.46
2:T:6:DT:OP1	6:T:112:HOH:O	2.21	0.45
3:P:113:DT:H2''	3:P:114:DA:O5'	2.15	0.45
1:A:197:LEU:C	1:A:197:LEU:CD2	2.89	0.45
1:A:251:LYS:CD	1:A:252:VAL:O	2.62	0.45
1:A:640:LYS:O	1:A:640:LYS:HG2	2.15	0.45
1:A:191:PHE:HD2	1:A:196:GLU:HG3	1.81	0.45
1:A:338:ARG:HB3	1:A:340:PHE:CZ	2.52	0.45
1:A:685:ARG:HD2	1:A:685:ARG:C	2.42	0.45
2:T:12:DG:H2'	2:T:13:DT:C7	2.48	0.44
1:A:121:ASP:OD2	1:A:131:HIS:CE1	2.71	0.44
1:A:865:TRP:O	1:A:866:MET:C	2.59	0.44
1:A:861:ASP:O	1:A:865:TRP:HD1	2.00	0.44
1:A:256:MET:HA	1:A:258:GLY:HA2	1.98	0.44
1:A:415:LEU:HD22	1:A:623:ASP:HB3	1.99	0.44
1:A:117:VAL:HG13	1:A:132:PRO:O	2.18	0.43
1:A:578:TYR:OH	1:A:580:LEU:HD13	2.18	0.43
1:A:530:ILE:C	1:A:532:LYS:H	2.26	0.43
1:A:789:ALA:O	1:A:790:LYS:C	2.62	0.43
1:A:890:ASP:HB3	1:A:892:GLU:O	2.18	0.43
1:A:362:ILE:HD12	2:T:4:DA:P	2.58	0.43
1:A:597:ILE:HG12	1:A:667:PHE:CE2	2.54	0.43
1:A:597:ILE:HB	1:A:667:PHE:CZ	2.54	0.43
1:A:736:SER:HA	1:A:782:VAL:HB	2.01	0.43
1:A:251:LYS:HB3	1:A:262:ILE:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:VAL:HG21	1:A:317:HIS:CD2	2.54	0.42
1:A:251:LYS:HA	1:A:252:VAL:CB	2.46	0.42
1:A:569:ALA:C	1:A:571:GLY:H	2.26	0.42
1:A:251:LYS:HD2	1:A:251:LYS:HA	1.67	0.42
1:A:295:GLU:HB2	6:A:949:HOH:O	2.19	0.42
1:A:777:ILE:O	1:A:777:ILE:CG2	2.64	0.42
1:A:794:GLY:HA2	1:A:795:GLY:HA2	1.70	0.42
1:A:469:GLY:C	1:A:472:PRO:HD2	2.45	0.42
1:A:793:VAL:CB	1:A:794:GLY:HA2	2.24	0.42
1:A:444:ASN:HB2	6:A:991:HOH:O	2.20	0.42
1:A:236:GLU:HG2	1:A:240:LYS:HE2	2.01	0.42
1:A:391:TYR:HB2	1:A:392:PRO:HD2	2.01	0.42
1:A:486:LYS:NZ	1:A:716:GLU:OE1	2.31	0.42
1:A:873:GLU:HA	1:A:877:ILE:HB	2.02	0.42
1:A:83:LEU:HB3	1:A:379:VAL:HG12	2.02	0.42
1:A:51:ASP:OD1	1:A:51:ASP:C	2.61	0.42
1:A:131:HIS:HD2	1:A:156:TYR:OH	2.02	0.42
1:A:42:PRO:HD2	1:A:45:GLN:NE2	2.35	0.41
1:A:792:ASP:CB	1:A:793:VAL:HG12	2.45	0.41
1:A:788:ILE:O	1:A:789:ALA:C	2.63	0.41
1:A:25:ARG:HH11	1:A:27:ARG:NH2	2.16	0.41
1:A:131:HIS:HA	1:A:132:PRO:HD3	1.87	0.41
1:A:159:VAL:HG21	1:A:317:HIS:CG	2.55	0.41
1:A:170:LEU:HA	1:A:177:GLU:HG3	2.01	0.41
1:A:193:ASN:O	1:A:196:GLU:HG2	2.21	0.41
1:A:73:LYS:O	1:A:76:GLU:CG	2.68	0.41
1:A:273:TYR:OH	1:A:335:ASP:OD1	2.37	0.41
1:A:423:VAL:O	1:A:424:ASN:HB3	2.21	0.41
3:P:105:DG:OP2	3:P:105:DG:H8	2.04	0.41
1:A:731:GLU:OE1	1:A:731:GLU:N	2.49	0.41
1:A:777:ILE:HD11	1:A:853:GLU:HA	2.02	0.41
1:A:35:PRO:HG3	1:A:65:MET:HG2	2.03	0.41
1:A:162:TRP:CZ2	1:A:167:ALA:HB2	2.56	0.40
1:A:602:ASN:O	1:A:606:ASN:ND2	2.36	0.40
1:A:751:ARG:CZ	1:A:763:TYR:HB2	2.51	0.40
1:A:257:TYR:HA	1:A:258:GLY:HA2	1.51	0.40
1:A:660:GLU:CB	1:A:661:PRO:HD3	2.50	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:TYR:OH	2:T:18:DG:OP2[1_655]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	900/903 (100%)	840 (93%)	49 (5%)	11 (1%)	10 14

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	253	ILE
1	A	639	SER
1	A	894	LYS
1	A	895	ALA
1	A	898	PHE
1	A	507	ASN
1	A	579	ASP
1	A	790	LYS
1	A	252	VAL
1	A	251	LYS
1	A	256	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
-----	-------	----------	-----------	----------	-------------

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	796/796 (100%)	755 (95%)	41 (5%)	21 33

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	44	SER
1	A	45	GLN
1	A	76	GLU
1	A	102	LYS
1	A	197	LEU
1	A	243	SER
1	A	253	ILE
1	A	257	TYR
1	A	268	ILE
1	A	303	LEU
1	A	309	ILE
1	A	332	LEU
1	A	339	GLN
1	A	426	SER
1	A	466	ASP
1	A	467	ARG
1	A	507	ASN
1	A	514	LEU
1	A	537	SER
1	A	557	ILE
1	A	594	LEU
1	A	595	GLN
1	A	597	ILE
1	A	635	LYS
1	A	649	ASP
1	A	693	LEU
1	A	734	LYS
1	A	739	LYS
1	A	760	LEU
1	A	787	ASN
1	A	792	ASP
1	A	816	LYS
1	A	819	ILE
1	A	820	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	825	VAL
1	A	835	LEU
1	A	837	GLU
1	A	846	ILE
1	A	878	LYS
1	A	900	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	HIS
1	A	45	GLN
1	A	131	HIS
1	A	153	ASN
1	A	203	ASN
1	A	206	GLN
1	A	333	GLN
1	A	339	GLN
1	A	354	GLN
1	A	376	GLN
1	A	386	HIS
1	A	539	ASN
1	A	546	GLN
1	A	564	ASN
1	A	733	GLN
1	A	761	GLN
1	A	773	GLN
1	A	787	ASN
1	A	823	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 7 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	DUP	A	904	5	28,29,29	2.26	6 (21%)	39,45,45	2.16	12 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DUP	A	904	5	-	5/19/34/34	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	904	DUP	O2-C2	7.21	1.35	1.23
4	A	904	DUP	O4-C4	5.82	1.35	1.24
4	A	904	DUP	PB-O1B	3.59	1.51	1.46
4	A	904	DUP	PA-O1A	2.85	1.50	1.46
4	A	904	DUP	C6-C5	2.15	1.40	1.35
4	A	904	DUP	PB-O3B	2.12	1.61	1.59

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	904	DUP	C4-N3-C2	-5.21	120.14	126.61
4	A	904	DUP	O2A-PA-O1A	4.90	120.37	109.87
4	A	904	DUP	N3-C2-N1	4.32	120.51	114.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	904	DUP	C5-C4-N3	4.31	120.83	114.80
4	A	904	DUP	O2B-PB-O1B	4.01	118.47	109.87
4	A	904	DUP	C2'-C1'-N1	-3.55	104.93	113.81
4	A	904	DUP	O5'-PA-O1A	-3.53	103.80	114.27
4	A	904	DUP	O2-C2-N1	-3.00	118.89	122.80
4	A	904	DUP	O4'-C1'-N1	2.68	112.62	107.86
4	A	904	DUP	O4-C4-C5	-2.45	120.94	125.16
4	A	904	DUP	O3B-PG-O2G	-2.30	98.92	111.04
4	A	904	DUP	O1A-PA-N3A	-2.23	108.49	111.77

There are no chirality outliers.


All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	904	DUP	PA-N3A-PB-O1B
4	A	904	DUP	PB-O3B-PG-O2G
4	A	904	DUP	PB-O3B-PG-O1G
4	A	904	DUP	PB-N3A-PA-O5'
4	A	904	DUP	PB-O3B-PG-O3G

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	901/903 (99%)	0.07	15 (1%) 69 68	29, 49, 86, 134	1 (0%)
2	T	18/18 (100%)	-0.27	2 (11%) 10 9	31, 56, 135, 165	0
3	P	13/13 (100%)	-0.22	0 100 100	33, 53, 115, 120	0
All	All	932/934 (99%)	0.06	17 (1%) 67 66	29, 49, 87, 165	1 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	252	VAL	6.3
1	A	901	PHE	5.9
1	A	257	TYR	5.1
1	A	253	ILE	5.1
1	A	898	PHE	3.9
1	A	900	MET	2.9
2	T	1	DT	2.8
1	A	897	LEU	2.8
1	A	250	VAL	2.6
1	A	256	MET	2.5
1	A	314	GLU	2.4
1	A	793	VAL	2.4
1	A	861	ASP	2.3
1	A	258	GLY	2.2
1	A	899	ASP	2.2
1	A	466	ASP	2.1
2	T	2	DC	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MN	A	909	1/1	0.89	0.23	87,87,87,87	0
5	MN	A	911	1/1	0.94	0.11	90,90,90,90	0
5	MN	A	908	1/1	0.95	0.11	76,76,76,76	0
5	MN	A	910	1/1	0.96	0.06	81,81,81,81	0
5	MN	A	907	1/1	0.96	0.06	86,86,86,86	0
4	DUP	A	904	28/28	0.97	0.07	10,19,24,26	0
5	MN	A	906	1/1	0.99	0.03	39,39,39,39	0
5	MN	A	905	1/1	0.99	0.03	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.