



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:52 AM UTC

PDB ID : 6SJ9 / pdb_00006sj9
Title : Proteasome accessory factor B/C (PafBC) of *Arthrobacter aurescens*
Authors : Mueller, A.U.; Leibundgut, M.; Ban, N.; Weber-Ban, E.
Deposited on : 2019-08-13
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	664	4% 83% 13%
1	B	664	6% 82% 13%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 10249 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proteasome accessory factor B/C (PafBC).

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	642	Total	C	N	O	S	Se	0	1	0
			4978	3124	898	946	3	7			
1	B	637	Total	C	N	O	S	Se	0	1	0
			4958	3113	895	940	3	7			

- Molecule 2 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	K	0	0
			1	1		
2	B	1	Total	K	0	0
			1	1		

- Molecule 3 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	S	0	0
			3	1	1	1		
3	B	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 4 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	170	Total O 170 170	0	0
6	B	94	Total O 94 94	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome accessory factor B/C (PafBC)



- Molecule 1: Proteasome accessory factor B/C (PafBC)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.88Å 119.03Å 160.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.73 – 2.20 48.73 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.73-2.20) 100.0 (48.73-2.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.203 , 0.237 0.206 , 0.240	Depositor DCC
R_{free} test set	4361 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	48.1	Xtriage
Anisotropy	0.225	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10249	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SCN, PG4, PEG, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/5071	0.75	0/6863
1	B	0.48	0/5050	0.69	0/6832
All	All	0.54	0/10121	0.72	0/13695

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4978	0	4929	54	0
1	B	4958	0	4910	62	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	13	0	18	1	0
5	A	21	0	30	1	0
5	B	7	0	10	0	0
6	A	170	0	0	1	0
6	B	94	0	0	3	0
All	All	10249	0	9897	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:ALA:HB1	1:B:394:PRO:HB3	1.70	0.72
1:A:241:GLU:OE1	1:A:283:ARG:NH1	2.22	0.72
1:B:241:GLU:OE2	1:B:283:ARG:NH2	2.23	0.71
1:B:547:ARG:O	6:B:801:HOH:O	2.10	0.70
1:A:334:ALA:O	1:A:339:ARG:NH1	2.25	0.69
1:B:91:VAL:HG21	1:B:464:LYS:HB3	1.76	0.67
1:B:501:GLU:OE1	1:B:503:ARG:NE	2.20	0.65
1:A:260:ARG:NH2	1:A:276:ASP:OD2	2.18	0.63
1:A:401:LEU:HA	1:A:421:ARG:HD3	1.82	0.61
1:A:195:VAL:HG21	1:A:235:GLU:HG2	1.84	0.60
1:A:337:ALA:O	1:A:339:ARG:NH2	2.29	0.60
1:A:520:ARG:HD3	1:A:540:CYS:SG	2.42	0.60
1:B:28:ARG:NH1	1:B:38:ASN:HA	2.17	0.60
1:B:105:ALA:CB	1:B:394:PRO:HB3	2.31	0.60
1:B:439:MSE:HE3	1:B:530:LEU:HD13	1.84	0.60
1:B:313:ARG:NH2	6:B:803:HOH:O	2.28	0.58
1:B:215:ALA:HB1	1:B:594:ARG:HH11	1.68	0.57
1:B:38:ASN:HD22	1:B:39:ASP:H	1.54	0.56
1:A:188:ARG:NH2	1:A:405:GLN:OE1	2.39	0.56
1:B:208:ARG:HB2	1:B:211:ARG:HG2	1.87	0.56
1:A:587:LEU:HD21	1:A:619:GLU:HG2	1.88	0.55
1:B:186:GLY:HA3	1:B:236:LEU:HD11	1.87	0.55
1:B:394:PRO:HG2	1:B:397:TYR:CB	2.37	0.55
1:A:144:LYS:HE3	1:A:602:ASP:OD2	2.08	0.54
1:A:322:ASP:OD1	1:A:652:ARG:NH1	2.37	0.54
1:B:133:VAL:HG21	1:B:626:GLY:O	2.08	0.53
1:A:142:ARG:NH2	1:A:394:PRO:HG3	2.24	0.53
1:B:397:TYR:OH	1:B:401:LEU:HD13	2.08	0.53
1:A:446:LEU:HD23	1:A:446:LEU:H	1.74	0.52
1:A:628:LEU:HG	1:A:641:ILE:HD11	1.92	0.52
1:A:142:ARG:CZ	1:A:394:PRO:HG3	2.39	0.52
1:B:205:ARG:HD3	1:B:207:PHE:CZ	2.45	0.52
1:B:130:PHE:HA	1:B:650:GLU:HG3	1.91	0.52
1:A:481:GLY:HA3	4:A:703:PG4:H41	1.92	0.52
1:B:502:GLY:C	1:B:564:VAL:HG13	2.34	0.52
1:B:523:ASP:OD1	1:B:541:HIS:NE2	2.43	0.51
1:B:487:GLU:H	1:B:487:GLU:CD	2.19	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:ASN:ND2	1:B:39:ASP:H	2.09	0.50
1:B:394:PRO:HG2	1:B:397:TYR:HB2	1.91	0.50
1:B:508:ARG:HA	1:B:518:THR:O	2.11	0.50
1:A:348:GLN:HG2	1:A:352:MSE:HE2	1.93	0.50
1:B:144:LYS:HB2	1:B:145:PRO:HD2	1.94	0.50
1:B:182:PRO:HD2	1:B:224:PHE:CZ	2.47	0.50
1:A:349:LEU:HA	1:A:352:MSE:HE3	1.92	0.50
1:B:482:GLN:HG3	1:B:483:SER:O	2.10	0.50
1:A:482:GLN:HG3	1:A:483:SER:O	2.13	0.49
1:A:412:TYR:HB2	6:A:932:HOH:O	2.12	0.49
1:A:24:ARG:HD3	1:A:42:PHE:HE2	1.77	0.48
1:B:135:LEU:HD21	1:B:630:MSE:HE1	1.96	0.48
1:A:349:LEU:HD23	1:A:352:MSE:HE3	1.94	0.48
1:A:310:ALA:O	1:A:314:ARG:HG3	2.13	0.48
1:B:37:ASP:HB2	1:B:41:ALA:HB3	1.96	0.48
1:A:393:LEU:CD1	1:A:399:ASP:HA	2.44	0.47
1:B:195:VAL:HG21	1:B:235:GLU:HG2	1.96	0.47
1:B:518:THR:OG1	1:B:520:ARG:NH2	2.28	0.47
1:B:60:ILE:HG12	1:B:81:ILE:HD11	1.96	0.47
1:B:439:MSE:HE2	1:B:479:VAL:CG1	2.44	0.47
1:A:504:GLN:HG3	1:A:523:ASP:OD1	2.15	0.47
1:A:188:ARG:HH11	1:A:188:ARG:HG3	1.80	0.47
1:B:439:MSE:CE	1:B:530:LEU:HD13	2.45	0.47
1:A:349:LEU:HD23	1:A:352:MSE:CE	2.46	0.46
1:A:628:LEU:HA	1:A:628:LEU:HD12	1.60	0.46
1:B:165:PHE:CD2	1:B:212:MSE:HG2	2.50	0.46
1:B:523:ASP:CG	1:B:541:HIS:HE2	2.23	0.46
1:B:507:LEU:O	1:B:519:GLU:HA	2.15	0.46
1:B:520:ARG:NH1	6:B:811:HOH:O	2.47	0.46
1:B:628:LEU:HG	1:B:641:ILE:HD11	1.98	0.46
1:A:24:ARG:HD3	1:A:42:PHE:CE2	2.50	0.46
1:B:186:GLY:HA3	1:B:236:LEU:CD1	2.45	0.46
1:B:663:ASP:OD1	1:B:664:SER:N	2.46	0.46
1:B:504:GLN:HG2	1:B:523:ASP:OD2	2.16	0.46
1:A:61:GLU:OE2	1:A:80:ARG:NE	2.30	0.45
1:A:87:ARG:HD2	1:A:468:ALA:O	2.16	0.45
1:B:499:ILE:HG13	1:B:524:PRO:HB2	1.98	0.45
1:B:560:ASN:CG	1:B:562:ARG:HD3	2.42	0.45
1:A:398:PRO:HG3	1:A:423:VAL:HG11	1.99	0.45
1:A:657:ALA:O	1:A:660:VAL:HG22	2.17	0.45
1:B:54:LYS:HA	1:B:58:PHE:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:TRP:CE2	1:B:432:ALA:HB1	2.51	0.45
1:B:164:ARG:HA	1:B:178:ARG:O	2.17	0.45
1:B:241:GLU:HG2	1:B:283:ARG:HD2	1.99	0.45
1:A:339:ARG:HD3	1:A:339:ARG:HA	1.82	0.45
1:A:439:MSE:SE	1:A:530:LEU:HD21	2.67	0.44
1:B:7:ARG:HD2	1:B:32:TYR:CE1	2.53	0.44
1:A:487:GLU:H	1:A:487:GLU:CD	2.26	0.44
1:A:357:PRO:HB2	5:A:704:PEG:H21	2.00	0.44
1:A:656:ASP:O	1:A:660:VAL:HG13	2.18	0.44
1:B:536:PHE:CE1	1:B:549:PHE:HB2	2.53	0.44
1:A:191:GLN:HG3	1:A:208:ARG:HH12	1.82	0.43
1:B:401:LEU:HD23	1:B:401:LEU:O	2.18	0.43
1:A:38:ASN:HB3	1:A:39:ASP:H	1.61	0.43
1:A:230:PHE:CZ	1:A:232:ALA:HB2	2.53	0.43
1:B:182:PRO:HD2	1:B:224:PHE:CE1	2.53	0.43
1:A:7:ARG:HD2	1:A:32:TYR:CE2	2.53	0.43
1:A:28:ARG:NH2	1:A:38:ASN:HA	2.33	0.43
1:A:153:VAL:O	1:A:157:MSE:HG3	2.19	0.43
1:A:203:ALA:HB3	1:A:205:ARG:HH12	1.82	0.42
1:B:540:CYS:SG	1:B:542:SER:O	2.75	0.42
1:A:113:LEU:HD23	1:A:113:LEU:HA	1.88	0.42
1:B:53:LEU:HD23	1:B:53:LEU:HA	1.85	0.42
1:B:548:ASN:ND2	1:B:577:ARG:O	2.52	0.42
1:A:99:THR:O	1:A:102:LEU:HB3	2.19	0.42
1:A:236:LEU:O	1:A:239:LEU:HB2	2.20	0.42
1:A:365:LEU:C	1:A:365:LEU:HD23	2.45	0.42
1:A:529:SER:HA	1:A:533:THR:O	2.20	0.42
1:B:251:ILE:HD13	1:B:278:ILE:HD13	2.01	0.42
1:B:509:TYR:O	1:B:517:VAL:HA	2.20	0.42
1:A:143:ILE:HG21	1:A:287:GLN:HG3	2.02	0.41
1:B:174:ARG:H	1:B:174:ARG:CD	2.33	0.41
1:A:187:SER:O	1:A:188:ARG:HG3	2.19	0.41
1:A:53:LEU:HD23	1:A:53:LEU:HA	1.84	0.41
1:B:439:MSE:HE3	1:B:530:LEU:HD22	2.01	0.41
1:A:193:TYR:OH	1:A:208:ARG:NH2	2.53	0.41
1:B:502:GLY:O	1:B:564:VAL:N	2.47	0.41
1:B:45:MSE:HA	1:B:48:ARG:NH2	2.36	0.40
1:B:530:LEU:HD23	1:B:578:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	635/664 (96%)	623 (98%)	12 (2%)	0	100	100
1	B	630/664 (95%)	618 (98%)	12 (2%)	0	100	100
All	All	1265/1328 (95%)	1241 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/524 (98%)	506 (98%)	10 (2%)	50	66
1	B	515/524 (98%)	510 (99%)	5 (1%)	68	81
All	All	1031/1048 (98%)	1016 (98%)	15 (2%)	57	73

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LEU
1	A	144	LYS
1	A	164	ARG
1	A	228	LYS
1	A	266	LEU
1	A	271	ASP
1	A	272	GLU
1	A	339	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	395	GLU
1	A	586	VAL
1	B	44	ARG
1	B	45	MSE
1	B	395	GLU
1	B	423	VAL
1	B	562	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	GLN
1	A	119	ASN
1	A	191	GLN
1	A	298	HIS
1	B	158	HIS
1	B	191	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PEG	A	704	-	6,6,6	0.51	0	5,5,5	0.40	0
5	PEG	A	706	-	6,6,6	0.50	0	5,5,5	0.40	0
4	PG4	A	703	-	12,12,12	0.55	0	11,11,11	0.42	0
3	SCN	B	702	-	1,2,2	0.57	0	0,1,1	-	-
5	PEG	A	705	-	6,6,6	0.48	0	5,5,5	0.31	0
5	PEG	B	703	-	6,6,6	0.50	0	5,5,5	0.30	0
3	SCN	A	702	-	1,2,2	0.28	0	0,1,1	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	A	704	-	-	3/4/4/4	-
5	PEG	A	706	-	-	3/4/4/4	-
4	PG4	A	703	-	-	8/10/10/10	-
5	PEG	A	705	-	-	1/4/4/4	-
5	PEG	B	703	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	703	PG4	C5-C6-O4-C7
4	A	703	PG4	O2-C3-C4-O3
5	A	704	PEG	O1-C1-C2-O2
5	A	705	PEG	O1-C1-C2-O2
5	A	706	PEG	O2-C3-C4-O4
4	A	703	PG4	O4-C7-C8-O5
5	A	706	PEG	O1-C1-C2-O2
5	A	704	PEG	C1-C2-O2-C3
5	A	706	PEG	C1-C2-O2-C3
5	B	703	PEG	C1-C2-O2-C3
5	B	703	PEG	C4-C3-O2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	703	PG4	C6-C5-O3-C4
5	A	704	PEG	C4-C3-O2-C2
4	A	703	PG4	O1-C1-C2-O2
4	A	703	PG4	C1-C2-O2-C3
4	A	703	PG4	C4-C3-O2-C2
4	A	703	PG4	O3-C5-C6-O4

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	704	PEG	1	0
4	A	703	PG4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	635/664 (95%)	0.24	27 (4%)	40 36	30, 58, 130, 203	1 (0%)
1	B	630/664 (94%)	0.50	43 (6%)	23 20	34, 76, 147, 198	1 (0%)
All	All	1265/1328 (95%)	0.37	70 (5%)	30 27	30, 66, 141, 203	2 (0%)

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	416	HIS	4.1
1	B	539	TYR	4.0
1	B	133	VAL	4.0
1	A	121	VAL	3.9
1	B	394	PRO	3.8
1	B	172	THR	3.7
1	A	173	GLY	3.6
1	A	334	ALA	3.6
1	B	574	PHE	3.3
1	B	170	VAL	3.3
1	A	230	PHE	3.2
1	A	170	VAL	3.2
1	B	563	ALA	3.2
1	A	419	LEU	3.2
1	B	419	LEU	3.2
1	A	337	ALA	3.1
1	B	397	TYR	3.1
1	A	397	TYR	3.0
1	A	335	GLY	3.0
1	B	244	VAL	2.9
1	A	172	THR	2.9
1	B	129	GLY	2.8
1	B	417	LEU	2.8
1	B	121	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	523	ASP	2.8
1	A	74	PRO	2.8
1	A	338	PRO	2.8
1	B	548	ASN	2.7
1	B	337	ALA	2.7
1	B	568	ALA	2.7
1	B	189	PHE	2.7
1	B	479	VAL	2.7
1	B	216	ILE	2.7
1	A	273	SER	2.7
1	B	169	ALA	2.6
1	B	541	HIS	2.6
1	A	120	ALA	2.6
1	B	525	LEU	2.6
1	B	334	ALA	2.5
1	A	242	LEU	2.5
1	A	336	ARG	2.5
1	A	133	VAL	2.4
1	A	236	LEU	2.4
1	B	40	VAL	2.4
1	B	239	LEU	2.4
1	A	453	GLY	2.4
1	A	214	THR	2.3
1	B	415	GLU	2.3
1	B	25	ALA	2.3
1	A	417	LEU	2.3
1	B	544	ALA	2.3
1	B	173	GLY	2.2
1	B	401	LEU	2.2
1	B	546	VAL	2.2
1	B	119	ASN	2.2
1	B	545	GLY	2.2
1	B	564	VAL	2.2
1	A	422	PRO	2.2
1	A	225[A]	HIS	2.2
1	A	118	ALA	2.2
1	B	524	PRO	2.1
1	B	571	GLY	2.1
1	B	171	SER	2.1
1	B	283	ARG	2.1
1	A	445	ALA	2.1
1	A	189	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	477	GLY	2.1
1	B	402	LEU	2.0
1	B	522	VAL	2.0
1	B	240	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PG4	A	703	13/13	0.65	0.19	97,107,112,112	0
5	PEG	A	705	7/7	0.70	0.13	88,91,93,93	0
5	PEG	B	703	7/7	0.71	0.18	88,90,92,92	0
5	PEG	A	706	7/7	0.77	0.13	95,95,98,98	0
5	PEG	A	704	7/7	0.82	0.12	75,77,81,83	0
3	SCN	B	702	3/3	0.92	0.14	57,57,60,61	0
2	K	B	701	1/1	0.94	0.06	98,98,98,98	0
3	SCN	A	702	3/3	0.98	0.05	32,32,34,41	0
2	K	A	701	1/1	0.99	0.04	52,52,52,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.