



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:52 PM UTC

PDB ID : 6SJU / pdb_00006sju
Title : Human kallikrein 7 with aromatic coumarinic ester compound 3 covalently bound to H57
Authors : Hanke, S.; Straeter, N.
Deposited on : 2019-08-13
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	92%8% .
1	B	224	% 96% .
1	C	224	% 92%8%
1	D	224	2% 89%9% ..
1	E	224	% 92%7% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	224	 92% 7%
1	G	224	 95% 3% • •
1	H	224	 93% 6% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PGE	A	302	-	-	X	-
3	SO4	D	312	-	-	X	-

2 Entry composition


There are 6 unique types of molecules in this entry. The entry contains 15943 atoms, of which 101 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kallikrein-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	224	Total	C	N	O	S	0	4	0
			1724	1074	312	320	18			
1	B	224	Total	C	N	O	S	0	4	0
			1699	1059	303	319	18			
1	C	224	Total	C	N	O	S	0	2	0
			1701	1057	308	318	18			
1	D	224	Total	C	N	O	S	0	2	0
			1709	1064	309	318	18			
1	E	224	Total	C	N	O	S	0	3	0
			1701	1062	304	317	18			
1	F	224	Total	C	N	O	S	0	2	0
			1696	1057	305	316	18			
1	G	224	Total	C	N	O	S	0	1	0
			1702	1059	309	316	18			
1	H	224	Total	C	N	O	S	0	1	0
			1697	1054	307	318	18			

- Molecule 2 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			24	6	14	4		
2	A	1	Total	C	H	O	0	0
			24	6	14	4		
2	B	1	Total	C	H	O	0	0
			24	6	14	4		
2	D	1	Total	C	H	O	0	0
			24	6	14	4		
2	E	1	Total	C	H	O	0	0
			24	6	14	4		
2	F	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is (3-iodanylphenyl) 6-methyl-2-oxidanylidene-chromene-3-carboxylate (CCD ID: LFW) (formula: C₁₇H₁₁IO₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	1
			30	22	8		
4	B	1	Total	C	O	0	1
			30	22	8		
4	C	1	Total	C	O	0	1
			30	22	8		
4	D	1	Total	C	O	0	1
			30	22	8		
4	E	1	Total	C	O	0	1
			30	22	8		
4	F	1	Total	C	O	0	1
			30	22	8		
4	G	1	Total	C	O	0	1
			30	22	8		
4	H	1	Total	C	O	0	1
			30	22	8		

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	H	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	H	1	Total	C	H	N	O	S	0
			32	8	17	2	4	1	

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	198	Total	O	0	0
			198	198		
6	B	177	Total	O	0	1
			177	177		
6	C	206	Total	O	0	1
			206	206		
6	D	190	Total	O	0	0
			190	190		
6	E	195	Total	O	0	1
			195	195		
6	F	207	Total	O	0	0
			207	207		
6	G	137	Total	O	0	0
			137	137		
6	H	123	Total	O	0	0
			123	123		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Kallikrein-7

Chain A: 




- Molecule 1: Kallikrein-7

Chain B: 




- Molecule 1: Kallikrein-7

Chain C: 




- Molecule 1: Kallikrein-7

Chain D: 




- Molecule 1: Kallikrein-7

Chain E: 



- Molecule 1: Kallikrein-7

Chain F:  92% 7%




• Molecule 1: Kallikrein-7

Chain G:  95% 3%



• Molecule 1: Kallikrein-7

Chain H:  93% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.65Å 116.95Å 291.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.08 – 1.97 47.08 – 1.97	Depositor EDS
% Data completeness (in resolution range)	78.4 (47.08-1.97) 78.6 (47.08-1.97)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 1.97Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.174 , 0.221 0.172 , 0.213	Depositor DCC
R_{free} test set	1719 reflections (1.16%)	wwPDB-VP
Wilson B-factor (Å ²)	36.8	Xtriage
Anisotropy	0.464	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15943	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, SO4, LFW, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.10	2/1772 (0.1%)	1.20	10/2406 (0.4%)
1	B	1.05	1/1744 (0.1%)	1.14	5/2371 (0.2%)
1	C	1.06	1/1740 (0.1%)	1.16	6/2365 (0.3%)
1	D	1.03	0/1751	1.22	7/2379 (0.3%)
1	E	1.06	3/1743 (0.2%)	1.16	8/2371 (0.3%)
1	F	1.05	0/1738	1.15	6/2364 (0.3%)
1	G	0.93	0/1741	1.15	5/2365 (0.2%)
1	H	0.98	1/1736 (0.1%)	1.16	4/2361 (0.2%)
All	All	1.03	8/13965 (0.1%)	1.17	51/18982 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2
1	D	0	1
1	H	0	2
All	All	0	5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	60	MET	SD-CE	-6.96	1.62	1.79
1	B	60	MET	SD-CE	-6.17	1.64	1.79
1	A	235[A]	THR	CA-C	5.77	1.60	1.52
1	A	235[B]	THR	CA-C	5.77	1.60	1.52
1	H	233	LYS	C-O	-5.74	1.16	1.24
1	C	232	CYS	C-O	-5.26	1.17	1.24
1	E	104	MET	C-O	-5.06	1.17	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	181	LEU	C-O	-5.00	1.17	1.23

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	81	GLN	O-C-N	-15.63	102.82	122.20
1	A	235[A]	THR	N-CA-C	10.33	123.83	111.33
1	A	235[B]	THR	N-CA-C	10.33	123.83	111.33
1	A	235[A]	THR	CA-C-O	9.34	130.45	120.55
1	A	235[B]	THR	CA-C-O	9.34	130.45	120.55
1	H	235	THR	N-CA-C	8.65	120.33	111.07
1	D	174	ASP	CA-CB-CG	7.79	120.39	112.60
1	D	51	TRP	N-CA-C	7.57	121.88	109.24
1	C	174	ASP	CA-CB-CG	6.80	119.40	112.60
1	F	51	TRP	N-CA-C	6.76	120.53	109.24
1	F	77	ASP	CA-CB-CG	6.69	119.29	112.60
1	B	77	ASP	N-CA-C	-6.65	101.57	110.55
1	B	231	VAL	N-CA-C	6.46	117.99	110.62
1	D	231	VAL	N-CA-C	6.41	117.93	110.62
1	A	125	SER	N-CA-C	-6.34	105.20	113.12
1	E	77	ASP	CA-CB-CG	6.19	118.79	112.60
1	E	211	GLY	N-CA-C	6.13	120.09	110.96
1	B	174	ASP	CA-CB-CG	6.06	118.66	112.60
1	C	149	VAL	N-CA-C	5.97	117.60	108.71
1	E	231	VAL	N-CA-C	5.96	117.41	110.62
1	D	82	ARG	N-CA-C	-5.94	98.15	110.80
1	H	234	PHE	N-CA-C	5.93	120.53	112.88
1	E	48	ASN	CA-CB-CG	5.90	118.50	112.60
1	D	125	SER	N-CA-C	-5.84	106.70	113.88
1	A	231	VAL	N-CA-C	5.83	117.27	110.62
1	C	77	ASP	CA-CB-CG	5.81	118.41	112.60
1	F	49	GLU	N-CA-C	5.80	119.46	112.38
1	G	231	VAL	N-CA-C	5.73	117.15	110.62
1	H	231	VAL	N-CA-C	5.72	119.07	111.17
1	B	77	ASP	CA-CB-CG	5.69	118.29	112.60
1	F	77	ASP	CA-C-N	5.67	128.15	120.38
1	F	77	ASP	C-N-CA	5.67	128.15	120.38
1	A	235[A]	THR	O-C-N	-5.56	116.23	122.12
1	A	235[B]	THR	O-C-N	-5.56	116.23	122.12
1	C	231	VAL	N-CA-C	5.53	118.81	111.17
1	E	235	THR	N-CA-C	5.50	117.28	111.28
1	C	51	TRP	N-CA-C	5.47	118.38	109.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	125	SER	N-CA-C	-5.47	107.15	113.88
1	E	91	HIS	CA-C-N	5.46	125.80	119.47
1	E	91	HIS	C-N-CA	5.46	125.80	119.47
1	G	240	ASP	CA-CB-CG	5.43	118.03	112.60
1	C	125	SER	N-CA-C	-5.43	107.20	113.88
1	A	51	TRP	N-CA-C	5.42	118.29	109.24
1	H	125	SER	N-CA-C	-5.36	106.79	113.55
1	F	231	VAL	N-CA-C	5.33	118.53	111.17
1	D	131	PRO	N-CA-C	5.29	117.16	110.70
1	G	51	TRP	N-CA-C	5.11	117.77	109.24
1	E	240	ASP	CA-CB-CG	5.07	117.67	112.60
1	G	235	THR	N-CA-C	5.02	116.75	111.28
1	A	234	PHE	N-CA-C	5.02	118.71	112.59
1	B	51	TRP	N-CA-C	5.01	117.60	109.24

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	56	ALA	Mainchain
1	D	81	GLN	Mainchain
1	H	56	ALA	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1724	0	1710	13	0
1	B	1699	0	1659	1	0
1	C	1701	0	1661	7	0
1	D	1709	0	1683	15	0
1	E	1701	0	1667	4	0
1	F	1696	0	1659	5	0
1	G	1702	0	1672	3	0
1	H	1697	0	1652	8	0
2	A	20	28	28	8	0
2	B	10	14	14	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	10	14	14	0	0
2	E	10	14	14	0	0
2	F	10	14	14	0	0
3	A	45	0	0	0	0
3	B	60	0	0	0	0
3	C	75	0	0	1	0
3	D	60	0	0	5	0
3	E	45	0	0	0	0
3	F	55	0	0	0	0
3	G	50	0	0	0	0
3	H	60	0	0	0	0
4	A	30	0	0	0	0
4	B	30	0	0	0	0
4	C	30	0	0	1	0
4	D	30	0	0	0	0
4	E	30	0	0	0	0
4	F	30	0	0	0	0
4	G	30	0	0	0	0
4	H	30	0	0	0	0
5	H	30	17	34	3	0
6	A	198	0	0	1	0
6	B	177	0	0	0	0
6	C	206	0	0	0	0
6	D	190	0	0	0	0
6	E	195	0	0	1	0
6	F	207	0	0	0	0
6	G	137	0	0	0	0
6	H	123	0	0	1	0
All	All	15842	101	13481	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:38:ASN:OD1	1:D:82:ARG:NH2	1.93	1.01
1:D:81:GLN:HA	3:D:312:SO4:O2	1.63	0.98
6:A:410:HOH:O	1:H:39:GLN:HG2	1.67	0.94
1:D:81:GLN:CA	3:D:312:SO4:O2	2.18	0.90
1:D:81:GLN:C	3:D:312:SO4:O2	2.19	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:PHE:HA	2:A:302:PGE:H22	1.57	0.85
1:F:38:ASN:OD1	1:F:82:ARG:NH2	2.13	0.82
1:H:91:HIS:HD1	1:H:93:GLY:H	1.30	0.79
1:D:82:ARG:N	3:D:312:SO4:O2	2.23	0.71
1:D:66:VAL:O	1:D:82:ARG:HA	1.92	0.68
1:A:237:TRP:HB2	2:A:302:PGE:H3	1.77	0.64
1:C:192:ASN:HB3	4:C:350[A]:LFW:O4	1.98	0.64
1:B:237:TRP:HB2	2:B:301:PGE:H5	1.84	0.59
1:A:237:TRP:H	2:A:302:PGE:H2	1.66	0.59
1:G:24:ARG:HE	1:G:24:ARG:H	1.49	0.59
1:H:237:TRP:HB2	5:H:302:EPE:H31	1.87	0.56
1:A:91:HIS:HE2	2:A:302:PGE:H42	1.72	0.55
1:D:167:ASP:HA	1:D:170:LYS:HD3	1.90	0.54
1:H:233:LYS:HD2	6:H:401:HOH:O	2.08	0.53
1:C:45:VAL:HG11	1:C:198:PRO:HB3	1.91	0.52
1:C:100:VAL:HG23	1:C:177:GLU:HG3	1.94	0.49
1:C:45:VAL:CG1	1:C:198:PRO:HB3	2.43	0.49
1:D:82:ARG:CD	1:F:128:ARG:HG2	2.43	0.49
1:A:45[A]:VAL:HG11	1:A:198:PRO:HB3	1.96	0.48
1:A:237:TRP:HB2	2:A:302:PGE:C3	2.44	0.48
1:C:38:ASN:OD1	1:C:82:ARG:NH2	2.48	0.47
1:A:45[A]:VAL:HG23	1:A:53:LEU:HB3	1.97	0.47
3:C:314:SO4:O3	3:C:315:SO4:O1	2.32	0.47
1:C:100:VAL:CG2	1:C:177:GLU:HG3	2.45	0.47
1:D:81:GLN:HA	3:D:312:SO4:S	2.52	0.46
1:H:32:ALA:HB2	1:H:141:TRP:CZ3	2.49	0.46
1:H:91:HIS:NE2	5:H:302:EPE:H22	2.31	0.46
1:H:237:TRP:HB2	5:H:302:EPE:C3	2.45	0.46
1:G:33:LEU:HD11	1:G:54:THR:HG21	1.98	0.46
1:E:82:ARG:HD3	6:E:469:HOH:O	2.16	0.45
1:A:45[A]:VAL:CG1	1:A:198:PRO:HB3	2.47	0.45
1:C:32:ALA:HB2	1:C:141:TRP:CZ3	2.50	0.45
1:E:181:LEU:HD22	1:E:230:GLN:HG3	1.99	0.45
1:A:56:ALA:HA	1:A:104:MET:HB2	1.99	0.45
1:D:84:LYS:HB3	1:D:84:LYS:HE2	1.38	0.44
1:E:73:LEU:HD23	1:E:73:LEU:HA	1.80	0.44
1:A:218:PHE:HA	1:A:219:PRO:C	2.44	0.43
1:E:64:TYR:HB2	1:E:85:ALA:HB3	2.01	0.43
1:D:95:SER:HB3	1:D:100:VAL:HG12	2.01	0.42
1:D:32:ALA:HB2	1:D:141:TRP:CZ3	2.55	0.42
2:A:302:PGE:H4	1:D:92:PRO:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:163:ILE:HD12	1:D:225:PRO:HB3	2.02	0.41
1:F:122:ARG:HD2	1:F:208:THR:HG22	2.02	0.41
1:F:48:ASN:HA	1:F:120:LYS:HG2	2.02	0.41
1:A:91:HIS:HE2	2:A:302:PGE:C4	2.33	0.41
1:A:91:HIS:NE2	2:A:302:PGE:H42	2.35	0.41
1:D:218:PHE:HA	1:D:219:PRO:C	2.46	0.41
1:H:103:LEU:HD21	1:H:234:PHE:CD1	2.55	0.41
1:F:16:ILE:O	1:F:144:THR:HA	2.21	0.40
1:G:24:ARG:H	1:G:24:ARG:NE	2.18	0.40
1:A:33:LEU:HD11	1:A:54:THR:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/224 (101%)	223 (99%)	3 (1%)	0	100	100
1	B	225/224 (100%)	222 (99%)	3 (1%)	0	100	100
1	C	223/224 (100%)	220 (99%)	3 (1%)	0	100	100
1	D	224/224 (100%)	220 (98%)	3 (1%)	1 (0%)	30	20
1	E	225/224 (100%)	221 (98%)	4 (2%)	0	100	100
1	F	224/224 (100%)	221 (99%)	3 (1%)	0	100	100
1	G	223/224 (100%)	220 (99%)	3 (1%)	0	100	100
1	H	223/224 (100%)	218 (98%)	5 (2%)	0	100	100
All	All	1793/1792 (100%)	1765 (98%)	27 (2%)	1 (0%)	48	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	82	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/194 (102%)	192 (98%)	5 (2%)	42	33
1	B	192/194 (99%)	190 (99%)	2 (1%)	68	65
1	C	192/194 (99%)	189 (98%)	3 (2%)	55	50
1	D	194/194 (100%)	187 (96%)	7 (4%)	31	20
1	E	192/194 (99%)	187 (97%)	5 (3%)	40	32
1	F	191/194 (98%)	186 (97%)	5 (3%)	40	32
1	G	192/194 (99%)	187 (97%)	5 (3%)	40	32
1	H	191/194 (98%)	189 (99%)	2 (1%)	68	65
All	All	1541/1552 (99%)	1507 (98%)	34 (2%)	47	38

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	TRP
1	A	45[A]	VAL
1	A	45[B]	VAL
1	A	82	ARG
1	A	179	SER
1	B	73	LEU
1	B	84	LYS
1	C	148	ASP
1	C	174	ASP
1	C	195	SER
1	D	30	GLN
1	D	39	GLN
1	D	82	ARG
1	D	84	LYS
1	D	153	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	174	ASP
1	D	202	ARG
1	E	29	TRP
1	E	45[A]	VAL
1	E	45[B]	VAL
1	E	73	LEU
1	E	178	ASN
1	F	29	TRP
1	F	82	ARG
1	F	96	THR
1	F	153	SER
1	F	235	THR
1	G	24	ARG
1	G	45	VAL
1	G	82	ARG
1	G	195	SER
1	G	235	THR
1	H	29	TRP
1	H	195	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	HIS
1	A	99	HIS
1	B	97	GLN
1	B	101	ASN
1	B	192	ASN
1	B	221	GLN
1	C	30	GLN
1	C	41	HIS
1	C	192	ASN
1	C	239	ASN
1	D	41	HIS
1	D	239	ASN
1	E	192	ASN
1	G	111	GLN
1	G	192	ASN
1	H	39	GLN
1	H	192	ASN
1	H	239	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

114 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	G	305	-	4,4,4	0.33	0	6,6,6	0.39	0
3	SO4	D	313	-	4,4,4	0.30	0	6,6,6	0.12	0
3	SO4	C	311	-	4,4,4	0.66	0	6,6,6	0.19	0
3	SO4	G	304	-	4,4,4	0.26	0	6,6,6	0.08	0
3	SO4	D	305	-	4,4,4	0.49	0	6,6,6	0.22	0
3	SO4	E	307	-	4,4,4	0.29	0	6,6,6	0.15	0
5	EPE	H	302	-	15,15,15	1.04	1 (6%)	19,20,20	0.79	1 (5%)
3	SO4	C	304	-	4,4,4	0.39	0	6,6,6	0.66	0
3	SO4	A	308	-	4,4,4	0.39	0	6,6,6	0.33	0
3	SO4	H	309	-	4,4,4	0.25	0	6,6,6	0.09	0
3	SO4	B	311	-	4,4,4	0.27	0	6,6,6	0.18	0
3	SO4	H	313	-	4,4,4	0.30	0	6,6,6	0.13	0
2	PGE	A	301	-	9,9,9	0.30	0	8,8,8	0.32	0
2	PGE	E	301	-	9,9,9	0.34	0	8,8,8	0.50	0
3	SO4	A	307	-	4,4,4	0.29	0	6,6,6	0.28	0
3	SO4	D	302	-	4,4,4	0.30	0	6,6,6	0.45	0
3	SO4	C	301	-	4,4,4	0.42	0	6,6,6	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	305	-	4,4,4	0.45	0	6,6,6	0.32	0
3	SO4	C	315	-	4,4,4	0.24	0	6,6,6	0.13	0
3	SO4	H	307	-	4,4,4	0.28	0	6,6,6	0.10	0
3	SO4	H	314	-	4,4,4	0.22	0	6,6,6	0.17	0
3	SO4	C	310	-	4,4,4	0.40	0	6,6,6	0.20	0
3	SO4	B	313	-	4,4,4	0.39	0	6,6,6	0.77	0
3	SO4	C	305	-	4,4,4	0.40	0	6,6,6	0.49	0
3	SO4	A	306	-	4,4,4	0.31	0	6,6,6	0.53	0
3	SO4	G	302	-	4,4,4	0.27	0	6,6,6	0.23	0
2	PGE	B	301	-	9,9,9	0.76	0	8,8,8	0.69	0
3	SO4	F	305	-	4,4,4	0.32	0	6,6,6	0.51	0
3	SO4	F	308	-	4,4,4	0.26	0	6,6,6	0.31	0
2	PGE	F	301	-	9,9,9	0.30	0	8,8,8	0.23	0
3	SO4	C	309	-	4,4,4	0.41	0	6,6,6	0.14	0
3	SO4	D	306	-	4,4,4	0.64	0	6,6,6	0.71	0
3	SO4	H	308	-	4,4,4	0.26	0	6,6,6	0.20	0
3	SO4	E	308	-	4,4,4	0.23	0	6,6,6	0.74	0
3	SO4	F	302	-	4,4,4	0.27	0	6,6,6	0.32	0
3	SO4	G	303	-	4,4,4	0.27	0	6,6,6	0.24	0
4	LFW	C	350[B]	1	16,16,24	1.67	2 (12%)	23,23,34	1.69	3 (13%)
4	LFW	G	350[B]	1	16,16,24	0.64	1 (6%)	23,23,34	0.79	1 (4%)
3	SO4	D	308	-	4,4,4	0.45	0	6,6,6	0.69	0
3	SO4	E	302	-	4,4,4	0.32	0	6,6,6	0.26	0
3	SO4	A	303	-	4,4,4	0.50	0	6,6,6	0.24	0
3	SO4	A	305	-	4,4,4	0.22	0	6,6,6	0.12	0
3	SO4	D	304	-	4,4,4	0.34	0	6,6,6	0.18	0
3	SO4	B	306	-	4,4,4	0.37	0	6,6,6	0.24	0
3	SO4	F	311	-	4,4,4	0.32	0	6,6,6	0.15	0
3	SO4	C	312	-	4,4,4	0.27	0	6,6,6	0.14	0
3	SO4	B	302	-	4,4,4	0.46	0	6,6,6	0.17	0
3	SO4	F	304	-	4,4,4	0.35	0	6,6,6	0.83	0
3	SO4	H	304	-	4,4,4	0.29	0	6,6,6	0.16	0
3	SO4	G	306	-	4,4,4	0.26	0	6,6,6	0.08	0
3	SO4	D	303	-	4,4,4	0.30	0	6,6,6	0.07	0
5	EPE	H	301	-	15,15,15	0.81	1 (6%)	19,20,20	0.38	0
3	SO4	G	301	-	4,4,4	0.36	0	6,6,6	0.35	0
3	SO4	H	312	-	4,4,4	0.28	0	6,6,6	0.11	0
3	SO4	B	307	-	4,4,4	0.31	0	6,6,6	0.19	0
3	SO4	C	303	-	4,4,4	0.28	0	6,6,6	0.42	0
3	SO4	C	308	-	4,4,4	0.35	0	6,6,6	0.23	0
2	PGE	A	302	-	9,9,9	0.35	0	8,8,8	0.47	0
3	SO4	G	308	-	4,4,4	0.25	0	6,6,6	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	LFW	H	350[B]	1	16,16,24	1.64	2 (12%)	23,23,34	1.58	2 (8%)
3	SO4	A	310	-	4,4,4	0.25	0	6,6,6	0.27	0
3	SO4	C	313	-	4,4,4	0.17	0	6,6,6	0.32	0
4	LFW	D	314[B]	1	16,16,24	1.66	2 (12%)	23,23,34	1.58	2 (8%)
4	LFW	E	350[B]	1	16,16,24	1.63	2 (12%)	23,23,34	1.69	2 (8%)
3	SO4	E	305	-	4,4,4	0.30	0	6,6,6	0.09	0
4	LFW	C	350[A]	1	16,16,24	1.64	2 (12%)	23,23,34	1.62	2 (8%)
3	SO4	E	310	-	4,4,4	0.31	0	6,6,6	0.59	0
4	LFW	G	350[A]	1	16,16,24	0.62	1 (6%)	23,23,34	0.98	1 (4%)
3	SO4	C	314	-	4,4,4	0.26	0	6,6,6	0.40	0
3	SO4	D	310	-	4,4,4	0.34	0	6,6,6	0.46	0
3	SO4	B	310	-	4,4,4	0.24	0	6,6,6	0.15	0
3	SO4	F	310	-	4,4,4	0.44	0	6,6,6	0.32	0
3	SO4	B	312	-	4,4,4	0.30	0	6,6,6	0.10	0
3	SO4	B	303	-	4,4,4	0.25	0	6,6,6	0.30	0
3	SO4	E	309	-	4,4,4	0.25	0	6,6,6	0.17	0
3	SO4	C	307	-	4,4,4	0.26	0	6,6,6	0.17	0
3	SO4	B	304	-	4,4,4	0.34	0	6,6,6	0.21	0
3	SO4	F	303	-	4,4,4	0.40	0	6,6,6	0.20	0
3	SO4	H	303	-	4,4,4	0.41	0	6,6,6	0.43	0
3	SO4	B	308	-	4,4,4	0.39	0	6,6,6	0.16	0
3	SO4	E	303	-	4,4,4	0.32	0	6,6,6	0.34	0
4	LFW	A	350[B]	1	16,16,24	0.62	0	23,23,34	0.81	1 (4%)
3	SO4	C	302	-	4,4,4	0.43	0	6,6,6	0.24	0
3	SO4	E	304	-	4,4,4	0.43	0	6,6,6	0.24	0
3	SO4	A	309	-	4,4,4	0.29	0	6,6,6	0.30	0
4	LFW	B	314[B]	1	16,16,24	0.63	1 (6%)	23,23,34	0.95	1 (4%)
3	SO4	D	309	-	4,4,4	0.19	0	6,6,6	0.91	0
3	SO4	D	307	-	4,4,4	0.46	0	6,6,6	0.51	0
3	SO4	F	309	-	4,4,4	0.34	0	6,6,6	0.14	0
3	SO4	H	306	-	4,4,4	0.25	0	6,6,6	0.22	0
3	SO4	D	311	-	4,4,4	0.26	0	6,6,6	0.32	0
3	SO4	C	306	-	4,4,4	0.27	0	6,6,6	0.10	0
3	SO4	F	307	-	4,4,4	0.37	0	6,6,6	0.24	0
4	LFW	F	350[A]	1	16,16,24	1.63	2 (12%)	23,23,34	1.65	3 (13%)
2	PGE	D	301	-	9,9,9	0.33	0	8,8,8	0.20	0
4	LFW	H	350[A]	1	16,16,24	1.67	2 (12%)	23,23,34	1.56	2 (8%)
4	LFW	D	314[A]	1	16,16,24	1.64	2 (12%)	23,23,34	1.67	3 (13%)
4	LFW	E	350[A]	1	16,16,24	1.66	2 (12%)	23,23,34	1.67	3 (13%)
3	SO4	A	311	-	4,4,4	0.27	0	6,6,6	0.33	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	304	-	4,4,4	0.42	0	6,6,6	0.26	0
3	SO4	H	311	-	4,4,4	0.23	0	6,6,6	0.17	0
3	SO4	H	305	-	4,4,4	0.28	0	6,6,6	0.66	0
4	LFW	F	350[B]	1	16,16,24	1.63	2 (12%)	23,23,34	1.69	4 (17%)
3	SO4	E	306	-	4,4,4	0.39	0	6,6,6	0.16	0
3	SO4	D	312	-	4,4,4	0.39	0	6,6,6	0.62	0
3	SO4	G	309	-	4,4,4	0.17	0	6,6,6	0.13	0
3	SO4	G	310	-	4,4,4	0.27	0	6,6,6	0.14	0
3	SO4	F	312	-	4,4,4	0.26	0	6,6,6	0.06	0
4	LFW	A	350[A]	1	16,16,24	0.62	0	23,23,34	0.78	0
3	SO4	H	310	-	4,4,4	0.23	0	6,6,6	0.15	0
3	SO4	G	307	-	4,4,4	0.26	0	6,6,6	0.08	0
4	LFW	B	314[A]	1	16,16,24	0.62	1 (6%)	23,23,34	0.75	0
3	SO4	F	306	-	4,4,4	0.29	0	6,6,6	0.61	0
3	SO4	B	309	-	4,4,4	0.27	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LFW	B	314[B]	1	-	4/4/4/8	0/2/2/3
5	EPE	H	301	-	-	4/9/19/19	0/1/1/1
5	EPE	H	302	-	-	5/9/19/19	0/1/1/1
4	LFW	F	350[A]	1	-	4/4/4/8	0/2/2/3
2	PGE	D	301	-	-	3/7/7/7	-
2	PGE	B	301	-	-	3/7/7/7	-
4	LFW	H	350[A]	1	-	4/4/4/8	0/2/2/3
4	LFW	D	314[A]	1	-	4/4/4/8	0/2/2/3
2	PGE	A	301	-	-	3/7/7/7	-
4	LFW	E	350[A]	1	-	4/4/4/8	0/2/2/3
2	PGE	F	301	-	-	6/7/7/7	-
2	PGE	E	301	-	-	3/7/7/7	-
2	PGE	A	302	-	-	3/7/7/7	-
4	LFW	H	350[B]	1	-	4/4/4/8	0/2/2/3
4	LFW	F	350[B]	1	-	4/4/4/8	0/2/2/3
4	LFW	D	314[B]	1	-	4/4/4/8	0/2/2/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LFW	E	350[B]	1	-	4/4/4/8	0/2/2/3
4	LFW	C	350[A]	1	-	4/4/4/8	0/2/2/3
4	LFW	G	350[A]	1	-	4/4/4/8	0/2/2/3
4	LFW	C	350[B]	1	-	4/4/4/8	0/2/2/3
4	LFW	G	350[B]	1	-	4/4/4/8	0/2/2/3
4	LFW	A	350[A]	1	-	4/4/4/8	0/2/2/3
4	LFW	B	314[A]	1	-	4/4/4/8	0/2/2/3
4	LFW	A	350[B]	1	-	4/4/4/8	0/2/2/3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	314[B]	LFW	O5-C16	5.52	1.36	1.22
4	D	314[A]	LFW	O5-C16	5.45	1.36	1.22
4	C	350[B]	LFW	O5-C16	5.44	1.36	1.22
4	F	350[A]	LFW	O5-C16	5.39	1.35	1.22
4	F	350[B]	LFW	O5-C16	5.38	1.35	1.22
4	H	350[A]	LFW	O5-C16	5.34	1.35	1.22
4	H	350[B]	LFW	O5-C16	5.32	1.35	1.22
4	E	350[A]	LFW	O5-C16	5.29	1.35	1.22
4	C	350[A]	LFW	O5-C16	5.28	1.35	1.22
4	E	350[B]	LFW	O5-C16	5.27	1.35	1.22
5	H	302	EPE	C10-S	-3.78	1.72	1.77
4	E	350[A]	LFW	O4-C16	-3.67	1.20	1.30
4	H	350[A]	LFW	O4-C16	-3.62	1.20	1.30
4	E	350[B]	LFW	O4-C16	-3.59	1.20	1.30
4	H	350[B]	LFW	O4-C16	-3.56	1.20	1.30
4	C	350[B]	LFW	O4-C16	-3.52	1.21	1.30
4	C	350[A]	LFW	O4-C16	-3.52	1.21	1.30
4	D	314[B]	LFW	O4-C16	-3.45	1.21	1.30
4	D	314[A]	LFW	O4-C16	-3.45	1.21	1.30
4	F	350[B]	LFW	O4-C16	-3.45	1.21	1.30
4	F	350[A]	LFW	O4-C16	-3.40	1.21	1.30
5	H	301	EPE	C10-S	-2.97	1.73	1.77
4	B	314[B]	LFW	O4-C16	2.10	1.36	1.30
4	G	350[B]	LFW	O4-C16	2.06	1.36	1.30
4	B	314[A]	LFW	O4-C16	2.02	1.36	1.30
4	G	350[A]	LFW	O4-C16	2.02	1.36	1.30

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	350[B]	LFW	O5-C16-C15	-5.85	110.56	122.67
4	D	314[A]	LFW	O5-C16-C15	-5.71	110.87	122.67
4	C	350[A]	LFW	O5-C16-C15	-5.70	110.87	122.67
4	H	350[B]	LFW	O5-C16-C15	-5.68	110.92	122.67
4	H	350[A]	LFW	O5-C16-C15	-5.65	110.97	122.67
4	F	350[A]	LFW	O5-C16-C15	-5.59	111.10	122.67
4	F	350[B]	LFW	O5-C16-C15	-5.52	111.24	122.67
4	E	350[A]	LFW	O5-C16-C15	-5.50	111.28	122.67
4	C	350[B]	LFW	O5-C16-C15	-5.50	111.29	122.67
4	D	314[B]	LFW	O5-C16-C15	-5.48	111.33	122.67
4	E	350[B]	LFW	O4-C16-C15	4.18	125.48	115.69
4	F	350[A]	LFW	O4-C16-C15	4.02	125.11	115.69
4	D	314[A]	LFW	O4-C16-C15	4.02	125.11	115.69
4	H	350[B]	LFW	O4-C16-C15	4.01	125.09	115.69
4	C	350[A]	LFW	O4-C16-C15	3.99	125.03	115.69
4	H	350[A]	LFW	O4-C16-C15	3.97	125.00	115.69
4	F	350[B]	LFW	O4-C16-C15	3.92	124.87	115.69
4	E	350[A]	LFW	O4-C16-C15	3.90	124.83	115.69
4	D	314[B]	LFW	O4-C16-C15	3.88	124.78	115.69
4	C	350[B]	LFW	O4-C16-C15	3.74	124.45	115.69
4	C	350[B]	LFW	C23-C15-C16	-2.93	118.35	120.33
4	F	350[B]	LFW	C23-C15-C16	-2.51	118.63	120.33
4	E	350[A]	LFW	C23-C15-C16	-2.50	118.64	120.33
4	G	350[A]	LFW	C23-C15-C16	-2.37	118.73	120.33
4	B	314[B]	LFW	C23-C15-C16	-2.30	118.78	120.33
5	H	302	EPE	C10-C9-N1	2.24	120.83	112.36
4	G	350[B]	LFW	O4-C16-C15	-2.13	110.71	115.69
4	F	350[A]	LFW	C23-C15-C16	-2.10	118.91	120.33
4	A	350[B]	LFW	O4-C16-C15	-2.04	110.92	115.69
4	F	350[B]	LFW	C14-C15-C16	2.03	121.56	119.72
4	D	314[A]	LFW	C23-C15-C16	-2.02	118.97	120.33

There are no chirality outliers.

All (94) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	350[A]	LFW	C23-C15-C16-O5
4	A	350[A]	LFW	C14-C15-C16-O5
4	A	350[A]	LFW	C23-C15-C16-O4
4	A	350[A]	LFW	C14-C15-C16-O4
4	A	350[B]	LFW	C23-C15-C16-O5
4	A	350[B]	LFW	C14-C15-C16-O5
4	A	350[B]	LFW	C23-C15-C16-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	350[B]	LFW	C14-C15-C16-O4
4	B	314[A]	LFW	C23-C15-C16-O5
4	B	314[A]	LFW	C14-C15-C16-O5
4	B	314[A]	LFW	C23-C15-C16-O4
4	B	314[A]	LFW	C14-C15-C16-O4
4	B	314[B]	LFW	C23-C15-C16-O4
4	C	350[A]	LFW	C23-C15-C16-O5
4	C	350[A]	LFW	C14-C15-C16-O5
4	C	350[A]	LFW	C23-C15-C16-O4
4	C	350[A]	LFW	C14-C15-C16-O4
4	C	350[B]	LFW	C23-C15-C16-O5
4	C	350[B]	LFW	C14-C15-C16-O5
4	C	350[B]	LFW	C23-C15-C16-O4
4	C	350[B]	LFW	C14-C15-C16-O4
4	D	314[A]	LFW	C23-C15-C16-O5
4	D	314[A]	LFW	C14-C15-C16-O5
4	D	314[A]	LFW	C23-C15-C16-O4
4	D	314[A]	LFW	C14-C15-C16-O4
4	D	314[B]	LFW	C23-C15-C16-O5
4	D	314[B]	LFW	C23-C15-C16-O4
4	E	350[A]	LFW	C23-C15-C16-O5
4	E	350[A]	LFW	C14-C15-C16-O5
4	E	350[A]	LFW	C23-C15-C16-O4
4	E	350[A]	LFW	C14-C15-C16-O4
4	E	350[B]	LFW	C23-C15-C16-O5
4	E	350[B]	LFW	C23-C15-C16-O4
4	F	350[A]	LFW	C23-C15-C16-O5
4	F	350[A]	LFW	C14-C15-C16-O5
4	F	350[A]	LFW	C23-C15-C16-O4
4	F	350[A]	LFW	C14-C15-C16-O4
4	F	350[B]	LFW	C23-C15-C16-O5
4	F	350[B]	LFW	C14-C15-C16-O5
4	F	350[B]	LFW	C14-C15-C16-O4
4	G	350[A]	LFW	C23-C15-C16-O5
4	G	350[A]	LFW	C14-C15-C16-O5
4	G	350[A]	LFW	C23-C15-C16-O4
4	G	350[A]	LFW	C14-C15-C16-O4
4	G	350[B]	LFW	C23-C15-C16-O5
4	G	350[B]	LFW	C14-C15-C16-O5
4	G	350[B]	LFW	C23-C15-C16-O4
4	G	350[B]	LFW	C14-C15-C16-O4
4	H	350[A]	LFW	C23-C15-C16-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	H	350[A]	LFW	C14-C15-C16-O5
4	H	350[A]	LFW	C23-C15-C16-O4
4	H	350[A]	LFW	C14-C15-C16-O4
4	H	350[B]	LFW	C23-C15-C16-O5
4	H	350[B]	LFW	C14-C15-C16-O5
4	H	350[B]	LFW	C23-C15-C16-O4
4	H	350[B]	LFW	C14-C15-C16-O4
5	H	302	EPE	C10-C9-N1-C6
2	B	301	PGE	O2-C3-C4-O3
2	F	301	PGE	O3-C5-C6-O4
2	F	301	PGE	O2-C3-C4-O3
2	A	301	PGE	O2-C3-C4-O3
2	F	301	PGE	O1-C1-C2-O2
5	H	301	EPE	C10-C9-N1-C2
5	H	302	EPE	C8-C7-N4-C5
4	D	314[B]	LFW	C14-C15-C16-O5
4	D	314[B]	LFW	C14-C15-C16-O4
4	B	314[B]	LFW	C23-C15-C16-O5
4	F	350[B]	LFW	C23-C15-C16-O4
2	B	301	PGE	C3-C4-O3-C5
2	A	301	PGE	O1-C1-C2-O2
2	E	301	PGE	C1-C2-O2-C3
5	H	302	EPE	C8-C7-N4-C3
5	H	302	EPE	N4-C7-C8-O8
2	A	302	PGE	C4-C3-O2-C2
2	D	301	PGE	C3-C4-O3-C5
2	F	301	PGE	C6-C5-O3-C4
5	H	301	EPE	C10-C9-N1-C6
5	H	302	EPE	C10-C9-N1-C2
2	D	301	PGE	C1-C2-O2-C3
2	B	301	PGE	C4-C3-O2-C2
2	F	301	PGE	C3-C4-O3-C5
2	D	301	PGE	O2-C3-C4-O3
2	E	301	PGE	C4-C3-O2-C2
4	B	314[B]	LFW	C14-C15-C16-O5
4	B	314[B]	LFW	C14-C15-C16-O4
4	E	350[B]	LFW	C14-C15-C16-O5
4	E	350[B]	LFW	C14-C15-C16-O4
2	E	301	PGE	O3-C5-C6-O4
2	F	301	PGE	C1-C2-O2-C3
2	A	302	PGE	C6-C5-O3-C4
2	A	301	PGE	C3-C4-O3-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	H	301	EPE	C8-C7-N4-C3
5	H	301	EPE	C8-C7-N4-C5
2	A	302	PGE	C1-C2-O2-C3


There are no ring outliers.

7 monomers are involved in 19 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	H	302	EPE	3	0
3	C	315	SO4	1	0
2	B	301	PGE	1	0
2	A	302	PGE	8	0
4	C	350[A]	LFW	1	0
3	C	314	SO4	1	0
3	D	312	SO4	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand LFW C 350 (B)




Ligand LFW G 350 (B)




Ligand LFW H 350 (B)




Ligand LFW D 314 (B)





Ligand LFW E 350 (B)




Ligand LFW C 350 (A)







Ligand LFW B 314 (B)




Ligand LFW F 350 (A)




Ligand LFW H 350 (A)




Ligand LFW D 314 (A)





Ligand LFW E 350 (A)



Ligand LFW F 350 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	224/224 (100%)	-0.10	1 (0%) 88 92	17, 34, 53, 87	4 (1%)
1	B	224/224 (100%)	-0.12	2 (0%) 81 86	17, 34, 53, 88	4 (1%)
1	C	224/224 (100%)	-0.04	2 (0%) 81 86	18, 36, 54, 72	2 (0%)
1	D	224/224 (100%)	0.06	4 (1%) 67 76	18, 39, 60, 75	2 (0%)
1	E	224/224 (100%)	-0.06	3 (1%) 75 82	16, 36, 54, 76	3 (1%)
1	F	224/224 (100%)	-0.08	1 (0%) 88 92	19, 37, 54, 77	2 (0%)
1	G	224/224 (100%)	0.25	6 (2%) 56 66	20, 46, 65, 88	1 (0%)
1	H	224/224 (100%)	0.31	1 (0%) 88 92	20, 49, 66, 93	1 (0%)
All	All	1792/1792 (100%)	0.03	20 (1%) 78 84	16, 38, 60, 93	19 (1%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	76	GLY	3.7
1	E	76	GLY	3.1
1	G	157	CYS	2.7
1	G	149	VAL	2.6
1	H	129	CYS	2.6
1	G	129	CYS	2.6
1	E	157	CYS	2.5
1	F	246	ARG	2.4
1	A	76	GLY	2.4
1	E	61	ASN	2.4
1	C	99[A]	HIS	2.4
1	D	157	CYS	2.3
1	C	174	ASP	2.2
1	D	82	ARG	2.2
1	D	175	LEU	2.2
1	G	22	CYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	174	ASP	2.1
1	G	246	ARG	2.0
1	B	99[A]	HIS	2.0
1	G	76	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	G	307	5/5	0.60	0.15	199,199,199,199	0
5	EPE	H	302	15/15	0.63	0.16	50,53,76,78	0
3	SO4	H	309	5/5	0.67	0.12	136,136,137,137	0
3	SO4	F	309	5/5	0.68	0.15	101,103,104,106	0
3	SO4	A	311	5/5	0.68	0.17	71,75,77,80	0
3	SO4	B	311	5/5	0.69	0.14	115,115,116,116	0
3	SO4	H	307	5/5	0.69	0.16	131,131,132,132	0
3	SO4	D	312	5/5	0.70	0.15	145,145,145,146	0
2	PGE	B	301	10/10	0.70	0.15	44,46,48,49	0
3	SO4	H	306	5/5	0.71	0.13	77,78,81,82	0
3	SO4	H	314	5/5	0.72	0.12	128,128,129,129	0
2	PGE	F	301	10/10	0.73	0.14	48,50,53,54	0
3	SO4	D	311	5/5	0.73	0.11	91,92,92,93	0
3	SO4	E	306	5/5	0.74	0.17	68,72,76,77	0
3	SO4	C	307	5/5	0.74	0.15	127,127,128,128	0
3	SO4	G	303	5/5	0.74	0.12	101,102,102,102	0
3	SO4	G	310	5/5	0.75	0.12	123,123,124,124	0
3	SO4	G	306	5/5	0.75	0.12	123,124,124,124	0
3	SO4	E	305	5/5	0.75	0.12	93,95,96,96	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	F	310	5/5	0.76	0.17	170,170,170,170	0
3	SO4	F	308	5/5	0.77	0.12	112,112,112,113	0
3	SO4	D	309	5/5	0.77	0.13	103,105,105,108	0
3	SO4	B	309	5/5	0.77	0.14	106,106,107,108	0
2	PGE	D	301	10/10	0.77	0.14	52,54,57,58	0
3	SO4	B	307	5/5	0.77	0.15	108,110,110,111	0
3	SO4	C	314	5/5	0.77	0.09	109,110,110,110	0
3	SO4	C	309	5/5	0.78	0.15	79,83,84,84	0
3	SO4	A	306	5/5	0.78	0.12	72,75,79,80	0
3	SO4	B	312	5/5	0.78	0.10	123,123,123,124	0
3	SO4	G	304	5/5	0.78	0.13	105,105,106,106	0
3	SO4	E	310	5/5	0.78	0.16	105,107,108,109	0
2	PGE	E	301	10/10	0.78	0.15	48,52,56,57	0
3	SO4	B	306	5/5	0.79	0.12	83,83,86,89	0
3	SO4	G	309	5/5	0.79	0.10	97,97,98,98	0
5	EPE	H	301	15/15	0.80	0.23	85,93,100,100	0
3	SO4	B	310	5/5	0.80	0.10	101,102,104,104	0
3	SO4	H	313	5/5	0.81	0.10	95,96,96,97	0
3	SO4	E	307	5/5	0.81	0.14	115,116,117,117	0
3	SO4	H	312	5/5	0.82	0.09	104,104,104,105	0
3	SO4	C	311	5/5	0.82	0.14	70,74,76,76	0
3	SO4	C	315	5/5	0.82	0.11	137,137,137,137	0
3	SO4	G	308	5/5	0.82	0.09	125,125,126,126	0
3	SO4	E	309	5/5	0.82	0.14	89,89,90,92	0
2	PGE	A	301	10/10	0.83	0.14	58,62,65,65	0
2	PGE	A	302	10/10	0.83	0.11	43,44,46,49	0
3	SO4	B	313	5/5	0.83	0.13	105,105,106,106	0
3	SO4	C	312	5/5	0.83	0.12	94,94,97,98	0
3	SO4	E	308	5/5	0.83	0.10	85,85,88,89	0
3	SO4	F	306	5/5	0.84	0.12	65,67,68,70	0
3	SO4	D	313	5/5	0.84	0.12	115,115,115,115	0
3	SO4	H	311	5/5	0.84	0.11	106,107,107,108	0
3	SO4	E	304	5/5	0.84	0.10	71,72,74,74	0
3	SO4	F	304	5/5	0.85	0.10	76,76,77,77	0
4	LFW	G	350[A]	15/22	0.85	0.27	47,49,51,51	15
4	LFW	G	350[B]	15/22	0.85	0.27	35,44,50,52	15
3	SO4	F	311	5/5	0.85	0.08	96,97,97,98	0
3	SO4	H	310	5/5	0.85	0.08	111,111,112,112	0
3	SO4	B	308	5/5	0.86	0.10	75,76,76,78	0
3	SO4	F	312	5/5	0.86	0.11	111,111,111,112	0
3	SO4	C	306	5/5	0.86	0.11	89,89,90,92	0
3	SO4	H	305	5/5	0.86	0.09	91,92,92,94	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	LFW	E	350[B]	15/22	0.87	0.19	32,37,44,47	15
3	SO4	C	313	5/5	0.87	0.12	81,82,85,87	0
3	SO4	G	302	5/5	0.87	0.10	85,86,88,89	0
3	SO4	D	310	5/5	0.87	0.09	94,94,96,96	0
4	LFW	E	350[A]	15/22	0.87	0.19	33,40,43,43	15
4	LFW	B	314[B]	15/22	0.88	0.22	35,44,47,48	15
4	LFW	C	350[A]	15/22	0.88	0.24	42,45,47,47	15
4	LFW	C	350[B]	15/22	0.88	0.24	40,48,51,52	15
3	SO4	C	310	5/5	0.88	0.13	69,73,74,75	0
3	SO4	F	305	5/5	0.88	0.10	67,70,74,76	0
3	SO4	A	310	5/5	0.88	0.09	88,89,91,92	0
3	SO4	D	307	5/5	0.88	0.10	65,66,70,70	0
3	SO4	D	308	5/5	0.88	0.09	67,68,69,70	0
4	LFW	B	314[A]	15/22	0.88	0.22	35,39,42,44	15
4	LFW	F	350[B]	15/22	0.89	0.23	42,47,51,52	15
3	SO4	C	308	5/5	0.89	0.10	73,74,76,78	0
4	LFW	A	350[A]	15/22	0.89	0.20	33,35,39,40	15
4	LFW	A	350[B]	15/22	0.89	0.20	42,45,50,52	15
4	LFW	F	350[A]	15/22	0.89	0.23	38,39,41,43	15
3	SO4	G	305	5/5	0.90	0.08	95,95,95,96	0
3	SO4	C	305	5/5	0.90	0.07	77,77,78,80	0
3	SO4	B	304	5/5	0.90	0.10	67,69,70,74	0
3	SO4	H	308	5/5	0.90	0.09	98,100,101,102	0
3	SO4	A	309	5/5	0.91	0.09	65,66,71,72	0
3	SO4	A	305	5/5	0.91	0.07	77,79,79,79	0
3	SO4	D	304	5/5	0.91	0.07	70,73,74,75	0
3	SO4	C	304	5/5	0.91	0.10	83,84,85,86	0
3	SO4	B	305	5/5	0.91	0.09	73,73,75,75	0
3	SO4	F	307	5/5	0.91	0.09	69,70,73,76	0
4	LFW	D	314[A]	15/22	0.91	0.21	41,45,48,49	15
4	LFW	D	314[B]	15/22	0.91	0.21	42,48,53,55	15
3	SO4	D	305	5/5	0.92	0.09	58,61,62,62	0
3	SO4	A	307	5/5	0.92	0.07	76,78,80,81	0
4	LFW	H	350[A]	15/22	0.92	0.19	41,44,47,48	15
4	LFW	H	350[B]	15/22	0.92	0.19	45,49,51,52	15
3	SO4	A	308	5/5	0.92	0.08	55,61,63,64	0
3	SO4	F	303	5/5	0.92	0.09	55,59,62,63	0
3	SO4	C	303	5/5	0.93	0.08	55,56,60,65	0
3	SO4	D	303	5/5	0.94	0.07	65,67,69,69	0
3	SO4	H	304	5/5	0.94	0.07	56,57,62,63	0
3	SO4	A	304	5/5	0.95	0.07	52,52,56,60	0
3	SO4	E	303	5/5	0.95	0.07	52,57,61,62	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	D	306	5/5	0.95	0.06	58,60,65,66	0
3	SO4	H	303	5/5	0.96	0.07	45,45,48,48	0
3	SO4	C	301	5/5	0.97	0.07	42,43,46,47	0
3	SO4	G	301	5/5	0.98	0.06	47,47,50,52	0
3	SO4	E	302	5/5	0.98	0.06	42,43,44,48	0
3	SO4	B	302	5/5	0.98	0.07	40,40,47,48	0
3	SO4	C	302	5/5	0.98	0.08	36,39,42,42	0
3	SO4	F	302	5/5	0.98	0.05	41,41,44,49	0
3	SO4	B	303	5/5	0.98	0.08	38,43,45,45	0
3	SO4	D	302	5/5	0.98	0.06	37,38,44,45	0
3	SO4	A	303	5/5	0.98	0.06	42,42,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LFW G 350 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW E 350 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFW E 350 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW B 314 (B):

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW C 350 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFW C 350 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW B 314 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFW F 350 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW A 350 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFW A 350 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW F 350 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFW D 314 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFW D 314 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFW H 350 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFW H 350 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.