



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:29 AM UTC

PDB ID : 5SK0 / pdb_00005sk0
Title : CRYSTAL STRUCTURE OF HUMAN PHOSPHODIESTERASE 10 IN COMPLEX WITH N2(c1ccc(cn1)Cl)CC[C@H](C2)NC(c3nn(cc3c4ccncc4)C)=O, micromolar IC50=0.708457
Authors : Joseph, C.; Benz, J.; Flohr, A.; Koerner, M.; Rudolph, M.G.
Deposited on : 2022-02-01
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	13299 (2.04-2.00)
Clashscore	190562	1022 (2.02-2.02)
Ramachandran outliers	187476	1014 (2.02-2.02)
Sidechain outliers	187428	1014 (2.02-2.02)
RSRZ outliers	180081	13314 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	
1	B	343	
1	C	343	
1	D	343	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	KAU	C	803	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	1	0
			2549	1629	435	461	24			
1	B	315	Total	C	N	O	S	0	1	0
			2559	1635	437	463	24			
1	C	313	Total	C	N	O	S	0	2	0
			2557	1634	438	461	24			
1	D	310	Total	C	N	O	S	0	0	0
			2519	1612	429	454	24			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	447	GLY	-	expression tag	UNP Q9Y233
A	448	SER	-	expression tag	UNP Q9Y233
B	447	GLY	-	expression tag	UNP Q9Y233
B	448	SER	-	expression tag	UNP Q9Y233
C	447	GLY	-	expression tag	UNP Q9Y233
C	448	SER	-	expression tag	UNP Q9Y233
D	447	GLY	-	expression tag	UNP Q9Y233
D	448	SER	-	expression tag	UNP Q9Y233


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is N-[(3R)-1-(5-chloropyridin-2-yl)pyrrolidin-3-yl]-1-methyl-4-(pyridin-4-yl)-1H-pyrazole-3-carboxamide (CCD ID: KAU) (formula: C₁₉H₁₉ClN₆O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			27	19	1	6	1		
4	B	1	Total	C	Cl	N	O	0	0
			27	19	1	6	1		
4	C	1	Total	C	Cl	N	O	0	0
			27	19	1	6	1		
4	D	1	Total	C	Cl	N	O	0	0
			27	19	1	6	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	161	Total 161	O 161	0	0
5	B	177	Total 177	O 177	0	0
5	C	175	Total 175	O 175	0	0
5	D	113	Total 113	O 113	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A





- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A





● Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	136.68Å 136.68Å 236.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.91 – 2.02 43.91 – 2.02	Depositor EDS
% Data completeness (in resolution range)	100.0 (43.91-2.02) 98.4 (43.91-2.02)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.162 , 0.187 0.155 , 0.178	Depositor DCC
R_{free} test set	5384 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.138	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 31.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	0.288 for h,-h-k,-l	Xtriage
Reported twinning fraction	0.708 for H, K, L 0.292 for K, H, -L	Depositor
Outliers	0 of 107986 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10926	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CME, ZN, KAU, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.40	19/2603 (0.7%)	1.53	10/3521 (0.3%)
1	B	1.37	11/2613 (0.4%)	1.55	20/3535 (0.6%)
1	C	1.39	16/2614 (0.6%)	1.55	12/3535 (0.3%)
1	D	1.32	10/2570 (0.4%)	1.55	15/3478 (0.4%)
All	All	1.37	56/10400 (0.5%)	1.54	57/14069 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	563	HIS	CE1-NE2	8.89	1.41	1.32
1	A	730	TYR	C-O	8.82	1.34	1.24
1	A	738	TYR	C-O	8.53	1.35	1.24
1	C	681	LEU	C-O	8.03	1.33	1.23
1	A	481	PRO	C-O	-7.99	1.14	1.24
1	B	586	TYR	C-O	7.74	1.33	1.23
1	A	571	SER	C-O	7.67	1.34	1.23
1	B	594	HIS	CE1-NE2	7.63	1.40	1.32
1	B	673	CYS	C-O	7.53	1.33	1.24
1	A	723	PRO	C-O	-7.39	1.15	1.24
1	A	674	ASP	C-O	7.10	1.33	1.24
1	C	567	HIS	CE1-NE2	7.02	1.39	1.32
1	A	599	THR	C-O	6.84	1.31	1.24
1	C	748	THR	C-O	-6.70	1.15	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	594	HIS	C-O	-6.63	1.16	1.24
1	C	595	HIS	C-O	6.34	1.31	1.24
1	B	671	THR	C-O	-6.32	1.16	1.24
1	C	569	GLY	C-O	6.21	1.31	1.24
1	A	666	ILE	C-O	6.13	1.31	1.24
1	A	558	ILE	C-O	6.13	1.31	1.24
1	B	629	ALA	C-O	6.08	1.31	1.24
1	D	750	PRO	C-O	-6.05	1.16	1.24
1	C	529	HIS	CE1-NE2	5.96	1.38	1.32
1	A	567	HIS	CE1-NE2	5.82	1.38	1.32
1	A	750	PRO	C-O	-5.71	1.17	1.24
1	D	667	GLY	C-O	5.59	1.30	1.23
1	A	732	ALA	C-O	5.59	1.31	1.24
1	D	688	THR	C-O	5.58	1.31	1.24
1	A	636	ALA	C-O	-5.56	1.17	1.24
1	B	476	HIS	CE1-NE2	5.50	1.38	1.32
1	C	505	LEU	C-O	5.49	1.30	1.24
1	D	567	HIS	CE1-NE2	5.37	1.38	1.32
1	B	538	TYR	C-O	-5.34	1.17	1.24
1	B	748	THR	C-O	-5.34	1.16	1.24
1	C	467	ARG	C-O	5.33	1.30	1.24
1	D	628	LYS	C-O	5.33	1.30	1.24
1	B	540	ILE	C-O	5.29	1.30	1.24
1	C	660	SER	C-O	5.29	1.30	1.24
1	A	660	SER	C-O	5.29	1.30	1.24
1	C	574	TYR	C-O	5.28	1.30	1.24
1	C	525	HIS	CE1-NE2	5.27	1.37	1.32
1	C	686	LYS	C-O	-5.22	1.18	1.24
1	C	736	PRO	C-O	-5.22	1.17	1.24
1	C	532	THR	C-O	5.20	1.30	1.24
1	C	594	HIS	C-O	5.18	1.30	1.24
1	A	468	LEU	C-O	-5.18	1.17	1.24
1	D	678	VAL	C-O	5.17	1.30	1.24
1	B	691	ASP	C-O	5.16	1.30	1.24
1	C	600	VAL	C-O	-5.15	1.18	1.24
1	D	530	ALA	C-O	-5.15	1.18	1.24
1	D	744	ILE	C-O	-5.15	1.18	1.24
1	A	624	GLU	C-O	-5.09	1.17	1.24
1	A	539	ALA	C-O	5.09	1.29	1.24
1	D	506	GLU	C-O	-5.09	1.18	1.24
1	D	641	ASN	C-O	-5.06	1.18	1.24
1	A	658	ASN	C-O	5.04	1.30	1.24

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	609	ASN	CA-CB-CG	-10.00	102.60	112.60
1	A	588	THR	CA-CB-OG1	-7.94	97.69	109.60
1	C	617	SER	O-C-N	6.99	129.57	122.03
1	B	535	HIS	CA-CB-CG	-6.75	107.05	113.80
1	C	746	PRO	N-CA-C	6.68	118.86	110.70
1	A	720	ASP	CA-CB-CG	6.55	119.15	112.60
1	D	553	ARG	CA-C-O	-6.43	114.06	120.82
1	C	719	LYS	CB-CA-C	-6.20	99.16	110.63
1	A	518	ASN	CA-CB-CG	-6.15	106.45	112.60
1	D	609	ASN	CA-CB-CG	-5.99	106.61	112.60
1	B	466	VAL	CA-C-O	-5.97	115.06	121.27
1	B	685	THR	CA-CB-OG1	-5.92	100.72	109.60
1	A	546	THR	CA-CB-OG1	-5.89	100.77	109.60
1	D	689	ALA	CA-C-O	-5.75	114.45	120.55
1	B	557	LEU	N-CA-C	-5.74	105.10	111.36
1	D	717	ASP	N-CA-C	-5.70	106.17	113.01
1	B	741	LEU	CA-C-N	5.57	127.74	120.28
1	B	741	LEU	C-N-CA	5.57	127.74	120.28
1	D	742	THR	CA-C-O	-5.57	114.65	120.55
1	D	640	GLY	CA-C-O	-5.57	115.02	120.75
1	B	546	THR	CA-CB-OG1	-5.53	101.31	109.60
1	B	718	LYS	CA-C-N	5.52	127.95	120.38
1	B	718	LYS	C-N-CA	5.52	127.95	120.38
1	D	671	THR	CA-C-N	5.50	127.59	120.44
1	D	671	THR	C-N-CA	5.50	127.59	120.44
1	C	699	GLU	CA-C-N	5.48	126.06	119.98
1	C	699	GLU	C-N-CA	5.48	126.06	119.98
1	C	535	HIS	CA-CB-CG	-5.47	108.33	113.80
1	B	741	LEU	N-CA-C	-5.46	105.24	111.14
1	C	612	SER	CA-C-O	-5.42	114.78	120.63
1	A	553	ARG	CA-C-O	-5.41	115.14	120.82
1	B	639	PHE	CA-C-N	5.41	125.98	119.98
1	B	639	PHE	C-N-CA	5.41	125.98	119.98
1	D	692	ILE	N-CA-C	-5.38	105.25	110.42
1	B	746	PRO	N-CA-C	5.36	117.23	110.70
1	A	722	VAL	N-CA-CB	5.35	114.62	110.45
1	A	602	ILE	N-CA-C	-5.34	105.32	110.72
1	C	553	ARG	O-C-N	5.33	127.56	122.07
1	C	628	LYS	CA-C-O	-5.31	114.92	120.55
1	C	664	ARG	CA-C-O	-5.31	114.92	120.55
1	B	489	ILE	N-CA-C	-5.29	105.22	110.62
1	A	719	LYS	CB-CA-C	-5.28	100.86	110.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	585	LEU	N-CA-CB	-5.28	102.17	110.30
1	C	493	MET	N-CA-C	-5.26	105.62	111.36
1	B	616	SER	CA-C-N	5.22	127.54	120.65
1	B	616	SER	C-N-CA	5.22	127.54	120.65
1	D	658	ASN	CB-CA-C	5.20	119.10	110.78
1	D	758	ASN	CA-C-O	-5.19	115.05	120.55
1	B	590	THR	N-CA-C	-5.17	105.33	110.97
1	B	626	ILE	N-CA-C	-5.15	105.52	110.72
1	D	572	ASN	CA-C-O	-5.12	115.10	120.63
1	C	553	ARG	CA-C-O	-5.10	115.47	120.82
1	B	647	GLU	CA-C-O	-5.09	115.65	120.90
1	A	500	THR	CA-CB-OG1	-5.09	101.97	109.60
1	D	662	ARG	CA-C-N	5.08	127.09	120.28
1	D	662	ARG	C-N-CA	5.08	127.09	120.28
1	B	770	GLU	CB-CG-CD	5.06	121.20	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	459	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2549	0	2524	29	0
1	B	2559	0	2528	29	0
1	C	2557	0	2537	24	0
1	D	2519	0	2496	22	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	1	0	0	0	0
4	A	27	0	0	2	0
4	B	27	0	0	4	0
4	C	27	0	0	9	0
4	D	27	0	0	3	0
5	A	161	0	0	5	0
5	B	177	0	0	4	0
5	C	175	0	0	4	0
5	D	113	0	0	1	0
All	All	10926	0	10085	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:469:CYS:SG	5:A:1032:HOH:O	2.18	0.99
4:A:803:KAU:O22	4:A:803:KAU:C23	2.22	0.86
4:B:803:KAU:O22	4:B:803:KAU:C23	2.24	0.86
1:C:469:CYS:SG	5:C:1054:HOH:O	2.34	0.84
1:B:653:SER:O	5:B:901:HOH:O	1.98	0.82
1:A:602:ILE:HA	1:A:605:LEU:HD22	1.67	0.77
1:D:711:ILE:HD11	1:D:713:MET:HE2	1.67	0.76
4:C:803:KAU:C23	4:C:803:KAU:O22	2.34	0.76
1:C:692:ILE:CD1	4:C:803:KAU:C26	2.71	0.69
1:C:598:GLN:NE2	5:C:901:HOH:O	2.24	0.67
1:A:727:LEU:HD21	1:A:763:GLU:HG3	1.77	0.66
1:A:577:LYS:O	5:A:902:HOH:O	2.14	0.65
1:A:466:VAL:CG1	1:A:470:LYS:HE3	2.27	0.64
1:D:700:GLY:HA3	1:D:714:MET:O	1.98	0.64
1:B:642:ARG:NH2	5:B:906:HOH:O	2.31	0.62
1:C:575:LEU:HD11	1:C:591:MET:SD	2.40	0.61
1:A:712:PRO:HD2	5:A:1016:HOH:O	2.02	0.60
1:B:497:SER:O	1:B:553:ARG:HD2	2.03	0.59
1:D:692:ILE:HD13	4:D:803:KAU:C26	2.33	0.59
1:A:466:VAL:HG13	1:A:470:LYS:HE3	1.85	0.58
1:A:569:GLY:O	5:A:903:HOH:O	2.17	0.58
1:C:692:ILE:HD13	4:C:803:KAU:C26	2.34	0.58
1:D:727:LEU:HD23	1:D:731:ASN:ND2	2.20	0.57
1:D:727:LEU:HD23	1:D:727:LEU:C	2.30	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:692:ILE:HD13	4:B:803:KAU:C26	2.35	0.57
1:D:735:ILE:HB	1:D:736:PRO:HD3	1.87	0.56
1:D:714:MET:HE2	5:D:992:HOH:O	2.05	0.56
1:A:575:LEU:HD11	1:A:591:MET:SD	2.46	0.55
1:C:713:MET:SD	4:C:803:KAU:C4	2.95	0.54
1:A:492:TYR:CZ	1:A:496:ARG:HD2	2.43	0.54
1:D:727:LEU:CD2	1:D:731:ASN:ND2	2.71	0.53
1:D:627:ARG:O	1:D:631:ILE:HG12	2.09	0.53
1:B:770:GLU:HG3	1:B:771:THR:N	2.24	0.53
1:D:602:ILE:O	1:D:605:LEU:HB2	2.10	0.52
1:D:692:ILE:CD1	4:D:803:KAU:C26	2.88	0.52
1:B:692:ILE:CD1	4:B:803:KAU:C26	2.88	0.52
1:A:510:ARG:HG2	1:A:608:HIS:CE1	2.46	0.50
1:B:721:GLU:HB2	4:B:803:KAU:CL13	2.49	0.50
1:C:735:ILE:HB	1:C:736:PRO:HD3	1.93	0.50
1:B:767:ARG:NH2	1:B:769:GLU:OE1	2.44	0.50
1:C:727:LEU:HD23	1:C:759:LEU:CD1	2.42	0.49
1:B:716:ARG:O	1:B:719:LYS:HG3	2.13	0.49
1:B:496:ARG:NH1	1:B:538:TYR:OH	2.46	0.48
1:C:713:MET:HB2	4:C:803:KAU:C2	2.44	0.48
1:B:492:TYR:CZ	1:B:496:ARG:HD2	2.48	0.47
1:A:638:TYR:OH	1:A:642:ARG:HD3	2.14	0.47
1:A:700:GLY:HA3	1:A:714:MET:O	2.15	0.47
1:A:727:LEU:HD11	1:A:766:ILE:CD1	2.44	0.47
1:D:675:LEU:O	1:D:678:VAL:HG22	2.15	0.47
1:C:496:ARG:NH1	5:C:908:HOH:O	2.44	0.47
1:C:700:GLY:HA3	1:C:714:MET:O	2.15	0.47
1:A:721:GLU:HB2	4:A:803:KAU:CL13	2.52	0.47
1:D:479:ILE:HD11	1:D:528:LYS:HG3	1.98	0.46
1:C:647:GLU:O	1:C:651:THR:HG23	2.16	0.46
1:B:470:LYS:HE2	1:D:746:PRO:HG3	1.98	0.46
4:C:803:KAU:C23	4:C:803:KAU:C21	2.93	0.46
1:D:638:TYR:CD1	1:D:671:THR:HG21	2.51	0.46
1:B:727:LEU:HD23	1:B:759:LEU:CD1	2.45	0.46
1:B:727:LEU:HD23	1:B:759:LEU:HD11	1.97	0.45
1:B:467:ARG:O	1:B:467:ARG:HG2	2.16	0.45
1:B:547:LEU:HD12	1:B:547:LEU:N	2.31	0.45
1:D:699:GLU:OE2	1:D:714:MET:HE1	2.16	0.45
1:A:724:GLN:NE2	1:A:727:LEU:HD12	2.31	0.45
1:B:624:GLU:OE2	1:B:627:ARG:NH2	2.35	0.45
1:A:730:TYR:HA	1:A:734:ALA:HB3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:735:ILE:HD13	1:A:755:CYS:SG	2.57	0.45
1:B:724:GLN:NE2	5:B:902:HOH:O	2.19	0.45
1:B:495:HIS:CE1	1:B:500:THR:HG23	2.52	0.44
1:D:511:PHE:O	1:D:515:VAL:HG23	2.16	0.44
1:A:761:GLN:O	1:A:765:VAL:HG23	2.17	0.44
1:B:602:ILE:O	1:B:605:LEU:HB2	2.16	0.44
1:C:693:TYR:OH	4:C:803:KAU:N3	2.51	0.44
1:B:585:LEU:HD12	1:B:585:LEU:O	2.18	0.44
1:B:473:GLU:OE2	1:B:496:ARG:NH1	2.51	0.44
1:B:500:THR:HG22	1:B:500:THR:O	2.18	0.44
1:B:571:SER:O	1:B:575:LEU:HD23	2.17	0.44
1:D:542:GLN:NE2	1:D:542:GLN:HA	2.33	0.43
1:A:735:ILE:HB	1:A:736:PRO:HD3	2.01	0.43
1:C:580:HIS:CG	1:C:581:PRO:HD2	2.53	0.43
1:B:556:LEU:HD23	1:B:556:LEU:HA	1.89	0.43
1:A:727:LEU:HD11	1:A:766:ILE:HD12	2.01	0.43
1:D:709:GLN:C	1:D:709:GLN:HE21	2.27	0.43
1:B:547:LEU:N	1:B:547:LEU:CD1	2.81	0.42
1:B:493:MET:SD	1:B:535:HIS:HA	2.59	0.42
1:C:635:LEU:O	1:C:638:TYR:HB3	2.18	0.42
1:C:692:ILE:HD13	4:C:803:KAU:C27	2.49	0.42
1:A:752:LEU:O	1:A:756[B]:ARG:HG3	2.20	0.42
1:D:677:SER:OG	4:D:803:KAU:C26	2.68	0.42
1:A:646:GLU:O	1:A:650:GLN:HG3	2.20	0.42
1:C:486:TRP:N	1:C:487:PRO:CD	2.82	0.42
1:D:647:GLU:O	1:D:651:THR:HG23	2.20	0.42
1:C:503:PHE:CE1	1:C:610:ILE:HD12	2.55	0.42
1:A:550:ASP:OD1	1:A:550:ASP:N	2.53	0.42
1:A:551:LEU:HD23	1:A:551:LEU:HA	1.89	0.41
1:C:713:MET:HB2	4:C:803:KAU:C6	2.50	0.41
1:A:705:LYS:HG2	1:C:684:VAL:HG22	2.02	0.41
1:C:645:LEU:HD23	1:C:645:LEU:HA	1.83	0.41
1:A:507:LYS:NZ	5:A:913:HOH:O	2.54	0.41
1:B:576:GLN:HB2	5:B:1046:HOH:O	2.20	0.41
1:B:483:GLU:HG2	1:B:486:TRP:CH2	2.55	0.41
1:C:546:THR:OG1	1:C:547:LEU:HD13	2.20	0.41
1:C:497:SER:HA	1:C:542:GLN:HE22	1.87	0.40
1:D:459:LEU:HD12	1:D:459:LEU:HA	1.88	0.40
1:A:498:CYS:SG	1:A:554:LYS:HG3	2.61	0.40
1:C:648:MET:HE1	5:C:979:HOH:O	2.21	0.40
1:A:479:ILE:HG21	1:A:479:ILE:HD13	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/343 (91%)	299 (96%)	12 (4%)	0	100	100
1	B	313/343 (91%)	305 (97%)	8 (3%)	0	100	100
1	C	312/343 (91%)	307 (98%)	5 (2%)	0	100	100
1	D	307/343 (90%)	299 (97%)	8 (3%)	0	100	100
All	All	1243/1372 (91%)	1210 (97%)	33 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/305 (92%)	274 (97%)	8 (3%)	38	35
1	B	282/305 (92%)	271 (96%)	11 (4%)	28	22
1	C	283/305 (93%)	276 (98%)	7 (2%)	42	40
1	D	279/305 (92%)	270 (97%)	9 (3%)	34	30
All	All	1126/1220 (92%)	1091 (97%)	35 (3%)	35	31

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	497	SER
1	A	504	GLU
1	A	550	ASP
1	A	553	ARG
1	A	581	PRO
1	A	605	LEU
1	A	616	SER
1	A	709	GLN
1	B	459	LEU
1	B	471	GLU
1	B	502	CYS
1	B	587	SER
1	B	605	LEU
1	B	642	ARG
1	B	650	GLN
1	B	677	SER
1	B	709	GLN
1	B	727	LEU
1	B	749	GLU
1	C	459	LEU
1	C	471	GLU
1	C	547	LEU
1	C	605	LEU
1	C	709	GLN
1	C	727	LEU
1	C	749	GLU
1	D	459	LEU
1	D	500	THR
1	D	504	GLU
1	D	542	GLN
1	D	605	LEU
1	D	709	GLN
1	D	722	VAL
1	D	727	LEU
1	D	767	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	484	ASN
1	A	542	GLN
1	A	644	GLN
1	A	709	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	724	GLN
1	A	743	GLN
1	A	761	GLN
1	B	484	ASN
1	B	495	HIS
1	B	542	GLN
1	B	598	GLN
1	B	604	GLN
1	B	621	GLN
1	B	655	ASN
1	B	709	GLN
1	C	484	ASN
1	C	542	GLN
1	C	545	HIS
1	C	604	GLN
1	C	743	GLN
1	C	761	GLN
1	D	484	ASN
1	D	542	GLN
1	D	604	GLN
1	D	621	GLN
1	D	644	GLN
1	D	709	GLN
1	D	724	GLN
1	D	731	ASN
1	D	743	GLN
1	D	761	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CME	B	509	1	8,9,10	0.45	0	6,9,11	0.79	0
1	CME	D	509	1	8,9,10	0.67	0	6,9,11	1.17	0
1	CME	A	509	1	8,9,10	0.83	0	6,9,11	0.80	0
1	CME	C	509	1	8,9,10	0.64	0	6,9,11	1.33	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	B	509	1	-	1/5/8/10	-
1	CME	D	509	1	-	2/5/8/10	-
1	CME	A	509	1	-	2/5/8/10	-
1	CME	C	509	1	-	3/5/8/10	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	509	CME	CB-CA-C	2.38	117.26	110.80

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	509	CME	SD-CE-CZ-OH
1	C	509	CME	SD-CE-CZ-OH
1	D	509	CME	CE-SD-SG-CB
1	C	509	CME	CZ-CE-SD-SG
1	A	509	CME	CZ-CE-SD-SG
1	C	509	CME	CE-SD-SG-CB
1	B	509	CME	SD-CE-CZ-OH
1	D	509	CME	SD-CE-CZ-OH

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	KAU	A	803	-	30,30,30	2.10	8 (26%)	36,42,42	2.31	15 (41%)
4	KAU	C	803	-	30,30,30	2.18	12 (40%)	36,42,42	2.76	18 (50%)
4	KAU	D	803	-	30,30,30	1.85	10 (33%)	36,42,42	2.93	18 (50%)
4	KAU	B	803	-	30,30,30	2.92	19 (63%)	36,42,42	3.15	15 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	KAU	A	803	-	-	2/16/25/25	0/4/4/4
4	KAU	C	803	-	-	4/16/25/25	0/4/4/4
4	KAU	D	803	-	-	3/16/25/25	0/4/4/4
4	KAU	B	803	-	-	1/16/25/25	0/4/4/4

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	803	KAU	C16-N17	10.02	1.45	1.34
4	C	803	KAU	C16-N17	6.57	1.41	1.34
4	A	803	KAU	C16-N17	4.94	1.39	1.34
4	A	803	KAU	C20-C15	-4.78	1.41	1.48
4	D	803	KAU	C10-CL13	-4.40	1.64	1.74
4	D	803	KAU	C20-C15	-4.13	1.42	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	803	KAU	C11-C10	3.85	1.45	1.38
4	A	803	KAU	C8-C10	3.85	1.46	1.38
4	B	803	KAU	C6-C2	3.73	1.48	1.39
4	D	803	KAU	C21-N12	3.49	1.41	1.34
4	C	803	KAU	C27-C26	3.40	1.45	1.38
4	B	803	KAU	C14-C21	-3.37	1.42	1.48
4	B	803	KAU	C23-C20	3.33	1.44	1.39
4	B	803	KAU	C11-C6	3.24	1.44	1.38
4	C	803	KAU	C8-C10	3.17	1.44	1.38
4	B	803	KAU	C7-C5	3.08	1.58	1.52
4	A	803	KAU	C19-N17	-3.01	1.42	1.46
4	C	803	KAU	C26-N25	2.98	1.42	1.33
4	C	803	KAU	C6-C2	2.96	1.46	1.39
4	C	803	KAU	C20-C15	-2.96	1.44	1.48
4	B	803	KAU	C23-C24	2.93	1.44	1.38
4	D	803	KAU	C16-N17	2.87	1.37	1.34
4	A	803	KAU	C23-C24	2.84	1.44	1.38
4	B	803	KAU	C7-C9	2.77	1.59	1.52
4	B	803	KAU	C27-C26	2.72	1.43	1.38
4	A	803	KAU	C5-N1	2.71	1.51	1.46
4	B	803	KAU	C16-C15	2.66	1.42	1.37
4	A	803	KAU	C7-C9	2.57	1.59	1.52
4	C	803	KAU	C4-N1	-2.51	1.42	1.46
4	C	803	KAU	C14-N18	2.49	1.37	1.34
4	B	803	KAU	O22-C21	-2.46	1.18	1.23
4	B	803	KAU	C4-C9	2.44	1.57	1.53
4	B	803	KAU	C26-N25	2.41	1.40	1.33
4	B	803	KAU	C5-N1	2.39	1.50	1.46
4	B	803	KAU	C19-N17	2.34	1.49	1.46
4	D	803	KAU	C26-N25	2.30	1.40	1.33
4	B	803	KAU	C2-N1	2.24	1.42	1.37
4	D	803	KAU	C6-C2	2.22	1.44	1.39
4	C	803	KAU	C11-C6	2.15	1.42	1.38
4	B	803	KAU	C2-N3	2.13	1.38	1.34
4	D	803	KAU	C14-N18	2.12	1.37	1.34
4	D	803	KAU	C8-C10	2.11	1.42	1.38
4	A	803	KAU	C11-C6	2.11	1.42	1.38
4	B	803	KAU	C8-C10	2.10	1.42	1.38
4	D	803	KAU	C27-C26	2.09	1.42	1.38
4	C	803	KAU	C5-N1	2.05	1.50	1.46
4	D	803	KAU	C7-C9	2.04	1.58	1.52
4	C	803	KAU	C23-C20	2.04	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	803	KAU	C9-N12	-2.00	1.42	1.46

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	803	KAU	C19-N17-C16	8.58	136.56	127.94
4	B	803	KAU	C19-N17-N18	-8.22	111.22	119.57
4	D	803	KAU	C19-N17-C16	-7.87	120.05	127.94
4	D	803	KAU	C26-C27-C20	-7.02	111.37	119.05
4	B	803	KAU	C26-C27-C20	-6.29	112.17	119.05
4	B	803	KAU	C24-C23-C20	5.69	125.27	119.05
4	B	803	KAU	C11-C10-C8	5.44	123.36	119.60
4	D	803	KAU	C19-N17-N18	5.42	125.08	119.57
4	A	803	KAU	C19-N17-C16	-5.41	122.51	127.94
4	C	803	KAU	C14-C21-N12	-5.18	106.09	114.27
4	A	803	KAU	C15-C16-N17	-5.11	102.09	107.19
4	C	803	KAU	C10-C8-N3	4.86	128.48	122.26
4	C	803	KAU	C16-N17-N18	4.79	117.45	112.71
4	B	803	KAU	C27-C26-N25	4.72	131.65	123.60
4	D	803	KAU	C23-C20-C15	-4.68	114.27	120.98
4	C	803	KAU	C14-N18-N17	-4.41	98.05	104.36
4	C	803	KAU	C26-C27-C20	-4.37	114.27	119.05
4	D	803	KAU	C15-C16-N17	-4.27	102.93	107.19
4	D	803	KAU	C15-C14-N18	-4.21	104.45	111.33
4	D	803	KAU	C16-C15-C14	3.97	109.96	104.95
4	C	803	KAU	C23-C20-C15	-3.97	115.28	120.98
4	C	803	KAU	C11-C10-C8	-3.96	116.86	119.60
4	A	803	KAU	C11-C6-C2	-3.95	112.17	117.65
4	C	803	KAU	C11-C10-CL13	3.94	125.17	119.36
4	C	803	KAU	C19-N17-C16	-3.90	124.03	127.94
4	A	803	KAU	C11-C10-CL13	3.81	124.97	119.36
4	A	803	KAU	C27-C26-N25	3.68	129.88	123.60
4	B	803	KAU	C20-C15-C16	3.63	131.05	124.47
4	A	803	KAU	C6-C2-N1	-3.43	115.79	121.73
4	C	803	KAU	C4-N1-C2	-3.43	119.43	123.58
4	D	803	KAU	C24-C23-C20	3.37	122.74	119.05
4	C	803	KAU	C15-C16-N17	-3.35	103.85	107.19
4	C	803	KAU	C7-C9-N12	3.23	118.59	111.98
4	A	803	KAU	C8-C10-CL13	-3.19	113.94	119.73
4	C	803	KAU	C15-C14-N18	3.13	116.46	111.33
4	D	803	KAU	C11-C10-CL13	3.13	123.98	119.36
4	C	803	KAU	O22-C21-C14	3.06	126.51	121.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	803	KAU	C26-C27-C20	-3.02	115.75	119.05
4	B	803	KAU	C6-C11-C10	-3.01	116.21	119.24
4	D	803	KAU	C5-N1-C2	-2.94	120.02	123.58
4	B	803	KAU	C23-C24-N25	-2.93	118.59	123.60
4	C	803	KAU	C27-C20-C23	2.78	122.10	118.57
4	C	803	KAU	C11-C6-C2	2.63	121.29	117.65
4	A	803	KAU	C16-C15-C14	2.58	108.20	104.95
4	A	803	KAU	C6-C2-N3	2.57	128.54	123.46
4	D	803	KAU	C20-C15-C16	-2.53	119.88	124.47
4	B	803	KAU	O22-C21-C14	-2.50	117.58	121.60
4	C	803	KAU	C8-N3-C2	-2.50	113.32	117.41
4	D	803	KAU	C27-C20-C15	2.50	124.56	120.98
4	A	803	KAU	C6-C11-C10	2.49	121.75	119.24
4	A	803	KAU	C19-N17-N18	2.45	122.07	119.57
4	B	803	KAU	C8-C10-CL13	-2.42	115.33	119.73
4	D	803	KAU	O22-C21-N12	-2.41	118.84	123.09
4	D	803	KAU	C14-N18-N17	2.41	107.80	104.36
4	C	803	KAU	O22-C21-N12	2.38	127.29	123.09
4	B	803	KAU	C5-N1-C2	2.33	126.41	123.58
4	D	803	KAU	C23-C24-N25	-2.32	119.64	123.60
4	B	803	KAU	C9-C4-N1	2.27	106.02	103.55
4	D	803	KAU	C27-C26-N25	2.16	127.28	123.60
4	D	803	KAU	C16-N17-N18	2.15	114.84	112.71
4	A	803	KAU	C26-N25-C24	-2.14	111.95	116.86
4	A	803	KAU	C11-C10-C8	2.13	121.07	119.60
4	D	803	KAU	C8-C10-CL13	-2.11	115.90	119.73
4	B	803	KAU	O22-C21-N12	2.11	126.81	123.09
4	A	803	KAU	C16-N17-N18	2.06	114.75	112.71
4	B	803	KAU	C6-C2-N1	-2.02	118.25	121.73

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	803	KAU	O22-C21-N12-C9
4	C	803	KAU	N3-C2-N1-C5
4	A	803	KAU	C14-C21-N12-C9
4	C	803	KAU	C6-C2-N1-C5
4	D	803	KAU	C6-C2-N1-C5
4	C	803	KAU	C14-C15-C20-C23
4	B	803	KAU	C14-C15-C20-C27
4	C	803	KAU	C14-C15-C20-C27

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	D	803	KAU	C14-C15-C20-C27
4	D	803	KAU	C14-C15-C20-C23



There are no ring outliers.


4 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	803	KAU	2	0
4	C	803	KAU	9	0
4	D	803	KAU	3	0
4	B	803	KAU	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	312/343 (90%)	-1.21	0 100 100	22, 40, 62, 91	1 (0%)
1	B	314/343 (91%)	-1.22	0 100 100	24, 38, 60, 107	1 (0%)
1	C	312/343 (90%)	-1.25	0 100 100	22, 38, 59, 83	2 (0%)
1	D	309/343 (90%)	-1.18	0 100 100	29, 43, 62, 90	0
All	All	1247/1372 (90%)	-1.22	0 100 100	22, 40, 61, 107	4 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CME	D	509	10/11	0.98	0.06	41,50,80,97	0
1	CME	B	509	10/11	0.99	0.05	33,39,70,75	0
1	CME	C	509	10/11	0.99	0.05	34,44,66,80	0
1	CME	A	509	10/11	0.99	0.05	38,53,68,74	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	KAU	D	803	27/27	0.98	0.05	36,48,63,74	0
4	KAU	B	803	27/27	0.99	0.04	32,41,54,59	0
4	KAU	C	803	27/27	0.99	0.04	37,47,63,65	0
4	KAU	A	803	27/27	0.99	0.04	38,47,53,64	0
3	MG	A	802	1/1	1.00	0.01	29,29,29,29	0
3	MG	B	802	1/1	1.00	0.01	27,27,27,27	0
3	MG	C	802	1/1	1.00	0.01	25,25,25,25	0
3	MG	D	802	1/1	1.00	0.01	36,36,36,36	0
2	ZN	A	801	1/1	1.00	0.01	31,31,31,31	0
2	ZN	B	801	1/1	1.00	0.01	31,31,31,31	0
2	ZN	C	801	1/1	1.00	0.01	31,31,31,31	0
2	ZN	D	801	1/1	1.00	0.01	35,35,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around KAU D 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KAU B 803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KAU C 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around KAU A 803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.