



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 07:03 PM UTC

PDB ID : 6SKB / pdb_00006skb
Title : Crystal Structure of Human Kallikrein 6 (N217D/I218Y/K224R) in complex with GSK3496783A
Authors : Thorpe, J.H.
Deposited on : 2019-08-15
Resolution : 1.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1296 (1.84-1.84)
Clashscore	190562	1329 (1.84-1.84)
Ramachandran outliers	187476	1318 (1.84-1.84)
Sidechain outliers	187428	1318 (1.84-1.84)
RSRZ outliers	180081	1296 (1.84-1.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	15% 73% 23%
1	B	289	15% 70% 7% 23%
1	C	289	72% 23%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kallikrein-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	223	Total	C	N	O	S	0	3	0
			1732	1082	308	328	14			
1	B	222	Total	C	N	O	S	0	2	0
			1718	1072	307	325	14			
1	C	222	Total	C	N	O	S	0	3	0
			1727	1078	309	326	14			

There are 210 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-50	MET	-	initiating methionine	UNP Q92876
A	-49	PRO	-	expression tag	UNP Q92876
A	-48	MET	-	expression tag	UNP Q92876
A	-47	LEU	-	expression tag	UNP Q92876
A	-46	SER	-	expression tag	UNP Q92876
A	-45	ALA	-	expression tag	UNP Q92876
A	-44	ILE	-	expression tag	UNP Q92876
A	-43	VAL	-	expression tag	UNP Q92876
A	-42	LEU	-	expression tag	UNP Q92876
A	-41	TYR	-	expression tag	UNP Q92876
A	-40	VAL	-	expression tag	UNP Q92876
A	-39	LEU	-	expression tag	UNP Q92876
A	-38	LEU	-	expression tag	UNP Q92876
A	-37	ALA	-	expression tag	UNP Q92876
A	-36	ALA	-	expression tag	UNP Q92876
A	-35	ALA	-	expression tag	UNP Q92876
A	-34	ALA	-	expression tag	UNP Q92876
A	-33	HIS	-	expression tag	UNP Q92876
A	-32	SER	-	expression tag	UNP Q92876
A	-31	ALA	-	expression tag	UNP Q92876
A	-30	PHE	-	expression tag	UNP Q92876
A	-29	ALA	-	expression tag	UNP Q92876
A	-28	ALA	-	expression tag	UNP Q92876

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-27	MET	-	expression tag	UNP Q92876
A	-26	VAL	-	expression tag	UNP Q92876
A	-25	HIS	-	expression tag	UNP Q92876
A	-24	HIS	-	expression tag	UNP Q92876
A	-23	HIS	-	expression tag	UNP Q92876
A	-22	HIS	-	expression tag	UNP Q92876
A	-21	HIS	-	expression tag	UNP Q92876
A	-20	HIS	-	expression tag	UNP Q92876
A	-19	SER	-	expression tag	UNP Q92876
A	-18	ALA	-	expression tag	UNP Q92876
A	-17	GLY	-	expression tag	UNP Q92876
A	-16	LEU	-	expression tag	UNP Q92876
A	-15	VAL	-	expression tag	UNP Q92876
A	-14	PRO	-	expression tag	UNP Q92876
A	-13	ARG	-	expression tag	UNP Q92876
A	-12	GLY	-	expression tag	UNP Q92876
A	-11	SER	-	expression tag	UNP Q92876
A	-10	GLY	-	expression tag	UNP Q92876
A	-9	LYS	-	expression tag	UNP Q92876
A	-8	GLU	-	expression tag	UNP Q92876
A	-7	THR	-	expression tag	UNP Q92876
A	-6	ALA	-	expression tag	UNP Q92876
A	-5	ALA	-	expression tag	UNP Q92876
A	-4	ALA	-	expression tag	UNP Q92876
A	-3	LYS	-	expression tag	UNP Q92876
A	-2	PHE	-	expression tag	UNP Q92876
A	-1	GLU	-	expression tag	UNP Q92876
A	0	ARG	-	expression tag	UNP Q92876
A	1	GLN	-	expression tag	UNP Q92876
A	2	HIS	-	expression tag	UNP Q92876
A	3	MET	-	expression tag	UNP Q92876
A	4	ASP	-	expression tag	UNP Q92876
A	5	SER	-	expression tag	UNP Q92876
A	7	SER	ALA	conflict	UNP Q92876
A	8	GLY	ALA	conflict	UNP Q92876
A	9	GLY	TRP	conflict	UNP Q92876
A	10	GLY	ALA	conflict	UNP Q92876
A	11	ASP	GLU	conflict	UNP Q92876
A	12	ASP	GLU	conflict	UNP Q92876
A	13	ASP	GLN	conflict	UNP Q92876
A	14	ASP	ASN	conflict	UNP Q92876
A	74	GLY	ARG	conflict	UNP Q92876

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	76	GLN	ARG	conflict	UNP Q92876
A	132	GLN	ASN	conflict	UNP Q92876
A	217	ASP	ASN	engineered mutation	UNP Q92876
A	218	TYR	ILE	engineered mutation	UNP Q92876
A	224	ARG	LYS	engineered mutation	UNP Q92876
B	-50	MET	-	initiating methionine	UNP Q92876
B	-49	PRO	-	expression tag	UNP Q92876
B	-48	MET	-	expression tag	UNP Q92876
B	-47	LEU	-	expression tag	UNP Q92876
B	-46	SER	-	expression tag	UNP Q92876
B	-45	ALA	-	expression tag	UNP Q92876
B	-44	ILE	-	expression tag	UNP Q92876
B	-43	VAL	-	expression tag	UNP Q92876
B	-42	LEU	-	expression tag	UNP Q92876
B	-41	TYR	-	expression tag	UNP Q92876
B	-40	VAL	-	expression tag	UNP Q92876
B	-39	LEU	-	expression tag	UNP Q92876
B	-38	LEU	-	expression tag	UNP Q92876
B	-37	ALA	-	expression tag	UNP Q92876
B	-36	ALA	-	expression tag	UNP Q92876
B	-35	ALA	-	expression tag	UNP Q92876
B	-34	ALA	-	expression tag	UNP Q92876
B	-33	HIS	-	expression tag	UNP Q92876
B	-32	SER	-	expression tag	UNP Q92876
B	-31	ALA	-	expression tag	UNP Q92876
B	-30	PHE	-	expression tag	UNP Q92876
B	-29	ALA	-	expression tag	UNP Q92876
B	-28	ALA	-	expression tag	UNP Q92876
B	-27	MET	-	expression tag	UNP Q92876
B	-26	VAL	-	expression tag	UNP Q92876
B	-25	HIS	-	expression tag	UNP Q92876
B	-24	HIS	-	expression tag	UNP Q92876
B	-23	HIS	-	expression tag	UNP Q92876
B	-22	HIS	-	expression tag	UNP Q92876
B	-21	HIS	-	expression tag	UNP Q92876
B	-20	HIS	-	expression tag	UNP Q92876
B	-19	SER	-	expression tag	UNP Q92876
B	-18	ALA	-	expression tag	UNP Q92876
B	-17	GLY	-	expression tag	UNP Q92876
B	-16	LEU	-	expression tag	UNP Q92876
B	-15	VAL	-	expression tag	UNP Q92876
B	-14	PRO	-	expression tag	UNP Q92876

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	ARG	-	expression tag	UNP Q92876
B	-12	GLY	-	expression tag	UNP Q92876
B	-11	SER	-	expression tag	UNP Q92876
B	-10	GLY	-	expression tag	UNP Q92876
B	-9	LYS	-	expression tag	UNP Q92876
B	-8	GLU	-	expression tag	UNP Q92876
B	-7	THR	-	expression tag	UNP Q92876
B	-6	ALA	-	expression tag	UNP Q92876
B	-5	ALA	-	expression tag	UNP Q92876
B	-4	ALA	-	expression tag	UNP Q92876
B	-3	LYS	-	expression tag	UNP Q92876
B	-2	PHE	-	expression tag	UNP Q92876
B	-1	GLU	-	expression tag	UNP Q92876
B	0	ARG	-	expression tag	UNP Q92876
B	1	GLN	-	expression tag	UNP Q92876
B	2	HIS	-	expression tag	UNP Q92876
B	3	MET	-	expression tag	UNP Q92876
B	4	ASP	-	expression tag	UNP Q92876
B	5	SER	-	expression tag	UNP Q92876
B	7	SER	ALA	conflict	UNP Q92876
B	8	GLY	ALA	conflict	UNP Q92876
B	9	GLY	TRP	conflict	UNP Q92876
B	10	GLY	ALA	conflict	UNP Q92876
B	11	ASP	GLU	conflict	UNP Q92876
B	12	ASP	GLU	conflict	UNP Q92876
B	13	ASP	GLN	conflict	UNP Q92876
B	14	ASP	ASN	conflict	UNP Q92876
B	74	GLY	ARG	conflict	UNP Q92876
B	76	GLN	ARG	conflict	UNP Q92876
B	132	GLN	ASN	conflict	UNP Q92876
B	217	ASP	ASN	engineered mutation	UNP Q92876
B	218	TYR	ILE	engineered mutation	UNP Q92876
B	224	ARG	LYS	engineered mutation	UNP Q92876
C	-50	MET	-	initiating methionine	UNP Q92876
C	-49	PRO	-	expression tag	UNP Q92876
C	-48	MET	-	expression tag	UNP Q92876
C	-47	LEU	-	expression tag	UNP Q92876
C	-46	SER	-	expression tag	UNP Q92876
C	-45	ALA	-	expression tag	UNP Q92876
C	-44	ILE	-	expression tag	UNP Q92876
C	-43	VAL	-	expression tag	UNP Q92876
C	-42	LEU	-	expression tag	UNP Q92876

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-41	TYR	-	expression tag	UNP Q92876
C	-40	VAL	-	expression tag	UNP Q92876
C	-39	LEU	-	expression tag	UNP Q92876
C	-38	LEU	-	expression tag	UNP Q92876
C	-37	ALA	-	expression tag	UNP Q92876
C	-36	ALA	-	expression tag	UNP Q92876
C	-35	ALA	-	expression tag	UNP Q92876
C	-34	ALA	-	expression tag	UNP Q92876
C	-33	HIS	-	expression tag	UNP Q92876
C	-32	SER	-	expression tag	UNP Q92876
C	-31	ALA	-	expression tag	UNP Q92876
C	-30	PHE	-	expression tag	UNP Q92876
C	-29	ALA	-	expression tag	UNP Q92876
C	-28	ALA	-	expression tag	UNP Q92876
C	-27	MET	-	expression tag	UNP Q92876
C	-26	VAL	-	expression tag	UNP Q92876
C	-25	HIS	-	expression tag	UNP Q92876
C	-24	HIS	-	expression tag	UNP Q92876
C	-23	HIS	-	expression tag	UNP Q92876
C	-22	HIS	-	expression tag	UNP Q92876
C	-21	HIS	-	expression tag	UNP Q92876
C	-20	HIS	-	expression tag	UNP Q92876
C	-19	SER	-	expression tag	UNP Q92876
C	-18	ALA	-	expression tag	UNP Q92876
C	-17	GLY	-	expression tag	UNP Q92876
C	-16	LEU	-	expression tag	UNP Q92876
C	-15	VAL	-	expression tag	UNP Q92876
C	-14	PRO	-	expression tag	UNP Q92876
C	-13	ARG	-	expression tag	UNP Q92876
C	-12	GLY	-	expression tag	UNP Q92876
C	-11	SER	-	expression tag	UNP Q92876
C	-10	GLY	-	expression tag	UNP Q92876
C	-9	LYS	-	expression tag	UNP Q92876
C	-8	GLU	-	expression tag	UNP Q92876
C	-7	THR	-	expression tag	UNP Q92876
C	-6	ALA	-	expression tag	UNP Q92876
C	-5	ALA	-	expression tag	UNP Q92876
C	-4	ALA	-	expression tag	UNP Q92876
C	-3	LYS	-	expression tag	UNP Q92876
C	-2	PHE	-	expression tag	UNP Q92876
C	-1	GLU	-	expression tag	UNP Q92876
C	0	ARG	-	expression tag	UNP Q92876

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1	GLN	-	expression tag	UNP Q92876
C	2	HIS	-	expression tag	UNP Q92876
C	3	MET	-	expression tag	UNP Q92876
C	4	ASP	-	expression tag	UNP Q92876
C	5	SER	-	expression tag	UNP Q92876
C	7	SER	ALA	conflict	UNP Q92876
C	8	GLY	ALA	conflict	UNP Q92876
C	9	GLY	TRP	conflict	UNP Q92876
C	10	GLY	ALA	conflict	UNP Q92876
C	11	ASP	GLU	conflict	UNP Q92876
C	12	ASP	GLU	conflict	UNP Q92876
C	13	ASP	GLN	conflict	UNP Q92876
C	14	ASP	ASN	conflict	UNP Q92876
C	74	GLY	ARG	conflict	UNP Q92876
C	76	GLN	ARG	conflict	UNP Q92876
C	132	GLN	ASN	conflict	UNP Q92876
C	217	ASP	ASN	engineered mutation	UNP Q92876
C	218	TYR	ILE	engineered mutation	UNP Q92876
C	224	ARG	LYS	engineered mutation	UNP Q92876

- Molecule 2 is 4-[(3 {S})-1-oxidanyl-3,4-dihydro-2,1-benzoxaborinin-3-yl]-2-(pyridin-3-ylmethoxy)benzenecarboximidamide (CCD ID: LH5) (formula: C₂₁H₂₀BN₃O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	B	C	N	O	
			28	1	21	3	3	1

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	B	C	N	O	0	1
			28	1	21	3	3		
2	C	1	Total	B	C	N	O	0	1
			28	1	21	3	3		

- Molecule 3 is 4-[(3 {R})-1-oxidanyl-3,4-dihydro-2,1-benzoxaborinin-3-yl]-2-(pyridin-3-ylmethoxy)benzenecarboximidamide (CCD ID: RH5) (formula: $C_{21}H_{20}BN_3O_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	B	C	N	O	0	1
			28	1	21	3	3		
3	B	1	Total	B	C	N	O	0	1
			28	1	21	3	3		
3	C	1	Total	B	C	N	O	0	1
			28	1	21	3	3		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	98	Total	O	0	0
			98	98		
5	B	35	Total	O	0	0
			35	35		
5	C	140	Total	O	0	0
			140	140		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Kallikrein-6



- Molecule 1: Kallikrein-6



- Molecule 1: Kallikrein-6



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.36Å 46.11Å 119.56Å 90.00° 91.03° 90.00°	Depositor
Resolution (Å)	36.51 – 1.84 36.51 – 1.84	Depositor EDS
% Data completeness (in resolution range)	98.5 (36.51-1.84) 98.5 (36.51-1.84)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 1.84Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.196 , 0.229 0.206 , 0.241	Depositor DCC
R_{free} test set	2642 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	24.9	Xtriage
Anisotropy	0.440	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.039 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5624	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, RH5, LH5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	0/1778	1.16	2/2417 (0.1%)
1	B	0.82	0/1765	1.23	8/2400 (0.3%)
1	C	0.94	0/1773	1.13	2/2410 (0.1%)
All	All	0.88	0/5316	1.17	12/7227 (0.2%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	ASP	CA-CB-CG	7.04	119.64	112.60
1	C	189	ASP	CA-CB-CG	6.87	119.47	112.60
1	B	23	ASP	N-CA-C	-6.57	100.56	110.28
1	B	35	THR	CB-CA-C	5.97	119.34	110.62
1	A	23	ASP	CA-CB-CG	5.70	118.30	112.60
1	B	140	GLY	N-CA-C	5.38	118.60	110.75
1	B	23	ASP	CA-CB-CG	5.31	117.91	112.60
1	B	189	ASP	CA-CB-CG	5.26	117.86	112.60
1	B	230	ASN	CA-C-N	5.11	127.46	120.46
1	B	230	ASN	C-N-CA	5.11	127.46	120.46
1	C	23	ASP	N-CA-C	-5.08	102.75	110.28
1	B	51	TRP	N-CA-C	5.07	117.32	108.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1732	0	1667	3	0
1	B	1718	0	1644	6	0
1	C	1727	0	1660	4	0
2	A	28	0	0	0	0
2	B	28	0	0	0	0
2	C	28	0	0	0	0
3	A	28	0	0	0	0
3	B	28	0	0	0	0
3	C	28	0	0	0	0
4	C	6	0	8	0	0
5	A	98	0	0	0	0
5	B	35	0	0	0	0
5	C	140	0	0	1	0
All	All	5624	0	4979	13	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (13) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:LEU:HD12	1:A:122:PRO:HD2	1.88	0.55
1:A:195:SER:HA	1:A:213:VAL:HB	1.90	0.52
1:B:101:GLN:HA	1:B:234:TYR:OH	2.12	0.50
1:B:53:LEU:HD11	1:B:103:ILE:HD11	1.95	0.48
1:B:171:ALA:HB1	1:B:224:ARG:HG2	1.94	0.48
1:B:47:ILE:HD11	1:B:105:LEU:HD21	1.96	0.47
1:C:168:CYS:SG	1:C:176:ILE:HG13	2.57	0.45
1:B:172:TYR:CZ	1:B:224:ARG:HB3	2.53	0.43
1:B:158:ALA:HB1	1:B:188:LYS:HD2	2.01	0.42
1:C:222:LYS:HB2	5:C:520:HOH:O	2.20	0.42
1:A:51:TRP:CD1	1:A:242:ILE:HG12	2.56	0.41
1:C:103:ILE:HB	1:C:229:THR:HG21	2.03	0.41
1:C:90:ILE:HD11	1:C:94:TYR:CD2	2.55	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/289 (78%)	221 (99%)	3 (1%)	0	100	100
1	B	222/289 (77%)	214 (96%)	8 (4%)	0	100	100
1	C	223/289 (77%)	220 (99%)	3 (1%)	0	100	100
All	All	669/867 (77%)	655 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/234 (81%)	186 (98%)	4 (2%)	47	30
1	B	188/234 (80%)	186 (99%)	2 (1%)	65	54
1	C	189/234 (81%)	185 (98%)	4 (2%)	47	30
All	All	567/702 (81%)	557 (98%)	10 (2%)	51	35

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	ASP
1	A	113	LYS
1	A	163	VAL
1	A	185	ASP
1	B	139	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	236	ASN
1	C	70	LYS
1	C	134	THR
1	C	139	LEU
1	C	163	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	239	GLN
1	B	64	GLN
1	B	178	GLN
1	B	192	GLN
1	C	208	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LH5	A	301[A]	-	30,31,31	0.57	0	34,43,43	0.55	0
2	LH5	B	301[A]	1	30,31,31	0.55	0	34,43,43	0.61	0
3	RH5	B	302[B]	1	30,31,31	0.55	0	34,43,43	0.69	1 (2%)
3	RH5	C	301[B]	1	30,31,31	0.59	0	34,43,43	0.79	2 (5%)
2	LH5	C	302[A]	-	30,31,31	0.58	0	34,43,43	0.77	1 (2%)
4	GOL	C	303	-	5,5,5	0.10	0	5,5,5	0.16	0
3	RH5	A	302[B]	-	30,31,31	0.59	0	34,43,43	0.68	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LH5	A	301[A]	-	-	0/12/25/25	0/3/4/4
2	LH5	B	301[A]	1	-	2/12/25/25	0/3/4/4
3	RH5	B	302[B]	1	-	1/12/25/25	0/3/4/4
3	RH5	C	301[B]	1	-	4/12/25/25	0/3/4/4
2	LH5	C	302[A]	-	-	2/12/25/25	0/3/4/4
4	GOL	C	303	-	-	0/4/4/4	-
3	RH5	A	302[B]	-	-	4/12/25/25	0/3/4/4

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	302[A]	LH5	C07-C04-N05	3.08	122.69	117.33
3	B	302[B]	RH5	C32-C35-C44	-2.69	117.24	121.63
3	C	301[B]	RH5	C07-C04-N05	2.58	121.81	117.33
3	C	301[B]	RH5	C32-C35-C44	-2.42	117.68	121.63
3	A	302[B]	RH5	C07-C04-N05	2.37	121.44	117.33

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	302[A]	LH5	N05-C04-C07-C08
3	C	301[B]	RH5	N05-C04-C07-C08
3	A	302[B]	RH5	N05-C04-C07-C08

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	301[A]	LH5	N05-C04-C07-C15
3	A	302[B]	RH5	N05-C04-C07-C15
3	A	302[B]	RH5	C13-C12-C30-C32
3	C	301[B]	RH5	C13-C12-C30-C32
3	C	301[B]	RH5	C10-C12-C30-C32
3	A	302[B]	RH5	C10-C12-C30-C32
2	B	301[A]	LH5	N05-C04-C07-C08
3	B	302[B]	RH5	C20-C17-O16-C15
2	C	302[A]	LH5	N05-C04-C07-C15
3	C	301[B]	RH5	N05-C04-C07-C15

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand LH5 B 301 (A)




Ligand RH5 B 302 (B)




Ligand RH5 C 301 (B)



Ligand LH5 C 302 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	223/289 (77%)	0.09	4 (1%) 67 75	11, 26, 47, 68	3 (1%)
1	B	222/289 (76%)	1.29	42 (18%) 3 3	24, 50, 72, 85	2 (0%)
1	C	222/289 (76%)	-0.19	1 (0%) 87 92	9, 22, 40, 54	3 (1%)
All	All	667/867 (76%)	0.40	47 (7%) 22 23	9, 31, 64, 85	8 (1%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	244	ALA	4.5
1	B	133	THR	3.4
1	B	168	CYS	3.4
1	B	97	ALA	3.4
1	B	164	SER	3.2
1	B	134	THR	3.1
1	B	135	SER	3.0
1	B	176	ILE	3.0
1	B	36	SER	2.9
1	B	242	ILE	2.9
1	B	109	ALA	2.8
1	A	245	LYS	2.8
1	B	171	ALA	2.6
1	A	218	TYR	2.6
1	B	186(B)	TYR	2.6
1	B	82	GLN	2.6
1	B	165	ARG	2.5
1	B	182	CYS	2.5
1	B	39	HIS	2.5
1	B	129	SER	2.5
1	B	111	PRO	2.5
1	B	163	VAL	2.4
1	B	38	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	168	CYS	2.4
1	B	162	LEU	2.4
1	B	110	ARG	2.4
1	B	174	GLY	2.3
1	B	83	SER	2.3
1	B	51	TRP	2.2
1	B	173	PRO	2.2
1	B	234	TYR	2.2
1	B	114	LEU	2.2
1	B	136	CYS	2.2
1	B	132	GLN	2.2
1	A	145	ALA	2.2
1	B	220	CYS	2.2
1	B	106	LEU	2.2
1	B	218	TYR	2.1
1	B	125	ARG	2.1
1	B	222	LYS	2.1
1	B	96	ALA	2.1
1	C	244	ALA	2.1
1	B	118	ILE	2.1
1	B	170	HIS	2.1
1	B	172	TYR	2.1
1	B	240	LYS	2.0
1	B	224	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LH5	B	301[A]	28/28	0.76	0.15	50,55,58,58	28
3	RH5	B	302[B]	28/28	0.80	0.14	48,51,54,54	28
2	LH5	C	302[A]	28/28	0.88	0.11	24,30,34,35	28
2	LH5	A	301[A]	28/28	0.90	0.11	23,30,36,37	28
4	GOL	C	303	6/6	0.91	0.10	31,42,44,45	0
3	RH5	C	301[B]	28/28	0.92	0.08	11,20,24,24	28
3	RH5	A	302[B]	28/28	0.94	0.07	14,18,26,27	28

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LH5 B 301 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around RH5 B 302 (B):

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LH5 C 302 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around RH5 C 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around RH5 A 302 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.