



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 15, 2026 – 01:26 PM UTC

PDB ID : 3SL4 / pdb_00003sl4
Title : Crystal structure of the catalytic domain of PDE4D2 with compound 10D
Authors : Feil, S.F.
Deposited on : 2011-06-24
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	9% 75% 15% • 9%
1	B	361	9% 75% 14% • 10%
1	C	361	9% 71% 18% • 10%
1	D	361	5% 73% 16% • 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	21	-	-	X	-
3	EDO	A	443	-	-	X	-
3	EDO	B	15	-	-	X	-
3	EDO	B	16	-	-	X	-
3	EDO	B	18	-	-	X	-
3	EDO	D	21	-	-	X	-
3	EDO	D	5	-	-	X	-
4	DMS	D	23	-	-	X	-
5	PEG	D	12	-	-	X	-
5	PEG	D	16	-	-	X	-
5	PEG	D	441	-	-	X	-
6	PO4	A	20	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 11484 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	0	0
			2658	1681	454	509	14			
1	B	325	Total	C	N	O	S	0	0	0
			2631	1664	450	503	14			
1	C	325	Total	C	N	O	S	0	2	0
			2647	1672	452	508	15			
1	D	324	Total	C	N	O	S	0	2	0
			2636	1666	450	506	14			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 2	O 2	0	0
3	A	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	C	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total 5	O 4	P 1	0	0
6	B	1	Total 5	O 4	P 1	0	0
6	C	1	Total 5	O 4	P 1	0	0
6	D	1	Total 5	O 4	P 1	0	0

- Molecule 7 is ethenyl 6-(ethenylcarbamoyl)-2-[(phenylacetyl)amino]-4,5,6,7-tetrahydrothien[o[2,3-c]pyridine-3-carboxylate (CCD ID: JN4) (formula: $C_{21}H_{21}N_3O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total 29	C 21	N 3	O 4	S 1	0	0
7	B	1	Total 29	C 21	N 3	O 4	S 1	0	0
7	C	1	Total 29	C 21	N 3	O 4	S 1	0	0
7	D	1	Total 29	C 21	N 3	O 4	S 1	0	0

- Molecule 8 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	119	Total	O	0	0
			119	119		
9	B	121	Total	O	0	0
			121	121		
9	C	87	Total	O	0	0
			87	87		
9	D	140	Total	O	0	0
			140	140		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D





● Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	99.38Å 111.09Å 161.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.62 – 1.90 32.62 – 1.90	Depositor EDS
% Data completeness (in resolution range)	90.5 (32.62-1.90) 98.5 (32.62-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 1.91Å)	Xtriage
Refinement program	PHENIX 1.5_2	Depositor
R, R_{free}	0.194 , 0.227 0.200 , 0.229	Depositor DCC
R_{free} test set	6980 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11484	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, EDO, PEG, PO4, DMS, EPE, JN4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/2712	0.72	0/3684
1	B	0.43	0/2685	0.70	0/3648
1	C	0.44	0/2700	0.71	0/3668
1	D	0.51	0/2690	0.71	0/3655
All	All	0.46	0/10787	0.71	0/14655

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2658	0	2616	70	0
1	B	2631	0	2586	51	0
1	C	2647	0	2598	62	0
1	D	2636	0	2585	92	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	64	0	96	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	44	0	66	19	0
3	C	40	0	60	13	0
3	D	56	0	84	23	0
4	A	8	0	12	1	0
4	B	4	0	6	0	0
4	C	4	0	6	0	0
4	D	16	0	24	19	0
5	A	7	0	10	1	0
5	D	28	0	40	20	0
6	A	5	0	0	3	0
6	B	5	0	0	1	0
6	C	5	0	0	1	0
6	D	5	0	0	1	0
7	A	29	0	21	2	0
7	B	29	0	21	2	0
7	C	29	0	21	4	0
7	D	29	0	21	5	0
8	B	15	0	17	0	0
8	C	15	0	17	2	0
9	A	119	0	0	6	0
9	B	121	0	0	10	0
9	C	87	0	0	5	0
9	D	140	0	0	10	0
All	All	11484	0	10907	279	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 279 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:ASN:HD22	3:B:15:EDO:H21	1.01	1.14
1:B:352:MET:HE2	3:B:15:EDO:H22	1.38	1.05
1:B:214:ASN:ND2	3:B:15:EDO:H21	1.78	0.96
1:A:239:LYS:HZ2	1:D:239:LYS:HZ1	1.15	0.93
1:D:179:PRO:HA	4:D:8:DMS:H11	1.50	0.93

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/361 (91%)	319 (98%)	8 (2%)	0	100	100
1	B	323/361 (90%)	316 (98%)	7 (2%)	0	100	100
1	C	325/361 (90%)	317 (98%)	7 (2%)	1 (0%)	36	29
1	D	324/361 (90%)	315 (97%)	8 (2%)	1 (0%)	36	29
All	All	1299/1444 (90%)	1267 (98%)	30 (2%)	2 (0%)	43	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	87	GLU
1	D	349	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/329 (91%)	289 (96%)	11 (4%)	30	22
1	B	297/329 (90%)	285 (96%)	12 (4%)	28	20
1	C	299/329 (91%)	283 (95%)	16 (5%)	20	12
1	D	298/329 (91%)	291 (98%)	7 (2%)	44	40
All	All	1194/1316 (91%)	1148 (96%)	46 (4%)	29	21

5 of 46 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	147[A]	MET
1	C	346	ARG
1	C	147[B]	MET
1	C	275	LYS
1	C	364	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	105	HIS
1	D	123	HIS
1	D	258	GLN
1	A	407	GLN
1	A	362	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 82 ligands modelled in this entry, 8 are monoatomic - leaving 74 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	C	11	-	3,3,3	0.47	0	2,2,2	0.36	0
4	DMS	B	7	-	3,3,3	2.72	1 (33%)	3,3,3	0.53	0
3	EDO	C	440	-	3,3,3	0.41	0	2,2,2	0.41	0
4	DMS	C	10	-	3,3,3	2.73	1 (33%)	3,3,3	0.54	0
3	EDO	D	18	-	3,3,3	0.46	0	2,2,2	0.32	0
3	EDO	C	12	-	3,3,3	0.48	0	2,2,2	0.32	0
7	JN4	D	442	-	30,31,31	4.55	16 (53%)	38,42,42	5.73	20 (52%)
3	EDO	A	21	-	3,3,3	0.42	0	2,2,2	0.44	0
3	EDO	C	14	-	3,3,3	0.46	0	2,2,2	0.25	0
4	DMS	D	23	-	3,3,3	2.64	1 (33%)	3,3,3	0.49	0
6	PO4	C	17	2	4,4,4	0.70	0	6,6,6	0.81	0
7	JN4	A	23	-	30,31,31	4.65	17 (56%)	38,42,42	6.22	17 (44%)
3	EDO	D	15	-	3,3,3	0.46	0	2,2,2	0.38	0
3	EDO	C	5	-	3,3,3	0.37	0	2,2,2	0.48	0
3	EDO	D	440	-	3,3,3	0.52	0	2,2,2	0.32	0
3	EDO	A	17	-	3,3,3	0.42	0	2,2,2	0.61	0
3	EDO	A	441	-	3,3,3	0.50	0	2,2,2	0.37	0
3	EDO	D	21	-	3,3,3	0.50	0	2,2,2	0.14	0
3	EDO	D	7	-	3,3,3	0.40	0	2,2,2	0.42	0
3	EDO	A	5	-	3,3,3	0.46	0	2,2,2	0.37	0
6	PO4	A	20	2	4,4,4	0.93	0	6,6,6	0.59	0
4	DMS	D	8	-	3,3,3	2.74	1 (33%)	3,3,3	0.43	0
6	PO4	D	24	2	4,4,4	0.83	0	6,6,6	0.74	0
3	EDO	D	10	-	3,3,3	0.49	0	2,2,2	0.37	0
3	EDO	B	9	-	3,3,3	0.47	0	2,2,2	0.29	0
8	EPE	B	6	-	15,15,15	0.95	1 (6%)	19,20,20	1.71	6 (31%)
3	EDO	A	18	-	3,3,3	0.48	0	2,2,2	0.36	0
3	EDO	B	15	-	3,3,3	0.51	0	2,2,2	0.08	0
3	EDO	B	13	-	3,3,3	0.49	0	2,2,2	0.42	0
4	DMS	D	9	-	3,3,3	2.69	1 (33%)	3,3,3	0.48	0
3	EDO	A	7	-	3,3,3	0.42	0	2,2,2	0.49	0
6	PO4	B	20	2	4,4,4	0.89	0	6,6,6	0.76	0
3	EDO	B	16	-	3,3,3	0.35	0	2,2,2	0.48	0
3	EDO	B	4	-	3,3,3	0.45	0	2,2,2	0.48	0
3	EDO	D	4	-	3,3,3	0.50	0	2,2,2	0.23	0
5	PEG	D	19	-	6,6,6	0.47	0	5,5,5	0.26	0
3	EDO	D	20	-	3,3,3	0.59	0	2,2,2	0.18	0
3	EDO	A	9	-	3,3,3	0.53	0	2,2,2	0.29	0
4	DMS	A	6	-	3,3,3	2.77	1 (33%)	3,3,3	0.55	0
4	DMS	D	13	-	3,3,3	2.80	1 (33%)	3,3,3	0.62	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EPE	C	7	-	15,15,15	0.78	1 (6%)	19,20,20	1.91	4 (21%)
3	EDO	A	15	-	3,3,3	0.50	0	2,2,2	0.36	0
3	EDO	C	4	-	3,3,3	0.46	0	2,2,2	0.31	0
4	DMS	A	442	-	3,3,3	2.51	1 (33%)	3,3,3	0.42	0
3	EDO	A	16	-	3,3,3	0.40	0	2,2,2	0.60	0
5	PEG	D	441	-	6,6,6	0.59	0	5,5,5	0.50	0
3	EDO	C	8	-	3,3,3	0.49	0	2,2,2	0.56	0
3	EDO	A	4	-	3,3,3	0.40	0	2,2,2	0.49	0
3	EDO	D	11	-	3,3,3	0.51	0	2,2,2	0.22	0
3	EDO	D	6	-	3,3,3	0.50	0	2,2,2	0.36	0
3	EDO	A	14	-	3,3,3	0.39	0	2,2,2	0.53	0
5	PEG	A	440	-	6,6,6	0.46	0	5,5,5	0.46	0
3	EDO	A	443	-	3,3,3	0.43	0	2,2,2	0.18	0
3	EDO	B	8	-	3,3,3	0.39	0	2,2,2	0.53	0
3	EDO	B	17	-	3,3,3	0.43	0	2,2,2	0.45	0
3	EDO	C	15	-	3,3,3	0.43	0	2,2,2	0.40	0
5	PEG	D	12	-	6,6,6	0.50	0	5,5,5	0.47	0
5	PEG	D	16	-	6,6,6	0.49	0	5,5,5	0.50	0
3	EDO	B	19	-	3,3,3	0.38	0	2,2,2	0.48	0
7	JN4	C	18	-	30,31,31	4.72	16 (53%)	38,42,42	6.04	18 (47%)
3	EDO	A	19	-	3,3,3	0.47	0	2,2,2	0.24	0
3	EDO	A	10	-	3,3,3	0.41	0	2,2,2	0.45	0
3	EDO	A	11	-	3,3,3	0.45	0	2,2,2	0.47	0
3	EDO	C	6	-	3,3,3	0.46	0	2,2,2	0.48	0
3	EDO	B	10	-	3,3,3	0.43	0	2,2,2	0.75	0
3	EDO	C	13	-	3,3,3	0.50	0	2,2,2	0.26	0
3	EDO	D	14	-	3,3,3	0.50	0	2,2,2	0.30	0
3	EDO	B	11	-	3,3,3	0.44	0	2,2,2	0.67	0
3	EDO	B	18	-	3,3,3	0.48	0	2,2,2	0.10	0
3	EDO	D	17	-	3,3,3	0.47	0	2,2,2	0.46	0
3	EDO	A	13	-	3,3,3	0.36	0	2,2,2	0.56	0
3	EDO	D	22	-	3,3,3	0.50	0	2,2,2	0.21	0
3	EDO	D	5	-	3,3,3	0.39	0	2,2,2	0.53	0
7	JN4	B	21	-	30,31,31	4.60	16 (53%)	38,42,42	6.04	17 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	C	11	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	C	440	-	-	0/1/1/1	-
3	EDO	D	18	-	-	0/1/1/1	-
3	EDO	C	12	-	-	1/1/1/1	-
7	JN4	D	442	-	-	4/21/31/31	0/3/3/3
3	EDO	A	21	-	-	1/1/1/1	-
3	EDO	C	14	-	-	0/1/1/1	-
7	JN4	A	23	-	-	3/21/31/31	0/3/3/3
3	EDO	D	15	-	-	0/1/1/1	-
3	EDO	C	5	-	-	0/1/1/1	-
3	EDO	D	440	-	-	1/1/1/1	-
3	EDO	A	17	-	-	1/1/1/1	-
3	EDO	A	441	-	-	1/1/1/1	-
3	EDO	D	21	-	-	0/1/1/1	-
3	EDO	D	7	-	-	1/1/1/1	-
3	EDO	A	5	-	-	0/1/1/1	-
3	EDO	D	10	-	-	1/1/1/1	-
3	EDO	B	9	-	-	0/1/1/1	-
8	EPE	B	6	-	-	3/9/19/19	0/1/1/1
3	EDO	A	18	-	-	1/1/1/1	-
3	EDO	B	15	-	-	0/1/1/1	-
3	EDO	B	13	-	-	0/1/1/1	-
3	EDO	A	7	-	-	1/1/1/1	-
3	EDO	B	16	-	-	0/1/1/1	-
3	EDO	B	4	-	-	0/1/1/1	-
3	EDO	D	4	-	-	0/1/1/1	-
5	PEG	D	19	-	-	4/4/4/4	-
3	EDO	D	20	-	-	1/1/1/1	-
3	EDO	A	9	-	-	0/1/1/1	-
8	EPE	C	7	-	-	2/9/19/19	0/1/1/1
3	EDO	A	15	-	-	0/1/1/1	-
3	EDO	C	4	-	-	0/1/1/1	-
3	EDO	A	16	-	-	0/1/1/1	-
5	PEG	D	441	-	-	2/4/4/4	-
3	EDO	C	8	-	-	0/1/1/1	-
3	EDO	A	4	-	-	0/1/1/1	-
3	EDO	D	11	-	-	1/1/1/1	-
3	EDO	D	6	-	-	0/1/1/1	-
3	EDO	A	14	-	-	0/1/1/1	-
5	PEG	A	440	-	-	1/4/4/4	-
3	EDO	A	443	-	-	1/1/1/1	-
3	EDO	B	8	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	17	-	-	0/1/1/1	-
3	EDO	C	15	-	-	1/1/1/1	-
5	PEG	D	12	-	-	3/4/4/4	-
5	PEG	D	16	-	-	3/4/4/4	-
3	EDO	B	19	-	-	1/1/1/1	-
7	JN4	C	18	-	-	4/21/31/31	0/3/3/3
3	EDO	A	19	-	-	0/1/1/1	-
3	EDO	A	10	-	-	1/1/1/1	-
3	EDO	A	11	-	-	1/1/1/1	-
3	EDO	C	6	-	-	0/1/1/1	-
3	EDO	B	10	-	-	1/1/1/1	-
3	EDO	C	13	-	-	0/1/1/1	-
3	EDO	D	14	-	-	0/1/1/1	-
3	EDO	B	11	-	-	1/1/1/1	-
3	EDO	B	18	-	-	1/1/1/1	-
3	EDO	D	17	-	-	0/1/1/1	-
3	EDO	A	13	-	-	1/1/1/1	-
3	EDO	D	22	-	-	0/1/1/1	-
3	EDO	D	5	-	-	0/1/1/1	-
7	JN4	B	21	-	-	3/21/31/31	0/3/3/3

The worst 5 of 75 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	18	JN4	C13-S12	-13.14	1.57	1.73
7	B	21	JN4	C13-S12	-12.78	1.57	1.73
7	C	18	JN4	C14-C5	12.57	1.70	1.44
7	A	23	JN4	C14-C5	12.38	1.69	1.44
7	D	442	JN4	C13-S12	-12.27	1.58	1.73

The worst 5 of 82 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	18	JN4	C4-S12-C13	29.57	106.21	91.14
7	A	23	JN4	C4-S12-C13	29.26	106.05	91.14
7	B	21	JN4	C4-S12-C13	28.79	105.81	91.14
7	D	442	JN4	C4-S12-C13	26.38	104.58	91.14
7	B	21	JN4	C3-C4-S12	13.28	133.91	121.91

There are no chirality outliers.

5 of 53 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	23	JN4	C18-C17-O16-C15
7	B	21	JN4	C18-C17-O16-C15
7	C	18	JN4	C18-C17-O16-C15
7	D	442	JN4	N2-C7-N9-C10
8	B	6	EPE	C10-C9-N1-C2

There are no ring outliers.

46 monomers are involved in 139 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	11	EDO	1	0
3	C	440	EDO	3	0
3	D	18	EDO	2	0
3	C	12	EDO	2	0
7	D	442	JN4	5	0
3	A	21	EDO	4	0
3	C	14	EDO	2	0
4	D	23	DMS	13	0
6	C	17	PO4	1	0
7	A	23	JN4	2	0
3	D	15	EDO	3	0
3	C	5	EDO	1	0
3	A	17	EDO	1	0
3	D	21	EDO	5	0
6	A	20	PO4	3	0
4	D	8	DMS	3	0
6	D	24	PO4	1	0
3	D	10	EDO	3	0
3	A	18	EDO	2	0
3	B	15	EDO	7	0
3	A	7	EDO	3	0
6	B	20	PO4	1	0
3	B	16	EDO	6	0
3	B	4	EDO	1	0
5	D	19	PEG	3	0
3	D	20	EDO	2	0
3	A	9	EDO	1	0
4	D	13	DMS	3	0
8	C	7	EPE	2	0
4	A	442	DMS	1	0
5	D	441	PEG	4	0
3	C	8	EDO	1	0
5	A	440	PEG	1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	443	EDO	8	0
5	D	12	PEG	7	0
5	D	16	PEG	6	0
7	C	18	JN4	4	0
3	A	19	EDO	1	0
3	A	10	EDO	2	0
3	C	13	EDO	3	0
3	D	14	EDO	1	0
3	B	18	EDO	5	0
3	D	17	EDO	2	0
3	D	22	EDO	1	0
3	D	5	EDO	5	0
7	B	21	JN4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand JN4 D 442




Ligand JN4 A 23



Ligand JN4 C 18





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/361 (91%)	0.38	34 (10%) 12 12	14, 28, 58, 86	0
1	B	325/361 (90%)	0.76	31 (9%) 14 14	17, 34, 50, 79	0
1	C	325/361 (90%)	0.67	33 (10%) 12 12	14, 32, 62, 81	2 (0%)
1	D	324/361 (89%)	0.12	18 (5%) 30 32	12, 24, 50, 69	2 (0%)
All	All	1303/1444 (90%)	0.48	116 (8%) 15 16	12, 29, 56, 86	4 (0%)

The worst 5 of 116 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	351	GLY	6.5
1	C	354	ILE	6.1
1	A	293	THR	5.9
1	C	356	PRO	5.8
1	A	411	PRO	5.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	PEG	D	16	7/7	0.69	0.18	36,43,47,55	0
3	EDO	A	16	4/4	0.71	0.20	34,37,44,45	0
3	EDO	B	8	4/4	0.73	0.17	37,41,46,53	0
5	PEG	A	440	7/7	0.74	0.16	31,38,41,43	0
4	DMS	B	7	4/4	0.74	0.27	40,44,50,61	0
3	EDO	A	15	4/4	0.75	0.15	41,44,45,46	0
4	DMS	D	8	4/4	0.77	0.29	37,47,52,62	0
3	EDO	D	18	4/4	0.78	0.20	41,43,44,47	0
8	EPE	B	6	15/15	0.78	0.16	43,54,60,62	0
3	EDO	C	15	4/4	0.79	0.18	33,37,39,46	0
3	EDO	D	14	4/4	0.79	0.17	39,40,50,51	0
3	EDO	C	8	4/4	0.79	0.14	35,38,39,40	0
5	PEG	D	19	7/7	0.79	0.15	34,42,48,51	0
3	EDO	C	11	4/4	0.79	0.13	38,43,44,46	0
3	EDO	C	13	4/4	0.80	0.24	27,33,40,48	0
3	EDO	A	443	4/4	0.80	0.16	26,33,41,42	0
3	EDO	A	10	4/4	0.81	0.16	36,38,40,42	0
3	EDO	D	10	4/4	0.81	0.12	38,45,47,49	0
4	DMS	D	13	4/4	0.82	0.24	34,35,42,53	0
3	EDO	A	13	4/4	0.82	0.14	25,30,38,42	0
3	EDO	D	20	4/4	0.82	0.14	32,33,40,40	0
3	EDO	A	17	4/4	0.82	0.18	34,36,38,43	0
3	EDO	B	17	4/4	0.82	0.15	44,47,52,55	0
3	EDO	D	17	4/4	0.83	0.15	28,29,37,44	0
3	EDO	A	441	4/4	0.83	0.15	33,39,44,45	0
5	PEG	D	12	7/7	0.83	0.13	26,32,46,50	0
3	EDO	B	18	4/4	0.83	0.18	33,37,39,42	0
3	EDO	A	7	4/4	0.83	0.16	39,42,43,45	0
3	EDO	A	19	4/4	0.83	0.16	47,50,50,55	0
3	EDO	B	11	4/4	0.84	0.15	39,40,42,43	0
3	EDO	A	9	4/4	0.84	0.18	38,40,45,46	0
4	DMS	D	9	4/4	0.84	0.19	34,42,43,59	0
3	EDO	A	11	4/4	0.84	0.18	33,34,42,43	0
4	DMS	D	23	4/4	0.84	0.20	20,39,43,45	0
3	EDO	B	4	4/4	0.85	0.14	34,44,44,47	0
4	DMS	A	6	4/4	0.85	0.23	42,43,44,55	0
3	EDO	D	11	4/4	0.85	0.12	38,40,44,45	0
3	EDO	C	4	4/4	0.85	0.14	36,40,43,51	0
3	EDO	C	5	4/4	0.85	0.18	38,40,41,44	0
7	JN4	A	23	29/29	0.85	0.14	32,43,77,82	0
3	EDO	D	5	4/4	0.85	0.12	24,35,37,41	0
3	EDO	D	6	4/4	0.86	0.13	39,44,47,52	0
5	PEG	D	441	7/7	0.86	0.15	16,34,35,36	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	D	21	4/4	0.86	0.19	29,30,31,37	0
3	EDO	D	22	4/4	0.86	0.20	28,37,38,43	0
3	EDO	A	18	4/4	0.86	0.19	21,38,41,44	0
3	EDO	B	9	4/4	0.86	0.12	31,38,38,39	0
3	EDO	C	440	4/4	0.87	0.12	43,43,44,49	0
3	EDO	D	15	4/4	0.87	0.12	37,39,39,53	0
3	EDO	B	15	4/4	0.87	0.20	29,36,39,44	0
3	EDO	A	5	4/4	0.87	0.14	42,43,46,48	0
3	EDO	A	21	4/4	0.87	0.26	37,38,40,44	0
3	EDO	C	12	4/4	0.88	0.12	40,45,47,52	0
3	EDO	B	16	4/4	0.88	0.28	37,39,40,45	0
3	EDO	C	14	4/4	0.88	0.13	33,35,40,43	0
3	EDO	C	6	4/4	0.88	0.14	39,39,41,46	0
6	PO4	C	17	5/5	0.89	0.14	22,22,30,35	1
3	EDO	B	13	4/4	0.89	0.10	35,41,44,49	0
3	EDO	B	19	4/4	0.89	0.35	35,36,39,40	0
3	EDO	D	440	4/4	0.90	0.13	21,25,29,33	0
6	PO4	A	20	5/5	0.90	0.11	20,22,29,32	1
7	JN4	B	21	29/29	0.90	0.11	29,35,56,64	0
7	JN4	C	18	29/29	0.90	0.11	32,40,57,65	0
7	JN4	D	442	29/29	0.90	0.13	28,40,63,67	0
6	PO4	B	20	5/5	0.90	0.13	24,24,26,31	2
8	EPE	C	7	15/15	0.90	0.15	34,50,68,71	0
3	EDO	A	14	4/4	0.91	0.09	24,30,30,37	0
4	DMS	C	10	4/4	0.91	0.12	36,42,51,60	0
3	EDO	A	4	4/4	0.91	0.11	25,26,30,31	0
3	EDO	B	10	4/4	0.91	0.12	32,33,41,48	0
3	EDO	D	7	4/4	0.92	0.10	28,29,32,37	0
4	DMS	A	442	4/4	0.93	0.14	34,41,44,50	0
6	PO4	D	24	5/5	0.94	0.09	22,22,25,25	3
3	EDO	D	4	4/4	0.95	0.08	23,24,27,31	0
2	ZN	B	2	1/1	0.98	0.03	27,27,27,27	1
2	ZN	D	2	1/1	0.99	0.03	24,24,24,24	1
2	ZN	B	1	1/1	0.99	0.03	25,25,25,25	0
2	ZN	A	1	1/1	0.99	0.02	22,22,22,22	0
2	ZN	C	1	1/1	0.99	0.02	24,24,24,24	0
2	ZN	C	2	1/1	0.99	0.02	24,24,24,24	1
2	ZN	D	1	1/1	1.00	0.01	21,21,21,21	0
2	ZN	A	2	1/1	1.00	0.01	25,25,25,25	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around JN4 A 23:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JN4 B 21:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JN4 C 18:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around JN4 D 442:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.