



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:28 AM UTC

PDB ID : 6SMT / pdb_00006smt
Title : S-enantioselective imine reductase from Mycobacterium smegmatis
Authors : Meyer, T.; Zumbraegel, N.; Geerds, C.; Groeger, H.; Niemann, H.H.
Deposited on : 2019-08-22
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	
1	B	298	
1	C	298	
1	D	298	
1	E	298	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FMT	D	302	-	-	X	-
3	FMT	E	305	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 13314 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-phosphogluconate dehydrogenase, NAD-binding.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	16	0
			2192	1352	399	434	7			
1	B	289	Total	C	N	O	S	0	13	0
			2197	1355	404	432	6			
1	C	285	Total	C	N	O	S	0	14	0
			2168	1335	394	432	7			
1	D	286	Total	C	N	O	S	0	14	0
			2193	1352	403	431	7			
1	E	286	Total	C	N	O	S	0	19	0
			2230	1372	414	437	7			

There are 35 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	initiating methionine	UNP A0R5X0
A	-4	HIS	-	expression tag	UNP A0R5X0
A	-3	HIS	-	expression tag	UNP A0R5X0
A	-2	HIS	-	expression tag	UNP A0R5X0
A	-1	HIS	-	expression tag	UNP A0R5X0
A	0	HIS	-	expression tag	UNP A0R5X0
A	1	HIS	-	expression tag	UNP A0R5X0
B	-5	MET	-	initiating methionine	UNP A0R5X0
B	-4	HIS	-	expression tag	UNP A0R5X0
B	-3	HIS	-	expression tag	UNP A0R5X0
B	-2	HIS	-	expression tag	UNP A0R5X0
B	-1	HIS	-	expression tag	UNP A0R5X0
B	0	HIS	-	expression tag	UNP A0R5X0
B	1	HIS	-	expression tag	UNP A0R5X0
C	-5	MET	-	initiating methionine	UNP A0R5X0
C	-4	HIS	-	expression tag	UNP A0R5X0
C	-3	HIS	-	expression tag	UNP A0R5X0
C	-2	HIS	-	expression tag	UNP A0R5X0
C	-1	HIS	-	expression tag	UNP A0R5X0

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	HIS	-	expression tag	UNP A0R5X0
C	1	HIS	-	expression tag	UNP A0R5X0
D	-5	MET	-	initiating methionine	UNP A0R5X0
D	-4	HIS	-	expression tag	UNP A0R5X0
D	-3	HIS	-	expression tag	UNP A0R5X0
D	-2	HIS	-	expression tag	UNP A0R5X0
D	-1	HIS	-	expression tag	UNP A0R5X0
D	0	HIS	-	expression tag	UNP A0R5X0
D	1	HIS	-	expression tag	UNP A0R5X0
E	-5	MET	-	initiating methionine	UNP A0R5X0
E	-4	HIS	-	expression tag	UNP A0R5X0
E	-3	HIS	-	expression tag	UNP A0R5X0
E	-2	HIS	-	expression tag	UNP A0R5X0
E	-1	HIS	-	expression tag	UNP A0R5X0
E	0	HIS	-	expression tag	UNP A0R5X0
E	1	HIS	-	expression tag	UNP A0R5X0

- # NDP
-
- The chemical structure of NDP (Nicotinamide dinucleotide) is shown. It consists of two nucleotides linked by a pyrophosphate bridge. The top nucleotide is composed of a nicotinamide ring (with atoms N1A, N2A, C3A, C4A, C5A, C6A) and a ribose sugar (with atoms C1B, C2B, C3B, C4B, C5B). The bottom nucleotide is composed of a ribose sugar (with atoms C1C, C2C, C3C, C4C, C5C) and a nicotinamide ring (with atoms N1C, N2C, C3C, C4C, C5C, C6C). The pyrophosphate bridge connects the C3B and C5C atoms. The structure is labeled with various atoms and bonds, including N1A, N2A, C3A, C4A, C5A, C6A, C1B, C2B, C3B, C4B, C5B, C1C, C2C, C3C, C4C, C5C, C6C, N1C, N2C, C3C, C4C, C5C, C6C, and C7C.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	C	1	Total 48	C 21	N 7	O 17	P 3	0	0

WORLDWIDE
PDB
PROTEIN DATA BANK

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	E	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is FORMIC ACID (CCD ID: FMT) (formula: CH_2O_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is (2S)-2-ethylhexan-1-ol (CCD ID: 2EH) (formula: $C_8H_{18}O$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			9	8	1		
5	B	1	Total	C	O	0	0
			9	8	1		
5	C	1	Total	C	O	0	0
			9	8	1		
5	D	1	Total	C	O	0	0
			9	8	1		
5	E	1	Total	C	O	0	0
			9	8	1		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			12	6	6		
6	B	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	E	1	Total	C	O	0	0
			7	4	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	409	Total	O	0	0
			409	409		
8	B	399	Total	O	0	0
			399	399		
8	C	362	Total	O	0	0
			362	362		
8	D	399	Total	O	0	0
			399	399		
8	E	401	Total	O	0	0
			401	401		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 6-phosphogluconate dehydrogenase, NAD-binding




- Molecule 1: 6-phosphogluconate dehydrogenase, NAD-binding




- Molecule 1: 6-phosphogluconate dehydrogenase, NAD-binding





- Molecule 1: 6-phosphogluconate dehydrogenase, NAD-binding





● Molecule 1: 6-phosphogluconate dehydrogenase, NAD-binding



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	117.01Å 77.02Å 194.49Å 90.00° 90.20° 90.00°	Depositor
Resolution (Å)	100.42 – 1.55 100.42 – 1.55	Depositor EDS
% Data completeness (in resolution range)	99.1 (100.42-1.55) 99.1 (100.42-1.55)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.80 (at 1.55Å)	Xtriage
Refinement program	REFMAC 5.8.0257	Depositor
R, R_{free}	0.131 , 0.155 0.131 , 0.155	Depositor DCC
R_{free} test set	12250 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	17.3	Xtriage
Anisotropy	0.143	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	13314	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2EH, EDO, PEG, FMT, NDP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.37	7/2230 (0.3%)	1.37	8/3035 (0.3%)
1	B	1.32	11/2235 (0.5%)	1.34	5/3043 (0.2%)
1	C	1.41	9/2209 (0.4%)	1.40	12/3007 (0.4%)
1	D	1.40	12/2231 (0.5%)	1.42	10/3036 (0.3%)
1	E	1.30	6/2271 (0.3%)	1.33	3/3087 (0.1%)
All	All	1.36	45/11176 (0.4%)	1.37	38/15208 (0.2%)

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	28	HIS	CE1-NE2	-9.76	1.22	1.32
1	C	128	GLY	C-O	8.30	1.36	1.24
1	C	186	HIS	CE1-NE2	7.86	1.40	1.32
1	D	204	HIS	CE1-NE2	7.38	1.40	1.32
1	E	88	ARG	NE-CZ	-7.03	1.25	1.33
1	E	71	HIS	CE1-NE2	6.90	1.39	1.32
1	B	52	PRO	C-O	-6.86	1.16	1.24
1	D	280	SER	C-O	-6.73	1.15	1.24
1	C	109	GLY	C-O	6.66	1.31	1.23
1	D	24	LEU	C-O	6.64	1.31	1.24
1	E	30	VAL	C-O	6.50	1.31	1.24
1	D	28	HIS	ND1-CE1	6.29	1.38	1.32
1	C	5	PRO	C-O	6.27	1.31	1.23
1	D	287	THR	C-O	6.09	1.31	1.23
1	D	99	ASP	CG-OD2	6.07	1.36	1.25
1	D	44	ARG	C-O	6.05	1.31	1.24
1	B	244	HIS	CE1-NE2	6.02	1.38	1.32
1	B	246	ILE	C-N	-5.98	1.26	1.33
1	B	102	ARG	NE-CZ	-5.95	1.26	1.33
1	C	247	ALA	C-O	5.93	1.30	1.24
1	E	271	ALA	C-O	5.87	1.31	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	244	HIS	CE1-NE2	5.83	1.38	1.32
1	C	78	LEU	C-O	5.80	1.30	1.24
1	B	80	ALA	C-O	5.72	1.31	1.24
1	D	274	HIS	CE1-NE2	5.67	1.38	1.32
1	B	79	THR	C-O	5.64	1.30	1.24
1	D	281	ARG	C-O	-5.63	1.16	1.24
1	D	228	HIS	CG-ND1	5.61	1.44	1.38
1	A	24	LEU	C-O	5.56	1.30	1.24
1	A	133	SER	CA-CB	-5.54	1.44	1.53
1	B	108	VAL	C-O	5.44	1.30	1.24
1	C	148	GLY	C-O	5.42	1.30	1.23
1	C	224	GLU	C-O	5.38	1.30	1.24
1	A	71	HIS	ND1-CE1	5.31	1.37	1.32
1	A	156	LEU	C-O	5.30	1.30	1.23
1	B	271	ALA	C-O	5.29	1.30	1.24
1	A	76	ALA	CA-CB	-5.24	1.45	1.53
1	D	206	HIS	CE1-NE2	5.14	1.37	1.32
1	B	191	ALA	C-O	5.13	1.30	1.24
1	C	244	HIS	CE1-NE2	5.13	1.37	1.32
1	B	202	MET	SD-CE	-5.12	1.66	1.79
1	D	71	HIS	CE1-NE2	5.11	1.37	1.32
1	A	200	GLU	C-O	5.08	1.30	1.24
1	B	71	HIS	CE1-NE2	5.03	1.37	1.32
1	E	206	HIS	CE1-NE2	5.02	1.37	1.32

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	175	ASP	CA-CB-CG	7.56	120.16	112.60
1	B	290	THR	CA-CB-OG1	-7.11	98.93	109.60
1	A	102	ARG	NE-CZ-NH1	6.81	128.31	121.50
1	D	209	VAL	O-C-N	6.77	128.44	121.87
1	C	128	GLY	CA-C-O	-6.27	112.04	119.06
1	B	243	ARG	NE-CZ-NH2	-6.19	113.63	119.20
1	B	175	ASP	CA-CB-CG	6.01	118.61	112.60
1	E	162	ASP	CA-CB-CG	6.01	118.61	112.60
1	B	162	ASP	CA-CB-CG	5.97	118.57	112.60
1	B	52	PRO	N-CA-CB	-5.95	97.93	103.46
1	E	175	ASP	CA-CB-CG	5.89	118.49	112.60
1	C	245	LEU	O-C-N	5.88	128.36	122.12
1	C	99	ASP	CA-CB-CG	5.71	118.31	112.60
1	D	35	ARG	CA-C-O	-5.63	114.88	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	242	VAL	CA-C-O	-5.60	114.58	120.57
1	A	96	ASP	CA-CB-CG	5.55	118.15	112.60
1	D	229	SER	N-CA-CB	-5.55	101.99	110.49
1	D	270	VAL	O-C-N	5.45	127.16	121.87
1	C	204	HIS	CE1-NE2-CD2	-5.42	103.58	109.00
1	C	246	ILE	CA-C-O	-5.39	115.45	121.17
1	A	230	ASP	CA-CB-CG	-5.35	107.25	112.60
1	C	78	LEU	CA-C-O	-5.31	114.92	120.55
1	D	222	ARG	N-CA-C	-5.29	105.59	111.36
1	D	229	SER	CA-C-O	-5.26	115.45	121.82
1	D	52	PRO	N-CA-CB	-5.24	98.59	103.46
1	A	41	GLN	CA-C-O	-5.22	115.01	120.55
1	D	175	ASP	CA-CB-CG	5.22	117.82	112.60
1	A	20	SER	O-C-N	5.20	127.63	122.12
1	A	249	SER	O-C-N	5.20	127.43	122.07
1	C	29	THR	CA-CB-OG1	-5.18	101.82	109.60
1	D	209	VAL	CA-C-O	-5.16	115.58	120.95
1	C	245	LEU	CA-C-O	-5.14	115.11	120.55
1	C	151	ASP	CB-CA-C	-5.12	99.51	110.32
1	E	170	ASP	CA-CB-CG	5.09	117.69	112.60
1	C	190	VAL	N-CA-C	-5.08	105.59	110.72
1	C	17	GLN	N-CA-C	-5.06	105.65	111.07
1	D	127	ILE	O-C-N	5.05	127.82	122.67
1	A	278	GLU	CA-C-O	5.01	126.86	121.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2192	0	2140	19	0
1	B	2197	0	2154	17	0
1	C	2168	0	2119	11	0
1	D	2193	0	2151	15	0
1	E	2230	0	2186	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	48	0	26	0	0
2	B	48	0	26	1	0
2	C	48	0	26	1	0
2	D	48	0	26	1	0
2	E	48	0	26	1	0
3	A	6	0	2	2	0
3	B	3	0	1	0	0
3	C	3	0	1	1	0
3	D	12	0	4	4	0
3	E	12	0	4	4	0
4	A	4	0	6	0	0
4	C	4	0	6	0	0
4	E	4	0	6	2	0
5	A	9	0	18	0	0
5	B	9	0	18	1	0
5	C	9	0	18	1	0
5	D	9	0	18	1	0
5	E	9	0	18	2	0
6	A	12	0	16	0	0
6	B	6	0	8	0	0
6	D	6	0	8	0	0
7	E	7	0	10	0	0
8	A	409	0	0	5	0
8	B	399	0	0	7	0
8	C	362	0	0	8	0
8	D	399	0	0	5	0
8	E	401	0	0	7	0
All	All	13314	0	11042	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:250[B]:ARG:NH2	1:E:260[B]:GLU:OE2	1.56	1.34
1:B:260[B]:GLU:OE1	1:B:263[B]:ARG:NH1	1.75	1.20
1:A:189[B]:MET:HE2	1:A:189[B]:MET:HA	1.29	1.11
1:C:250[B]:ARG:HG2	8:C:428:HOH:O	1.56	1.02
1:D:114[C]:ARG:HG2	1:D:114[C]:ARG:HH11	1.24	0.99
1:B:260[B]:GLU:CD	1:B:263[B]:ARG:NH1	2.23	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:250[A]:ARG:HG2	8:B:554:HOH:O	1.67	0.93
1:B:260[B]:GLU:OE1	1:B:263[B]:ARG:CZ	2.22	0.87
1:E:250[B]:ARG:HG2	8:E:531:HOH:O	1.84	0.78
1:D:232[A]:SER:OG	8:D:402:HOH:O	2.04	0.75
1:C:232[A]:SER:OG	8:C:401:HOH:O	2.04	0.75
1:A:189[B]:MET:HA	1:A:189[B]:MET:CE	2.14	0.72
1:B:260[B]:GLU:CD	1:B:263[B]:ARG:HH12	1.95	0.72
1:E:250[A]:ARG:HG2	8:E:531:HOH:O	1.89	0.72
1:C:250[B]:ARG:NH1	1:C:260:GLU:OE2	2.22	0.71
1:B:238:VAL:HG22	1:B:242[B]:VAL:HG23	1.71	0.71
1:E:120:ILE:H	3:E:305:FMT:C	2.05	0.70
1:E:120:ILE:H	3:E:305:FMT:H	1.59	0.68
1:B:260[B]:GLU:OE2	1:B:263[B]:ARG:NH1	2.23	0.68
1:A:120:ILE:H	3:A:302:FMT:C	2.07	0.67
1:D:120:ILE:H	3:D:302:FMT:C	2.10	0.65
1:E:147[A]:ARG:HD2	8:E:553:HOH:O	1.97	0.64
1:C:147:ARG:HD2	8:C:461:HOH:O	1.98	0.64
8:C:676:HOH:O	1:D:99:ASP:HB2	1.98	0.64
1:A:263[B]:ARG:NH2	8:A:404:HOH:O	2.32	0.63
3:D:304:FMT:C	8:D:422:HOH:O	2.47	0.62
1:D:238[B]:VAL:HG21	1:D:279:ILE:HG21	1.82	0.61
1:D:249[B]:SER:OG	8:D:403:HOH:O	2.11	0.60
1:B:250[A]:ARG:CG	8:B:554:HOH:O	2.37	0.59
1:A:189[B]:MET:HE3	8:B:759:HOH:O	2.01	0.59
1:A:147:ARG:NH1	1:A:151:ASP:OD1	2.36	0.58
1:C:37[B]:GLU:CG	8:C:518:HOH:O	2.51	0.58
3:E:306:FMT:C	8:E:410:HOH:O	2.50	0.58
1:E:114:ARG:HA	4:E:307:EDO:H21	1.87	0.57
1:E:152[B]:THR:HG23	1:E:152[B]:THR:O	2.04	0.57
1:A:149:VAL:O	1:A:152[A]:THR:HG23	2.05	0.56
1:E:120:ILE:N	3:E:305:FMT:H	2.20	0.56
1:A:238[B]:VAL:HG21	1:A:279:ILE:CG2	2.35	0.56
1:D:120:ILE:H	3:D:302:FMT:H	1.71	0.56
1:D:114[C]:ARG:HG2	1:D:114[C]:ARG:NH1	2.06	0.55
1:A:198:PRO:O	1:A:202:MET:HG2	2.07	0.55
1:E:106[B]:LYS:HE2	8:E:477:HOH:O	2.06	0.55
1:D:147[A]:ARG:HG2	1:D:147[A]:ARG:O	2.08	0.54
1:A:263[A]:ARG:NH2	8:A:408:HOH:O	2.42	0.53
1:D:238[B]:VAL:HG21	1:D:279:ILE:CG2	2.38	0.53
3:C:302:FMT:H	1:D:214:PRO:HB2	1.91	0.52
1:D:114[C]:ARG:HH11	1:D:114[C]:ARG:CG	2.06	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125[A]:ASP:OD1	8:A:403:HOH:O	2.18	0.51
1:E:198:PRO:O	1:E:202:MET:HG2	2.10	0.51
1:D:102:ARG:NH1	8:D:412:HOH:O	2.45	0.49
1:C:37[B]:GLU:HG3	8:C:518:HOH:O	2.13	0.49
2:C:301:NDP:H41N	5:C:304:2EH:HBAA	1.95	0.49
2:B:301:NDP:H41N	5:B:303:2EH:HBAA	1.95	0.48
1:B:238:VAL:HG22	1:B:242[B]:VAL:CG2	2.41	0.48
1:A:238[B]:VAL:HG21	1:A:279:ILE:HG21	1.95	0.48
1:B:285:GLU:HG2	8:B:404:HOH:O	2.13	0.48
1:E:115:TYR:H	4:E:307:EDO:C2	2.26	0.48
2:E:301:NDP:H41N	5:E:308:2EH:HBAA	1.95	0.47
1:E:118:GLY:HA2	1:E:135:LEU:O	2.15	0.47
1:D:260[B]:GLU:OE1	8:D:404:HOH:O	2.20	0.46
1:E:250[B]:ARG:CG	8:E:531:HOH:O	2.54	0.46
1:A:42:ALA:HB3	8:A:420:HOH:O	2.15	0.46
1:B:147:ARG:NH1	1:B:151:ASP:OD1	2.49	0.46
1:C:214:PRO:HB2	3:D:303:FMT:H	1.98	0.46
1:C:118:GLY:HA2	1:C:135:LEU:O	2.16	0.45
1:A:234:SER:O	1:A:238[B]:VAL:HG23	2.15	0.45
1:A:118:GLY:HA2	1:A:135:LEU:O	2.17	0.45
1:B:147:ARG:HD2	8:B:409:HOH:O	2.17	0.45
5:E:308:2EH:H7A	5:E:308:2EH:H9A	1.85	0.45
1:C:114[A]:ARG:NH2	8:C:413:HOH:O	2.50	0.45
1:B:118:GLY:HA2	1:B:135:LEU:O	2.17	0.44
1:E:246:ILE:O	1:E:250[B]:ARG:HG3	2.17	0.44
1:A:238[B]:VAL:HG21	1:A:279:ILE:HG22	1.99	0.43
1:A:149:VAL:O	1:A:152[B]:THR:HG22	2.18	0.43
1:E:186:HIS:HE1	1:E:249[B]:SER:OG	2.02	0.43
1:C:37[B]:GLU:HG2	8:C:518:HOH:O	2.16	0.42
2:D:301:NDP:H41N	5:D:306:2EH:HBAA	2.01	0.42
1:E:287[B]:THR:CG2	8:E:508:HOH:O	2.68	0.42
8:A:647:HOH:O	1:B:172:ALA:HB2	2.19	0.42
1:E:250[B]:ARG:HH21	1:E:250[B]:ARG:HD3	1.68	0.42
1:B:263[A]:ARG:NH2	8:B:421:HOH:O	2.53	0.41
1:B:41:GLN:NE2	1:B:45:ASP:OD1	2.54	0.41
1:A:213:SER:C	3:A:303:FMT:H	2.46	0.41
1:C:284[B]:SER:O	1:C:287[B]:THR:HG22	2.21	0.41
1:B:246:ILE:CD1	1:B:263[B]:ARG:HD3	2.51	0.40
1:D:8:THR:HA	1:D:31:THR:O	2.22	0.40
1:A:189[B]:MET:CE	8:B:759:HOH:O	2.66	0.40
1:E:7[A]:VAL:O	1:E:30:VAL:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/298 (101%)	300 (100%)	0	0	100	100
1	B	300/298 (101%)	300 (100%)	0	0	100	100
1	C	297/298 (100%)	296 (100%)	1 (0%)	0	100	100
1	D	299/298 (100%)	298 (100%)	1 (0%)	0	100	100
1	E	304/298 (102%)	304 (100%)	0	0	100	100
All	All	1500/1490 (101%)	1498 (100%)	2 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/221 (101%)	220 (98%)	4 (2%)	51	24
1	B	224/221 (101%)	224 (100%)	0	100	100
1	C	223/221 (101%)	222 (100%)	1 (0%)	84	73
1	D	224/221 (101%)	222 (99%)	2 (1%)	70	51
1	E	228/221 (103%)	226 (99%)	2 (1%)	70	51
All	All	1123/1105 (102%)	1114 (99%)	9 (1%)	81	56

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	106[A]	LYS
1	A	106[B]	LYS
1	A	152[A]	THR
1	A	152[B]	THR
1	C	224	GLU
1	D	147[A]	ARG
1	D	147[B]	ARG
1	E	147[A]	ARG
1	E	147[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	GLN
1	A	221	GLN
1	C	41	GLN
1	C	155	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FMT	E	306	-	2,2,2	0.05	0	1,1,1	0.04	0
3	FMT	D	305	-	2,2,2	0.33	0	1,1,1	0.08	0
5	2EH	C	304	-	8,8,8	0.47	0	8,8,8	0.53	0
6	GOL	A	306[A]	-	5,5,5	0.18	0	5,5,5	0.63	0
3	FMT	A	303	-	2,2,2	0.53	0	1,1,1	0.07	0
5	2EH	D	306	-	8,8,8	0.42	0	8,8,8	0.65	0
7	PEG	E	302	-	6,6,6	0.21	0	5,5,5	0.32	0
3	FMT	A	302	-	2,2,2	0.61	0	1,1,1	0.45	0
3	FMT	C	302	-	2,2,2	0.22	0	1,1,1	0.01	0
6	GOL	D	307	-	5,5,5	0.23	0	5,5,5	0.44	0
4	EDO	A	304	-	3,3,3	0.17	0	2,2,2	0.27	0
3	FMT	D	302	-	2,2,2	0.29	0	1,1,1	0.21	0
2	NDP	E	301	-	51,52,52	1.06	4 (7%)	71,80,80	0.92	4 (5%)
6	GOL	A	306[B]	-	5,5,5	0.13	0	5,5,5	0.39	0
3	FMT	D	304	-	2,2,2	0.32	0	1,1,1	0.01	0
2	NDP	A	301	-	51,52,52	1.00	3 (5%)	71,80,80	1.03	4 (5%)
4	EDO	C	303	-	3,3,3	0.16	0	2,2,2	0.15	0
2	NDP	B	301	-	51,52,52	0.91	4 (7%)	71,80,80	0.94	4 (5%)
2	NDP	D	301	-	51,52,52	0.91	3 (5%)	71,80,80	0.96	5 (7%)
2	NDP	C	301	-	51,52,52	0.97	3 (5%)	71,80,80	0.98	5 (7%)
6	GOL	B	304	-	5,5,5	0.15	0	5,5,5	0.52	0
3	FMT	E	304	-	2,2,2	0.50	0	1,1,1	0.03	0
3	FMT	B	302	-	2,2,2	0.41	0	1,1,1	0.04	0
3	FMT	D	303	-	2,2,2	0.51	0	1,1,1	0.10	0
3	FMT	E	303	-	2,2,2	0.13	0	1,1,1	0.33	0
3	FMT	E	305	-	2,2,2	0.52	0	1,1,1	0.26	0
4	EDO	E	307	-	3,3,3	0.39	0	2,2,2	1.01	0
5	2EH	A	305	-	8,8,8	0.44	0	8,8,8	0.41	0
5	2EH	E	308	-	8,8,8	0.42	0	8,8,8	0.66	0
5	2EH	B	303	-	8,8,8	0.49	0	8,8,8	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	C	301	-	-	3/34/77/77	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	304	-	-	4/4/4/4	-
2	NDP	E	301	-	-	6/34/77/77	0/5/5/5
6	GOL	A	306[B]	-	-	0/4/4/4	-
6	GOL	D	307	-	-	0/4/4/4	-
7	PEG	E	302	-	-	0/4/4/4	-
4	EDO	E	307	-	-	0/1/1/1	-
5	2EH	C	304	-	-	3/8/8/8	-
2	NDP	A	301	-	-	2/34/77/77	0/5/5/5
4	EDO	A	304	-	-	0/1/1/1	-
4	EDO	C	303	-	-	1/1/1/1	-
5	2EH	A	305	-	-	0/8/8/8	-
2	NDP	B	301	-	-	4/34/77/77	0/5/5/5
5	2EH	E	308	-	-	3/8/8/8	-
5	2EH	D	306	-	-	0/8/8/8	-
5	2EH	B	303	-	-	2/8/8/8	-
6	GOL	A	306[A]	-	-	0/4/4/4	-
2	NDP	D	301	-	-	6/34/77/77	0/5/5/5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	301	NDP	C4N-C3N	-4.04	1.42	1.50
2	E	301	NDP	P2B-O2B	3.72	1.66	1.59
2	C	301	NDP	P2B-O2B	3.63	1.65	1.59
2	D	301	NDP	PA-O3	3.31	1.63	1.59
2	A	301	NDP	P2B-O2B	3.00	1.64	1.59
2	B	301	NDP	PN-O3	-2.87	1.56	1.59
2	A	301	NDP	C4N-C5N	-2.78	1.41	1.49
2	C	301	NDP	PA-O3	2.76	1.62	1.59
2	A	301	NDP	PA-O3	2.67	1.62	1.59
2	B	301	NDP	C4N-C3N	-2.47	1.45	1.50
2	D	301	NDP	C4N-C3N	-2.33	1.45	1.50
2	E	301	NDP	PN-O3	-2.21	1.57	1.59
2	B	301	NDP	P2B-O2B	2.05	1.63	1.59
2	C	301	NDP	PN-O2N	-2.04	1.45	1.55
2	B	301	NDP	C6N-N1N	2.02	1.42	1.37
2	D	301	NDP	PA-O2A	-2.01	1.46	1.55
2	E	301	NDP	P2B-O3X	-2.01	1.47	1.54

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	NDP	C3N-C7N-N7N	4.27	125.25	117.67
2	E	301	NDP	P2B-O2B-C2B	-2.99	115.45	123.43
2	A	301	NDP	O7N-C7N-C3N	-2.89	115.45	120.90
2	B	301	NDP	O7N-C7N-C3N	-2.68	115.86	120.90
2	C	301	NDP	P2B-O2B-C2B	-2.65	116.34	123.43
2	C	301	NDP	C3B-C2B-C1B	-2.63	97.77	102.81
2	D	301	NDP	C3B-C2B-C1B	-2.63	97.77	102.81
2	B	301	NDP	C3N-C7N-N7N	2.61	122.31	117.67
2	D	301	NDP	O7N-C7N-C3N	-2.59	116.01	120.90
2	D	301	NDP	O3-PN-O1N	-2.51	103.15	110.70
2	B	301	NDP	P2B-O2B-C2B	-2.48	116.80	123.43
2	A	301	NDP	P2B-O2B-C2B	-2.43	116.94	123.43
2	D	301	NDP	O2A-PA-O1A	2.43	123.74	112.44
2	E	301	NDP	O2B-P2B-O1X	-2.38	100.84	109.33
2	A	301	NDP	C3B-C2B-C1B	-2.37	98.27	102.81
2	E	301	NDP	O7N-C7N-C3N	-2.36	116.45	120.90
2	C	301	NDP	O3-PN-O1N	-2.26	103.91	110.70
2	E	301	NDP	C3B-C2B-C1B	-2.25	98.50	102.81
2	B	301	NDP	C3B-C2B-C1B	-2.22	98.55	102.81
2	D	301	NDP	C3N-C7N-N7N	2.19	121.56	117.67
2	C	301	NDP	O2N-PN-O1N	2.16	122.50	112.44
2	C	301	NDP	O3X-P2B-O2X	2.05	115.49	107.80

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	301	NDP	PA-O3-PN-O5D
2	D	301	NDP	PA-O3-PN-O5D
5	B	303	2EH	O7C-C7-C7A-C8
5	E	308	2EH	O7C-C7-C7A-C8
6	B	304	GOL	C1-C2-C3-O3
6	B	304	GOL	O1-C1-C2-C3
6	B	304	GOL	O1-C1-C2-O2
6	B	304	GOL	O2-C2-C3-O3
4	C	303	EDO	O1-C1-C2-O2
5	B	303	2EH	O7C-C7-C7A-CBA
5	E	308	2EH	O7C-C7-C7A-CBA
2	A	301	NDP	PA-O3-PN-O5D
2	B	301	NDP	PA-O3-PN-O5D
2	E	301	NDP	PA-O3-PN-O5D
2	E	301	NDP	C2B-O2B-P2B-O3X
2	A	301	NDP	O4D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	301	NDP	O4D-C1D-N1N-C6N
5	E	308	2EH	CCA-C12-CBA-C7A
2	C	301	NDP	O4D-C1D-N1N-C6N
2	D	301	NDP	O4D-C1D-N1N-C6N
2	E	301	NDP	O4D-C1D-N1N-C6N
2	C	301	NDP	C2N-C3N-C7N-N7N
2	E	301	NDP	C2N-C3N-C7N-N7N
5	C	304	2EH	CCA-C12-CBA-C7A
2	B	301	NDP	C1B-C2B-O2B-P2B
5	C	304	2EH	O7C-C7-C7A-C8
5	C	304	2EH	O7C-C7-C7A-CBA
2	B	301	NDP	PN-O3-PA-O2A
2	D	301	NDP	C1B-C2B-O2B-P2B
2	E	301	NDP	C2B-O2B-P2B-O1X
2	D	301	NDP	C2D-C1D-N1N-C6N
2	D	301	NDP	C3B-C2B-O2B-P2B
2	E	301	NDP	C2D-C1D-N1N-C6N
2	D	301	NDP	PN-O3-PA-O2A


There are no ring outliers.


17 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	306	FMT	1	0
5	C	304	2EH	1	0
3	A	303	FMT	1	0
5	D	306	2EH	1	0
3	A	302	FMT	1	0
3	C	302	FMT	1	0
3	D	302	FMT	2	0
2	E	301	NDP	1	0
3	D	304	FMT	1	0
2	B	301	NDP	1	0
2	D	301	NDP	1	0
2	C	301	NDP	1	0
3	D	303	FMT	1	0
3	E	305	FMT	3	0
4	E	307	EDO	2	0
5	E	308	2EH	2	0
5	B	303	2EH	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	286/298 (95%)	-0.35	4 (1%)	73	80	5, 15, 27, 60	16 (5%)
1	B	289/298 (96%)	-0.22	2 (0%)	84	89	6, 17, 27, 53	13 (4%)
1	C	285/298 (95%)	-0.23	3 (1%)	78	84	6, 18, 28, 43	14 (4%)
1	D	286/298 (95%)	-0.22	4 (1%)	73	80	6, 18, 28, 46	14 (4%)
1	E	286/298 (95%)	-0.36	2 (0%)	84	89	7, 16, 26, 48	19 (6%)
All	All	1432/1490 (96%)	-0.27	15 (1%)	79	85	5, 17, 27, 60	76 (5%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	288	THR	5.7
1	A	3	THR	4.9
1	D	3	THR	4.5
1	E	3	THR	4.4
1	E	288	THR	4.2
1	B	3	THR	3.5
1	D	288	THR	2.8
1	A	152[A]	THR	2.5
1	C	250[A]	ARG	2.3
1	B	290	THR	2.3
1	D	114[A]	ARG	2.3
1	D	83	ASP	2.2
1	C	4	THR	2.2
1	C	288	THR	2.1
1	A	287	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	304	4/4	0.79	0.21	35,37,40,41	4
6	GOL	A	306[A]	6/6	0.80	0.17	25,26,28,29	6
6	GOL	A	306[B]	6/6	0.80	0.17	26,33,36,38	6
4	EDO	C	303	4/4	0.82	0.22	37,38,39,45	4
6	GOL	D	307	6/6	0.87	0.15	34,38,40,42	6
7	PEG	E	302	7/7	0.87	0.15	41,44,47,50	0
3	FMT	D	305	3/3	0.90	0.16	30,30,32,33	3
6	GOL	B	304	6/6	0.90	0.11	41,42,43,45	0
3	FMT	E	304	3/3	0.91	0.15	27,27,30,34	3
3	FMT	B	302	3/3	0.91	0.12	27,27,27,27	3
3	FMT	A	303	3/3	0.91	0.15	33,33,36,40	3
4	EDO	E	307	4/4	0.91	0.12	23,27,29,29	4
5	2EH	E	308	9/9	0.91	0.12	27,29,31,32	0
5	2EH	B	303	9/9	0.92	0.12	26,29,31,31	0
5	2EH	D	306	9/9	0.92	0.11	26,27,29,29	0
3	FMT	D	304	3/3	0.92	0.17	22,22,24,28	3
3	FMT	C	302	3/3	0.92	0.11	19,19,23,23	3
3	FMT	E	306	3/3	0.93	0.13	30,30,34,37	3
3	FMT	D	303	3/3	0.93	0.09	22,22,27,28	3
3	FMT	D	302	3/3	0.93	0.12	18,18,19,28	3
5	2EH	C	304	9/9	0.94	0.09	27,28,31,32	0
3	FMT	A	302	3/3	0.95	0.11	17,17,20,25	3
3	FMT	E	303	3/3	0.96	0.06	19,19,20,23	0
3	FMT	E	305	3/3	0.96	0.08	18,18,19,23	3
5	2EH	A	305	9/9	0.96	0.08	23,24,28,31	0
2	NDP	A	301	48/48	0.99	0.03	10,12,15,20	0
2	NDP	B	301	48/48	0.99	0.04	13,15,22,28	0
2	NDP	C	301	48/48	0.99	0.03	11,12,16,20	0
2	NDP	D	301	48/48	0.99	0.04	11,15,21,27	0
2	NDP	E	301	48/48	0.99	0.04	12,14,18,23	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NDP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP E 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.