



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:24 PM UTC

PDB ID : 8SM3 / pdb_00008sm3
Title : Structure of Bacillus cereus VD045 Gabija GajA-GajB Complex
Authors : Antine, S.P.; Mooney, S.E.; Johnson, A.G.; Kranzusch, P.J.
Deposited on : 2023-04-25
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	588	4% 75% 17% • 7%
2	B	493	5% 77% 23%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8506 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endonuclease GajA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	548	Total	C	N	O	S	0	0	0
			4483	2877	738	855	13			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	GLY	-	expression tag	UNP J8H9C1
A	-8	SER	-	expression tag	UNP J8H9C1
A	-7	GLY	-	expression tag	UNP J8H9C1
A	-6	SER	-	expression tag	UNP J8H9C1
A	-5	GLY	-	expression tag	UNP J8H9C1
A	-4	SER	-	expression tag	UNP J8H9C1
A	-3	GLY	-	expression tag	UNP J8H9C1
A	-2	SER	-	expression tag	UNP J8H9C1
A	-1	GLY	-	expression tag	UNP J8H9C1
A	0	SER	-	expression tag	UNP J8H9C1
A	1	SER	-	expression tag	UNP J8H9C1

- Molecule 2 is a protein called Gabija protein GajB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	493	Total	C	N	O	S	0	0	0
			4018	2574	664	770	10			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	215.79Å 215.79Å 173.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.24 – 3.00 49.24 – 3.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.24-3.00) 99.8 (49.24-3.00)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.237 , 0.266 0.236 , 0.264	Depositor DCC
R_{free} test set	2000 reflections (4.16%)	wwPDB-VP
Wilson B-factor (Å ²)	91.4	Xtriage
Anisotropy	0.444	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 95.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8506	wwPDB-VP
Average B, all atoms (Å ²)	130.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.11	0/4555	0.26	0/6107
2	B	0.09	0/4087	0.25	0/5513
All	All	0.10	0/8642	0.26	0/11620

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4483	0	4542	58	0
2	B	4018	0	4041	72	0
3	A	5	0	0	1	0
All	All	8506	0	8583	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:454:HIS:HE2	2:B:474:TYR:HH	1.20	0.85
2:B:101:GLU:OE2	2:B:355:ARG:NH2	2.24	0.69
1:A:290:PRO:HG2	1:A:324:LEU:HD21	1.75	0.68
1:A:444:VAL:HG12	1:A:466:THR:HG22	1.75	0.67
2:B:278:VAL:HG23	2:B:279:LEU:HD12	1.78	0.66
2:B:372:ILE:O	2:B:373:ASN:ND2	2.29	0.65
1:A:12:ARG:HH12	1:A:40:TYR:HD2	1.45	0.65
2:B:374:GLN:HG3	2:B:401:THR:HG21	1.80	0.64
2:B:230:GLN:O	2:B:234:ASN:ND2	2.31	0.63
2:B:289:VAL:HG21	2:B:295:ALA:HB2	1.79	0.63
1:A:163:LEU:O	1:A:167:ASN:ND2	2.33	0.61
2:B:364:ILE:HD11	2:B:384:LEU:HD13	1.82	0.61
1:A:84:GLU:OE2	2:B:42:TYR:OH	2.11	0.61
1:A:381:PRO:HG2	1:A:542:LEU:HD21	1.84	0.60
2:B:276:LYS:HG3	2:B:494:ILE:HD13	1.85	0.59
2:B:280:ASN:HD21	2:B:282:GLU:HB2	1.68	0.59
2:B:272:LEU:HB3	2:B:279:LEU:HD13	1.85	0.59
1:A:500:PHE:HB3	1:A:505:ILE:HB	1.86	0.58
1:A:383:GLU:HG3	1:A:512:LEU:HD22	1.85	0.58
1:A:296:ARG:HG3	1:A:323:GLU:HG2	1.86	0.57
1:A:153:TYR:OH	1:A:288:GLU:OE1	2.23	0.57
2:B:164:TYR:OH	2:B:172:HIS:ND1	2.32	0.57
2:B:418:TYR:O	2:B:421:LYS:NZ	2.37	0.57
1:A:168:LYS:NZ	1:A:239:SER:O	2.38	0.57
1:A:245:ILE:HD13	1:A:261:ARG:HH22	1.70	0.57
1:A:125:LYS:NZ	3:A:601:SO4:O1	2.36	0.56
2:B:329:GLU:HG3	2:B:347:GLU:HG2	1.88	0.55
2:B:288:LEU:HD21	2:B:423:PHE:CE2	2.41	0.55
1:A:280:ASP:OD1	1:A:280:ASP:N	2.38	0.55
2:B:437:ILE:HG12	2:B:466:ILE:HB	1.88	0.55
1:A:32:ASP:HA	1:A:35:LYS:HZ3	1.72	0.54
2:B:225:ASN:O	2:B:233:GLN:NE2	2.41	0.54
1:A:48:LYS:NZ	1:A:49:GLU:OE2	2.41	0.54
2:B:34:ASP:OD2	2:B:158:LYS:HE3	2.07	0.53
2:B:454:HIS:NE2	2:B:474:TYR:OH	2.22	0.53
2:B:23:LYS:HE3	2:B:163:GLU:OE2	2.09	0.53
2:B:279:LEU:HD11	2:B:466:ILE:HG13	1.90	0.53
1:A:528:PHE:C	1:A:530:ASN:H	2.17	0.53
2:B:234:ASN:HA	2:B:247:ILE:HG21	1.90	0.52
2:B:50:THR:OG1	2:B:346:ALA:O	2.28	0.51
1:A:93:VAL:HG13	1:A:96:ALA:HB3	1.93	0.51
2:B:411:ILE:HA	2:B:414:ASP:HB2	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:LYS:NZ	1:A:407:GLU:OE2	2.41	0.51
2:B:241:GLU:HA	2:B:244:ARG:HD2	1.93	0.51
2:B:121:ASN:O	2:B:121:ASN:ND2	2.43	0.50
1:A:169:LYS:HD3	1:A:238:PHE:HE2	1.75	0.50
2:B:234:ASN:HB3	2:B:490:ILE:HD11	1.92	0.50
1:A:413:PHE:HB2	1:A:456:LEU:HD21	1.93	0.49
2:B:471:ASN:HD21	2:B:473:LYS:HB2	1.77	0.49
1:A:43:ARG:HB3	1:A:50:ILE:HG21	1.94	0.49
1:A:457:LEU:HB3	1:A:459:ARG:NH1	2.27	0.49
1:A:511:ASP:OD2	1:A:538:GLN:NE2	2.45	0.49
2:B:93:ASP:HB3	2:B:118:LYS:HE3	1.95	0.49
2:B:286:VAL:HA	2:B:421:LYS:O	2.13	0.49
1:A:129:GLU:HB2	1:A:132:ASN:OD1	2.13	0.49
1:A:156:PRO:HG3	1:A:288:GLU:O	2.13	0.49
2:B:166:ASP:HB3	2:B:199:TRP:HB3	1.95	0.49
1:A:93:VAL:HG11	1:A:97:ARG:HG3	1.93	0.48
2:B:102:TYR:N	2:B:356:GLU:OE2	2.44	0.48
2:B:485:LEU:HB2	2:B:487:ILE:HG12	1.95	0.48
2:B:231:ASP:HB2	2:B:255:ASN:HB2	1.95	0.48
2:B:16:THR:OG1	2:B:221:HIS:ND1	2.46	0.48
2:B:445:VAL:HG21	2:B:474:TYR:HA	1.95	0.48
1:A:503:GLU:HB3	1:A:505:ILE:HG12	1.94	0.47
2:B:401:THR:O	2:B:405:MET:HG2	2.13	0.47
2:B:423:PHE:CD2	2:B:428:ALA:HB3	2.48	0.47
1:A:13:ASN:HB2	1:A:342:VAL:HG21	1.96	0.47
2:B:276:LYS:HE3	2:B:494:ILE:HG23	1.96	0.47
1:A:151:VAL:HG13	1:A:286:LEU:HD13	1.96	0.47
1:A:275:LYS:HD2	1:A:276:LYS:HD3	1.97	0.47
1:A:374:ARG:HG2	1:A:426:THR:HB	1.97	0.47
1:A:32:ASP:OD1	1:A:35:LYS:NZ	2.47	0.46
2:B:436:VAL:HB	2:B:461:ALA:HB2	1.96	0.46
2:B:439:THR:OG1	2:B:442:ASP:OD2	2.34	0.46
1:A:124:LEU:HB3	1:A:136:ILE:HD12	1.97	0.46
2:B:107:PHE:HZ	2:B:133:PHE:CG	2.33	0.46
2:B:456:VAL:O	2:B:460:ARG:HG2	2.15	0.46
1:A:89:LEU:HD13	1:A:148:VAL:HG11	1.99	0.45
1:A:397:GLU:HA	1:A:400:LEU:HD13	1.98	0.45
2:B:179:LYS:NZ	2:B:180:ASP:OD1	2.34	0.45
2:B:261:ASP:OD1	2:B:261:ASP:N	2.50	0.45
1:A:454:LEU:HD22	1:A:459:ARG:HD2	1.98	0.45
2:B:2:SER:OG	2:B:3:ARG:N	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:258:SER:HA	2:B:467:VAL:O	2.18	0.44
2:B:280:ASN:ND2	2:B:282:GLU:HB2	2.32	0.44
1:A:97:ARG:HA	1:A:128:SER:HB2	1.99	0.44
2:B:288:LEU:HB2	2:B:438:ILE:HG22	2.00	0.44
2:B:440:ALA:HB3	2:B:470:ASP:H	1.83	0.44
1:A:91:SER:HB2	2:B:155:LYS:HD2	2.00	0.43
1:A:383:GLU:OE1	1:A:383:GLU:N	2.46	0.43
2:B:206:ASN:OD1	2:B:207:PHE:N	2.51	0.43
1:A:13:ASN:OD1	1:A:13:ASN:N	2.51	0.43
1:A:161:ASP:OD1	1:A:243:PRO:HD2	2.19	0.43
1:A:240:ASP:N	1:A:240:ASP:OD1	2.51	0.43
2:B:288:LEU:HD21	2:B:423:PHE:CZ	2.53	0.43
2:B:431:LEU:H	2:B:431:LEU:HD23	1.83	0.43
2:B:367:LEU:HG	2:B:380:VAL:HG11	2.00	0.43
1:A:47:ASP:HB3	1:A:50:ILE:HG22	2.00	0.43
1:A:51:ARG:NH2	1:A:146:ASP:OD1	2.49	0.43
1:A:70:GLU:HG2	1:A:72:ILE:HD11	2.00	0.43
1:A:394:VAL:HG11	1:A:561:PHE:CG	2.54	0.43
2:B:251:ASN:OD1	2:B:252:GLU:N	2.52	0.43
1:A:98:THR:HG23	1:A:101:ASN:H	1.82	0.43
1:A:332:ARG:NH1	1:A:348:MET:HB2	2.34	0.42
1:A:86:THR:O	1:A:90:ILE:HG12	2.19	0.42
1:A:219:LEU:HD23	1:A:220:LYS:HB2	2.02	0.42
1:A:513:GLU:OE2	1:A:541:LYS:HE3	2.19	0.42
1:A:332:ARG:HE	1:A:346:SER:HB2	1.85	0.42
1:A:437:SER:HB3	1:A:445:TYR:HE1	1.84	0.42
1:A:362:LEU:HD21	1:A:415:HIS:CD2	2.55	0.41
2:B:309:PHE:CE1	2:B:420:HIS:HB3	2.56	0.41
2:B:2:SER:O	2:B:6:ILE:HG13	2.20	0.41
2:B:233:GLN:O	2:B:237:ASN:ND2	2.29	0.41
2:B:286:VAL:HG23	2:B:436:VAL:HG22	2.01	0.41
1:A:124:LEU:HD12	1:A:143:ASN:HD21	1.86	0.41
2:B:9:ASP:HB3	2:B:13:ILE:HD11	2.02	0.41
2:B:142:LEU:HD23	2:B:148:ALA:HB1	2.02	0.41
1:A:295:HIS:O	1:A:299:GLN:HG3	2.21	0.41
1:A:493:TYR:HD1	1:A:496:GLU:HG3	1.86	0.41
2:B:235:TYR:HA	2:B:238:LEU:HD23	2.02	0.41
2:B:247:ILE:H	2:B:247:ILE:HG13	1.66	0.41
2:B:302:LEU:HB3	2:B:307:PHE:HB2	2.02	0.41
2:B:385:PHE:HB3	2:B:390:ILE:O	2.21	0.41
2:B:7:ILE:O	2:B:30:LYS:NZ	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:6:ILE:HG12	2:B:220:TYR:CD1	2.55	0.40
2:B:471:ASN:ND2	2:B:473:LYS:HB2	2.36	0.40
2:B:288:LEU:HD23	2:B:288:LEU:HA	1.67	0.40
2:B:490:ILE:HD12	2:B:490:ILE:HA	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	538/588 (92%)	513 (95%)	24 (4%)	1 (0%)	43	76
2	B	491/493 (100%)	475 (97%)	16 (3%)	0	100	100
All	All	1029/1081 (95%)	988 (96%)	40 (4%)	1 (0%)	48	80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	229	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	503/534 (94%)	491 (98%)	12 (2%)	43	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	447/447 (100%)	440 (98%)	7 (2%)	55	79
All	All	950/981 (97%)	931 (98%)	19 (2%)	48	76

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	MET
1	A	40	TYR
1	A	157	LEU
1	A	220	LYS
1	A	270	TYR
1	A	273	LEU
1	A	280	ASP
1	A	324	LEU
1	A	361	LYS
1	A	461	ASN
1	A	464	GLU
1	A	529	GLU
2	B	51	ASN
2	B	126	TYR
2	B	196	ILE
2	B	199	TRP
2	B	218	ASN
2	B	369	VAL
2	B	373	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	101	ASN
2	B	51	ASN
2	B	105	ASN
2	B	121	ASN
2	B	233	GLN
2	B	277	GLN
2	B	294	GLN
2	B	314	GLN
2	B	416	ASN
2	B	426	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	601	-	4,4,4	0.24	0	6,6,6	0.06	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	548/588 (93%)	0.23	22 (4%) 42 23	60, 94, 208, 236	0
2	B	493/493 (100%)	0.36	24 (4%) 35 18	76, 147, 228, 303	0
All	All	1041/1081 (96%)	0.29	46 (4%) 39 21	60, 120, 214, 303	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	237	PHE	7.2
1	A	167	ASN	5.1
2	B	423	PHE	5.0
2	B	197	TYR	4.8
2	B	372	ILE	4.7
1	A	219	LEU	4.6
1	A	241	ILE	4.5
2	B	196	ILE	3.7
2	B	367	LEU	3.5
1	A	185	LEU	3.4
1	A	195	VAL	3.3
1	A	409	GLY	3.2
2	B	22	GLY	3.1
2	B	198	ILE	3.0
1	A	171	ILE	2.9
1	A	161	ASP	2.8
1	A	575	SER	2.8
2	B	368	LEU	2.8
1	A	164	PHE	2.7
1	A	1	SER	2.7
1	A	260	GLY	2.6
2	B	391	THR	2.6
1	A	163	LEU	2.5
1	A	208	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	364	ILE	2.5
1	A	230	SER	2.4
1	A	467	ILE	2.4
2	B	376	LEU	2.4
2	B	369	VAL	2.4
2	B	194	GLN	2.4
1	A	118	LEU	2.4
2	B	379	GLN	2.4
1	A	442	LYS	2.3
2	B	246	LEU	2.3
2	B	265	ILE	2.3
2	B	387	LYS	2.3
2	B	226	PHE	2.2
2	B	490	ILE	2.2
2	B	378	ASN	2.2
2	B	449	ARG	2.2
2	B	124	GLY	2.1
1	A	220	LYS	2.1
1	A	0	SER	2.1
1	A	246	LYS	2.1
2	B	476	ASP	2.0
2	B	461	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	601	5/5	0.79	0.11	113,119,141,371	0

6.5 Other polymers [i](#)

There are no such residues in this entry.