



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:14 AM UTC

PDB ID : 3SNM / pdb_00003snm
Title : Crystal structure of a lectin from Canavalia maritima seeds complexed with Indole-3-Acetic Acid
Authors : Delatorre, P.; Silva-Filho, J.C.; Nobrega, R.B.; Rocha, B.C.; Cavada, B.S.; Gadelha, C.A.A.; Santi-Gadelha, T.; Alencar, K.L.
Deposited on : 2011-06-29
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	237	5% 37% 48% 11% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IND	A	240	-	X	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	IAC	A	242	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 1839 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Concanavalin-A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	231	Total	C	N	O	S	0	0	0
			1755	1110	293	351	1			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	168	SER	ASN	conflict	UNP P81460


- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		

- Molecule 4 is INDOLE (CCD ID: IND) (formula: C₈H₇N).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			9	8	1		

- Molecule 5 is 1H-INDOL-3-YLACETIC ACID (CCD ID: IAC) (formula: $C_{10}H_9NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			13	10	1	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	60	Total	O	0	0
			60	60		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Concanavalin-A



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	67.19Å 70.74Å 97.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.36 – 2.15 24.36 – 2.15	Depositor EDS
% Data completeness (in resolution range)	96.5 (24.36-2.15) 96.4 (24.36-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 2.15Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.206 , 0.225 0.209 , 0.227	Depositor DCC
R_{free} test set	608 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.256	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 47.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.005 for -1/2*h+1/2*k+1/2*l,1/2*h-1/2*k +1/2*l,h+k 0.034 for -1/2*h+1/2*k-1/2*l,1/2*h-1/2*k- 1/2*l,-h-k 0.033 for k,h,-l 0.031 for -1/2*h-1/2*k+1/2*l,-1/2*h-1/2*k- 1/2*l,h-k 0.020 for -1/2*h-1/2*k-1/2*l,-1/2*h-1/2*k+ 1/2*l,-h+k	Xtriage
Reported twinning fraction	0.941 for H, K, L 0.059 for K, H, -L	Depositor
Outliers	0 of 12489 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	1839	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, IND, IAC, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.50	5/1794 (0.3%)	1.75	33/2442 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	11	THR	C-O	-6.13	1.16	1.24
1	A	65	VAL	CA-CB	-5.58	1.47	1.54
1	A	71	ASP	CA-C	-5.42	1.45	1.52
1	A	44	ASN	CA-C	-5.37	1.45	1.52
1	A	75	VAL	N-CA	-5.20	1.40	1.46

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	124	ASN	N-CA-C	16.60	134.64	110.24
1	A	123	THR	CA-C-N	13.46	140.30	121.05
1	A	123	THR	C-N-CA	13.46	140.30	121.05
1	A	177	ALA	CA-C-N	-10.71	109.43	120.03
1	A	177	ALA	C-N-CA	-10.71	109.43	120.03
1	A	205	HIS	CA-C-N	-8.63	111.85	120.31
1	A	205	HIS	C-N-CA	-8.63	111.85	120.31
1	A	67	TYR	CA-C-N	8.55	128.28	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	67	TYR	C-N-CA	8.55	128.28	119.56
1	A	64	VAL	CB-CA-C	-8.16	98.46	110.62
1	A	221	ILE	CA-C-N	-7.50	112.05	119.78
1	A	221	ILE	C-N-CA	-7.50	112.05	119.78
1	A	149	GLY	N-CA-C	-7.37	103.08	112.65
1	A	164	SER	N-CA-C	6.91	123.83	109.11
1	A	154	LEU	CA-C-N	-6.57	114.29	122.84
1	A	154	LEU	C-N-CA	-6.57	114.29	122.84
1	A	135	LYS	N-CA-C	-6.47	104.23	111.28
1	A	233	PHE	CA-C-N	6.36	126.05	119.56
1	A	233	PHE	C-N-CA	6.36	126.05	119.56
1	A	135	LYS	CA-C-N	-6.30	114.50	123.20
1	A	135	LYS	C-N-CA	-6.30	114.50	123.20
1	A	172	ARG	NE-CZ-NH2	-6.30	113.53	119.20
1	A	5	VAL	CB-CA-C	-6.05	101.19	110.50
1	A	209	GLY	N-CA-C	5.96	118.67	110.56
1	A	79	VAL	CB-CA-C	-5.84	103.68	111.80
1	A	87	GLU	N-CA-C	5.82	119.20	111.75
1	A	123	THR	N-CA-C	-5.66	95.17	111.00
1	A	151	ASP	N-CA-C	-5.55	106.30	112.57
1	A	211	ALA	N-CA-C	5.41	118.21	109.40
1	A	123	THR	CB-CA-C	5.32	120.81	109.10
1	A	9	LEU	N-CA-C	-5.26	99.20	108.20
1	A	124	ASN	N-CA-CB	-5.24	101.36	109.48
1	A	67	TYR	O-C-N	5.12	125.67	121.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	123	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1755	0	1711	151	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	9	0	7	9	0
5	A	13	0	8	3	0
6	A	60	0	0	5	0
All	All	1839	0	1726	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 43.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ARG:HD3	4:A:240:IND:HN1	1.24	0.98
1:A:44:ASN:HD21	1:A:201:SER:H	1.00	0.95
1:A:102:GLU:HG2	1:A:207:ALA:O	1.67	0.95
1:A:101:LYS:HD2	1:A:165:PRO:O	1.70	0.92
1:A:101:LYS:HD3	1:A:166:GLN:C	1.95	0.91
1:A:170:VAL:CG2	1:A:226:THR:HA	2.06	0.85
1:A:44:ASN:HD21	1:A:201:SER:N	1.73	0.85
1:A:23:PRO:HB2	1:A:40:TRP:O	1.77	0.84
1:A:228:ARG:HD3	4:A:240:IND:N1	1.92	0.83
1:A:170:VAL:HG21	1:A:226:THR:HA	1.63	0.81
1:A:32:VAL:HB	1:A:233:PHE:CD2	2.23	0.74
1:A:229:LEU:HD21	1:A:235:ASP:C	2.13	0.74
1:A:14:ASN:HB3	4:A:240:IND:C7	2.17	0.73
1:A:47:VAL:HG23	1:A:198:LEU:HD13	1.69	0.73
1:A:92:GLY:HA2	1:A:109:TRP:CH2	2.24	0.72
1:A:93:LEU:O	1:A:172:ARG:HB3	1.90	0.72
1:A:32:VAL:HG22	1:A:32:VAL:O	1.88	0.72
1:A:159:VAL:HG12	1:A:160:SER:N	2.04	0.70
1:A:101:LYS:HE3	1:A:167:GLY:N	2.06	0.70
1:A:182:TRP:HB2	6:A:297:HOH:O	1.92	0.70
1:A:16:ASP:H	4:A:240:IND:H6	1.56	0.70
1:A:4:ILE:CD1	1:A:215:SER:HB3	2.22	0.69
1:A:181:ILE:HD11	1:A:191:PHE:CD2	2.27	0.68
1:A:101:LYS:CD	1:A:165:PRO:O	2.41	0.67
1:A:174:LEU:HD12	1:A:174:LEU:N	2.11	0.66
1:A:207:ALA:HB1	1:A:208:ASP:OD1	1.95	0.65
1:A:87:GLU:OE1	1:A:180:HIS:NE2	2.29	0.65
1:A:47:VAL:CG2	1:A:198:LEU:HD13	2.27	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:THR:H	1:A:216:ASN:ND2	1.95	0.64
1:A:101:LYS:CE	1:A:167:GLY:N	2.60	0.64
1:A:175:PHE:HE2	1:A:177:ALA:HB3	1.64	0.63
1:A:156:LEU:O	1:A:171:GLY:HA3	1.99	0.63
1:A:175:PHE:CE2	1:A:177:ALA:HB3	2.35	0.62
1:A:235:ASP:OD1	1:A:237:ASN:N	2.22	0.61
1:A:80:ASP:OD1	1:A:82:ASP:HB2	2.01	0.61
1:A:160:SER:HB3	1:A:166:GLN:HE21	1.64	0.60
1:A:159:VAL:HG12	1:A:160:SER:H	1.66	0.60
1:A:124:ASN:N	1:A:124:ASN:OD1	2.35	0.59
1:A:93:LEU:HD13	1:A:106:ILE:HG13	1.85	0.59
1:A:101:LYS:CD	1:A:166:GLN:C	2.73	0.59
1:A:56:SER:O	1:A:59:LYS:HG3	2.02	0.59
1:A:137:GLN:HG2	1:A:140:LEU:HD12	1.85	0.59
1:A:159:VAL:CG1	1:A:160:SER:N	2.65	0.59
1:A:101:LYS:HE3	1:A:167:GLY:CA	2.33	0.58
1:A:160:SER:OG	1:A:164:SER:HB2	2.02	0.58
1:A:216:ASN:ND2	1:A:216:ASN:H	2.01	0.58
1:A:228:ARG:CD	4:A:240:IND:HN1	2.08	0.58
1:A:32:VAL:O	1:A:32:VAL:CG2	2.52	0.58
1:A:45:GLY:CA	1:A:200:LYS:HG3	2.33	0.58
1:A:48:GLY:O	1:A:196:THR:HA	2.04	0.58
1:A:159:VAL:CG1	1:A:160:SER:H	2.17	0.57
1:A:100:TYR:HB3	1:A:205:HIS:O	2.05	0.56
1:A:115:LEU:O	1:A:123:THR:HA	2.06	0.56
1:A:102:GLU:C	1:A:165:PRO:HB3	2.31	0.56
1:A:44:ASN:ND2	1:A:201:SER:H	1.85	0.55
1:A:131:ASN:OD1	5:A:242:IAC:O3	2.23	0.55
1:A:229:LEU:CD2	1:A:235:ASP:C	2.79	0.55
1:A:96:SER:CB	1:A:170:VAL:HG22	2.36	0.55
1:A:101:LYS:HD3	1:A:166:GLN:O	2.04	0.55
1:A:211:ALA:CB	1:A:232:LEU:HD11	2.37	0.55
1:A:170:VAL:HG23	1:A:226:THR:HA	1.87	0.54
1:A:45:GLY:HA2	1:A:200:LYS:HG3	1.89	0.54
1:A:172:ARG:HD2	1:A:221:ILE:HG13	1.89	0.54
1:A:27:ILE:CG2	1:A:61:LEU:HD23	2.38	0.54
1:A:143:GLN:O	1:A:171:GLY:HA2	2.07	0.54
1:A:1:ALA:N	6:A:298:HOH:O	2.39	0.54
1:A:235:ASP:C	1:A:235:ASP:OD1	2.51	0.54
1:A:67:TYR:HB3	1:A:68:PRO:CD	2.38	0.53
1:A:43:GLN:HE21	1:A:46:LYS:HG3	1.74	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:LYS:HG3	1:A:150:THR:CG2	2.39	0.53
1:A:172:ARG:HD2	1:A:221:ILE:CG1	2.39	0.53
1:A:18:GLY:O	1:A:19:ASP:C	2.47	0.53
1:A:106:ILE:HB	1:A:154:LEU:HB3	1.91	0.53
1:A:145:ASP:OD1	1:A:169:SER:OG	2.21	0.52
1:A:101:LYS:HD3	1:A:166:GLN:CA	2.39	0.52
1:A:160:SER:HB3	1:A:166:GLN:NE2	2.25	0.51
1:A:67:TYR:HB3	1:A:68:PRO:HD2	1.91	0.51
1:A:129:VAL:HG22	1:A:131:ASN:ND2	2.25	0.51
1:A:228:ARG:HH11	4:A:240:IND:HN1	1.58	0.51
1:A:17:ILE:O	1:A:33:ARG:HG2	2.10	0.51
1:A:16:ASP:CG	1:A:16:ASP:O	2.55	0.50
1:A:101:LYS:CE	1:A:166:GLN:C	2.84	0.50
1:A:51:HIS:O	1:A:63:ALA:HA	2.10	0.50
1:A:4:ILE:HD12	1:A:215:SER:HB3	1.93	0.50
1:A:108:SER:CB	5:A:242:IAC:O3	2.59	0.50
1:A:19:ASP:CG	1:A:24:HIS:HE1	2.19	0.50
1:A:162:ASN:CG	6:A:277:HOH:O	2.54	0.50
1:A:69:ASN:C	1:A:69:ASN:ND2	2.70	0.50
1:A:216:ASN:H	1:A:216:ASN:HD22	1.60	0.49
1:A:50:ALA:O	1:A:194:THR:HA	2.12	0.49
1:A:88:TRP:CH2	1:A:180:HIS:HB2	2.47	0.49
1:A:228:ARG:NH1	4:A:240:IND:HN1	2.10	0.49
1:A:32:VAL:CG1	1:A:236:ALA:HA	2.42	0.49
1:A:161:SER:O	1:A:163:GLY:N	2.45	0.49
1:A:208:ASP:OD2	1:A:227:GLY:C	2.55	0.49
1:A:88:TRP:CZ3	1:A:180:HIS:HB2	2.48	0.49
1:A:108:SER:HB2	5:A:242:IAC:O3	2.12	0.49
1:A:36:LYS:HG3	1:A:37:THR:N	2.28	0.49
1:A:55:ASN:OD1	1:A:57:VAL:N	2.46	0.48
1:A:102:GLU:CG	1:A:207:ALA:O	2.51	0.48
1:A:161:SER:C	1:A:163:GLY:H	2.22	0.48
1:A:176:TYR:CD1	1:A:176:TYR:C	2.92	0.48
1:A:79:VAL:HG22	1:A:80:ASP:N	2.28	0.47
1:A:112:THR:O	1:A:191:PHE:HA	2.13	0.47
1:A:15:THR:HG21	1:A:21:SER:HB3	1.96	0.47
1:A:134:SER:O	1:A:148:THR:OG1	2.32	0.47
1:A:8:GLU:O	1:A:25:ILE:HA	2.14	0.47
1:A:19:ASP:CG	1:A:24:HIS:CE1	2.93	0.46
1:A:36:LYS:NZ	1:A:76:SER:O	2.43	0.46
1:A:79:VAL:HG13	1:A:79:VAL:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ARG:NH1	4:A:240:IND:N1	2.63	0.46
1:A:27:ILE:HG21	1:A:61:LEU:HD23	1.98	0.45
1:A:52:ILE:O	1:A:192:ASP:HA	2.16	0.45
1:A:3:THR:N	1:A:216:ASN:ND2	2.63	0.45
1:A:3:THR:HG23	1:A:30:LYS:HE3	1.98	0.45
1:A:45:GLY:HA2	1:A:200:LYS:CG	2.47	0.45
1:A:106:ILE:HG12	1:A:156:LEU:HD11	1.98	0.45
1:A:111:PHE:HB3	1:A:128:PHE:CZ	2.52	0.45
1:A:129:VAL:HG22	1:A:131:ASN:HD21	1.83	0.44
1:A:211:ALA:HB3	1:A:232:LEU:HD11	1.99	0.44
1:A:96:SER:HB2	1:A:170:VAL:HG22	1.98	0.44
1:A:29:ILE:HD13	1:A:29:ILE:HA	1.82	0.44
1:A:167:GLY:O	1:A:168:SER:C	2.61	0.43
1:A:10:ASP:HB3	1:A:24:HIS:CD2	2.54	0.43
1:A:17:ILE:O	1:A:17:ILE:HG13	2.19	0.43
1:A:233:PHE:HB3	1:A:234:PRO:HD2	2.01	0.43
1:A:11:THR:HG22	1:A:42:MET:HG3	2.00	0.43
1:A:135:LYS:HG3	1:A:150:THR:HG22	2.00	0.42
1:A:229:LEU:CD1	6:A:253:HOH:O	2.67	0.42
1:A:3:THR:O	1:A:4:ILE:HD13	2.19	0.42
1:A:3:THR:O	1:A:215:SER:HA	2.19	0.42
1:A:228:ARG:HH11	4:A:240:IND:C8	2.33	0.42
1:A:146:ALA:HA	1:A:155:GLU:O	2.20	0.41
1:A:27:ILE:HG23	1:A:61:LEU:HD23	2.02	0.41
1:A:7:VAL:HG11	1:A:63:ALA:HB1	2.02	0.41
1:A:160:SER:OG	1:A:164:SER:CB	2.67	0.41
1:A:157:THR:O	1:A:158:ARG:C	2.63	0.41
1:A:108:SER:O	1:A:195:PHE:HA	2.20	0.41
1:A:22:TYR:CE1	1:A:39:LYS:HB2	2.56	0.41
1:A:42:MET:C	1:A:42:MET:SD	3.03	0.41
1:A:19:ASP:C	1:A:20:PRO:O	2.63	0.41
1:A:29:ILE:HD12	1:A:29:ILE:HG23	1.85	0.40
1:A:35:LYS:HA	1:A:35:LYS:HD3	1.78	0.40
1:A:67:TYR:CB	1:A:68:PRO:CD	2.98	0.40
1:A:192:ASP:HB2	6:A:296:HOH:O	2.21	0.40
1:A:44:ASN:ND2	1:A:200:LYS:HA	2.36	0.40
1:A:79:VAL:CG2	1:A:80:ASP:N	2.81	0.40
1:A:5:VAL:HG12	1:A:6:ALA:N	2.35	0.40
1:A:80:ASP:OD1	1:A:80:ASP:C	2.63	0.40
1:A:161:SER:C	1:A:163:GLY:N	2.79	0.40
1:A:170:VAL:CG1	1:A:171:GLY:N	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/237 (96%)	207 (91%)	20 (9%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/202 (97%)	178 (91%)	18 (9%)	8	4

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	32	VAL
1	A	64	VAL
1	A	69	ASN
1	A	76	SER
1	A	84	VAL
1	A	99	LEU
1	A	106	ILE
1	A	129	VAL
1	A	135	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	158	ARG
1	A	161	SER
1	A	168	SER
1	A	172	ARG
1	A	194	THR
1	A	216	ASN
1	A	217	ILE
1	A	226	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	GLN
1	A	44	ASN
1	A	69	ASN
1	A	131	ASN
1	A	132	GLN
1	A	153	ASN
1	A	166	GLN
1	A	216	ASN
1	A	237	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	IAC	A	242	-	14,14,14	4.73	6 (42%)	19,19,19	3.78	9 (47%)
4	IND	A	240	-	10,10,10	1.58	4 (40%)	13,13,13	2.77	7 (53%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IND	A	240	-	-	-	0/2/2/2
5	IAC	A	242	-	-	3/4/4/4	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	242	IAC	C8-C7	12.73	1.55	1.36
5	A	242	IAC	C8-N	8.14	1.50	1.37
5	A	242	IAC	C1-C	5.46	1.48	1.41
5	A	242	IAC	C17-C7	4.66	1.56	1.50
5	A	242	IAC	C1-C7	4.27	1.51	1.44
4	A	240	IND	C9-C8	2.59	1.45	1.41
4	A	240	IND	C5-C4	2.52	1.43	1.38
4	A	240	IND	C2-C3	2.15	1.40	1.36
5	A	242	IAC	C2-C1	2.13	1.43	1.39
4	A	240	IND	C6-C7	2.00	1.42	1.38

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	242	IAC	C17-C7-C8	-8.85	114.74	126.84
5	A	242	IAC	C7-C8-N	-8.21	101.29	110.31
5	A	242	IAC	C18-C17-C7	-8.06	102.57	114.93
4	A	240	IND	C8-C9-C3	5.23	109.90	106.59
4	A	240	IND	C9-C8-N1	-4.35	104.05	107.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	240	IND	C8-N1-C2	4.18	111.97	108.91
5	A	242	IAC	C17-C7-C1	-3.74	121.55	126.43
5	A	242	IAC	C-N-C8	3.57	112.25	109.08
4	A	240	IND	C7-C8-N1	3.29	136.01	130.74
4	A	240	IND	C9-C3-C2	-2.70	103.76	107.05
5	A	242	IAC	O2-C18-C17	2.49	122.23	114.51
4	A	240	IND	C7-C8-C9	-2.42	119.94	122.13
5	A	242	IAC	C1-C-N	2.23	109.38	107.52
5	A	242	IAC	C3-C2-C1	-2.18	115.86	119.80
5	A	242	IAC	C3-C4-C5	2.07	122.79	120.24
4	A	240	IND	C4-C9-C3	-2.00	129.29	134.97

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	242	IAC	C18-C17-C7-C1
5	A	242	IAC	C7-C17-C18-O3
5	A	242	IAC	C7-C17-C18-O2

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	242	IAC	3	0
4	A	240	IND	9	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	231/237 (97%)	0.21	13 (5%) 30 34	12, 27, 42, 54	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	167	GLY	2.8
1	A	227	GLY	2.7
1	A	1	ALA	2.7
1	A	159	VAL	2.5
1	A	168	SER	2.5
1	A	150	THR	2.5
1	A	123	THR	2.2
1	A	16	ASP	2.2
1	A	165	PRO	2.2
1	A	161	SER	2.2
1	A	164	SER	2.1
1	A	226	THR	2.1
1	A	166	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	IAC	A	242	13/13	0.68	0.17	40,42,45,46	0
4	IND	A	240	9/9	0.82	0.14	30,32,35,35	0
2	CA	A	238	1/1	0.97	0.04	33,33,33,33	0
3	MN	A	239	1/1	0.98	0.03	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.