



wwPDB EM Validation Summary Report ⓘ

Mar 19, 2026 – 08:25 PM UTC

PDB ID : 7SN9 / pdb_00007sn9
EMDB ID : EMD-25215
Title : Cryo-EM structure of the Sinorhizobium meliloti flagellar filament
Authors : Kreutzberger, M.A.B.; Scharf, B.E.; Egelman, E.H.
Deposited on : 2021-10-27
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13950 (3.00 - 4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	395	
1	B	395	
1	C	395	
1	D	395	








Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	395	
1	F	395	
1	G	395	
1	H	395	
1	I	395	
1	J	395	
1	K	395	
1	L	395	
1	M	395	
1	N	395	
1	O	395	
1	P	395	
1	Q	395	
1	R	395	
1	S	395	
1	T	395	
1	U	395	
1	V	395	
1	W	395	
1	X	395	
1	Y	395	
1	Z	395	
1	a	395	
1	b	395	
1	c	395	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	d	395		
1	e	395		
1	f	395		
1	g	395		
1	h	395		
1	i	395		
1	j	395		
1	k	395		
1	l	395		
1	m	395		
1	n	395		
1	o	395		
1	p	395		

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 119154 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellin A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	P	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	B	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	W	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	C	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	X	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	D	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	Y	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	E	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	Z	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	F	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	a	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	G	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	b	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	H	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	c	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	I	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	d	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	J	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	e	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	K	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	f	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	L	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	g	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	M	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	h	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	N	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	i	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	O	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	j	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	Q	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	k	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	R	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	l	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	S	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	m	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	T	394	Total 2837	C 1734	N 485	O 611	S 7	0	0
1	n	394	Total 2837	C 1734	N 485	O 611	S 7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	U	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	o	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	V	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		
1	p	394	Total	C	N	O	S	0	0
			2837	1734	485	611	7		

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	16	GLY	THR	conflict	UNP P13118
A	17	VAL	LEU	conflict	UNP P13118
P	16	GLY	THR	conflict	UNP P13118
P	17	VAL	LEU	conflict	UNP P13118
B	16	GLY	THR	conflict	UNP P13118
B	17	VAL	LEU	conflict	UNP P13118
W	16	GLY	THR	conflict	UNP P13118
W	17	VAL	LEU	conflict	UNP P13118
C	16	GLY	THR	conflict	UNP P13118
C	17	VAL	LEU	conflict	UNP P13118
X	16	GLY	THR	conflict	UNP P13118
X	17	VAL	LEU	conflict	UNP P13118
D	16	GLY	THR	conflict	UNP P13118
D	17	VAL	LEU	conflict	UNP P13118
Y	16	GLY	THR	conflict	UNP P13118
Y	17	VAL	LEU	conflict	UNP P13118
E	16	GLY	THR	conflict	UNP P13118
E	17	VAL	LEU	conflict	UNP P13118
Z	16	GLY	THR	conflict	UNP P13118
Z	17	VAL	LEU	conflict	UNP P13118
F	16	GLY	THR	conflict	UNP P13118
F	17	VAL	LEU	conflict	UNP P13118
a	16	GLY	THR	conflict	UNP P13118
a	17	VAL	LEU	conflict	UNP P13118
G	16	GLY	THR	conflict	UNP P13118
G	17	VAL	LEU	conflict	UNP P13118
b	16	GLY	THR	conflict	UNP P13118
b	17	VAL	LEU	conflict	UNP P13118
H	16	GLY	THR	conflict	UNP P13118
H	17	VAL	LEU	conflict	UNP P13118
c	16	GLY	THR	conflict	UNP P13118

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	17	VAL	LEU	conflict	UNP P13118
I	16	GLY	THR	conflict	UNP P13118
I	17	VAL	LEU	conflict	UNP P13118
d	16	GLY	THR	conflict	UNP P13118
d	17	VAL	LEU	conflict	UNP P13118
J	16	GLY	THR	conflict	UNP P13118
J	17	VAL	LEU	conflict	UNP P13118
e	16	GLY	THR	conflict	UNP P13118
e	17	VAL	LEU	conflict	UNP P13118
K	16	GLY	THR	conflict	UNP P13118
K	17	VAL	LEU	conflict	UNP P13118
f	16	GLY	THR	conflict	UNP P13118
f	17	VAL	LEU	conflict	UNP P13118
L	16	GLY	THR	conflict	UNP P13118
L	17	VAL	LEU	conflict	UNP P13118
g	16	GLY	THR	conflict	UNP P13118
g	17	VAL	LEU	conflict	UNP P13118
M	16	GLY	THR	conflict	UNP P13118
M	17	VAL	LEU	conflict	UNP P13118
h	16	GLY	THR	conflict	UNP P13118
h	17	VAL	LEU	conflict	UNP P13118
N	16	GLY	THR	conflict	UNP P13118
N	17	VAL	LEU	conflict	UNP P13118
i	16	GLY	THR	conflict	UNP P13118
i	17	VAL	LEU	conflict	UNP P13118
O	16	GLY	THR	conflict	UNP P13118
O	17	VAL	LEU	conflict	UNP P13118
j	16	GLY	THR	conflict	UNP P13118
j	17	VAL	LEU	conflict	UNP P13118
Q	16	GLY	THR	conflict	UNP P13118
Q	17	VAL	LEU	conflict	UNP P13118
k	16	GLY	THR	conflict	UNP P13118
k	17	VAL	LEU	conflict	UNP P13118
R	16	GLY	THR	conflict	UNP P13118
R	17	VAL	LEU	conflict	UNP P13118
l	16	GLY	THR	conflict	UNP P13118
l	17	VAL	LEU	conflict	UNP P13118
S	16	GLY	THR	conflict	UNP P13118
S	17	VAL	LEU	conflict	UNP P13118
m	16	GLY	THR	conflict	UNP P13118
m	17	VAL	LEU	conflict	UNP P13118
T	16	GLY	THR	conflict	UNP P13118

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
T	17	VAL	LEU	conflict	UNP P13118
n	16	GLY	THR	conflict	UNP P13118
n	17	VAL	LEU	conflict	UNP P13118
U	16	GLY	THR	conflict	UNP P13118
U	17	VAL	LEU	conflict	UNP P13118
o	16	GLY	THR	conflict	UNP P13118
o	17	VAL	LEU	conflict	UNP P13118
V	16	GLY	THR	conflict	UNP P13118
V	17	VAL	LEU	conflict	UNP P13118
p	16	GLY	THR	conflict	UNP P13118
p	17	VAL	LEU	conflict	UNP P13118


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Flagellin A



• Molecule 1: Flagellin A





• Molecule 1: Flagellin A








• Molecule 1: Flagellin A




• Molecule 1: Flagellin A



• Molecule 1: Flagellin A





• Molecule 1: Flagellin A









• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A





• Molecule 1: Flagellin A

Chain a: 80% 19%




• Molecule 1: Flagellin A


Chain G: 75% 25%



• Molecule 1: Flagellin A


Chain b: 79% 21%






• Molecule 1: Flagellin A

Chain H: 76% 23%




• Molecule 1: Flagellin A

Chain c: 81% 19%




• Molecule 1: Flagellin A

Chain I: 75% 25%




• Molecule 1: Flagellin A

Chain d:  82% 18%




• Molecule 1: Flagellin A

Chain J:  75% 25%




• Molecule 1: Flagellin A


Chain e:  83% 17%





• Molecule 1: Flagellin A

Chain K:  75% 24%









• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




- Molecule 1: Flagellin A




- Molecule 1: Flagellin A




- Molecule 1: Flagellin A





- Molecule 1: Flagellin A









• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A





• Molecule 1: Flagellin A









• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




• Molecule 1: Flagellin A




- Molecule 1: Flagellin A




- Molecule 1: Flagellin A




- Molecule 1: Flagellin A



- Molecule 1: Flagellin A





4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=130.9°, rise=9.5 Å, axial sym=C1	Depositor
Number of segments used	16158	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.404	Depositor
Minimum map value	-0.245	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.033	Depositor
Recommended contour level	0.102	Depositor
Map size (Å)	414.72003, 414.72003, 414.72003	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/2859	0.32	0/3883
1	B	0.13	0/2859	0.33	0/3883
1	C	0.12	0/2859	0.32	0/3883
1	D	0.13	0/2859	0.34	0/3883
1	E	0.12	0/2859	0.32	0/3883
1	F	0.12	0/2859	0.32	0/3883
1	G	0.12	0/2859	0.32	0/3883
1	H	0.13	0/2859	0.33	0/3883
1	I	0.13	0/2859	0.34	0/3883
1	J	0.12	0/2859	0.33	0/3883
1	K	0.13	0/2859	0.33	0/3883
1	L	0.12	0/2859	0.33	0/3883
1	M	0.12	0/2859	0.32	0/3883
1	N	0.12	0/2859	0.33	0/3883
1	O	0.14	0/2859	0.35	0/3883
1	P	0.11	0/2859	0.28	0/3883
1	Q	0.12	0/2859	0.32	0/3883
1	R	0.12	0/2859	0.33	0/3883
1	S	0.12	0/2859	0.32	0/3883
1	T	0.13	0/2859	0.35	0/3883
1	U	0.12	0/2859	0.32	0/3883
1	V	0.12	0/2859	0.33	0/3883
1	W	0.11	0/2859	0.28	0/3883
1	X	0.11	0/2859	0.29	0/3883
1	Y	0.11	0/2859	0.28	0/3883
1	Z	0.11	0/2859	0.28	0/3883
1	a	0.11	0/2859	0.28	0/3883
1	b	0.11	0/2859	0.28	0/3883
1	c	0.11	0/2859	0.28	0/3883
1	d	0.11	0/2859	0.27	0/3883
1	e	0.11	0/2859	0.27	0/3883
1	f	0.11	0/2859	0.29	0/3883
1	g	0.11	0/2859	0.29	0/3883
1	h	0.11	0/2859	0.27	0/3883

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	i	0.11	0/2859	0.27	0/3883
1	j	0.11	0/2859	0.28	0/3883
1	k	0.11	0/2859	0.27	0/3883
1	l	0.11	0/2859	0.28	0/3883
1	m	0.10	0/2859	0.27	0/3883
1	n	0.11	0/2859	0.28	0/3883
1	o	0.11	0/2859	0.27	0/3883
1	p	0.11	0/2859	0.28	0/3883
All	All	0.12	0/120078	0.30	0/163086

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2837	0	2794	59	0
1	B	2837	0	2794	71	0
1	C	2837	0	2794	63	0
1	D	2837	0	2794	70	0
1	E	2837	0	2794	67	0
1	F	2837	0	2794	61	0
1	G	2837	0	2794	72	0
1	H	2837	0	2794	66	0
1	I	2837	0	2794	72	0
1	J	2837	0	2794	73	0
1	K	2837	0	2794	73	0
1	L	2837	0	2794	67	0
1	M	2837	0	2794	68	0
1	N	2837	0	2794	73	0
1	O	2837	0	2794	68	0
1	P	2837	0	2794	43	0
1	Q	2837	0	2794	75	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	2837	0	2794	73	0
1	S	2837	0	2794	75	0
1	T	2837	0	2794	65	0
1	U	2837	0	2794	57	0
1	V	2837	0	2794	61	0
1	W	2837	0	2794	44	0
1	X	2837	0	2794	43	0
1	Y	2837	0	2794	56	0
1	Z	2837	0	2794	54	0
1	a	2837	0	2794	55	0
1	b	2837	0	2794	60	0
1	c	2837	0	2794	56	0
1	d	2837	0	2794	53	0
1	e	2837	0	2794	48	0
1	f	2837	0	2794	50	0
1	g	2837	0	2794	60	0
1	h	2837	0	2794	54	0
1	i	2837	0	2794	53	0
1	j	2837	0	2794	49	0
1	k	2837	0	2794	49	0
1	l	2837	0	2794	50	0
1	m	2837	0	2794	53	0
1	n	2837	0	2794	46	0
1	o	2837	0	2794	47	0
1	p	2837	0	2794	42	0
All	All	119154	0	117348	2314	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 2314 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:ARG:HH22	1:B:36:ARG:HG3	1.40	0.86
1:E:30:ARG:HH22	1:E:36:ARG:HG3	1.40	0.86
1:G:30:ARG:HH22	1:G:36:ARG:HG3	1.40	0.86
1:D:30:ARG:HH22	1:D:36:ARG:HG3	1.41	0.86
1:Q:30:ARG:HH22	1:Q:36:ARG:HG3	1.41	0.85

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/395 (99%)	368 (94%)	24 (6%)	0	100	100
1	B	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	C	392/395 (99%)	370 (94%)	22 (6%)	0	100	100
1	D	392/395 (99%)	370 (94%)	22 (6%)	0	100	100
1	E	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	F	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	G	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	H	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	I	392/395 (99%)	371 (95%)	21 (5%)	0	100	100
1	J	392/395 (99%)	368 (94%)	24 (6%)	0	100	100
1	K	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	L	392/395 (99%)	370 (94%)	22 (6%)	0	100	100
1	M	392/395 (99%)	368 (94%)	24 (6%)	0	100	100
1	N	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	O	392/395 (99%)	366 (93%)	26 (7%)	0	100	100
1	P	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	Q	392/395 (99%)	370 (94%)	22 (6%)	0	100	100
1	R	392/395 (99%)	368 (94%)	24 (6%)	0	100	100
1	S	392/395 (99%)	367 (94%)	25 (6%)	0	100	100
1	T	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	U	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	V	392/395 (99%)	368 (94%)	24 (6%)	0	100	100
1	W	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	X	392/395 (99%)	373 (95%)	19 (5%)	0	100	100
1	Y	392/395 (99%)	370 (94%)	22 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Z	392/395 (99%)	371 (95%)	21 (5%)	0	100	100
1	a	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	b	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	c	392/395 (99%)	373 (95%)	19 (5%)	0	100	100
1	d	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	e	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	f	392/395 (99%)	370 (94%)	22 (6%)	0	100	100
1	g	392/395 (99%)	369 (94%)	23 (6%)	0	100	100
1	h	392/395 (99%)	371 (95%)	21 (5%)	0	100	100
1	i	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	j	392/395 (99%)	373 (95%)	19 (5%)	0	100	100
1	k	392/395 (99%)	371 (95%)	21 (5%)	0	100	100
1	l	392/395 (99%)	371 (95%)	21 (5%)	0	100	100
1	m	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	n	392/395 (99%)	374 (95%)	18 (5%)	0	100	100
1	o	392/395 (99%)	372 (95%)	20 (5%)	0	100	100
1	p	392/395 (99%)	373 (95%)	19 (5%)	0	100	100
All	All	16464/16590 (99%)	15552 (94%)	912 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/305 (100%)	304 (100%)	0	100	100
1	B	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	C	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	D	304/305 (100%)	303 (100%)	1 (0%)	86	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	F	304/305 (100%)	302 (99%)	2 (1%)	76	78
1	G	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	H	304/305 (100%)	302 (99%)	2 (1%)	76	78
1	I	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	J	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	K	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	L	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	M	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	N	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	O	304/305 (100%)	302 (99%)	2 (1%)	76	78
1	P	304/305 (100%)	304 (100%)	0	100	100
1	Q	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	R	304/305 (100%)	302 (99%)	2 (1%)	76	78
1	S	304/305 (100%)	302 (99%)	2 (1%)	76	78
1	T	304/305 (100%)	302 (99%)	2 (1%)	76	78
1	U	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	V	304/305 (100%)	303 (100%)	1 (0%)	86	83
1	W	304/305 (100%)	304 (100%)	0	100	100
1	X	304/305 (100%)	304 (100%)	0	100	100
1	Y	304/305 (100%)	304 (100%)	0	100	100
1	Z	304/305 (100%)	304 (100%)	0	100	100
1	a	304/305 (100%)	304 (100%)	0	100	100
1	b	304/305 (100%)	304 (100%)	0	100	100
1	c	304/305 (100%)	304 (100%)	0	100	100
1	d	304/305 (100%)	304 (100%)	0	100	100
1	e	304/305 (100%)	304 (100%)	0	100	100
1	f	304/305 (100%)	304 (100%)	0	100	100
1	g	304/305 (100%)	304 (100%)	0	100	100
1	h	304/305 (100%)	304 (100%)	0	100	100
1	i	304/305 (100%)	304 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	j	304/305 (100%)	304 (100%)	0	100	100
1	k	304/305 (100%)	304 (100%)	0	100	100
1	l	304/305 (100%)	304 (100%)	0	100	100
1	m	304/305 (100%)	304 (100%)	0	100	100
1	n	304/305 (100%)	304 (100%)	0	100	100
1	o	304/305 (100%)	304 (100%)	0	100	100
1	p	304/305 (100%)	304 (100%)	0	100	100
All	All	12768/12810 (100%)	12742 (100%)	26 (0%)	85	85

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	N	43	ASN
1	Q	43	ASN
1	U	43	ASN
1	O	294	ASN
1	R	43	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 96 such sidechains are listed below:

Mol	Chain	Res	Type
1	f	28	GLN
1	h	378	GLN
1	L	109	GLN
1	M	109	GLN
1	O	384	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25215. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 209



Y Index: 215




Z Index: 43


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1836 nm³; this corresponds to an approximate mass of 1658 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-25215 and PDB model 7SN9. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.102) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8000	 0.4420
A	 0.7940	 0.4390
B	 0.7950	 0.4370
C	 0.7930	 0.4360
D	 0.7920	 0.4380
E	 0.7970	 0.4390
F	 0.7970	 0.4370
G	 0.8000	 0.4370
H	 0.7970	 0.4370
I	 0.7920	 0.4390
J	 0.7950	 0.4380
K	 0.7910	 0.4330
L	 0.7940	 0.4370
M	 0.7910	 0.4380
N	 0.7930	 0.4380
O	 0.7950	 0.4390
P	 0.8060	 0.4460
Q	 0.7940	 0.4360
R	 0.7960	 0.4380
S	 0.7950	 0.4380
T	 0.7940	 0.4360
U	 0.7950	 0.4380
V	 0.7960	 0.4370
W	 0.8090	 0.4470
X	 0.8010	 0.4460
Y	 0.8030	 0.4480
Z	 0.8040	 0.4480
a	 0.8030	 0.4460
b	 0.8030	 0.4460
c	 0.8060	 0.4470
d	 0.8060	 0.4490
e	 0.8070	 0.4480
f	 0.8100	 0.4460
g	 0.8050	 0.4460
h	 0.8050	 0.4480



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.8050	 0.4470
j	 0.8060	 0.4480
k	 0.8020	 0.4480
l	 0.8040	 0.4460
m	 0.8060	 0.4470
n	 0.8080	 0.4460
o	 0.8050	 0.4470
p	 0.8030	 0.4470