



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 09:25 AM UTC

PDB ID : 7SPK / pdb_00007spk
EMDB ID : EMD-24773
Title : Models for C16 reconstruction of Outer Membrane Core Complex (OMCC) of Type IV Secretion System (T4SS) encoded by a plasmid overproducing TraV, TraK and TraB of pED208
Authors : Liu, X.; Khara, P.; Baker, M.L.; Christie, P.J.; Hu, B.
Deposited on : 2021-11-02
Resolution : 3.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8831 (3.37 - 4.37)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB1	204	
1	AB10	204	
1	AB11	204	
1	AB12	204	
1	AB13	204	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	AB14	204	 18%82%
1	AB15	204	 18%82%
1	AB16	204	 18%82%
1	AB2	204	 18%82%
1	AB3	204	 18%82%
1	AB4	204	 18%82%
1	AB5	204	 18%82%
1	AB6	204	 18%82%
1	AB7	204	 18%82%
1	AB8	204	 18%82%
1	AB9	204	 18%82%
2	EF1	453	 43%57%
2	EF10	453	 43%57%
2	EF11	453	 43%57%
2	EF12	453	 43%57%
2	EF13	453	 43%57%
2	EF14	453	 43%57%
2	EF15	453	 43%57%
2	EF16	453	 43%57%
2	EF2	453	 43%57%
2	EF3	453	 43%57%
2	EF4	453	 43%57%
2	EF5	453	 43%57%
2	EF6	453	 43%57%
2	EF7	453	 43%57%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	EF8	453	 43% 57%
2	EF9	453	 43% 57%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 27968 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TraV.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AB1	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB2	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB3	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB4	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB5	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB6	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB7	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB8	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB9	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB10	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB11	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB12	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB13	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB14	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB15	37	Total	C	N	O	S	0	0
			261	153	47	56	5		
1	AB16	37	Total	C	N	O	S	0	0
			261	153	47	56	5		


- Molecule 2 is a protein called TraB.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	EF1	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF2	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF3	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF4	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF5	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF6	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF7	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF8	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF9	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF10	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF11	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF12	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF13	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF14	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF15	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		
2	EF16	197	Total	C	N	O	S	0	0
			1487	930	260	291	6		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TraV




- Molecule 1: TraV




- Molecule 1: TraV




- Molecule 1: TraV




- Molecule 1: TraV



- Molecule 1: TraV




- Molecule 1: TraV




- Molecule 1: TraV









- Molecule 1: TraV



- Molecule 1: TraV




- Molecule 1: TraV





- Molecule 1: TraV







- Molecule 2: TraB




- Molecule 2: TraB




- Molecule 2: TraB







• Molecule 2: TraB




• Molecule 2: TraB






- Molecule 2: TraB

Chain EF9: 43% 57%




- Molecule 2: TraB

Chain EF10: 43% 57%





- Molecule 2: TraB

Chain EF11: 43% 57%





• Molecule 2: TraB

Chain EF14: 43% 57%




• Molecule 2: TraB


Chain EF15: 43% 57%



• Molecule 2: TraB

Chain EF16: 43% 57%





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	22000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.328	Depositor
Minimum map value	-0.752	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.053	Depositor
Recommended contour level	0.35	Depositor
Map size (Å)	426.08, 426.08, 426.08	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0652, 1.0652, 1.0652	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AB1	0.13	0/261	0.37	0/348
1	AB10	0.13	0/261	0.37	0/348
1	AB11	0.13	0/261	0.37	0/348
1	AB12	0.12	0/261	0.37	0/348
1	AB13	0.13	0/261	0.37	0/348
1	AB14	0.13	0/261	0.37	0/348
1	AB15	0.13	0/261	0.37	0/348
1	AB16	0.41	0/261	0.79	0/348
1	AB2	0.13	0/261	0.37	0/348
1	AB3	0.13	0/261	0.37	0/348
1	AB4	0.13	0/261	0.36	0/348
1	AB5	0.13	0/261	0.37	0/348
1	AB6	0.13	0/261	0.37	0/348
1	AB7	0.12	0/261	0.37	0/348
1	AB8	0.13	0/261	0.37	0/348
1	AB9	0.13	0/261	0.37	0/348
2	EF1	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF10	0.32	0/1509	0.55	0/2031
2	EF11	0.32	0/1509	0.55	0/2031
2	EF12	0.32	0/1509	0.56	1/2031 (0.0%)
2	EF13	0.32	0/1509	0.55	0/2031
2	EF14	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF15	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF16	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF2	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF3	0.32	0/1509	0.55	0/2031
2	EF4	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF5	0.32	0/1509	0.55	0/2031
2	EF6	0.32	0/1509	0.55	0/2031
2	EF7	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF8	0.32	0/1509	0.55	1/2031 (0.0%)
2	EF9	0.32	0/1509	0.55	0/2031
All	All	0.30	0/28320	0.53	9/38064 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	EF16	247	LEU	N-CA-C	-5.29	99.66	108.34
2	EF12	247	LEU	N-CA-C	-5.29	99.66	108.34
2	EF4	247	LEU	N-CA-C	-5.17	99.87	108.34
2	EF8	247	LEU	N-CA-C	-5.16	99.88	108.34
2	EF2	245	PHE	N-CA-C	-5.13	101.57	109.52
2	EF14	245	PHE	N-CA-C	-5.13	101.57	109.52
2	EF1	247	LEU	N-CA-C	-5.10	99.98	108.34
2	EF7	247	LEU	N-CA-C	-5.08	100.01	108.34
2	EF15	247	LEU	N-CA-C	-5.04	100.07	108.34

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB1	35/204 (17%)	35 (100%)	0	0	100	100
1	AB10	35/204 (17%)	35 (100%)	0	0	100	100
1	AB11	35/204 (17%)	35 (100%)	0	0	100	100
1	AB12	35/204 (17%)	35 (100%)	0	0	100	100
1	AB13	35/204 (17%)	35 (100%)	0	0	100	100
1	AB14	35/204 (17%)	35 (100%)	0	0	100	100
1	AB15	35/204 (17%)	35 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB16	35/204 (17%)	35 (100%)	0	0	100	100
1	AB2	35/204 (17%)	35 (100%)	0	0	100	100
1	AB3	35/204 (17%)	35 (100%)	0	0	100	100
1	AB4	35/204 (17%)	35 (100%)	0	0	100	100
1	AB5	35/204 (17%)	35 (100%)	0	0	100	100
1	AB6	35/204 (17%)	35 (100%)	0	0	100	100
1	AB7	35/204 (17%)	35 (100%)	0	0	100	100
1	AB8	35/204 (17%)	35 (100%)	0	0	100	100
1	AB9	35/204 (17%)	35 (100%)	0	0	100	100
2	EF1	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF10	193/453 (43%)	184 (95%)	9 (5%)	0	100	100
2	EF11	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF12	193/453 (43%)	184 (95%)	9 (5%)	0	100	100
2	EF13	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF14	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF15	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF16	193/453 (43%)	184 (95%)	9 (5%)	0	100	100
2	EF2	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF3	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF4	193/453 (43%)	184 (95%)	9 (5%)	0	100	100
2	EF5	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF6	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF7	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
2	EF8	193/453 (43%)	184 (95%)	9 (5%)	0	100	100
2	EF9	193/453 (43%)	183 (95%)	10 (5%)	0	100	100
All	All	3648/10512 (35%)	3493 (96%)	155 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AB1	28/168 (17%)	28 (100%)	0	100	100
1	AB10	28/168 (17%)	28 (100%)	0	100	100
1	AB11	28/168 (17%)	28 (100%)	0	100	100
1	AB12	28/168 (17%)	28 (100%)	0	100	100
1	AB13	28/168 (17%)	28 (100%)	0	100	100
1	AB14	28/168 (17%)	28 (100%)	0	100	100
1	AB15	28/168 (17%)	28 (100%)	0	100	100
1	AB16	28/168 (17%)	28 (100%)	0	100	100
1	AB2	28/168 (17%)	28 (100%)	0	100	100
1	AB3	28/168 (17%)	28 (100%)	0	100	100
1	AB4	28/168 (17%)	28 (100%)	0	100	100
1	AB5	28/168 (17%)	28 (100%)	0	100	100
1	AB6	28/168 (17%)	28 (100%)	0	100	100
1	AB7	28/168 (17%)	28 (100%)	0	100	100
1	AB8	28/168 (17%)	28 (100%)	0	100	100
1	AB9	28/168 (17%)	28 (100%)	0	100	100
2	EF1	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF10	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF11	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF12	156/353 (44%)	156 (100%)	0	100	100
2	EF13	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF14	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF15	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF16	156/353 (44%)	156 (100%)	0	100	100
2	EF2	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF3	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF4	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF5	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF6	156/353 (44%)	155 (99%)	1 (1%)	78	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	EF7	156/353 (44%)	155 (99%)	1 (1%)	78	80
2	EF8	156/353 (44%)	156 (100%)	0	100	100
2	EF9	156/353 (44%)	155 (99%)	1 (1%)	78	80
All	All	2944/8336 (35%)	2931 (100%)	13 (0%)	81	83

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	EF1	248	THR
2	EF2	248	THR
2	EF3	248	THR
2	EF4	248	THR
2	EF5	248	THR
2	EF6	248	THR
2	EF7	248	THR
2	EF9	248	THR
2	EF10	248	THR
2	EF11	248	THR
2	EF13	248	THR
2	EF14	248	THR
2	EF15	248	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24773. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 164



Y Index: 164




Z Index: 212


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.35. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 284 nm³; this corresponds to an approximate mass of 257 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.256 $\text{\AA}^{-1}$


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24773 and PDB model 7SPK. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.35 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.35).

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.35) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7030	 0.3980
AB1	 0.6680	 0.3920
AB10	 0.6720	 0.3920
AB11	 0.6640	 0.3910
AB12	 0.6680	 0.3940
AB13	 0.6680	 0.3920
AB14	 0.6720	 0.3960
AB15	 0.6640	 0.3910
AB16	 0.6720	 0.3950
AB2	 0.6720	 0.3950
AB3	 0.6640	 0.3890
AB4	 0.6680	 0.3910
AB5	 0.6680	 0.3930
AB6	 0.6720	 0.3910
AB7	 0.6640	 0.3890
AB8	 0.6680	 0.3890
AB9	 0.6680	 0.3910
EF1	 0.7130	 0.3990
EF10	 0.7100	 0.4000
EF11	 0.7080	 0.3990
EF12	 0.7080	 0.4000
EF13	 0.7050	 0.3990
EF14	 0.7080	 0.3990
EF15	 0.7070	 0.3990
EF16	 0.7100	 0.4000
EF2	 0.7100	 0.3990
EF3	 0.7050	 0.4000
EF4	 0.7110	 0.4010
EF5	 0.7140	 0.4000
EF6	 0.7090	 0.4000
EF7	 0.7080	 0.4000
EF8	 0.7120	 0.4000
EF9	 0.7060	 0.4000

